

Melanie Bachman Acting Executive Director Connecticut Siting Council 10 Franklin Square New Britain, CT 06051

NOTICE OF EXEMPT MODIFICATION

7 STONY HILL ROAD, BETHEL, CT, 06801 AT&T Site CT5176

Dear Ms. Bachman:

Enclosed please find and original and two (2) copies of a Notice of Exempt Modification including drawings and a check in the amount of six hundred twenty five (\$625.00) for the filing fee. In addition, I have included a single copy of each notification letter and proof of delivery mailed to the municipality, the Town Planner, and both the property and tower owners.

This endeavor merely consists of fiber optic replacement; no work will be performed on the tower or any equipment on the tower. Accordingly, no RF study or structural reports are necessary.

I will submit electronic copies of the filings including proof of delivery to you via e mail this day.

Please feel free to contact me with any questions or comments. Thank you for your kind cooperation in this matter.

Respectfully submitted,

Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-677-0144
jandrews@empiretelecomm.com

Enclosures



Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-286-4007
jandrews@empiretelecomm.com

December 12, 2018

Melanie Bachman Acting Executive Director Connecticut Siting Council 10 Franklin Square New Britain, CT 06051

NOTICE OF EXEMPT MODIFICATION

7 STONY HILL ROAD, BETHEL, CT, 06801 AT&T Site CT5176

Lat: 41-24-56.99 (41.41583056) Long. 73-24-05.28 (-73.40146667)

Dear Ms. Bachman:

AT&T Wireless currently maintains a wireless telecommunications facility located on an existing utility transmission tower at 7 Stoney Hill Road in Bethel, CT. The tower is owned by the Eversource. The property is owned by the Target Corporation. A fenced equipment compound is situated on grade on the southwestern side of the utility pole. AT&T Wireless now seeks to install new fiber optic cable at this site, which requires placing new 4" conduit 200 feet from a utility pole on the northeastern area of the northern lot line to the existing hand hole, then placing innerduct from the hand hole to the Hoffman Box, and then running new 2" PVC conduit 60 feet from the Hoffman Box to the proposed new Purcell cabinet, and running Maxell Tape 10 feet from the power to the Purcell cabinet. A new Purcell FLX16WS cabinet is proposed to be located on a new 4-foot by 4-foot concrete pad in the equipment compound. A 4-foot by 4-foot section of the existing cement sidewalk near the utility pole will be replaced to accommodate the proposed new conduit.

No work or alterations will be performed on the tower or on any equipment attached thereto. Empire Telecommunications USA LLC has been tasked with laying the infrastructure for the new fiber optic cable; actual installation of the new fiber optic cable will be performed by a cable provider at a later date.



As shown on page C-2 of the enclosed drawings, the Purcell cabinet has dimensions of 30' tall by 25" wide by 27.12" deep. A proposed plinth for the cabinet will raise the height to 44" ongrade.

The facility was approved by the Connecticut Siting Council in EM-CING-009-160322 on April 11, 2016. Six (6) conditions were enumerated in the Council's decision: 1) Any deviation from the proposed modification as specified in this notice and supporting materials with the Council shall render this acknowledgement invalid; 2) Any material changes to the modification as proposed shall require the filing of a new notice with the Council; 3) Within 45 days after the completion of construction the Council shall be notified in writing that the construction has been completed; 4) Any nonfunctioning antenna and associated antenna mounting equipment on this facility owned and operated by New Cingular Wireless, PCS, LLC shall be removed within 60 days of the date the antenna ceased to function; 5) the validity of the action shall expire one year from the date of the letter; 6) The applicant may file a request an extension of time beyond the one year deadline provided that such a request is submitted to the Council not less than 60 days prior to the expiration.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies section 16-50j-73 for construction that constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2). In accordance with RCSA section 16-50j-73, a copy of this letter and attachments is being sent to the Honorable Matt Knickerbocker, First Selectman of Bethel; Beth Cavagna, the Director and Town Planner of the Bethel Land Use Department; to Eversource, the tower owner, and to the Target Corporation, the property owner.

The planned modifications to the facility fall squarely within those activities expressly provided for in RCSA section 50j-72(b)(2).

- 1. The proposed modifications will not result in an increase in height of the existing structure.
- 2. The proposed modifications will not require an extension of the site boundary.
- 3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that will exceed state and local limits.
- 4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
- 5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
- 6. The existing structure and its foundation can support the proposed loading.



For the foregoing reasons, AT&T Wireless respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under RCSA section 16-50j-72(b)(2).

Respectfully submitted,

Jack Andrews
Zoning Manager, Empire Telecom
o/b/o AT&T Wireless
10130 Donleigh Drive
Columbia, MD 21046
443-677-0144
jandrews@empiretelecomm.com

Enclosures

cc: The Honorable Matt Knickerbocker, as the First Selectman of Bethel
Beth Cavagna, as the Director and Town Planner of the Bethel Land Use Department
Eversource, as the tower owner
Target Corporation, as the property owner



CT Light & Power Co., c/o Eversource Energy 56 Prospect St., First Floor Hartford, CT 06103 ATTN: Joel Szarkowicz

RE:

AT&T Wireless Modifications to Telecommunication Facility –

7 STONY HILL ROAD, BETHEL, CT, 06801

AT&T Site CT5176

Dear Eversource:

In order to accommodate technological changes, implement the Uniform Mobile Telecommunications System and enhance system performance in the State of Connecticut, AT&T Wireless ("AT&T") will be installing replacement fiber optic cable at the above referenced telecommunications facility. AT&T Wireless currently maintains a wireless telecommunications facility located on an existing utility transmission tower at 7 Stoney Hill Road in Bethel, CT. The tower is owned by Eversource Energy. The property is owned by the Target Corporation.

AT&T Wireless now seeks to install new fiber optic cable at this site, which requires placing new 4" conduit 200 feet from a utility pole on the northeastern area of the northern lot line to the existing hand hole, then placing innerduct from the hand hole to the Hoffman Box, and then running new 2" PVC conduit 60 feet from the Hoffman Box to the proposed new Purcell cabinet, and running Maxell Tape 10 feet from the power to the Purcell cabinet. A new Purcell FLX16WS cabinet is proposed to be located on a new 4-foot by 4-foot concrete pad in the equipment compound. A 4-foot by 4-foot section of the existing cement sidewalk near the utility pole will be replaced to accommodate the proposed new conduit.

No work or alterations will be performed on the tower or on any equipment attached thereto. Empire Telecommunications USA LLC has been tasked with laying the infrastructure for the new fiber optic cable; actual installation of the new fiber optic cable will be performed by a cable provider at a later date.

This letter is intended to serve as the required notice to the tower owner. As required by the Regulations of Connecticut State Agencies ("RCSA") section 16-50j-73, the Connecticut Siting Council ("CSC") has been notified of the proposed changes and will review AT&T's proposal.



Please accept this letter as notification under RCSA section 16-50j-73 of construction which constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2).

The enclosed letter and documents to the CSC fully describes AT&T's proposal for the above referenced site. However, if you have any questions or require any additional information concerning our plans or the CSC procedures, please contact me at 443-677-0144 or contact Melanie Bachman, Acting Executive Director of the CSC at 860-872-2935.

Respectfully submitted,

Jack Andrews

Zoning Manager, Empire Telecom o/b/o AT&T Wireless 10130 Donleigh Drive Columbia, MD 21046 443-677-0144

jandrews@empiretelecomm.com

Enclosures



Honorable Matt Knickerbocker, First Selectman of Bethel Clifford J. Hurgin Municipal Center 1 School Street Bethel, CT 06801

RE: AT&T Wireless Modifications to Telecommunication Facility – 7 STONY HILL ROAD, BETHEL, CT, 06801

AT&T Site CT5176

Dear Selectman Knickerbocker:

In order to accommodate technological changes, implement the Uniform Mobile Telecommunications System and enhance system performance in the State of Connecticut, AT&T Wireless ("AT&T") will be installing replacement fiber optic cable at the above referenced telecommunications facility. AT&T Wireless currently maintains a wireless telecommunications facility located on an existing utility transmission tower at 7 Stoney Hill Road in Bethel, CT. The tower is owned by the Eversource. The property is owned by the Target Corporation.

AT&T Wireless now seeks to install new fiber optic cable at this site, which requires placing new 4" conduit 200 feet from a utility pole on the northeastern area of the northern lot line to the existing hand hole, then placing innerduct from the hand hole to the Hoffman Box, and then running new 2" PVC conduit 60 feet from the Hoffman Box to the proposed new Purcell cabinet, and running Maxell Tape 10 feet from the power to the Purcell cabinet. A new Purcell FLX16WS cabinet is proposed to be located on a new 4-foot by 4-foot concrete pad in the equipment compound. A 4-foot by 4-foot section of the existing cement sidewalk near the utility pole will be replaced to accommodate the proposed new conduit.

No work or alterations will be performed on the tower or on any equipment attached thereto. Empire Telecommunications USA LLC has been tasked with laying the infrastructure for the new fiber optic cable; actual installation of the new fiber optic cable will be performed by a cable provider at a later date.

This letter is intended to serve as the required notice to the municipality. As required by the Regulations of Connecticut State Agencies ("RCSA") section 16-50j-73, the Connecticut Siting Council ("CSC") has been notified of the proposed changes and will review AT&T's proposal.



Please accept this letter as notification under RCSA section 16-50j-73 of construction which constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2).

The enclosed letter and documents to the CSC fully describes AT&T's proposal for the above referenced site. However, if you have any questions or require any additional information concerning our plans or the CSC procedures, please contact me at 443-677-0144 or contact Melanie Bachman, Acting Executive Director of the CSC at 860-872-2935.

Respectfully submitted,

Jack Andrews

Zoning Manager, Empire Telecom o/b/o AT&T Wireless 10130 Donleigh Drive Columbia, MD 21046 443-677-0144

jandrews@empiretelecomm.com

Enclosures



Beth Cavagna, Director, Bethel Land Use Dept. Clifford J. Hurgin Municipal Center 1 School Street Bethel, CT 06801

RE:

AT&T Wireless Modifications to Telecommunication Facility – 7 STONY HILL ROAD, BETHEL, CT, 06801
AT&T Site CT5176

Dear Ms. Cavagna:

In order to accommodate technological changes, implement the Uniform Mobile Telecommunications System and enhance system performance in the State of Connecticut, AT&T Wireless ("AT&T") will be installing replacement fiber optic cable at the above referenced telecommunications facility. AT&T Wireless currently maintains a wireless telecommunications facility located on an existing utility transmission tower at 7 Stoney Hill Road in Bethel, CT. The tower is owned by the Eversource. The property is owned by the Target Corporation.

AT&T Wireless now seeks to install new fiber optic cable at this site, which requires placing new 4" conduit 200 feet from a utility pole on the northeastern area of the northern lot line to the existing hand hole, then placing innerduct from the hand hole to the Hoffman Box, and then running new 2" PVC conduit 60 feet from the Hoffman Box to the proposed new Purcell cabinet, and running Maxell Tape 10 feet from the power to the Purcell cabinet. A new Purcell FLX16WS cabinet is proposed to be located on a new 4-foot by 4-foot concrete pad in the equipment compound. A 4-foot by 4-foot section of the existing cement sidewalk near the utility pole will be replaced to accommodate the proposed new conduit.

No work or alterations will be performed on the tower or on any equipment attached thereto. Empire Telecommunications USA LLC has been tasked with laying the infrastructure for the new fiber optic cable; actual installation of the new fiber optic cable will be performed by a cable provider at a later date.

This letter is intended to serve as the required notice to the municipality's Planning and Community Development Department. As required by the Regulations of Connecticut State Agencies ("RCSA") section 16-50j-73, the Connecticut Siting Council ("CSC") has been notified of



the proposed changes and will review AT&T's proposal. Please accept this letter as notification under RCSA section 16-50j-73 of construction which constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2).

The enclosed letter and documents to the CSC fully describes AT&T's proposal for the above referenced site. However, if you have any questions or require any additional information concerning our plans or the CSC procedures, please contact me at 443-677-0144 or contact Melanie Bachman, Acting Executive Director of the CSC at 860-872-2935.

Respectfully submitted,

Jack Andrews

Zoning Marager, Empire Telecom o/b/o AT&T Wireless 10130 Donleigh Drive Columbia, MD 21046 443-677-0144 jandrews@empiretelecomm.com

Enclosures



TARGET CORPORATION PO BOX 9456 MINNEAPOLIS, MN 55440

RE: AT&T Wireless Modifications to Telecommunication Facility – 7 STONY HILL ROAD, BETHEL, CT, 06801 AT&T Site CT5176

Dear Target Corporation:

In order to accommodate technological changes, implement the Uniform Mobile Telecommunications System and enhance system performance in the State of Connecticut, AT&T Wireless ("AT&T") will be installing replacement fiber optic cable at the above referenced telecommunications facility. AT&T Wireless currently maintains a wireless telecommunications facility located on an existing utility transmission tower at 7 Stoney Hill Road in Bethel, CT. The tower is owned by the Eversource. The property is owned by the Target Corporation.

AT&T Wireless now seeks to install new fiber optic cable at this site, which requires placing new 4" conduit 200 feet from a utility pole on the northeastern area of the northern lot line to the existing hand hole, then placing innerduct from the hand hole to the Hoffman Box, and then running new 2" PVC conduit 60 feet from the Hoffman Box to the proposed new Purcell cabinet, and running Maxell Tape 10 feet from the power to the Purcell cabinet. A new Purcell FLX16WS cabinet is proposed to be located on a new 4-foot by 4-foot concrete pad in the equipment compound. A 4-foot by 4-foot section of the existing cement sidewalk near the utility pole will be replaced to accommodate the proposed new conduit.

No work or alterations will be performed on the tower or on any equipment attached thereto. Empire Telecommunications USA LLC has been tasked with laying the infrastructure for the new fiber optic cable; actual installation of the new fiber optic cable will be performed by a cable provider at a later date.

This letter is intended to serve as the required notice to the property owner. As required by the Regulations of Connecticut State Agencies ("RCSA") section 16-50j-73, the Connecticut Siting Council ("CSC") has been notified of the proposed changes and will review AT&T's proposal.



Please accept this letter as notification under RCSA section 16-50j-73 of construction which constitutes an exempt modification pursuant to RCSA section 16-50j-72(b)(2).

The enclosed letter and documents to the CSC fully describes AT&T's proposal for the above referenced site. However, if you have any questions or require any additional information concerning our plans or the CSC procedures, please contact me at 443-677-0144 or contact Melanie Bachman, Acting Executive Director of the CSC at 860-872-2935.

Respectfully submitted,

Jack Andrews

Zoning Manager, Empire Telecom o/b/o AT&T Wireless 10130 Donleigh Drive Columbia, MD 21046 443-677-0144

jandrews@empiretelecomm.com

Enclosures

PROIECT NOTES

- SITE INFORMATION OBTAINED FROM THE FOLLOWING
- PLAN ENTITLED "EVERSOURCE STRUCT. NO. 10254" PREPARED BY CENTEK ENGINEERING OF BRANFORD, CT LAST REVISED 10/24/2016.
- THE CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE CODES, ORDINANCES, LAWS AND REGULATIONS OF ALL MUNICIPALITIES, UTILITY COMPANIES OR OTHER PUBLIC/GOVERNING AUTHORITIES.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS AND INSPECTIONS THAT MAY BE REQUIRED BY ANY FEDERAL, STATE, COUNTY OR MUNICIPAL AUTHORITIES
- THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION MANAGER, IN WRITING, OF ANY CONFLICTS, ERRORS OR OMISSIONS PRIOR TO THE SUBMISSION OF BIDS OR PERFORMANCE OF WORK.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL EXISTING SITE IMPROVEMENTS PRIOR TO COMMENCING CONSTRUCTION. THE CONTRACTOR SHALL REPAIR ANY DAMAGE AS A RESULT OF CONSTRUCTION OF THIS FACILITY AT THE CONTRACTOR'S EXPENSE TO THE SATISFACTION OF
- THE SCOPE OF WORK FOR THIS PROJECT SHALL INCLUDE PROVIDING ALL MATERIALS, EQUIPMENT AND LABOR REQUIRED TO COMPLETE THIS PROJECT. ALL EQUIPMENT SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS.
- THE CONTRACTOR SHALL VISIT THE PROJECT SITE PRIOR TO SUBMITTING THE BID TO VERIEY THAT THE PROJECT CAN BE CONSTRUCTED IN ACCORDANCE WITH THE CONTRACT DOCUMENTS AND CONSTRUCTION DRAWINGS.
- THE CONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THESE DRAWINGS MUST BE VERIFIED. THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION MANAGER OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION.
- SINCE THE CELL SITE MAY BE ACTIVE, ALL SAFETY PRECAUTIONS MUST BE TAKEN WHEN WORKING AROUND HIGH LEVELS OF ELECTROMAGNETIC RADIATION. EQUIPMENT SHOULD BE SHUTDOWN PRIOR TO PERFORMING ANY WORK THAT COULD EXPOSE THE WORKERS TO DANGER. PERSONAL RF EXPOSURE MONITORS ARE REQUIRED TO BE WORN TO ALERT OF ANY POTENTIALLY DANGEROUS EXPOSURE LEVELS.
- THE PROPOSED FACILITY WILL CAUSE AN INSIGNIFICANT OR "DE-MINIMUS" INCREASE IN STORM WATER RUNOFF, THEREFORE NO DRAINAGE STRUCTURES ARE PROPOSED.
- NO NOISE, SMOKE, DUST OR ODOR WILL RESULT FROM THIS
- 2. THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION (NO HANDICAP ACCESS IS REQUIRED).
- THE FACILITY DOES NOT REQUIRE POTABLE WATER OR SANITARY SERVICE.
- CONTRACTOR SHALL VERIFY ANTENNA ELEVATION AND AZIMUTHS WITH RF ENGINEERING PRIOR TO INSTALLATION.
- THE TOWER, MOUNTS AND ANTENNAS SHALL BE DESIGNED TO MEET EIA/TIA-222-G AS PER IBC REQUIREMENTS.
- CONTRACTOR MUST FIELD LOCATE ALL EXISTING UNDERGROUND UTILITIES PRIOR TO ANY EXCAVATION.
- CONSTRUCTION SHALL NOT COMMENCE UNTIL COMPLETION OF A PASSING STRUCTURAL ANALYSIS CERTIFIED BY A LICENSED PROFESSIONAL ENGINEER. THE STRUCTURAL ANALYSIS IS TO BE PERFORMED BY OTHERS.

COPYRIGHT © 2018, MASER CONSULTING CONNECTICUT ALL **RIGHTS RESERVED**

THIS DRAWING AND ALL THE INFORMATION CONTAINED HEREIN IS AUTHORIZED FOR USE ONLY BY THE PARTY FOR WHOM THE WORK WAS CONTRACTED OR TO WHOM IT IS CERTIFIED. THIS DRAWING MAY NOT BE COPIED, REUSED, DISCLOSED, DISTRIBUTED OR RELIED CONSENT OF MASER CONSULTING CT



SITE NAME: BETHEL STONY HILL-AWS FA NUMBER: 10071269 SITE NUMBER: CT5176 7 STONY HILL ROAD BETHEL, CT 06801 **FAIRFIELD COUNTY**

SCOPE OF WORK

PLACE NEW 4IN PVC CONDUIT 200FT FROM POLE TO EXISTING HAND HOLE THEN PLACE INNERDUCT FROM THE HH TO THE HOFFMAN BOX ON TOP OF THE HILL 100FT THEN PLACE NEW 2IN PVC CONDUIT 60FT FROM THE HOFEMAN BOX TO THE NEW PURCELL AND REDUCE TO 1 25IN MLT TO PURCELL 5FT. PROVIDE 10FT MLT FROM POWER TO PURCELL AND 10FT MLT FROM PLTE PURCELL TO NEW PURCELL. CEMENT SIDE WALK TO BE REPLACED BY POLE 4X4FT SECTION

SHEET INDEX

SHEET DESCRIPTION

T-I TITLE SHEET

C-I SITE PLAN

C-2

GN-I GENERAL NOTES

UTILITY LAYOUT AND DETAILS

2 50AMP DC DBREAKERS FOR LNS FAP TO POWER EQUIPMENT



MASER CONSULTING -CONNECTICUT-

omer Loyalty through Client Satisfaction
of www.maserconsulting.com
Engineers # Planners # Surveyors
ape Architects # Environmental Scienti



16 ESOUIRE ROAD BILLERICA, MA 01862



SCALE : AS SHOWN			JOB NUMBER : 18963035A		
-					
-					
-		-			
-	,				٠
-		-			
0	12/07/18	FOR CONSTRU	ICTION	RA	RA
- 1	12/05/18	HILL FOR RE	VIEW HILL	AJC	RA
REV	HIHITI	DISCRIPTIO	NNEC	DIC //N BY	CHECK BY



SITE NAME:

BETHEL STONY HILL-AWS FA# 10071269 SITE# CT5176

7 STONY HILL ROAD BETHEL, CT 06801 **FAIRFIELD COUNTY**



TITLE SHEET

T-I

PROJECT INFORMATION

SITE INFORMATION

41.415814° N LONGITUDE: -73.401511° W FAIRFIELD COUNTY **IURISDICTION**

APPLICANT/LESSEE

NEW CINGULAR WIRELESS PCS, LLC ADDRESS: 550 COCHITUATE ROAD CITY, STATE, ZIP: FRAMINGHAM, MA 01701

TOWER OWNER

ADDRESS: CITY, STATE, ZIP: 107 SELDEN STREET BERLIN, CT 06037

CLIENT REPRESENTATIVE

ADDRESS: CITY, STATE, ZIP: CONTACT:

COMPANY:

EMPIRE TELECOM 16 ESQUIRE ROAD BILLERICA, MA 01862 JACK ANDREWS JANDREWS@EMPIRETELECOM.COM

EMPIRE TELECOM

SITE ACQUISITION

COMPANY ADDRESS: CITY, STATE, ZIP: CONTACT:

16 ESQUIRE ROAD BILLERICA, MA 01862 BRIAN MARTINELLI BMARTINELLI@EMPIRETELECOM.COM

ENGINEER

ADDRESS: CITY, STATE, ZIP CONTACT:

MASER CONSULTING CONNECTICUT 331 NEWMAN SPRINGS ROAD RED BANK NI 07701-5669 ROBERT ANDREWS RANDREWS@MASERCONSULTING.COM

E-MAIL:

CODE COMPLIANCE ALL WORK AND MATERIALS SHALL BE PERFORMED AND INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF

THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THE LATEST EDITIONS OF THE FOLLOWING CODES. INSTITUTE FOR ELECTRICAL AND ELECTRONICS I. 2018 CONNECTICUT STATE BUILDING CODE,

VICINITY MAP

INCORPORATING THE 2015 IBC 2. 2017 NATIONAL ELECTRICAL CODE - NFPA 70

PROJECT LOCATION

3. 2017 NFPA 101

7. TIA 607 FOR GROUNDING

6. TIA-222-G

- 4. AMERICAN INSTITUTE OF STEEL CONSTRUCTION
- 5. AMERICAN CONCRETE INSTITUTE
- AND NOT FOR HUMAN HABITATION, HANDICAPPED ACCESS NOT REQUIRED.

ENGINEERS 81 IEEE C2 LATEST EDITION

- 13. CONSTRUCTION TYPE: IIB
- 14. USE GROUP: U

TELCORDIA GR-1275 10. ANSI T1.311 PROPOSED USE: UNMANNED TELECOM FACILITY HANDICAP REQUIREMENTS: FACILITY IS UNMANNED

GENERAL NOTES:

- THE SUBCONTRACTOR SHALL REVIEW AND INSPECT THE EXISTING FACILITY GROUNDING SYSTEM (AS DESIGNED AND INSTALLED) FOR STRICT COMPLIANCE WITH THE NEC (AS ADOPTED BY THE AHI). THE SITE-SPECIFIC (UL. LPI, OR NEPA) LIGHTING PROTECTION CODE, AND GENERAL COMPLIANCE WITH TELCORDIA AND TIA GROUNDING STANDARDS. THE SUBCONTRACTOR SHALL REPORT ANY VIOLATIONS OR ADVERSE FINDINGS TO THE CONTRACTOR FOR RESOLUTION.
- 2. ALL GROUND ELECTRODE SYSTEMS (INCLUDING TELECOMMUNICATION, RADIO, LIGHTNING PROTECTION, AND AC POWER GES'S) SHALL BE BONDED TOGETHER, AT OR BELOW GRADE, BY TWO OR MORE COPPER BONDING CONDUCTORS IN ACCORDANCE WITH THE NEC.
- 3. THE SUBCONTRACTOR SHALL PERFORM IEEE FALL-OF-POTENTIAL RESISTANCE TO EARTH TESTING (PER IEEE | 100 AND 81) FOR GROUND ELECTRODE SYSTEMS. THE SUBCONTRACTOR SHALL FURNISH AND INSTALL SUPPLEMENTAL GROUND ELECTRODES AS NEEDED TO ACHIEVE A TEST RESULT OF 50 HMS OR LESS.
- 4. THE SUBCONTRACTOR IS RESPONSIBLE FOR PROPERLY SEQUENCING GROUNDING AND UNDERGROUND CONDUIT INSTALLATION AS TO PREVENT ANY LOSS OF CONTINUITY IN THE GROUNDING SYSTEM OR DAMAGE TO THE CONDUIT.
- 5. METAL CONDUIT AND TRAY SHALL BE GROUNDED AND MADE ELECTRICALLY CONTINUOUS WITH LISTED BONDING FITTINGS OR BY BONDING ACROSS THE DISCONTINUITY WITH #6 AWG COPPER WIRE UL APPROVED GROUNDING TYPE CONDUIT CLAMPS.
- 6. METAL RACEWAY SHALL NOT BE USED AS THE NEC REQUIRED EQUIPMENT GROUND CONDUCTOR. STRANDED COPPER CONDUCTORS WITH GREEN INSULATION, SIZED IN ACCORDANCE WITH THE NEC, SHALL BE FURNISHED AND INSTALLED WITH THE POWER CIRCUITS TO BTS EQUIPMENT.
- 7. EACH BTS CABINET FRAME SHALL BE DIRECTLY CONNECTED TO THE EQUIPMENT GROUND RING WITH GREEN INSULATED SUPPLEMENTAL EQUIPMENT GROUND WIRES, 6 AWG STRANDED COPPER OR LARGER FOR INDOOR BTS; 2 AWG STRANDED COPPER FOR OUTDOOR BTS.
- 8. CONNECTIONS TO THE GROUND BUS SHALL NOT BE DOUBLED UP OR STACKED. BACK TO BACK CONNECTIONS ON OPPOSITE SIDES OF THE GROUND BUS ARE PERMITTED.
- 9. ALL EXTERIOR GROUND CONDUCTORS BETWEEN EQUIPMENT/GROUND BARS AND THE GROUND RING, SHALL BE #2 AWG SOLID TINNED COPPER UNLESS OTHERWISE INDICATED.
- 10. ALUMINUM CONDUCTOR OR COPPER CLAD STEEL CONDUCTOR SHALL NOT BE USED FOR GROUNDING
- 11. USE OF 90° BENDS IN THE PROTECTION GROUNDING CONDUCTORS SHALL BE AVOIDED WHEN 45° BENDS CAN BE ADEQUATELY SUPPORTED. ALL BENDS SHALL BE MADE WITH 12" RADIUS OR LARGER
- 12. EXOTHERMIC WELDS SHALL BE USED FOR ALL GROUNDING CONNECTIONS BELOW GRADE
- 13. ALL GROUND CONNECTIONS ABOVE GRADE (INTERIOR) SHALL BE FORMED USING HIGH PRESS CRIMPS EXCEPT FOR GROUND BAR CONNECTION FROM MGB TO OUTSIDE EXTERIOR GROUND SHALL ALL BE CADWELD CONNECTIONS.
- 14. COMPRESSION GROUND CONNECTIONS MAY BE REPLACED BY EXOTHERMIC WELD CONNECTIONS
- 15 ICE BRIDGE BONDING CONDUCTORS SHALL BE EXOTHERMICALLY BONDED TO THE TOWER GROUND BAR
- 16. APPROVED ANTIOXIDANT COATINGS (I.E. CONDUCTIVE GEL OR PASTE) SHALL BE USED ON ALL COMPRESSION AND
- 17. ALL EXTERIOR AND INTERIOR GROUND CONNECTIONS SHALL BE COATED WITH A CORROSION RESISTANT MATERIAL.
- 18. MISCELLANEOUS ELECTRICAL AND NON-ELECTRICAL METAL BOXES, FRAMES AND SUPPORTS SHALL BE BONDED TO THE
- 19. BOND ALL METALLIC OBJECTS WITHIN 6 FT OF MAIN GROUND WIRES WITH I #2 AWG TIN-PLATED COPPER GROUND
- 20. GROUND CONDUCTORS USED IN THE FACILITY GROUND AND LIGHTNING PROTECTION SYSTEMS SHALL NOT BE ROUTED THROUGH METALLIC OBJECTS THAT FORM A RING AROUND THE CONDUCTOR, SUCH AS METALLIC CONDUITS, METAL SUPPORT CLIPS OR SLEEVES THROUGH WALLS OR FLOORS. WHEN IT IS REQUIRED TO BE HOUSED IN CONDUIT TO MEET CODE REQUIREMENTS OR LOCAL CONDITIONS, NON-METALLIC MATERIAL SUCH AS PVC PLASTIC CONDUIT SHALL BE USED, WHERE USE OF METAL CONDUIT IS UNAVOIDABLE (E.G. NON-METALLIC CONDUIT PROHIBITED BY LOCAL CODE) THE GROUND CONDUCTOR SHALL BE BONDED TO EACH END OF THE METAL CONDUIT.
- 21. ALL NEW STRUCTURES WITH A FOUNDATION AND/OR FOOTING HAVING 20 FT. OR MORE OF 1/4" IN. OR GREATER ELECTRICALLY CONDUCTIVE REINFORCING STEEL MUST HAVE IT BONDED TO THE GROUND RING USING AN EXOTHERMIC WELD CONNECTION USING #2 AWG SOLID BARE TINNED COPPER GROUND WIRE, PER NEC 250.50.
- 22. FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:

CONTRACTOR - EMPIRE TELECOM

SUBCONTRACTOR - GENERAL CONTRACTOR (CONSTRUCTION) AT&T (NEW CINGULAR WIRELESS PCS, LLC)

- 23. ALL SITE WORK SHALL BE COMPLETED AS INDICATED ON THE DRAWINGS AND PROJECT SPECIFICATIONS.
- 24. DRAWINGS PROVIDED HERE ARE NOT TO BE SCALED AND ARE INTENDED TO SHOW OUTLINE ONLY.
- 25. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES. SUBCONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS, AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE
- 26. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
- 27. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES, AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS
- 28. THE SUBCONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
- 29. IF THE SPECIFIED EQUIPMENT CANNOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE SUBCONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION SPACE FOR APPROVAL BY THE CONTRACTOR.
- 30. THE SUBCONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT SUBCONTRACTOR'S EXPENSE TO THE SATISFACTION OF
- 31. THE SUBCONTRACTOR SHALL CONTACT UTILITY LOCATING SERVICES PRIOR TO THE START OF CONSTRUCTION.
- 32. ALL EXISTING ACTIVE SEWER, WATER, GAS, ELECTRIC, AND OTHER UTILITIES WHERE ENCOUNTERED IN THE WORK, SHALL BE PROTECTED AT ALL TIMES. AND WHERE REQUIRED FOR THE PROPER EXECUTION OF THE WORK. SHALL BE RELOCATED AS DIRECTED BY THE RESPONSIBLE ENGINEER. EXTREME CAUTION SHOULD BE USED BY THE SUBCONTRACTOR WHEN EXCAVATING OR DRILLING PIERS AROUND OR NEAR UTILITIES. SUBCONTRACTOR SHALL PROVIDE SAFETY TRAINING FOR THE WORKING CREW. THIS WILL INCLUDE BUT NOT BE LIMITED TO A) FALL PROTECTION B) CONFINED SPACE C) ELECTRICAL SAFETY D) TRENCHING & EXCAVATION.
- 33. ALL EXISTING INACTIVE SEWER, WATER, GAS, ELECTRIC AND OTHER UTILITIES, WHICH INTERFERE WITH THE EXECUTION OF THE WORK SHALL BE REMOVED AND/OR CAPPED PLLIGGED OR OTHERWISE DISCONTINUED AT POINTS WHICH WILL NOT INTERFERE WITH THE EXECUTION OF THE WORK, AS DIRECTED BY THE RESPONSIBLE ENGINEER, AND SUBJECT TO THE APPROVAL OF THE OWNER AND/OR LOCAL UTILITIES.

- 34. THE AREAS OF THE OWNER'S PROPERTY DISTURBED BY THE WORK AND NOT COVERED BY THE TOWER, EQUIPMENT OR RIVEWAY SHALL BE GRADED TO A UNIFORM SLOPE AND STABILIZED TO PREVENT EROSIO
- 35. SUBCONTRACTOR SHALL MINIMIZE DISTURBANCE TO EXISTING SITE DURING CONSTRUCTION, EROSION CONTROL MEASURES, IF REQUIRED DURING CONSTRUCTION, SHALL BE IN CONFORMANCE WITH THE LOCAL GUIDELINES FOR **EROSION AND SEDIMENT CONTROL**
- 36. NO FILL OR EMBANKMENT MATERIAL SHALL BE PLACED ON FROZEN GROUND, FROZEN MATERIALS, SNOW OR ICE SHALL NOT BE PLACED IN ANY FILL OR EMBANKMENT
- 37. THE SUBGRADE SHALL BE COMPACTED AND BROUGHT TO A SMOOTH UNIFORM GRADE PRIOR TO FINISHED SURFACE
- 38. THE SITE SHALL BE GRADED TO CAUSE SURFACE WATER TO FLOW AWAY FROM THE BTS FOUIPMENT AND TOWER
- 39. IF NECESSARY, RUBBISH, STUMPS, DEBRIS, STICKS, STONES AND OTHER REFUSE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF LEGALLY.
- 40. THE SUBCONTRACTOR SHALL PROVIDE SITE SIGNAGE IN ACCORDANCE WITH THE TECHNICAL SPECIFICATION FOR SITE
- 41. SUBCONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION.
- 42. PRIOR TO THE SUBMISSION OF BIDS. THE BIDDING SUBCONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE WITH THE EXISTING CONDITIONS AND TO CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF THE CONTRACTOR.
- 43. SUBCONTRACTOR SHALL DETERMINE ACTUAL ROUTING OF CONDUIT, POWER AND TI CABLES, GROUNDING CABLES AS SHOWN ON THE POWER, GROUNDING AND TELCO PLAN DRAWING. SUBCONTRACTOR SHALL UTILIZE EXISTING TRAYS AND/OR SHALL ADD NEW TRAYS AS NECESSARY, SUBCONTRACTOR SHALL CONFIRM THE ACTUAL ROUTING WITH THE CONTRACTOR
- 44. ALL CONCRETE REPAIR WORK SHALL BE DONE IN ACCORDANCE WITH AMERICAN CONCRETE INSTITUTE (ACI) 301
- 45. ANY NEW CONCRETE NEEDED FOR THE CONSTRUCTION SHALL BE AIR-ENTRAINED AND SHALL HAVE 4000 PSI STRENGTH AT 28 DAYS
- 46. ALL STRUCTURAL STEEL WORK SHALL BE DETAILED, FABRICATED AND ERECTED IN ACCORDANCE WITH AISC SPECIFICATIONS, ALL STRUCTURAL STEEL SHALL BE ASTM A36 (Fy = 36 ksi) UNLESS OTHERWISE NOTED. PIPES SHALL BE ASTM AS3 TYPE E (Fy = 36 ksi), ALL STEEL EXPOSED TO WEATHER SHALL BE HOT DIPPED GALVANIZED. TOUCHUP ALL SCRATCHES AND OTHER MARKS IN THE FIELD AFTER STEEL IS ERECTED USING A COMPATIBLE ZINC RICH PAINT.
- 47. CONSTRUCTION SHALL COMPLY WITH SPECIFICATIONS AND "GENERAL CONSTRUCTION SERVICES FOR CONSTRUCTION OF AT&T MOBILITY SITES."
- 48. SUBCONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THE DRAWINGS MUST BE VERIFIED. SUBCONTRACTOR SHALL NOTIFY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION
- 49. THE EXISTING CELL SITE IS IN FULL COMMERCIAL OPERATION, ANY CONSTRUCTION WORK BY SUBCONTRACTOR SHALL NOT DISRUPT THE EXISTING NORMAL OPERATION, ANY WORK ON EXISTING EQUIPMENT MUST BE COORDINATED WITH CONTRACTOR. ALSO, WORK SHOULD BE SCHEDULED FOR AN APPROPRIATE MAINTENANCE WINDOW USUALLY IN LOW TRAFFIC PERIODS AFTER MIDNIGHT.
- 50. SINCE THE CELL SITE IS ACTIVE, ALL SAFETY PRECAUTIONS MUST BE TAKEN WHEN WORKING AROUND HIGH LEVELS OF ELECTROMAGNETIC RADIATION, EQUIPMENT SHOULD BE SHUTDOWN PRIOR TO PERFORMING ANY WORK THAT COULD EXPOSE THE WORKERS TO DANGER. PERSONAL RF EXPOSURE MONITORS ARE ADVISED TO BE WORN ALERT OF DANGEROUS EXPOSURE LEVELS.



Loyalty through Client Satisfac . maserconsulting.com ngineers = Planners = Surveyo





16 ESOUIRE ROAD BILLERICA, MA 01862



189630354

AS SHOWN

12/07/18 FOR CONSTRUCTION



SITE NAME:


BETHEL STONY HILLAWS FA# 10071269 SITE# CT5176

> 7 STONY HILL ROAD BETHEL, CT 06801 FAIRFIELD COUNTY



GENERAL NOTES

GN-I








Customer Loyalty through Client Satisfaction
www.maserconsulting.com
Engineers Planners Surveyors
andscape Architects Environmental Scienti





16 ESQUIRE ROAD BILLERICA, MA 01862

SCALE: AS SHOWN			JOB NUMBER: 18963035A		
		-			
		÷			
	-	-			
0	12/07/18	FOR CONSTRUCTION		RA	RA
_	12/05/18	HILL FOR R	VIEW HAN	AJC	RA
REV	MILLER	DISCRIPTIO	MNEC	DIG /N BY	CHECKED BY



SITE NAME:

BETHEL STONY HILL-AWS FA# 10071269 SITE# CT5176

7 STONY HILL ROAD BETHEL, CT 0680 I FAIRFIELD COUNTY





PARTIAL SITE PLAN


C-I



SCALE : 1" = 50' FOR 22"X34" (SCALE : 1" = 100' FOR 11"X17")








* SEPARATION DIMENSION TO BE VERIFIED WITH LOCAL UTILITY COMPANY REQUIREMENTS.

UTILITY CONDUIT RUN NOT TO SCALE



NOTES:

- MAXIMUM WEIGHT WITH EQUIPMENT = 400 LBS
- 2. ATTACH CABINET TO STEEL PLATFORM USTING 1/2"Ø BOLTS/J-BOLTS.
- 3. AN ISOLATOR BASE IS REQUIRED WHEN MOUNTING DIRECTLY ON CONCRETE PAD.
- FASTEN TO CONCRETE SLAB USING 1/2"Ø HILTI KWIK BOLT III EXPANSION ANCHORS, EMBED. = 3 1/2".
- 5. REFER TO MANUFACTURER'S SPECIFICATIONS FOR STACKING AND CONNECTING CABINETS.

PURCELL FLX16WS ON PLINTH

PLACE NEW 4IN PVC CONDUIT 200FT FROM POLE TO EXISTING HAND HOLE THEN PLACE INNERDUCT FROM THE HH TO THE HOFFMAN BOX ON TOP OF THE HILL 100FT THEN PLACE NEW 2IN PVC CONDUIT 60FT FROM THE HOFFMAN BOX TO THE NEW PURCELL AND REDUCE TO 1.25IN MLT TO PURCELL SFT. PROVIDE 10FT MLT FROM POWER TO PURCELL AND OFT MLT FROM PLTE PURCELL TO NEW PURCELL CEMENT SIDE WALK TO BE REPLACED BY POLE 4X4 FT SECTION





Customer Loyalty through Client Satisfaction
www.maserconsulting.com
Engineers Planners Surveyors
andscape Architects Environmental Scientist





16 ESQUIRE ROAD BILLERICA, MA 01862



AS SHOWN 18963035A



SITE NAME:

BETHEL STONY HILL-AWS FA# 10071269 SITE# CT5176

> 7 STONY HILL ROAD BETHEL, CT 06801 FAIRFIELD COUNTY




RED BANK OFFICE

331 Newman Springs Road
Suite 203

Red Bank, NJ 07701-5669
Phone: .732.383.1950
Fax: .732.383.1984

UTILITY LAYOUT AND DETAILS

C-2



CT5176 Stony Hill Rd.,

12/5/2018 4:24:09 PM

Scale: 1"=500'

Scale is approximate





The information depicted on this map is for planning purposes only. It is not adequate for legal boundary definition, regulatory interpretation, or parcel-level analyses.