

Connecticut Tier II Transit Asset Management Plan Bus Rolling Stock



Description

- In non-CTtransit service areas, local transit districts provide bus transit services under the direction of local Boards of Directors representing the member towns.
- CTDOT supports about 90% of the deficit funding in the urban systems, and the state and federal government provide 83% of the deficit funding in the rural systems.
- CTDOT has a capital interest in bus rolling stock for twelve transit districts.
- Transit district bus rolling stock inventory includes three vehicle types: transit bus, cutaway, and minivan.

Performance Measures

The percentage of revenue vehicles within a particular asset class that have either met or exceeded their useful life benchmark

- Useful life benchmark (ULB) defines an asset's economic useful life, specified in terms of age, mileage and/or other factors. An agency can use FTA's default ULB values or set its own values. CTDOT has worked with its transit service provider partners to define custom values.
- A revenue vehicle that has not reached or exceeded its ULB is considered to have met the performance metric.

Inventory and Condition



A bus with front and center doors, low floor, normally with a rear-mounted engine, and low-back seating. This vehicle can usually hold about 42 ambulatory passengers when two wheelchair tiedowns are provided.





Cutaway Bus

A vehicle that consists of a bus body that is mounted on the chassis of a van or light-duty truck. The original van or lightduty truck chassis may be reinforced or extended. Cutaways typically seat 15 or more passengers and may accommodate some standing passengers.



A light duty vehicle

A light duty vehicle having a typical seating capacity of up to seven passengers plus a driver. A minivan is smaller, lower and more streamlined than a full-sized van, but it is typically taller and has a higher floor than a passenger car. Minivans normally cannot accommodate standing passengers.



Total

489 Vehicles **52%** Within ULB

Based on CTDOT data as of Novmber, 2023

*The Performance measures herein are for FTA reporting purposes only. Due to the variability of mechanical reliability and operating environment, the age based metric prescribed by FTA does not fully reflect SGR needs.


December 2023



Connecticut Tier II Transit Asset Management Plan Bus Rolling Stock



Bus Rolling Stock Performance Projections



Transit Funding

CTDOT creates a funding pool from which capital projects in regions around the state are funded. The disbursement of these funds based on annual needs is approved by the MPOs in the STIP. Sub-area split agreements that reflect the annual disbursement of funds by region are created by CTDOT and executed by the transit operators from each region. This program allows local transit operators to fund major projects for which they may otherwise have never accumulated adequate funds.

CTDOT anticipates \$123 million of SOGR needs from 2023-2026 for Tier II Bus Rolling Stock. This includes an initial backlog in 2023 of \$60 million in SOGR needs.

Current funding for SOGR activities was calculated based on CTDOT's Capital Plan with the help of CTDOT's Capital Services Unit. Connecticut's Capital Plan is a document that lists all projects expected to be federally-funded over a five-year period.

Based on projections made using CTDOT's prioritization tool given current funding, to make progress on its SOGR needs Connecticut should invest approximately \$55 million in Tier II revenue vehicles over the four-year analysis period.

*Years referenced in these charts are by State of Connecticut Fiscal Year which runs from July 1st to June 30th.

Current Performance and Targets

A group TAM plan sponsor must set unified, one-year performance targets using the performance measures established by FTA for the four capital asset categories required for a TAM plan, as applicable. These targets must be updated and submitted to the NTD annually. These targets must be coordinated with the Tier II transit providers.

Performance and Targets for Tier II Bus Rolling Stock

	% Vehicles Within ULB	% Vehicles Met or Exceeded ULB		
Asset Class	Current Performance	Current Performance	Performance Target	
Transit Bus	88%	12%	14%	
Cutaway	29%	71%	17%	
Minivan	0%	100%	17%	


Analytical Approach

CTDOT uses the Transit Asset Prioritization Tool (TAPT) to support its analytical approach for Connecticut transit districts. TAPT is a spreadsheet tool for predicting transit asset conditions and SGR needs.

The tool has a series of models for different asset types that recommend when to rehabilitate or replace an asset, and the conditions and performance predicted for the asset over time. Also, the tool supports prediction of the overall performance resulting for a specified funding scenario, and recommends a prioritized list of projects to fund given a budget constraint.



Connecticut Tier II Transit Asset Management Plan **Service Vehicles**



Truck

Description

- Service vehicles are defined by FTA as equipment used primarily to support maintenance and repair work for public transportation.
- Tier II service vehicles support bus transit.
- Tier II service providers own service vehicles that are organized into four types. Trucks, automobiles, SUVs, and vans, which can be used as staff vehicles.

Performance Measures

The percentage of service vehicles within a particular asset class that have either met or exceeded their useful life benchmark

- Useful life benchmark (ULB) defines an asset's economic useful life, specified in terms of age, mileage and/or other factors. An agency can use FTA's default ULB values or set its own values. CTDOT has worked with its transit service provider partners to define custom values.
- A service vehicle that has ٠ not reached or exceeded its ULB is considered to have met the performance metric.

Inventory and Condition





Automobiles

Any motor vehicle designed to transport cargo.

Passenger cars, up to and including station wagons in size. Excludes minivans and anything larger.



Sport Utility Vehicle A four-wheel drive car built on a truck chassis. It is a 49 Vehicles



passenger vehicle which combines the towing capacity of a pickup truck with the passenger-carrying space of a minivan or station wagon. This category include pickup trucks.	5 Years ULB	
Van An enclosed vehicle having a typical seating capacity of 8 to 18 passengers and a driver. A van is typically taller and with a higher floor than a passenger car, such as a hatchback or station wagon.	9 Vehicles 5 Years ULB	33% Within UL

Total

65 Vehicles

22% Within ULB

20%

Within ULB

0%

Within ULB

20%

Within ULB

B

5

Vehicles

14

Years ULB

2

Vehicles

5

Years ULB


Based on CTDOT data as of November, 2023

*The Performance measures herein are for FTA reporting purposes only. Due to the variability of mechanical reliability and operating environment, the age based metric prescribed by FTA does not fully reflect SGR needs. **Pickup trucks were previously included under "Truck", but are now included under "SUV"


December 2023



Connecticut Tier II Transit Asset Management Plan Service Vehicles



Service Vehicles Performance Projections



CTDOT anticipates \$5 million of SOGR needs from 2023-2026 for Tier II Service Vehicles. Much of the service vehicles are part of the initial backlog in 2023, totaling around \$4 million.

Current funding for SOGR activities was calculated based on CTDOT's Capital Plan with the help of CTDOT's Capital Services Unit.

Based on projections made using CTDOT's prioritization tool given current funding, to make progress on its SOGR needs Connecticut should invest approximately \$4.4 million in Tier II service vehicles over the four-year horizon from 2023-2026.

Years referenced in these charts are by State of Connecticut Fiscal Year which runs from July 1st to June 30th. Based on CTDOT data as of November, 2023

Current Performance and Targets

Transit providers must set one-year performance targets using the performance measures established by FTA for the four capital asset categories required for a TAM plan, as applicable. These targets must be updated and submitted to the NTD annually.

Performance and Targets for Tier II Service Vehicles

	% Vehicles Within ULB	% Vehicles Met or Exceeded ULB	
Asset Class	Current Performance	Current Performance	Performance Target
Truck	20%	80%	7%
Automobile	0%	100%	17%
Sport Utility Vehicle	20%	80%	17%
Van	33%	67%	17%

Transit Funding

CTDOT creates a funding pool from which capital projects in regions around the state are funded. The disbursement of these funds based on annual needs is approved by the MPOs in the STIP. Sub-area split agreements that reflect the annual disbursement of funds by region are created by CTDOT and executed by the transit operators from each region. This program allows local transit operators to fund major projects for which they may otherwise have never accumulated adequate funds.

Analytical Approach

CTDOT uses the Transit Asset Prioritization Tool (TAPT) to support its analytical approach. TAPT is a spreadsheet tool for predicting transit asset conditions and SGR needs.

The tool has a series of models for different asset types that recommend when to rehabilitate or replace an asset, and the conditions and performance predicted for the asset over time. Also, the tool supports prediction of the overall performance resulting for a specified funding scenario, and recommends a prioritized list of projects to fund given a budget constraint.



Connecticut Tier II Transit Asset Management Plan Bus Facilities



Description

- Tier II transit providers in Connecticut own, operate, or manage 10 administrative or maintenance facilities and five passenger facilities.
- The following providers own facilities: GBTA, HART, MAT, MlfdTD, GNHTD, NWLKTD, SEAT, WRTD, VTD. The Nash-Zimmer Transportation Center owned by the Town of Mansfield is also included.
- All of the facilities have recent formal condition assessments.

Performance Measures

The percentage of facilities within a particular asset class rated below condition 3 on the FTA Transit Economic Requirements Model (TERM) scale.

- Major facility components are inspected and rated on a 1 to 5 condition scale. The component condition ratings are averaged using weight factors and replacement cost to calculate the overall condition of a facility.
- For some components, a visual inspection may be insufficient for establishing conditions. In these cases, an age-based approach is used to estimate condition using useful life.
- A facility that has a condition rating of 3 or greater has met the performance metric.

Inventory and Condition



Administrative/Maintenance Administrative facilities are typically offices that house management and supporting activities for overall transit operations such as accounting, finance, engineering, legal, safety, security, customer services, scheduling, and planning. They also include facilities for customer information or ticket sales, but that are not part of any passenger station. Maintenance facilities are those where routine maintenance and repairs or heavy maintenance or unit rebuilds are conducted.



10

93%



Passenger/Parking

Passenger facilities are significant structures on a separate ROW. Examples include

All motorbus, rapid bus, commuter bus, and trolley bus passenger facilities in a separate ROW that have an enclosed structure (building) for passengers for items such as ticketing, information, restrooms, and concessions
All transportation, transit or transfer centers, and transit malls if they have an enclosed structure (building) for passengers for items such as ticketing, information, restrooms, concessions, and telephones

Total

15 Facilities **93%** components rated 3 or above

Based on CTDOT data as of November, 2023

*Performance measure herein is required for FTA reporting purposes only. Condition Ratings are used to determine overall SGR status either through engineering judgement or formal condition assessments, which may not reflect SGR needs in its entirety.




Connecticut Tier II Transit Asset Management Plan Bus Facilities



Bus Facilities Performance Projections

Percent of Bus Facility Components Rated 3 or Above on FTA TERM Scale



CTDOT anticipates about \$37 million of SOGR needs from 2023-2026 for Tier II Bus Facilities.

Current funding for SOGR activities was calculated based on CTDOT's Capital Plan with the help of CTDOT's Capital Services Unit. Connecticut's Capital Plan is a document that lists all projects expected to be federally-funded over a five-year period.

Based on projections made using CTDOT's prioritization tool, the current funding level will allow Tier II facilities to achieve the desired SOGR.

*Years referenced in these charts are by State of Connecticut Fiscal Year which runs from July 1st to June 30th.

Current Performance and Targets

Transit providers must set one-year performance targets using the performance measures established by FTA for the four capital asset categories required for a TAM plan, as applicable. These targets must be updated and submitted to the NTD annually.

Performance and Targets for Tier II Bus Facilities

	% Components	% Facilities Rated	% Facilities Rated	
	Rated 3 or Above	3 or Above	Below Condition 3	
Asset Class	Current	Current	Current	Performance
	Performance	Performance	Performance	Target
Administrative/ Maintenance	93%	100%	0%	0%
Passenger	92%	100%	0%	0%

Transit Funding

CTDOT creates a funding pool from which capital projects in regions around the state are funded. The disbursement of these funds based on annual needs is approved by the MPOs in the STIP. Sub-area split agreements that reflect the annual disbursement of funds by region are created by CTDOT and executed by the transit operators from each region. This program allows local transit operators to fund major projects for which they may otherwise have never accumulated adequate funds.

Analytical Approach

CTDOT uses the Transit Asset Prioritization Tool (TAPT) to support its analytical approach. TAPT is a spreadsheet tool for predicting transit asset conditions and SGR needs.

The tool has a series of models for different asset types that recommend when to rehabilitate or replace an asset, and the conditions and performance predicted for the asset over time. Also, the tool supports prediction of the overall performance resulting for a specified funding scenario, and recommends a prioritized list of projects to fund given a budget constraint.