

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age 1-2 years with a Screening ^a in CY 2000			Numbers and Percents of Children with Valid Elevated Blood Lead Levels among Children One and Two Years of Age												
		Number of Children Age 1-2 years ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
			Number	Percent		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL	
						Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Connecticut	88,094	33,997	38.6	33,660	743	2.2	268	0.8	259	0.8	11	0.0	1281	3.8	270	0.8
1	Andover	92	8	8.7	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
2	Ansonia	507	150	29.6	151	4	2.6	1	0.7	3	2.0	0	0.0	8	5.3	3	2.0
3	Ashford	102	16	15.7	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4	Avon	405	121	29.9	120	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
5	Barkhamsted	76	11	14.5	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
6	Beacon Falls	132	33	25.0	33	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
7	Berlin	407	72	17.7	72	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
8	Bethany	117	36	30.8	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
9	Bethel	471	166	35.2	166	2	1.2	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0
10	Bethlehem	60	22	36.7	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
11	Bloomfield	405	146	36.0	145	3	2.1	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
12	Bolton	113	19	16.8	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13	Bozrah	49	18	36.7	18	1	5.6	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0
14	Branford	592	163	27.5	160	0	0.0	1	0.6	1	0.6	0	0.0	2	1.3	1	0.6
15	Bridgeport	4,464	3,049	68.3	3,028	175	5.8	59	1.9	56	1.8	1	0.0	291	9.6	57	1.9
16	Bridgewater	30	5	16.7	5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
17	Bristol	1,569	343	21.9	342	1	0.3	1	0.3	2	0.6	0	0.0	4	1.2	2	0.6
18	Brookfield	384	115	29.9	115	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
19	Brooklyn	143	38	26.6	39	0	0.0	1	2.6	0	0.0	0	0.0	1	2.6	0	0.0
20	Burlington	240	38	15.8	37	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
21	Canaan	20	20	100.0	19	0	0.0	1	5.3	0	0.0	0	0.0	1	5.3	0	0.0
22	Canterbury	108	36	33.3	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
23	Canton	199	73	36.7	71	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
24	Chaplin	52	6	11.5	5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
25	Cheshire	676	162	24.0	159	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
26	Chester	99	42	42.4	42	1	2.4	0	0.0	0	0.0	0	0.0	1	2.4	0	0.0
27	Clinton	352	140	39.8	138	0	0.0	1	0.7	2	1.4	0	0.0	3	2.2	2	1.4
28	Colchester	493	154	31.2	153	1	0.7	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
29	Colebrook	34	2	5.9	2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30	Columbia	125	7	5.6	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age 1-2 years with a Screening ^a in CY 2000			Numbers and Percents of Children with Valid Elevated Blood Lead Levels among Children One and Two Years of Age												
					Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
		Number and Percent of Children Screened		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL			
		Number	Percent	Number		Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
31	Cornwall	28	6	21.4	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
32	Coventry	288	37	12.8	36	2	5.6	0	0.0	0	0.0	0	0.0	2	5.6	0	0.0
33	Cromwell	282	49	17.4	50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
34	Danbury	1,923	761	39.6	763	0	0.0	4	0.5	4	0.5	0	0.0	8	1.0	4	0.5
35	Darien	810	250	30.9	244	1	0.4	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
36	Deep River	102	58	56.9	59	0	0.0	1	1.7	1	1.7	0	0.0	2	3.4	1	1.7
37	Derby	320	104	32.5	103	1	1.0	2	1.9	0	0.0	0	0.0	3	2.9	0	0.0
38	Durham	157	53	33.8	50	1	2.0	1	2.0	1	2.0	0	0.0	3	6.0	1	2.0
39	Eastford	38	9	23.7	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
40	East Granby	135	24	17.8	25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
41	East Haddam	231	70	30.3	70	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
42	East Hampton	289	74	25.6	71	1	1.4	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
43	East Hartford	1,302	433	33.3	434	6	1.4	2	0.5	1	0.2	0	0.0	9	2.1	1	0.2
44	East Haven	647	204	31.5	204	0	0.0	1	0.5	0	0.0	0	0.0	1	0.5	0	0.0
45	East Lyme	346	152	43.9	151	2	1.3	1	0.7	0	0.0	0	0.0	3	2.0	0	0.0
46	Easton	219	120	54.8	120	0	0.0	1	0.8	0	0.0	0	0.0	1	0.8	0	0.0
47	East Windsor	230	43	18.7	42	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48	Ellington	319	61	19.1	59	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49	Enfield	1,008	230	22.8	232	2	0.9	3	1.3	3	1.3	0	0.0	8	3.4	3	1.3
50	Essex	154	99	64.3	98	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
51	Fairfield	1,698	975	57.4	961	2	0.2	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
52	Farmington	502	83	16.5	84	0	0.0	1	1.2	1	1.2	0	0.0	2	2.4	1	1.2
53	Franklin	34	13	38.2	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
54	Glastonbury	876	65	7.4	66	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
55	Goshen	48	2	4.2	2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
56	Granby	280	62	22.1	60	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
57	Greenwich	1,679	149	8.9	150	1	0.7	1	0.7	1	0.7	0	0.0	3	2.0	1	0.7
58	Griswold	232	85	36.6	90	3	3.3	0	0.0	0	0.0	0	0.0	3	3.3	0	0.0
59	Groton	1,275	393	30.8	388	1	0.3	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
60	Guilford	502	133	26.5	128	1	0.8	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0
61	Haddam	171	39	22.8	40	1	2.5	0	0.0	0	0.0	0	0.0	1	2.5	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age 1-2 years with a Screening ^a in CY 2000			Numbers and Percents of Children with Valid Elevated Blood Lead Levels among Children One and Two Years of Age												
					Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
		Number and Percent of Children Screened		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL			
		Number	Percent	Number		Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
62	Hamden	1,235	439	35.5	442	9	2.0	3	0.7	0	0.0	0	0.0	12	2.7	0	0.0
63	Hampton	35	10	28.6	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
64	Hartford	4,033	3,006	74.5	3,008	130	4.3	42	1.4	40	1.3	3	0.1	215	7.1	43	1.4
65	Hartland	41	3	7.3	3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
66	Harwinton	118	13	11.0	13	0	0.0	0	0.0	1	7.7	0	0.0	1	7.7	1	7.7
67	Hebron	298	31	10.4	30	2	6.7	0	0.0	0	0.0	0	0.0	2	6.7	0	0.0
68	Kent	75	20	26.7	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
69	Killingly	402	222	55.2	212	4	1.9	1	0.5	1	0.5	0	0.0	6	2.8	1	0.5
70	Killingworth	204	56	27.5	56	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
71	Lebanon	166	35	21.1	36	1	2.8	0	0.0	0	0.0	0	0.0	1	2.8	0	0.0
72	Ledyard	370	95	25.7	95	2	2.1	0	0.0	0	0.0	0	0.0	2	2.1	0	0.0
73	Lisbon	109	30	27.5	30	2	6.7	0	0.0	0	0.0	0	0.0	2	6.7	0	0.0
74	Litchfield	153	21	13.7	21	1	4.8	0	0.0	0	0.0	0	0.0	1	4.8	0	0.0
75	Lyme	30	30	100.0	30	0	0.0	0	0.0	1	3.3	0	0.0	1	3.3	1	3.3
76	Madison	454	136	30.0	135	0	0.0	0	0.0	1	0.7	0	0.0	1	0.7	1	0.7
77	Manchester	1,357	270	19.9	268	5	1.9	2	0.7	3	1.1	0	0.0	10	3.7	3	1.1
78	Mansfield	226	32	14.2	32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
79	Marlborough	143	12	8.4	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
80	Meriden	1,685	700	41.5	682	21	3.1	10	1.5	12	1.8	0	0.0	43	6.3	12	1.8
81	Middlebury	141	37	26.2	35	1	2.9	0	0.0	0	0.0	0	0.0	1	2.9	0	0.0
82	Middlefield	87	20	23.0	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
83	Middletown	1,123	360	32.1	369	2	0.5	3	0.8	1	0.3	0	0.0	6	1.6	1	0.3
84	Milford	1,203	528	43.9	525	2	0.4	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
85	Monroe	545	260	47.7	258	2	0.8	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
86	Montville	395	144	36.5	141	1	0.7	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
87	Morris	49	11	22.4	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
88	Naugatuck	839	236	28.1	228	3	1.3	2	0.9	0	0.0	0	0.0	5	2.2	0	0.0
89	New Britain	1,921	786	40.9	782	32	4.1	7	0.9	15	1.9	3	0.4	57	7.3	18	2.3
90	New Canaan	557	226	40.6	222	0	0.0	0	0.0	2	0.9	0	0.0	2	0.9	2	0.9
91	New Fairfield	448	114	25.4	115	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
92	New Hartford	164	23	14.0	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age 1-2 years with a Screening ^a in CY 2000			Numbers and Percents of Children with Valid Elevated Blood Lead Levels among Children One and Two Years of Age												
					Number of Children Age 1-2 years ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics
		10-14 µg/dL		15-19 µg/dL					20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL		
		Number	Percent	Number		Percent	Number		Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
93	New Haven	3,536	2,365	66.9	2,336	130	5.6	54	2.3	49	2.1	2	0.1	235	10.1	51	2.2
94	Newington	603	67	11.1	68	0	0.0	0	0.0	1	1.5	0	0.0	1	1.5	1	1.5
95	New London	700	394	56.3	372	11	3.0	7	1.9	0	0.0	1	0.3	19	5.1	1	0.3
96	New Milford	782	210	26.9	210	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
97	Newtown	777	306	39.4	300	2	0.7	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
98	Norfolk	40	6	15.0	5	1	20.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0
99	North Branford	364	92	25.3	91	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
100	North Canaan	51	3	5.9	2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
101	North Haven	478	105	22.0	103	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
102	North Stonington	108	18	16.7	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
103	Norwalk	2,289	1,154	50.4	1,132	8	0.7	6	0.5	2	0.2	0	0.0	16	1.4	2	0.2
104	Norwich	891	436	48.9	442	20	4.5	2	0.5	3	0.7	0	0.0	25	5.7	3	0.7
105	Old Lyme	153	104	68.0	102	0	0.0	0	0.0	2	2.0	0	0.0	2	2.0	2	2.0
106	Old Saybrook	238	145	60.9	145	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
107	Orange	304	99	32.6	98	0	0.0	1	1.0	0	0.0	0	0.0	1	1.0	0	0.0
108	Oxford	240	79	32.9	80	1	1.3	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
109	Plainfield	398	169	42.5	169	10	5.9	2	1.2	1	0.6	0	0.0	13	7.7	1	0.6
110	Plainville	339	56	16.5	57	1	1.8	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0
111	Plymouth	262	68	26.0	66	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
112	Pomfret	78	32	41.0	32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
113	Portland	244	69	28.3	67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
114	Preston	84	32	38.1	32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
115	Prospect	225	68	30.2	66	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
116	Putnam	219	81	37.0	82	3	3.7	0	0.0	0	0.0	0	0.0	3	3.7	0	0.0
117	Redding	228	91	39.9	90	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
118	Ridgefield	741	320	43.2	317	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
119	Rocky Hill	372	23	6.2	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
120	Roxbury	45	11	24.4	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
121	Salem	92	33	35.9	32	1	3.1	0	0.0	3	9.4	0	0.0	4	12.5	3	9.4
122	Salisbury	58	14	24.1	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
123	Scotland	50	5	10.0	5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age 1-2 years with a Screening ^a in CY 2000			Numbers and Percents of Children with Valid Elevated Blood Lead Levels among Children One and Two Years of Age												
					Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
		Number and Percent of Children Screened		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL			
		Number	Percent	Number		Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
124	Seymour	358	97	27.1	97	0	0.0	1	1.0	0	0.0	0	0.0	1	1.0	0	0.0
125	Sharon	49	8	16.3	6	0	0.0	0	0.0	1	16.7	0	0.0	1	16.7	1	16.7
126	Shelton	955	410	42.9	408	0	0.0	2	0.5	0	0.0	0	0.0	2	0.5	0	0.0
127	Sherman	90	27	30.0	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
128	Simsbury	647	184	28.4	182	1	0.5	2	1.1	0	0.0	0	0.0	3	1.6	0	0.0
129	Somers	159	42	26.4	42	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
130	Southbury	384	183	47.7	181	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
131	Southington	969	122	12.6	122	0	0.0	1	0.8	0	0.0	0	0.0	1	0.8	0	0.0
132	South Windsor	586	93	15.9	95	0	0.0	2	2.1	1	1.1	0	0.0	3	3.2	1	1.1
133	Sprague	55	33	60.0	33	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
134	Stafford	255	63	24.7	63	1	1.6	1	1.6	0	0.0	0	0.0	2	3.2	0	0.0
135	Stamford	3,209	1,343	41.9	1,345	15	1.1	2	0.1	2	0.1	0	0.0	19	1.4	2	0.1
136	Sterling	87	29	33.3	29	0	0.0	1	3.4	0	0.0	0	0.0	1	3.4	0	0.0
137	Stonington	366	78	21.3	75	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
138	Stratford	1,140	565	49.6	553	10	1.8	0	0.0	2	0.4	0	0.0	12	2.2	2	0.4
139	Suffield	276	69	25.0	70	1	1.4	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
140	Thomaston	177	41	23.2	41	1	2.4	1	2.4	0	0.0	0	0.0	2	4.9	0	0.0
141	Thompson	191	51	26.7	45	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
142	Tolland	396	61	15.4	59	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
143	Torrington	843	54	6.4	54	1	1.9	1	1.9	0	0.0	0	0.0	2	3.7	0	0.0
144	Trumbull	947	366	38.6	365	1	0.3	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
145	Union	20	2	10.0	2	0	0.0	0	0.0	1	50.0	0	0.0	1	50.0	1	50.0
146	Vernon	686	164	23.9	160	3	1.9	2	1.3	1	0.6	0	0.0	6	3.8	1	0.6
147	Voluntown	59	32	54.2	32	1	3.1	0	0.0	0	0.0	0	0.0	1	3.1	0	0.0
148	Wallingford	1,053	376	35.7	371	1	0.3	0	0.0	1	0.3	0	0.0	2	0.5	1	0.3
149	Warren	28	2	7.1	2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
150	Washington	49	23	46.9	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
151	Waterbury	3,266	1,894	58.0	1,807	54	3.0	22	1.2	26	1.4	1	0.1	103	5.7	27	1.5
152	Waterford	348	90	25.9	93	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
153	Watertown	457	156	34.1	155	1	0.6	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
154	Westbrook	122	69	56.6	70	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age 1-2 years with a Screening ^a in CY 2000			Numbers and Percents of Children with Valid Elevated Blood Lead Levels among Children One and Two Years of Age												
		Number of Children Age 1-2 years ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
			Number	Percent		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL	
						Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
155	West Hartford	1,437	396	27.6	399	4	1.0	1	0.3	1	0.3	0	0.0	6	1.5	1	0.3
156	West Haven	1,296	628	48.5	626	14	2.2	1	0.2	4	0.6	0	0.0	19	3.0	4	0.6
157	Weston	305	178	58.4	178	1	0.6	0	0.0	1	0.6	0	0.0	2	1.1	1	0.6
158	Westport	720	396	55.0	395	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
159	Wethersfield	545	64	11.7	65	1	1.5	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0
160	Willington	113	12	10.6	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
161	Wilton	528	238	45.1	235	1	0.4	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
162	Winchester	238	26	10.9	27	2	7.4	0	0.0	1	3.7	0	0.0	3	11.1	1	3.7
163	Windham	596	160	26.8	159	3	1.9	1	0.6	1	0.6	0	0.0	5	3.1	1	0.6
164	Windsor	652	146	22.4	142	1	0.7	1	0.7	0	0.0	0	0.0	2	1.4	0	0.0
165	Windsor Locks	257	45	17.5	44	1	2.3	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0
166	Wolcott	377	109	28.9	107	2	1.9	1	0.9	0	0.0	0	0.0	3	2.8	0	0.0
167	Woodbridge	201	54	26.9	54	0	0.0	0	0.0	1	1.9	0	0.0	1	1.9	1	1.9
168	Woodbury	208	92	44.2	91	1	1.1	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0
169	Woodstock	158	46	29.1	45	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

^a any test (capillary or venous in LSS from 01/01/2000 - 12/31/2000

^b from 2000 U.S. Census

^c valid blood lead test = venous sample, fingerstick < 10, or fingerstick > 10 followed by another test within 90 days