

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	13	5.5	1.53	5	4.1	1.85	8	7.0	2.47
5-9	5	2.3	1.01	1	0.9	0.88	4	3.7	1.85
10-14	1	0.5	0.48	1	0.9	0.95	0	0.0	0.00
15-19	3	1.6	0.90	1	1.0	1.01	2	2.1	1.52
20-24	13	5.9	1.64	8	7.2	2.53	5	4.6	2.07
25-29	57	22.7	3.01	37	29.5	4.84	20	15.9	3.56
30-34	121	41.5	3.77	89	61.3	6.49	32	21.8	3.86
35-39	153	54.0	4.37	113	80.6	7.58	40	28.0	4.43
40-44	126	51.0	4.54	100	82.9	8.29	26	20.6	4.03
45-49	58	26.6	3.49	50	46.8	6.62	8	7.2	2.54
50-54	39	22.6	3.63	25	29.8	5.97	14	15.8	4.23
55-59	33	23.8	4.13	23	34.3	7.14	10	13.9	4.40
60-64	40	29.6	4.68	28	43.6	8.23	12	16.9	4.89
65-69	47	35.1	5.12	30	49.8	9.09	17	23.1	5.60
70-74	69	57.5	6.93	38	74.0	12.00	31	45.2	8.12
75-79	78	82.1	9.30	42	111.0	17.12	36	63.0	10.50
80-84	104	172.0	16.86	43	206.2	31.44	61	154.0	19.71
85+	150	291.3	23.78	31	231.5	41.58	119	312.3	28.63
Total deaths	1,110			665			445		
Connecticut									
. Crude rate		33.9	-		41.9	-		26.4	-
. AAMR (1940 Std. mil.)		23.7	0.78		33.5	1.34		14.5	0.84
. AAMR (1970 Std. mil.)		24.8	0.77		33.7	1.33		16.5	0.85
. AAMR (2000 Std. mil.)		32.5	0.98		43.4	1.73		22.1	1.06
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.5	-		33.3	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.5	0.46	-	-	-	1	0.9	0.93
25-29	2	0.8	0.56	-	-	-	2	1.6	1.13
30-34	4	1.4	0.69	-	-	-	4	2.7	1.37
35-39	12	4.2	1.22	-	-	-	12	8.4	2.43
40-44	22	8.9	1.90	-	-	-	22	17.4	3.71
45-49	34	15.6	2.67	-	-	-	34	30.5	5.23
50-54	50	29.0	4.11	-	-	-	50	56.5	8.00
55-59	38	27.4	4.44	-	-	-	38	52.9	8.59
60-64	61	45.2	5.78	-	-	-	61	86.2	11.03
65-69	71	53.0	6.29	-	-	-	71	96.4	11.44
70-74	77	64.2	7.32	-	-	-	77	112.3	12.80
75-79	80	84.2	9.42	-	-	-	80	140.1	15.66
80-84	65	107.5	13.33	-	-	-	65	164.1	20.35
85+	87	168.9	18.11	-	-	-	87	228.3	24.48
Total deaths	604			-			604		
Connecticut									
. Crude rate		-	-		-	-		35.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		20.8	0.97
. AAMR (1970 Std. mil.)		-	-		-	-		25.5	1.10
. AAMR (2000 Std. mil.)		-	-		-	-		31.2	1.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	0.7	0.48	-	-	-	2	1.4	0.97
35-39	2	0.7	0.50	-	-	-	2	1.4	0.99
40-44	4	1.6	0.81	-	-	-	4	3.2	1.58
45-49	4	1.8	0.92	-	-	-	4	3.6	1.79
50-54	3	1.7	1.01	-	-	-	3	3.4	1.96
55-59	2	1.4	1.02	-	-	-	2	2.8	1.97
60-64	2	1.5	1.05	-	-	-	2	2.8	2.00
65-69	1	0.7	0.75	-	-	-	1	1.4	1.36
70-74	2	1.7	1.18	-	-	-	2	2.9	2.06
75-79	3	3.2	1.82	-	-	-	3	5.3	3.03
80-84	4	6.6	3.31	-	-	-	4	10.1	5.05
85+	3	5.8	3.36	-	-	-	3	7.9	4.55
Total deaths	32			-			32		
Connecticut									
. Crude rate		-	-		-	-		1.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.25
. AAMR (1970 Std. mil.)		-	-		-	-		1.4	0.26
. AAMR (2000 Std. mil.)		-	-		-	-		1.8	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.4	0.40	-	-	-	1	0.8	0.79
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	0.6	0.58	-	-	-	1	1.1	1.13
55-59	4	2.9	1.44	-	-	-	4	5.6	2.79
60-64	7	5.2	1.96	-	-	-	7	9.9	3.74
65-69	1	0.7	0.75	-	-	-	1	1.4	1.36
70-74	7	5.8	2.21	-	-	-	7	10.2	3.86
75-79	6	6.3	2.58	-	-	-	6	10.5	4.29
80-84	4	6.6	3.31	-	-	-	4	10.1	5.05
85+	9	17.5	5.83	-	-	-	9	23.6	7.87
Total deaths	40			-			40		
Connecticut									
. Crude rate		-	-		-	-		2.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	0.23
. AAMR (1970 Std. mil.)		-	-		-	-		1.6	0.28
. AAMR (2000 Std. mil.)		-	-		-	-		2.0	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	1	0.5	0.52	-	-	-	1	1.1	1.07
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	0.4	0.35	-	-	-	1	0.7	0.70
40-44	8	3.2	1.14	-	-	-	8	6.3	2.24
45-49	4	1.8	0.92	-	-	-	4	3.6	1.79
50-54	10	5.8	1.84	-	-	-	10	11.3	3.58
55-59	17	12.2	2.97	-	-	-	17	23.7	5.74
60-64	21	15.5	3.39	-	-	-	21	29.7	6.47
65-69	23	17.2	3.58	-	-	-	23	31.2	6.51
70-74	27	22.5	4.33	-	-	-	27	39.4	7.58
75-79	22	23.2	4.94	-	-	-	22	38.5	8.21
80-84	30	49.6	9.06	-	-	-	30	75.7	13.83
85+	37	71.8	11.81	-	-	-	37	97.1	15.96
Total deaths	201			-			201		
Connecticut									
. Crude rate		-	-		-	-		11.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.4	0.53
. AAMR (1970 Std. mil.)		-	-		-	-		8.2	0.62
. AAMR (2000 Std. mil.)		-	-		-	-		10.1	0.73
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	5	2.3	1.02	5	4.7	2.09	-	-	-
50-54	4	2.3	1.16	4	4.8	2.39	-	-	-
55-59	8	5.8	2.04	8	11.9	4.21	-	-	-
60-64	18	13.3	3.14	18	28.0	6.60	-	-	-
65-69	27	20.2	3.88	27	44.8	8.62	-	-	-
70-74	64	53.4	6.67	64	124.6	15.58	-	-	-
75-79	92	96.9	10.10	92	243.1	25.34	-	-	-
80-84	89	147.2	15.60	89	426.7	45.23	-	-	-
85+	94	182.5	18.83	94	701.9	72.40	-	-	-
Total deaths	401			401			-		
Connecticut									
. Crude rate		-	-		25.3	-		-	-
. AAMR (1940 Std. mil.)		-	-		13.0	0.69		-	-
. AAMR (1970 Std. mil.)		-	-		21.8	1.09		-	-
. AAMR (2000 Std. mil.)		-	-		32.9	1.69		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.4	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.3	0.74	1	0.8	0.83	2	1.7	1.23
5-9	3	1.4	0.78	2	1.8	1.25	1	0.9	0.93
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.0	0.74	0	0.0	0.00	2	2.1	1.52
20-24	1	0.5	0.46	0	0.0	0.00	1	0.9	0.93
25-29	1	0.4	0.40	1	0.8	0.80	0	0.0	0.00
30-34	3	1.0	0.59	1	0.7	0.69	2	1.4	0.97
35-39	3	1.1	0.61	1	0.7	0.71	2	1.4	0.99
40-44	4	1.6	0.81	4	3.3	1.66	0	0.0	0.00
45-49	6	2.7	1.12	2	1.9	1.32	4	3.6	1.79
50-54	12	7.0	2.01	8	9.5	3.38	4	4.5	2.26
55-59	13	9.4	2.60	9	13.4	4.47	4	5.6	2.79
60-64	16	11.8	2.96	12	18.7	5.39	4	5.6	2.82
65-69	13	9.7	2.69	6	10.0	4.06	7	9.5	3.59
70-74	27	22.5	4.33	12	23.4	6.74	15	21.9	5.65
75-79	24	25.3	5.16	8	21.1	7.47	16	28.0	7.00
80-84	8	13.2	4.68	6	28.8	11.74	2	5.0	3.57
85+	8	15.5	5.49	3	22.4	12.93	5	13.1	5.87
Total deaths	147			76			71		
Connecticut									
. Crude rate		4.5	-		4.8	-		4.2	-
. AAMR (1940 Std. mil.)		3.2	0.29		3.7	0.45		2.7	0.37
. AAMR (1970 Std. mil.)		3.8	0.32		4.5	0.52		3.2	0.41
. AAMR (2000 Std. mil.)		4.4	0.36		5.2	0.61		3.7	0.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.3	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	20	8.5	1.90	11	9.1	2.75	9	7.9	2.62
5-9	4	1.8	0.90	2	1.8	1.25	2	1.9	1.31
10-14	4	1.9	0.97	1	0.9	0.95	3	3.0	1.71
15-19	8	4.2	1.47	6	6.1	2.47	2	2.1	1.52
20-24	5	2.3	1.02	2	1.8	1.27	3	2.8	1.60
25-29	21	8.4	1.82	14	11.1	2.98	7	5.6	2.11
30-34	47	16.1	2.35	31	21.3	3.83	16	10.9	2.73
35-39	59	20.8	2.71	42	29.9	4.62	17	11.9	2.89
40-44	110	44.5	4.25	76	63.0	7.23	34	26.9	4.61
45-49	193	88.4	6.36	139	130.2	11.04	54	48.4	6.59
50-54	240	139.4	9.00	175	208.8	15.79	65	73.5	9.12
55-59	380	273.5	14.03	273	406.7	24.61	107	149.0	14.41
60-64	570	422.0	17.68	384	597.5	30.49	186	262.7	19.26
65-69	942	703.5	22.92	624	1035.2	41.44	318	431.9	24.22
70-74	1,377	1148.2	30.94	796	1549.8	54.93	581	847.4	35.16
75-79	1,914	2015.4	46.07	1,009	2665.7	83.92	905	1584.4	52.67
80-84	2,104	3479.2	75.85	885	4243.4	142.64	1,219	3076.9	88.13
85+	4,317	8382.7	127.58	1,198	8945.6	258.45	3,119	8184.8	146.56
Total deaths	12,315			5,668			6,647		
Connecticut									
. Crude rate		376.2	-		357.0	-		394.3	-
. AAMR (1940 Std. mil.)		157.8	1.68		209.9	2.99		116.4	1.84
. AAMR (1970 Std. mil.)		245.5	2.30		315.2	4.21		193.1	2.57
. AAMR (2000 Std. mil.)		360.1	3.25		447.7	6.15		297.4	3.68
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		182.8	-		238.7	-		137.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	17	7.2	1.75	8	6.6	2.34	9	7.9	2.62
5-9	3	1.4	0.78	2	1.8	1.25	1	0.9	0.93
10-14	4	1.9	0.97	1	0.9	0.95	3	3.0	1.71
15-19	5	2.6	1.16	3	3.0	1.75	2	2.1	1.52
20-24	4	1.8	0.91	2	1.8	1.27	2	1.9	1.31
25-29	13	5.2	1.44	9	7.2	2.39	4	3.2	1.59
30-34	35	12.0	2.03	26	17.9	3.51	9	6.1	2.05
35-39	48	17.0	2.45	34	24.2	4.16	14	9.8	2.62
40-44	82	33.2	3.67	57	47.3	6.26	25	19.8	3.95
45-49	164	75.1	5.87	123	115.2	10.39	41	36.8	5.74
50-54	199	115.6	8.19	149	177.8	14.57	50	56.5	8.00
55-59	333	239.7	13.13	250	372.4	23.55	83	115.6	12.69
60-64	489	362.0	16.37	338	525.9	28.61	151	213.3	17.36
65-69	781	583.2	20.87	524	869.3	37.98	257	349.0	21.77
70-74	1,114	928.9	27.83	659	1283.1	49.98	455	663.6	31.11
75-79	1,547	1629.0	41.42	835	2206.0	76.34	712	1246.5	46.72
80-84	1,654	2735.1	67.25	703	3370.7	127.13	951	2400.4	77.84
85+	3,309	6425.4	111.70	922	6884.7	226.74	2,387	6263.9	128.21
Total deaths	9,801			4,645			5,156		
Connecticut									
. Crude rate		299.4	-		292.6	-		305.9	-
. AAMR (1940 Std. mil.)		128.1	1.53		174.6	2.75		91.0	1.63
. AAMR (1970 Std. mil.)		197.4	2.07		259.0	3.83		150.5	2.27
. AAMR (2000 Std. mil.)		286.6	2.90		363.5	5.52		230.9	3.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		145.3	-		195.5	-		105.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	56	23.8	3.18	30	24.9	4.54	26	22.7	4.45
5-9	14	6.3	1.69	7	6.2	2.33	7	6.5	2.45
10-14	8	3.9	1.37	2	1.9	1.34	6	5.9	2.42
15-19	16	8.3	2.08	8	8.1	2.86	8	8.6	3.04
20-24	18	8.2	1.93	7	6.3	2.37	11	10.2	3.07
25-29	47	18.7	2.73	31	24.7	4.43	16	12.7	3.19
30-34	106	36.3	3.53	71	48.9	5.80	35	23.9	4.04
35-39	143	50.5	4.22	102	72.7	7.20	41	28.7	4.48
40-44	199	80.5	5.71	136	112.8	9.67	63	49.8	6.28
45-49	265	121.4	7.46	189	177.0	12.87	76	68.1	7.82
50-54	345	200.3	10.79	232	276.9	18.18	113	127.8	12.02
55-59	521	375.0	16.43	363	540.7	28.38	158	220.1	17.51
60-64	798	590.8	20.91	498	774.8	34.72	300	423.7	24.47
65-69	1,312	979.8	27.05	835	1385.2	47.94	477	647.8	29.66
70-74	1,933	1611.9	36.66	1,110	2161.2	64.87	823	1200.4	41.84
75-79	2,512	2645.1	52.77	1,335	3527.0	96.53	1,177	2060.6	60.06
80-84	2,796	4623.5	87.44	1,232	5907.2	168.30	1,564	3947.7	99.82
85+	5,175	10048.7	139.69	1,515	11312.7	290.64	3,660	9604.5	158.76
Total deaths	16,264			7,703			8,561		
Connecticut									
. Crude rate		496.9	-		485.1	-		507.9	-
. AAMR (1940 Std. mil.)		219.0	2.02		289.1	3.53		164.5	2.30
. AAMR (1970 Std. mil.)		330.4	2.70		426.9	4.90		260.4	3.07
. AAMR (2000 Std. mil.)		474.9	3.74		602.1	7.10		388.1	4.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.8	0.56	1	0.8	0.80	1	0.8	0.80
30-34	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
35-39	7	2.5	0.93	5	3.6	1.59	2	1.4	0.99
40-44	11	4.5	1.34	10	8.3	2.62	1	0.8	0.79
45-49	26	11.9	2.34	14	13.1	3.50	12	10.8	3.11
50-54	41	23.8	3.72	27	32.2	6.20	14	15.8	4.23
55-59	53	38.1	5.24	39	58.1	9.30	14	19.5	5.21
60-64	96	71.1	7.25	46	71.6	10.55	50	70.6	9.99
65-69	164	122.5	9.56	93	154.3	16.00	71	96.4	11.44
70-74	230	191.8	12.65	104	202.5	19.86	126	183.8	16.37
75-79	281	295.9	17.65	113	298.5	28.08	168	294.1	22.69
80-84	314	519.2	29.30	110	527.4	50.29	204	514.9	36.05
85+	487	945.6	42.85	109	813.9	77.96	378	991.9	51.02
Total deaths	1,714			673			1,041		
Connecticut									
. Crude rate		52.4	-		42.4	-		61.8	-
. AAMR (1940 Std. mil.)		23.2	0.65		25.9	1.06		20.7	0.79
. AAMR (1970 Std. mil.)		35.2	0.88		37.6	1.46		32.6	1.09
. AAMR (2000 Std. mil.)		49.8	1.21		51.5	2.05		47.3	1.48
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.3	0.74	3	2.5	1.44	0	0.0	0.00
5-9	1	0.5	0.45	0	0.0	0.00	1	0.9	0.93
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	1.6	0.90	3	3.0	1.75	0	0.0	0.00
20-24	1	0.5	0.46	0	0.0	0.00	1	0.9	0.93
25-29	5	2.0	0.89	2	1.6	1.13	3	2.4	1.38
30-34	8	2.7	0.97	2	1.4	0.97	6	4.1	1.67
35-39	9	3.2	1.06	7	5.0	1.89	2	1.4	0.99
40-44	15	6.1	1.57	10	8.3	2.62	5	4.0	1.77
45-49	19	8.7	2.00	8	7.5	2.65	11	9.9	2.97
50-54	29	16.8	3.13	17	20.3	4.92	12	13.6	3.92
55-59	29	20.9	3.88	10	14.9	4.71	19	26.5	6.07
60-64	56	41.5	5.54	29	45.1	8.38	27	38.1	7.34
65-69	97	72.4	7.35	56	92.9	12.41	41	55.7	8.70
70-74	171	142.6	10.90	88	171.3	18.26	83	121.1	13.29
75-79	271	285.4	17.33	121	319.7	29.06	150	262.6	21.44
80-84	346	572.1	30.76	126	604.1	53.82	220	555.3	37.44
85+	762	1479.6	53.60	197	1471.0	104.81	565	1482.7	62.38
Total deaths	1,825			679			1,146		
Connecticut									
. Crude rate		55.8	-		42.8	-		68.0	-
. AAMR (1940 Std. mil.)		20.8	0.58		22.8	0.94		19.3	0.74
. AAMR (1970 Std. mil.)		34.5	0.84		37.2	1.43		32.5	1.04
. AAMR (2000 Std. mil.)		53.5	1.26		56.8	2.26		51.1	1.52
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		29.0	-		24.4	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis-related (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.4	0.35	0	0.0	0.00	1	0.7	0.70
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	6	2.7	1.12	5	4.7	2.09	1	0.9	0.90
50-54	6	3.5	1.42	4	4.8	2.39	2	2.3	1.60
55-59	8	5.8	2.04	5	7.4	3.33	3	4.2	2.41
60-64	15	11.1	2.87	11	17.1	5.16	4	5.6	2.82
65-69	46	34.4	5.06	26	43.1	8.46	20	27.2	6.07
70-74	101	84.2	8.38	48	93.5	13.49	53	77.3	10.62
75-79	121	127.4	11.58	57	150.6	19.95	64	112.0	14.01
80-84	144	238.1	19.84	64	306.9	38.36	80	201.9	22.58
85+	440	854.4	40.73	104	776.6	76.15	336	881.7	48.10
Total deaths	888			324			564		
Connecticut									
. Crude rate		27.1	-		20.4	-		33.5	-
. AAMR (1940 Std. mil.)		8.9	0.35		10.2	0.60		7.8	0.41
. AAMR (1970 Std. mil.)		16.0	0.55		17.7	0.99		14.6	0.65
. AAMR (2000 Std. mil.)		25.9	0.87		27.7	1.59		24.4	1.03
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.48	1	0.9	0.95	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	0.9	0.64	0	0.0	0.00	2	1.9	1.31
25-29	3	1.2	0.69	2	1.6	1.13	1	0.8	0.80
30-34	1	0.3	0.34	0	0.0	0.00	1	0.7	0.68
35-39	1	0.4	0.35	1	0.7	0.71	0	0.0	0.00
40-44	3	1.2	0.70	2	1.7	1.17	1	0.8	0.79
45-49	3	1.4	0.79	1	0.9	0.94	2	1.8	1.27
50-54	4	2.3	1.16	0	0.0	0.00	4	4.5	2.26
55-59	4	2.9	1.44	2	3.0	2.11	2	2.8	1.97
60-64	3	2.2	1.28	3	4.7	2.69	0	0.0	0.00
65-69	4	3.0	1.49	2	3.3	2.35	2	2.7	1.92
70-74	5	4.2	1.86	1	1.9	1.95	4	5.8	2.92
75-79	4	4.2	2.11	1	2.6	2.64	3	5.3	3.03
80-84	5	8.3	3.70	1	4.8	4.79	4	10.1	5.05
85+	10	19.4	6.14	3	22.4	12.93	7	18.4	6.94
Total deaths	53			20			33		
Connecticut									
. Crude rate		1.6	-		1.3	-		2.0	-
. AAMR (1940 Std. mil.)		1.1	0.17		1.0	0.24		1.2	0.25
. AAMR (1970 Std. mil.)		1.3	0.19		1.2	0.27		1.4	0.26
. AAMR (2000 Std. mil.)		1.6	0.22		1.4	0.33		1.7	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.5	0.46	0	0.0	0.00	1	0.9	0.93
25-29	5	2.0	0.89	3	2.4	1.38	2	1.6	1.13
30-34	10	3.4	1.08	7	4.8	1.82	3	2.0	1.18
35-39	13	4.6	1.27	10	7.1	2.25	3	2.1	1.21
40-44	23	9.3	1.94	15	12.4	3.21	8	6.3	2.24
45-49	26	11.9	2.34	15	14.0	3.63	11	9.9	2.97
50-54	31	18.0	3.23	26	31.0	6.09	5	5.7	2.53
55-59	31	22.3	4.01	24	35.8	7.30	7	9.7	3.68
60-64	30	22.2	4.06	21	32.7	7.13	9	12.7	4.24
65-69	30	22.4	4.09	22	36.5	7.78	8	10.9	3.84
70-74	30	25.0	4.57	22	42.8	9.13	8	11.7	4.13
75-79	26	27.4	5.37	11	29.1	8.76	15	26.3	6.78
80-84	18	29.8	7.02	13	62.3	17.29	5	12.6	5.64
85+	14	27.2	7.27	8	59.7	21.12	6	15.7	6.43
Total deaths	288			197			91		
Connecticut									
. Crude rate		8.8	-		12.4	-		5.4	-
. AAMR (1940 Std. mil.)		6.7	0.42		10.0	0.74		3.7	0.43
. AAMR (1970 Std. mil.)		7.4	0.45		11.3	0.82		4.1	0.45
. AAMR (2000 Std. mil.)		8.7	0.52		13.5	0.98		5.0	0.53
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.0	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	25	10.6	2.12	15	12.4	3.21	10	8.7	2.76
5-9	14	6.3	1.69	12	10.6	3.05	2	1.9	1.31
10-14	16	7.7	1.94	11	10.4	3.15	5	4.9	2.21
15-19	52	27.1	3.75	36	36.4	6.06	16	17.2	4.30
20-24	66	30.1	3.70	51	45.7	6.40	15	13.9	3.59
25-29	74	29.5	3.42	58	46.2	6.06	16	12.7	3.19
30-34	89	30.5	3.23	71	48.9	5.80	18	12.3	2.90
35-39	80	28.3	3.16	66	47.1	5.79	14	9.8	2.62
40-44	54	21.9	2.97	45	37.3	5.56	9	7.1	2.37
45-49	41	18.8	2.93	36	33.7	5.62	5	4.5	2.00
50-54	28	16.3	3.07	16	19.1	4.77	12	13.6	3.92
55-59	32	23.0	4.07	26	38.7	7.60	6	8.4	3.41
60-64	31	23.0	4.12	22	34.2	7.30	9	12.7	4.24
65-69	47	35.1	5.12	24	39.8	8.13	23	31.2	6.51
70-74	45	37.5	5.59	24	46.7	9.54	21	30.6	6.68
75-79	53	55.8	7.67	25	66.0	13.21	28	49.0	9.26
80-84	77	127.3	14.51	38	182.2	29.56	39	98.4	15.76
85+	130	252.4	22.14	46	343.5	50.64	84	220.4	24.05
Total deaths	954			622			332		
Connecticut									
. Crude rate		29.1	-		39.2	-		19.7	-
. AAMR (1940 Std. mil.)		23.3	0.85		34.8	1.47		12.4	0.85
. AAMR (1970 Std. mil.)		24.5	0.85		35.7	1.48		14.2	0.88
. AAMR (2000 Std. mil.)		28.3	0.92		41.4	1.71		16.9	0.95
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		44.2	-		17.0	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.42	0	0.0	0.00	1	0.9	0.87
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.48	1	0.9	0.95	0	0.0	0.00
15-19	2	1.0	0.74	1	1.0	1.01	1	1.1	1.07
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
35-39	6	2.1	0.87	5	3.6	1.59	1	0.7	0.70
40-44	1	0.4	0.40	0	0.0	0.00	1	0.8	0.79
45-49	6	2.7	1.12	6	5.6	2.29	0	0.0	0.00
50-54	4	2.3	1.16	2	2.4	1.69	2	2.3	1.60
55-59	4	2.9	1.44	3	4.5	2.58	1	1.4	1.39
60-64	5	3.7	1.66	4	6.2	3.11	1	1.4	1.41
65-69	8	6.0	2.11	5	8.3	3.71	3	4.1	2.35
70-74	9	7.5	2.50	4	7.8	3.89	5	7.3	3.26
75-79	19	20.0	4.59	8	21.1	7.47	11	19.3	5.81
80-84	21	34.7	7.58	10	47.9	15.16	11	27.8	8.37
85+	79	153.4	17.26	26	194.1	38.08	53	139.1	19.10
Total deaths	168			77			91		
Connecticut									
. Crude rate		5.1	-		4.8	-		5.4	-
. AAMR (1940 Std. mil.)		2.1	0.21		2.9	0.37		1.5	0.23
. AAMR (1970 Std. mil.)		3.3	0.27		4.3	0.50		2.6	0.30
. AAMR (2000 Std. mil.)		5.0	0.39		6.5	0.77		4.1	0.43
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.4	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	2.5	1.04	4	3.3	1.66	2	1.7	1.23
5-9	1	0.5	0.45	1	0.9	0.88	0	0.0	0.00
10-14	2	1.0	0.68	2	1.9	1.34	0	0.0	0.00
15-19	2	1.0	0.74	1	1.0	1.01	1	1.1	1.07
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.4	0.40	1	0.8	0.80	0	0.0	0.00
30-34	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
35-39	5	1.8	0.79	4	2.9	1.43	1	0.7	0.70
40-44	3	1.2	0.70	2	1.7	1.17	1	0.8	0.79
45-49	3	1.4	0.79	3	2.8	1.62	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	0.7	0.72	1	1.5	1.49	0	0.0	0.00
60-64	1	0.7	0.74	1	1.6	1.56	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	1.1	1.05	1	2.6	2.64	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	28			23			5		
Connecticut									
. Crude rate		0.9	-		1.4	-		0.3	-
. AAMR (1940 Std. mil.)		0.9	0.17		1.4	0.30		-	-
. AAMR (1970 Std. mil.)		0.9	0.17		1.4	0.31		-	-
. AAMR (2000 Std. mil.)		0.9	0.16		1.4	0.30		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.8	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.3	0.74	2	1.7	1.17	1	0.9	0.87
5-9	3	1.4	0.78	1	0.9	0.88	2	1.9	1.31
10-14	7	3.4	1.28	6	5.7	2.32	1	1.0	0.99
15-19	34	17.7	3.04	31	31.3	5.62	3	3.2	1.86
20-24	43	19.6	2.99	33	29.6	5.14	10	9.3	2.93
25-29	38	15.1	2.45	28	22.3	4.21	10	8.0	2.52
30-34	21	7.2	1.57	15	10.3	2.67	6	4.1	1.67
35-39	16	5.7	1.41	13	9.3	2.57	3	2.1	1.21
40-44	9	3.6	1.21	6	5.0	2.03	3	2.4	1.37
45-49	15	6.9	1.77	11	10.3	3.11	4	3.6	1.79
50-54	5	2.9	1.30	4	4.8	2.39	1	1.1	1.13
55-59	5	3.6	1.61	4	6.0	2.98	1	1.4	1.39
60-64	4	3.0	1.48	3	4.7	2.69	1	1.4	1.41
65-69	1	0.7	0.75	0	0.0	0.00	1	1.4	1.36
70-74	3	2.5	1.44	1	1.9	1.95	2	2.9	2.06
75-79	2	2.1	1.49	1	2.6	2.64	1	1.8	1.75
80-84	2	3.3	2.34	0	0.0	0.00	2	5.0	3.57
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	211			159			52		
Connecticut									
. Crude rate		6.4	-		10.0	-		3.1	-
. AAMR (1940 Std. mil.)		7.4	0.52		11.3	0.92		3.3	0.48
. AAMR (1970 Std. mil.)		6.8	0.49		10.5	0.87		3.0	0.44
. AAMR (2000 Std. mil.)		6.4	0.45		9.8	0.78		3.0	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.7	-		16.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.42	0	0.0	0.00	1	0.9	0.87
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.48	1	0.9	0.95	0	0.0	0.00
15-19	2	1.0	0.74	1	1.0	1.01	1	1.1	1.07
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.0	0.59	3	2.1	1.19	0	0.0	0.00
35-39	6	2.1	0.87	5	3.6	1.59	1	0.7	0.70
40-44	1	0.4	0.40	0	0.0	0.00	1	0.8	0.79
45-49	6	2.7	1.12	6	5.6	2.29	0	0.0	0.00
50-54	4	2.3	1.16	3	3.6	2.07	1	1.1	1.13
55-59	4	2.9	1.44	3	4.5	2.58	1	1.4	1.39
60-64	5	3.7	1.66	4	6.2	3.11	1	1.4	1.41
65-69	7	5.2	1.98	5	8.3	3.71	2	2.7	1.92
70-74	8	6.7	2.36	5	9.7	4.35	3	4.4	2.53
75-79	14	14.7	3.94	8	21.1	7.47	6	10.5	4.29
80-84	16	26.5	6.61	7	33.6	12.69	9	22.7	7.57
85+	43	83.5	12.73	19	141.9	32.55	24	63.0	12.86
Total deaths	121			70			51		
Connecticut									
. Crude rate		3.7	-		4.4	-		3.0	-
. AAMR (1940 Std. mil.)		1.8	0.20		2.8	0.37		1.0	0.20
. AAMR (1970 Std. mil.)		2.5	0.24		3.9	0.47		1.6	0.25
. AAMR (2000 Std. mil.)		3.6	0.33		5.6	0.70		2.4	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	4	1.8	0.90	2	1.8	1.25	2	1.9	1.31
10-14	7	3.4	1.28	7	6.6	2.51	0	0.0	0.00
15-19	36	18.7	3.12	33	33.3	5.80	3	3.2	1.86
20-24	53	24.1	3.31	46	41.2	6.07	7	6.5	2.45
25-29	36	14.3	2.39	27	21.5	4.14	9	7.2	2.39
30-34	31	10.6	1.91	23	15.8	3.30	8	5.5	1.93
35-39	35	12.4	2.09	29	20.7	3.84	6	4.2	1.72
40-44	16	6.5	1.62	12	9.9	2.87	4	3.2	1.58
45-49	19	8.7	2.00	17	15.9	3.86	2	1.8	1.27
50-54	18	10.5	2.46	15	17.9	4.62	3	3.4	1.96
55-59	14	10.1	2.69	10	14.9	4.71	4	5.6	2.79
60-64	7	5.2	1.96	7	10.9	4.12	0	0.0	0.00
65-69	6	4.5	1.83	6	10.0	4.06	0	0.0	0.00
70-74	11	9.2	2.77	8	15.6	5.51	3	4.4	2.53
75-79	4	4.2	2.11	4	10.6	5.28	0	0.0	0.00
80-84	3	5.0	2.86	3	14.4	8.30	0	0.0	0.00
85+	2	3.9	2.75	2	14.9	10.56	0	0.0	0.00
Total deaths	302			251			51		
Connecticut									
. Crude rate		9.2	-		15.8	-		3.0	-
. AAMR (1940 Std. mil.)		9.8	0.59		16.6	1.08		3.2	0.46
. AAMR (1970 Std. mil.)		9.2	0.56		15.7	1.03		2.9	0.43
. AAMR (2000 Std. mil.)		9.2	0.54		15.8	1.01		3.0	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.5	-		26.9	-		4.6	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	3.1	1.28	6	6.1	2.47	0	0.0	0.00
20-24	16	7.3	1.82	15	13.4	3.47	1	0.9	0.93
25-29	10	4.0	1.26	6	4.8	1.95	4	3.2	1.59
30-34	12	4.1	1.19	8	5.5	1.95	4	2.7	1.37
35-39	24	8.5	1.73	20	14.3	3.19	4	2.8	1.40
40-44	11	4.5	1.34	8	6.6	2.35	3	2.4	1.37
45-49	11	5.0	1.52	10	9.4	2.96	1	0.9	0.90
50-54	14	8.1	2.17	12	14.3	4.13	2	2.3	1.60
55-59	13	9.4	2.60	9	13.4	4.47	4	5.6	2.79
60-64	6	4.4	1.81	6	9.3	3.81	0	0.0	0.00
65-69	6	4.5	1.83	6	10.0	4.06	0	0.0	0.00
70-74	9	7.5	2.50	7	13.6	5.15	2	2.9	2.06
75-79	2	2.1	1.49	2	5.3	3.74	0	0.0	0.00
80-84	3	5.0	2.86	3	14.4	8.30	0	0.0	0.00
85+	2	3.9	2.75	2	14.9	10.56	0	0.0	0.00
Total deaths	145			120			25		
Connecticut									
. Crude rate		4.4	-		7.6	-		1.5	-
. AAMR (1940 Std. mil.)		4.2	0.36		7.1	0.67		1.4	0.29
. AAMR (1970 Std. mil.)		4.0	0.34		6.9	0.65		1.3	0.26
. AAMR (2000 Std. mil.)		4.4	0.37		7.7	0.71		1.5	0.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.1	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.7	0.85	3	2.5	1.44	1	0.9	0.87
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	1.5	0.84	1	0.9	0.95	2	2.0	1.40
15-19	7	3.6	1.38	3	3.0	1.75	4	4.3	2.15
20-24	18	8.2	1.93	15	13.4	3.47	3	2.8	1.60
25-29	34	13.5	2.32	30	23.9	4.36	4	3.2	1.59
30-34	49	16.8	2.40	42	28.9	4.46	7	4.8	1.81
35-39	49	17.3	2.47	40	28.5	4.51	9	6.3	2.10
40-44	45	18.2	2.72	38	31.5	5.11	7	5.5	2.09
45-49	20	9.2	2.05	16	15.0	3.75	4	3.6	1.79
50-54	9	5.2	1.74	7	8.4	3.16	2	2.3	1.60
55-59	6	4.3	1.76	3	4.5	2.58	3	4.2	2.41
60-64	8	5.9	2.09	4	6.2	3.11	4	5.6	2.82
65-69	7	5.2	1.98	4	6.6	3.32	3	4.1	2.35
70-74	7	5.8	2.21	6	11.7	4.77	1	1.5	1.46
75-79	6	6.3	2.58	1	2.6	2.64	5	8.8	3.91
80-84	6	9.9	4.05	4	19.2	9.59	2	5.0	3.57
85+	3	5.8	3.36	2	14.9	10.56	1	2.6	2.62
Total deaths	281			219			62		
Connecticut									
. Crude rate		8.6	-		13.8	-		3.7	-
. AAMR (1940 Std. mil.)		7.9	0.49		12.6	0.87		3.4	0.46
. AAMR (1970 Std. mil.)		7.1	0.44		11.1	0.77		3.3	0.44
. AAMR (2000 Std. mil.)		8.2	0.49		13.1	0.90		3.6	0.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		8.1	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.42	0	0.0	0.00	1	0.9	0.87
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	5	2.6	1.16	2	2.0	1.43	3	3.2	1.86
20-24	14	6.4	1.70	11	9.9	2.97	3	2.8	1.60
25-29	31	12.3	2.22	27	21.5	4.14	4	3.2	1.59
30-34	48	16.4	2.37	42	28.9	4.46	6	4.1	1.67
35-39	53	18.7	2.57	42	29.9	4.62	11	7.7	2.32
40-44	43	17.4	2.65	36	29.8	4.97	7	5.5	2.09
45-49	15	6.9	1.77	13	12.2	3.38	2	1.8	1.27
50-54	4	2.3	1.16	3	3.6	2.07	1	1.1	1.13
55-59	3	2.2	1.25	1	1.5	1.49	2	2.8	1.97
60-64	7	5.2	1.96	4	6.2	3.11	3	4.2	2.45
65-69	4	3.0	1.49	1	1.7	1.66	3	4.1	2.35
70-74	6	5.0	2.04	4	7.8	3.89	2	2.9	2.06
75-79	4	4.2	2.11	0	0.0	0.00	4	7.0	3.50
80-84	1	1.7	1.65	0	0.0	0.00	1	2.5	2.52
85+	2	3.9	2.75	1	7.5	7.47	1	2.6	2.62
Total deaths	241			187			54		
Connecticut									
. Crude rate		7.4	-		11.8	-		3.2	-
. AAMR (1940 Std. mil.)		6.8	0.45		10.8	0.80		2.9	0.41
. AAMR (1970 Std. mil.)		5.8	0.39		9.0	0.68		2.7	0.39
. AAMR (2000 Std. mil.)		7.0	0.45		10.9	0.81		3.1	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.7	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher