

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	97	164.1	16.66	53	172.7	23.73	44	154.8	23.33
5-9	11	21.5	6.47	8	30.5	10.77	3	12.0	6.93
10-14	14	31.5	8.43	8	35.6	12.59	6	27.4	11.18
15-19	27	61.6	11.85	23	100.5	20.96	4	19.1	9.54
20-24	41	95.9	14.97	32	144.2	25.49	9	43.7	14.58
25-29	72	149.6	17.63	57	237.5	31.45	15	62.2	16.05
30-34	121	252.3	22.93	96	406.0	41.43	25	102.8	20.56
35-39	137	334.6	28.58	106	531.5	51.63	31	147.6	26.51
40-44	99	314.0	31.56	76	504.2	57.83	23	139.8	29.15
45-49	105	430.5	42.01	80	686.8	76.78	25	196.2	39.24
50-54	86	473.3	51.04	54	636.6	86.63	32	330.3	58.39
55-59	89	671.9	71.22	51	839.8	117.59	38	529.8	85.94
60-64	93	973.1	100.91	57	1296.3	171.70	36	697.7	116.28
65-69	103	1418.7	139.79	61	1963.9	251.46	42	1011.1	156.01
70-74	100	1834.9	183.49	51	2330.9	326.39	49	1502.1	214.59
75-79	118	2983.6	274.66	61	4175.2	534.58	57	2285.5	302.72
80-84	95	3712.4	380.88	42	4453.9	687.25	53	3279.7	450.50
85+	123	6146.9	554.25	51	7762.6	1086.98	72	5357.1	631.35
Total deaths	1,531			967			564		
Connecticut									
. Crude rate		308.3	-		392.9	-		225.2	-
. AAMR (1940 Std. mil.)		376.7	10.19		524.6	18.09		252.4	11.28
. AAMR (1970 Std. mil.)		461.1	12.99		628.1	23.49		328.8	14.67
. AAMR (2000 Std. mil.)		586.4	17.27		796.3	31.99		425.8	19.49
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		503.7	-		646.2	-		384.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.1	2.93	0	0.0	0.00	3	10.6	6.09
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	5	11.3	5.04	3	13.4	7.71	2	9.1	6.46
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	1	4.5	4.51	0	0.0	0.00
25-29	23	47.8	9.96	16	66.7	16.66	7	29.0	10.96
30-34	55	114.7	15.46	43	181.8	27.73	12	49.4	14.25
35-39	63	153.9	19.38	50	250.7	35.46	13	61.9	17.17
40-44	39	123.7	19.81	33	218.9	38.11	6	36.5	14.89
45-49	33	135.3	23.55	29	248.9	46.23	4	31.4	15.69
50-54	14	77.0	20.59	10	117.9	37.28	4	41.3	20.64
55-59	9	67.9	22.65	4	65.9	32.93	5	69.7	31.17
60-64	3	31.4	18.12	3	68.2	39.39	0	0.0	0.00
65-69	2	27.5	19.48	2	64.4	45.53	0	0.0	0.00
70-74	2	36.7	25.95	0	0.0	0.00	2	61.3	43.35
75-79	4	101.1	50.57	2	136.9	96.80	2	80.2	56.70
80-84	2	78.2	55.26	0	0.0	0.00	2	123.8	87.51
85+	4	199.9	99.95	2	304.4	215.25	2	148.8	105.22
Total deaths	262			198			64		
Connecticut									
. Crude rate		52.8	-		80.4	-		25.6	-
. AAMR (1940 Std. mil.)		54.5	3.49		85.9	6.36		25.5	3.30
. AAMR (1970 Std. mil.)		50.2	3.45		77.5	6.22		25.3	3.48
. AAMR (2000 Std. mil.)		63.5	4.42		98.5	8.08		31.6	4.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.4	-		35.5	-		11.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.08	1	4.2	4.17	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.9	3.45	2	10.0	7.09	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	3	16.5	9.53	2	23.6	16.67	1	10.3	10.32
55-59	1	7.5	7.55	1	16.5	16.47	0	0.0	0.00
60-64	2	20.9	14.80	2	45.5	32.16	0	0.0	0.00
65-69	1	13.8	13.77	1	32.2	32.20	0	0.0	0.00
70-74	1	18.3	18.35	0	0.0	0.00	1	30.7	30.66
75-79	3	75.9	43.79	1	68.4	68.45	2	80.2	56.70
80-84	2	78.2	55.26	0	0.0	0.00	2	123.8	87.51
85+	3	149.9	86.56	1	152.2	152.21	2	148.8	105.22
Total deaths	20			12			8		
Connecticut									
. Crude rate		4.0	-		4.9	-		3.2	-
. AAMR (1940 Std. mil.)		5.3	1.24		-	-		-	-
. AAMR (1970 Std. mil.)		7.2	1.69		-	-		-	-
. AAMR (2000 Std. mil.)		9.9	2.40		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.5	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.4	2.39	1	3.3	3.26	1	3.5	3.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	0	0.0	0.00	1	4.9	4.86
25-29	2	4.2	2.94	2	8.3	5.89	0	0.0	0.00
30-34	6	12.5	5.11	6	25.4	10.36	0	0.0	0.00
35-39	8	19.5	6.91	7	35.1	13.27	1	4.8	4.76
40-44	4	12.7	6.34	2	13.3	9.38	2	12.2	8.60
45-49	2	8.2	5.80	2	17.2	12.14	0	0.0	0.00
50-54	13	71.5	19.84	9	106.1	35.36	4	41.3	20.64
55-59	3	22.6	13.08	1	16.5	16.47	2	27.9	19.72
60-64	7	73.2	27.68	5	113.7	50.85	2	38.8	27.41
65-69	6	82.6	33.74	6	193.2	78.86	0	0.0	0.00
70-74	4	73.4	36.70	2	91.4	64.63	2	61.3	43.35
75-79	12	303.4	87.59	8	547.6	193.60	4	160.4	80.19
80-84	4	156.3	78.16	1	106.0	106.04	3	185.6	107.18
85+	10	499.8	158.03	4	608.8	304.41	6	446.4	182.25
Total deaths	84			56			28		
Connecticut									
. Crude rate		16.9	-		22.8	-		11.2	-
. AAMR (1940 Std. mil.)		21.7	2.50		34.0	4.82		12.1	2.44
. AAMR (1970 Std. mil.)		27.9	3.28		42.6	6.42		17.0	3.32
. AAMR (2000 Std. mil.)		37.1	4.51		55.2	8.80		23.9	4.77
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	0	0.0	0.00	1	3.5	3.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	5	11.3	5.04	3	13.4	7.71	2	9.1	6.46
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	1	4.5	4.51	0	0.0	0.00
25-29	20	41.5	9.29	13	54.2	15.02	7	29.0	10.96
30-34	51	106.3	14.89	39	164.9	26.41	12	49.4	14.25
35-39	54	131.9	17.95	41	205.6	32.11	13	61.9	17.17
40-44	36	114.2	19.03	30	199.0	36.34	6	36.5	14.89
45-49	29	118.9	22.08	26	223.2	43.77	3	23.5	13.59
50-54	11	60.5	18.25	8	94.3	33.34	3	31.0	17.88
55-59	6	45.3	18.49	2	32.9	23.29	4	55.8	27.88
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	215			164			51		
Connecticut									
. Crude rate		43.3	-		66.6	-		20.4	-
. AAMR (1940 Std. mil.)		43.5	3.05		68.6	5.51		20.0	2.88
. AAMR (1970 Std. mil.)		37.2	2.72		58.6	4.90		17.3	2.61
. AAMR (2000 Std. mil.)		46.3	3.32		73.9	6.07		20.6	3.04
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		26.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	1	3.3	3.26	0	0.0	0.00
5-9	2	3.9	2.76	2	7.6	5.38	0	0.0	0.00
10-14	1	2.3	2.25	1	4.5	4.45	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.7	3.31	1	4.5	4.51	1	4.9	4.86
25-29	4	8.3	4.15	1	4.2	4.17	3	12.4	7.18
30-34	9	18.8	6.25	5	21.1	9.46	4	16.5	8.23
35-39	5	12.2	5.46	2	10.0	7.09	3	14.3	8.25
40-44	7	22.2	8.39	3	19.9	11.49	4	24.3	12.16
45-49	12	49.2	14.20	7	60.1	22.71	5	39.2	17.55
50-54	21	115.6	25.22	8	94.3	33.34	13	134.2	37.22
55-59	26	196.3	38.49	14	230.5	61.61	12	167.3	48.29
60-64	25	261.6	52.32	15	341.1	88.08	10	193.8	61.28
65-69	26	358.1	70.23	13	418.5	116.08	13	313.0	86.80
70-74	20	367.0	82.06	12	548.4	158.32	8	245.2	86.71
75-79	26	657.4	128.93	15	1026.7	265.09	11	441.1	132.98
80-84	26	1016.0	199.26	16	1696.7	424.18	10	618.8	195.69
85+	21	1049.5	229.01	10	1522.1	481.32	11	818.5	246.77
Total deaths	234			126			108		
Connecticut									
. Crude rate		47.1	-		51.2	-		43.1	-
. AAMR (1940 Std. mil.)		67.0	4.56		85.8	7.93		54.4	5.48
. AAMR (1970 Std. mil.)		88.5	6.03		118.4	11.15		69.2	6.91
. AAMR (2000 Std. mil.)		112.1	7.88		153.6	15.33		86.5	8.74
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		129.9	-		156.8	-		110.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.2	3.17	0	0.0	0.00	1	6.1	6.08
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	1	5.5	5.50	0	0.0	0.00	1	10.3	10.32
55-59	1	7.5	7.55	0	0.0	0.00	1	13.9	13.94
60-64	5	52.3	23.40	3	68.2	39.39	2	38.8	27.41
65-69	2	27.5	19.48	1	32.2	32.20	1	24.1	24.07
70-74	2	36.7	25.95	1	45.7	45.70	1	30.7	30.66
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	4	156.3	78.16	2	212.1	149.97	2	123.8	87.51
85+	1	50.0	49.98	0	0.0	0.00	1	74.4	74.40
Total deaths	18			8			10		
Connecticut									
. Crude rate		3.6	-		3.3	-		4.0	-
. AAMR (1940 Std. mil.)		5.6	1.35		-	-		-	-
. AAMR (1970 Std. mil.)		7.4	1.77		-	-		-	-
. AAMR (2000 Std. mil.)		9.0	2.21		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		15.4	-		10.6	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.2	3.17	0	0.0	0.00	1	6.1	6.08
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	1	5.5	5.50	0	0.0	0.00	1	10.3	10.32
55-59	1	7.5	7.55	0	0.0	0.00	1	13.9	13.94
60-64	2	20.9	14.80	2	45.5	32.16	0	0.0	0.00
65-69	2	27.5	19.48	1	32.2	32.20	1	24.1	24.07
70-74	1	18.3	18.35	1	45.7	45.70	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	4	156.3	78.16	2	212.1	149.97	2	123.8	87.51
85+	1	50.0	49.98	0	0.0	0.00	1	74.4	74.40
Total deaths	14			7			7		
Connecticut									
. Crude rate		2.8	-		2.8	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		12.6	-		9.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	3	31.4	18.12	1	22.7	22.74	2	38.8	27.41
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	18.3	18.35	0	0.0	0.00	1	30.7	30.66
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			1			3		
Connecticut									
. Crude rate		0.8	-		0.4	-		1.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	5.5	5.50	0	0.0	0.00	1	10.3	10.32
55-59	1	7.5	7.55	0	0.0	0.00	1	13.9	13.94
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	1	13.8	13.77	0	0.0	0.00	1	24.1	24.07
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	25.3	25.28	1	68.4	68.45	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	50.0	49.98	0	0.0	0.00	1	74.4	74.40
Total deaths	6			2			4		
Connecticut									
. Crude rate		1.2	-		0.8	-		1.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	1	5.5	5.50	1	11.8	11.79	0	0.0	0.00
55-59	5	37.7	16.88	3	49.4	28.52	2	27.9	19.72
60-64	3	31.4	18.12	2	45.5	32.16	1	19.4	19.38
65-69	8	110.2	38.96	3	96.6	55.76	5	120.4	53.83
70-74	6	110.1	44.94	6	274.2	111.95	0	0.0	0.00
75-79	2	50.6	35.76	1	68.4	68.45	1	40.1	40.10
80-84	5	195.4	87.38	4	424.2	212.09	1	61.9	61.88
85+	2	100.0	70.68	1	152.2	152.21	1	74.4	74.40
Total deaths	33			22			11		
Connecticut									
. Crude rate		6.6	-		8.9	-		4.4	-
. AAMR (1940 Std. mil.)		10.7	1.90		16.8	3.65		-	-
. AAMR (1970 Std. mil.)		14.4	2.52		23.4	5.08		-	-
. AAMR (2000 Std. mil.)		17.4	3.12		29.3	6.63		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.6	-		55.2	-		27.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	1	5.5	5.50	1	11.8	11.79	0	0.0	0.00
55-59	3	22.6	13.08	1	16.5	16.47	2	27.9	19.72
60-64	2	20.9	14.80	1	22.7	22.74	1	19.4	19.38
65-69	8	110.2	38.96	3	96.6	55.76	5	120.4	53.83
70-74	5	91.7	41.03	5	228.5	102.20	0	0.0	0.00
75-79	2	50.6	35.76	1	68.4	68.45	1	40.1	40.10
80-84	4	156.3	78.16	3	318.1	183.67	1	61.9	61.88
85+	2	100.0	70.68	1	152.2	152.21	1	74.4	74.40
Total deaths	28			17			11		
Connecticut									
. Crude rate		5.6	-		6.9	-		4.4	-
. AAMR (1940 Std. mil.)		9.0	1.75		13.0	3.22		-	-
. AAMR (1970 Std. mil.)		12.2	2.34		18.4	4.54		-	-
. AAMR (2000 Std. mil.)		14.9	2.91		23.5	6.02		-	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.3	-		52.8	-		26.9	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.4	2.44	0	0.0	0.00	1	4.8	4.76
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	25.3	25.28	1	68.4	68.45	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.4	-		0.4	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.6	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	2.4	2.44	-	-	-	1	4.8	4.76
40-44	2	6.3	4.49	-	-	-	2	12.2	8.60
45-49	1	4.1	4.10	-	-	-	1	7.8	7.85
50-54	3	16.5	9.53	-	-	-	3	31.0	17.88
55-59	3	22.6	13.08	-	-	-	3	41.8	24.15
60-64	3	31.4	18.12	-	-	-	3	58.1	33.57
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	2	50.6	35.76	-	-	-	2	80.2	56.70
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	15			-			15		
Connecticut									
. Crude rate		-	-		-	-		6.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	4.2	2.95	-	-	-	2	8.2	5.82
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	5.5	5.50	-	-	-	1	10.3	10.32
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	1	39.1	39.08	-	-	-	1	61.9	61.88
85+	2	100.0	70.68	-	-	-	2	148.8	105.22
Total deaths	6			-			6		
Connecticut									
. Crude rate		-	-		-	-		2.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	5.5	5.50	-	-	-	1	10.3	10.32
55-59	1	7.5	7.55	-	-	-	1	13.9	13.94
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	1	25.3	25.28	-	-	-	1	40.1	40.10
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	3			-			3		
Connecticut									
. Crude rate		-	-		-	-		1.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	2.1	2.08	-	-	-	1	4.1	4.11
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	1	4.1	4.10	-	-	-	1	7.8	7.85
50-54	1	5.5	5.50	-	-	-	1	10.3	10.32
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	18.3	18.35	-	-	-	1	30.7	30.66
75-79	1	25.3	25.28	-	-	-	1	40.1	40.10
80-84	1	39.1	39.08	-	-	-	1	61.9	61.88
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	6			-			6		
Connecticut									
. Crude rate		-	-		-	-		2.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	3	22.6	13.08	3	49.4	28.52	-	-	-
60-64	1	10.5	10.46	1	22.7	22.74	-	-	-
65-69	2	27.5	19.48	2	64.4	45.53	-	-	-
70-74	0	0.0	0.00	0	0.0	0.00	-	-	-
75-79	2	50.6	35.76	2	136.9	96.80	-	-	-
80-84	2	78.2	55.26	2	212.1	149.97	-	-	-
85+	2	100.0	70.68	2	304.4	215.25	-	-	-
Total deaths	12			12			-		
Connecticut									
. Crude rate		-	-		4.9	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		15.5	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	1	5.5	5.50	1	11.8	11.79	0	-	-
55-59	2	15.1	10.68	2	32.9	23.29	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	1	39.1	39.08	1	106.0	106.04	0	-	-
85+	1	50.0	49.98	1	152.2	152.21	0	-	-
Total deaths	5			5			-		
Connecticut									
. Crude rate		1.0	-		2.0	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	2.0	1.95	1	3.8	3.81	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	0	0.0	0.00	1	4.9	4.86
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	16.5	9.53	0	0.0	0.00	3	31.0	17.88
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	18.3	18.35	0	0.0	0.00	1	30.7	30.66
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	50.0	49.98	0	0.0	0.00	1	74.4	74.40
Total deaths	7			1			6		
Connecticut									
. Crude rate		1.4	-		0.4	-		2.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		4.2	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	1	3.3	3.26	0	0.0	0.00
5-9	1	2.0	1.95	1	3.8	3.81	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	1	4.5	4.51	0	0.0	0.00
25-29	1	2.1	2.08	0	0.0	0.00	1	4.1	4.14
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.4	2.44	1	5.0	5.01	0	0.0	0.00
40-44	2	6.3	4.49	1	6.6	6.63	1	6.1	6.08
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	5.5	5.50	1	11.8	11.79	0	0.0	0.00
55-59	1	7.5	7.55	1	16.5	16.47	0	0.0	0.00
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	2	27.5	19.48	0	0.0	0.00	2	48.1	34.04
70-74	2	36.7	25.95	1	45.7	45.70	1	30.7	30.66
75-79	1	25.3	25.28	0	0.0	0.00	1	40.1	40.10
80-84	1	39.1	39.08	1	106.0	106.04	0	0.0	0.00
85+	2	100.0	70.68	2	304.4	215.25	0	0.0	0.00
Total deaths	18			12			6		
Connecticut									
. Crude rate		3.6	-		4.9	-		2.4	-
. AAMR (1940 Std. mil.)		4.6	1.15		-	-		-	-
. AAMR (1970 Std. mil.)		5.9	1.50		-	-		-	-
. AAMR (2000 Std. mil.)		7.4	1.99		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.4	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.4	2.44	0	0.0	0.00	1	4.8	4.76
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	4	16.4	8.20	2	17.2	12.14	2	15.7	11.10
50-54	2	11.0	7.78	1	11.8	11.79	1	10.3	10.32
55-59	2	15.1	10.68	2	32.9	23.29	0	0.0	0.00
60-64	8	83.7	29.60	4	91.0	45.49	4	77.5	38.76
65-69	6	82.6	33.74	3	96.6	55.76	3	72.2	41.70
70-74	6	110.1	44.94	4	182.8	91.41	2	61.3	43.35
75-79	5	126.4	56.54	3	205.3	118.55	2	80.2	56.70
80-84	3	117.2	67.68	1	106.0	106.04	2	123.8	87.51
85+	6	299.9	122.41	0	0.0	0.00	6	446.4	182.25
Total deaths	43			20			23		
Connecticut									
. Crude rate		8.7	-		8.1	-		9.2	-
. AAMR (1940 Std. mil.)		13.0	2.06		15.8	3.57		10.8	2.44
. AAMR (1970 Std. mil.)		17.7	2.76		20.4	4.70		15.4	3.30
. AAMR (2000 Std. mil.)		22.5	3.60		23.7	5.62		20.9	4.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.3	-		14.5	-		12.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.1	2.08	0	0.0	0.00	1	4.1	4.11
35-39	1	2.4	2.44	0	0.0	0.00	1	4.8	4.76
40-44	4	12.7	6.34	2	13.3	9.38	2	12.2	8.60
45-49	9	36.9	12.30	6	51.5	21.03	3	23.5	13.59
50-54	10	55.0	17.40	6	70.7	28.88	4	41.3	20.64
55-59	15	113.2	29.24	9	148.2	49.40	6	83.6	34.15
60-64	24	251.1	51.26	13	295.7	82.00	11	213.2	64.28
65-69	26	358.1	70.23	15	482.9	124.69	11	264.8	79.84
70-74	19	348.6	79.98	9	411.3	137.11	10	306.6	96.94
75-79	27	682.7	131.38	11	752.9	227.01	16	641.5	160.38
80-84	17	664.3	161.12	6	636.3	259.76	11	680.7	205.24
85+	13	649.7	180.19	3	456.6	263.63	10	744.0	235.29
Total deaths	166			80			86		
Connecticut									
. Crude rate		33.4	-		32.5	-		34.3	-
. AAMR (1940 Std. mil.)		51.2	4.09		60.7	6.91		43.6	4.93
. AAMR (1970 Std. mil.)		69.3	5.48		79.9	9.22		60.6	6.66
. AAMR (2000 Std. mil.)		86.4	7.01		96.3	11.62		78.1	8.65
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	1	18.3	18.35	0	-	-	1	30.7	30.66
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	0	0.0	0.00	0	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		0.2	-		-	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.7	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	7.5	7.55	0	0.0	0.00	1	13.9	13.94
60-64	1	10.5	10.46	0	0.0	0.00	1	19.4	19.38
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	18.3	18.35	0	0.0	0.00	1	30.7	30.66
75-79	1	25.3	25.28	1	68.4	68.45	0	0.0	0.00
80-84	1	39.1	39.08	1	106.0	106.04	0	0.0	0.00
85+	1	50.0	49.98	0	0.0	0.00	1	74.4	74.40
Total deaths	6			2			4		
Connecticut									
. Crude rate		1.2	-		0.8	-		1.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		2.7	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	10.1	4.14	4	13.0	6.52	2	7.0	4.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.3	2.28	1	4.4	4.37	0	0.0	0.00
20-24	2	4.7	3.31	2	9.0	6.37	0	0.0	0.00
25-29	1	2.1	2.08	1	4.2	4.17	0	0.0	0.00
30-34	14	29.2	7.80	12	50.7	14.65	2	8.2	5.82
35-39	15	36.6	9.46	7	35.1	13.27	8	38.1	13.47
40-44	13	41.2	11.44	9	59.7	19.90	4	24.3	12.16
45-49	18	73.8	17.39	12	103.0	29.74	6	47.1	19.22
50-54	27	148.6	28.60	16	188.6	47.15	11	113.5	34.23
55-59	24	181.2	36.98	15	247.0	63.77	9	125.5	41.82
60-64	31	324.4	58.26	19	432.1	99.13	12	232.6	67.13
65-69	40	551.0	87.12	25	804.9	160.98	15	361.1	93.24
70-74	45	825.7	123.09	24	1096.9	223.90	21	643.8	140.48
75-79	53	1340.1	184.07	22	1505.8	321.04	31	1243.0	223.25
80-84	45	1758.5	262.14	18	1908.8	449.91	27	1670.8	321.54
85+	58	2898.6	380.60	24	3653.0	745.66	34	2529.8	433.85
Total deaths	393			211			182		
Connecticut									
. Crude rate		79.2	-		85.7	-		72.7	-
. AAMR (1940 Std. mil.)		107.4	5.69		139.4	10.04		82.7	6.52
. AAMR (1970 Std. mil.)		150.5	7.92		191.8	14.15		120.3	9.17
. AAMR (2000 Std. mil.)		203.3	10.98		255.2	19.94		167.2	12.83
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		175.9	-		227.5	-		133.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	6.8	3.38	2	6.5	4.61	2	7.0	4.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.3	2.28	1	4.4	4.37	0	0.0	0.00
20-24	1	2.3	2.34	1	4.5	4.51	0	0.0	0.00
25-29	1	2.1	2.08	1	4.2	4.17	0	0.0	0.00
30-34	11	22.9	6.91	10	42.3	13.37	1	4.1	4.11
35-39	13	31.7	8.81	7	35.1	13.27	6	28.6	11.66
40-44	11	34.9	10.52	8	53.1	18.76	3	18.2	10.53
45-49	16	65.6	16.40	11	94.4	28.47	5	39.2	17.55
50-54	22	121.1	25.81	14	165.0	44.11	8	82.6	29.20
55-59	18	135.9	32.03	10	164.7	52.07	8	111.5	39.43
60-64	24	251.1	51.26	14	318.4	85.10	10	193.8	61.28
65-69	37	509.6	83.78	24	772.7	157.73	13	313.0	86.80
70-74	34	623.9	106.99	17	777.0	188.44	17	521.2	126.40
75-79	41	1036.7	161.90	17	1163.6	282.21	24	962.3	196.43
80-84	40	1563.1	247.15	17	1802.8	437.23	23	1423.3	296.77
85+	49	2448.8	349.83	21	3196.3	697.50	28	2083.3	393.71
Total deaths	323			175			148		
Connecticut									
. Crude rate		65.1	-		71.1	-		59.1	-
. AAMR (1940 Std. mil.)		88.0	5.14		114.8	9.09		67.4	5.89
. AAMR (1970 Std. mil.)		123.6	7.17		158.6	12.86		98.4	8.31
. AAMR (2000 Std. mil.)		167.8	9.99		213.3	18.30		136.5	11.60
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		138.3	-		185.0	-		100.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	15.2	5.07	6	19.6	7.98	3	10.6	6.09
5-9	4	7.8	3.90	4	15.2	7.61	0	0.0	0.00
10-14	5	11.3	5.04	2	8.9	6.29	3	13.7	7.91
15-19	4	9.1	4.56	2	8.7	6.18	2	9.5	6.74
20-24	3	7.0	4.05	2	9.0	6.37	1	4.9	4.86
25-29	11	22.9	6.89	7	29.2	11.02	4	16.6	8.29
30-34	30	62.5	11.42	26	109.9	21.56	4	16.5	8.23
35-39	37	90.4	14.86	21	105.3	22.98	16	76.2	19.04
40-44	32	101.5	17.94	24	159.2	32.50	8	48.6	17.19
45-49	37	151.7	24.94	26	223.2	43.77	11	86.3	26.03
50-54	40	220.1	34.81	22	259.3	55.29	18	185.8	43.79
55-59	41	309.5	48.34	25	411.7	82.33	16	223.1	55.76
60-64	44	460.4	69.41	27	614.1	118.17	17	329.5	79.91
65-69	62	854.0	108.46	38	1223.4	198.47	24	577.8	117.93
70-74	63	1156.0	145.64	32	1462.5	258.54	31	950.3	170.69
75-79	67	1694.1	206.96	31	2121.8	381.09	36	1443.5	240.58
80-84	63	2461.9	310.17	30	3181.3	580.83	33	2042.1	355.48
85+	83	4147.9	455.29	36	5479.5	913.24	47	3497.0	510.09
Total deaths	635			361			274		
Connecticut									
. Crude rate		127.9	-		146.7	-		109.4	-
. AAMR (1940 Std. mil.)		168.7	7.05		224.8	12.49		125.5	8.05
. AAMR (1970 Std. mil.)		227.2	9.56		300.4	17.37		174.4	10.93
. AAMR (2000 Std. mil.)		302.7	13.14		399.1	24.52		236.2	14.98
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	6.3	3.61	2	8.5	5.98	1	4.1	4.11
35-39	4	9.8	4.88	1	5.0	5.01	3	14.3	8.25
40-44	6	19.0	7.77	4	26.5	13.27	2	12.2	8.60
45-49	9	36.9	12.30	6	51.5	21.03	3	23.5	13.59
50-54	16	88.1	22.01	10	117.9	37.28	6	61.9	25.28
55-59	13	98.1	27.22	8	131.7	46.57	5	69.7	31.17
60-64	18	188.3	44.39	11	250.2	75.43	7	135.7	51.27
65-69	25	344.4	68.87	14	450.7	120.47	11	264.8	79.84
70-74	26	477.1	93.56	13	594.1	164.79	13	398.5	110.53
75-79	31	783.8	140.78	13	889.8	246.79	18	721.7	170.11
80-84	25	976.9	195.39	10	1060.4	335.34	15	928.2	239.66
85+	32	1599.2	282.70	16	2435.3	608.83	16	1190.5	297.62
Total deaths	208			108			100		
Connecticut									
. Crude rate		41.9	-		43.9	-		39.9	-
. AAMR (1940 Std. mil.)		59.1	4.28		75.0	7.46		47.4	5.01
. AAMR (1970 Std. mil.)		84.1	5.99		107.1	10.73		68.4	6.99
. AAMR (2000 Std. mil.)		113.4	8.26		145.4	15.39		92.9	9.55
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		108.0	-		148.2	-		75.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	13.8	13.77	1	32.2	32.20	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	78.2	55.26	1	106.0	106.04	1	61.9	61.88
85+	2	100.0	70.68	0	0.0	0.00	2	148.8	105.22
Total deaths	5			2			3		
Connecticut									
. Crude rate		1.0	-		0.8	-		1.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.7	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.2	3.17	0	0.0	0.00	1	6.1	6.08
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	18.3	18.35	1	45.7	45.70	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.4	-		0.4	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	2.0	1.95	1	3.8	3.81	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.2	3.17	0	0.0	0.00	1	6.1	6.08
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	16.5	9.53	2	23.6	16.67	1	10.3	10.32
55-59	8	60.4	21.35	4	65.9	32.93	4	55.8	27.88
60-64	4	41.9	20.93	4	91.0	45.49	0	0.0	0.00
65-69	6	82.6	33.74	2	64.4	45.53	4	96.3	48.15
70-74	7	128.4	48.55	3	137.1	79.16	4	122.6	61.31
75-79	10	252.8	79.96	4	273.8	136.89	6	240.6	98.22
80-84	6	234.5	95.72	3	318.1	183.67	3	185.6	107.18
85+	8	399.8	141.35	3	456.6	263.63	5	372.0	166.37
Total deaths	54			26			28		
Connecticut									
. Crude rate		10.9	-		10.6	-		11.2	-
. AAMR (1940 Std. mil.)		15.7	2.22		18.6	3.74		13.5	2.69
. AAMR (1970 Std. mil.)		22.7	3.13		26.8	5.39		19.6	3.77
. AAMR (2000 Std. mil.)		30.1	4.27		35.2	7.53		26.6	5.13
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.4	2.39	2	6.5	4.61	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	1	4.5	4.51	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	6.3	3.61	2	8.5	5.98	1	4.1	4.11
35-39	1	2.4	2.44	0	0.0	0.00	1	4.8	4.76
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	8.2	5.80	1	8.6	8.58	1	7.8	7.85
50-54	5	27.5	12.31	2	23.6	16.67	3	31.0	17.88
55-59	5	37.7	16.88	4	65.9	32.93	1	13.9	13.94
60-64	4	41.9	20.93	3	68.2	39.39	1	19.4	19.38
65-69	3	41.3	23.86	1	32.2	32.20	2	48.1	34.04
70-74	8	146.8	51.90	4	182.8	91.41	4	122.6	61.31
75-79	8	202.3	71.52	4	273.8	136.89	4	160.4	80.19
80-84	5	195.4	87.38	1	106.0	106.04	4	247.5	123.76
85+	9	449.8	149.93	3	456.6	263.63	6	446.4	182.25
Total deaths	56			28			28		
Connecticut									
. Crude rate		11.3	-		11.4	-		11.2	-
. AAMR (1940 Std. mil.)		15.1	2.12		18.3	3.64		12.5	2.51
. AAMR (1970 Std. mil.)		21.3	2.97		25.1	5.10		18.2	3.55
. AAMR (2000 Std. mil.)		28.8	4.15		32.6	7.09		25.8	5.05
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		28.8	-		24.7	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	1	3.2	3.17	1	6.6	6.63	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	1			1			-		
Connecticut									
. Crude rate		0.2	-		0.4	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis-related (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.2	3.17	1	6.6	6.63	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	22.6	13.08	2	32.9	23.29	1	13.9	13.94
60-64	2	20.9	14.80	1	22.7	22.74	1	19.4	19.38
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	25.3	25.28	0	0.0	0.00	1	40.1	40.10
80-84	3	117.2	67.68	1	106.0	106.04	2	123.8	87.51
85+	4	199.9	99.95	2	304.4	215.25	2	148.8	105.22
Total deaths	14			7			7		
Connecticut									
. Crude rate		2.8	-		2.8	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	36.7	25.95	2	91.4	64.63	0	0.0	0.00
75-79	3	75.9	43.79	1	68.4	68.45	2	80.2	56.70
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	6			4			2		
Connecticut									
. Crude rate		1.2	-		1.6	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.3	-		5.4	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	1	3.3	3.26	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.25	0	0.0	0.00	1	4.6	4.56
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.08	1	4.2	4.17	0	0.0	0.00
30-34	2	4.2	2.95	2	8.5	5.98	0	0.0	0.00
35-39	2	4.9	3.45	2	10.0	7.09	0	0.0	0.00
40-44	1	3.2	3.17	1	6.6	6.63	0	0.0	0.00
45-49	2	8.2	5.80	0	0.0	0.00	2	15.7	11.10
50-54	2	11.0	7.78	2	23.6	16.67	0	0.0	0.00
55-59	4	30.2	15.10	2	32.9	23.29	2	27.9	19.72
60-64	2	20.9	14.80	0	0.0	0.00	2	38.8	27.41
65-69	3	41.3	23.86	1	32.2	32.20	2	48.1	34.04
70-74	3	55.0	31.78	2	91.4	64.63	1	30.7	30.66
75-79	4	101.1	50.57	3	205.3	118.55	1	40.1	40.10
80-84	2	78.2	55.26	1	106.0	106.04	1	61.9	61.88
85+	7	349.8	132.22	2	304.4	215.25	5	372.0	166.37
Total deaths	37			20			17		
Connecticut									
. Crude rate		7.5	-		8.1	-		6.8	-
. AAMR (1940 Std. mil.)		9.5	1.65		11.7	2.79		7.9	2.06
. AAMR (1970 Std. mil.)		12.9	2.26		15.8	3.99		11.1	2.75
. AAMR (2000 Std. mil.)		17.6	3.20		21.7	5.80		14.9	3.76
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		16.6	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.3	2.28	0	0.0	0.00	1	4.8	4.77
20-24	3	7.0	4.05	1	4.5	4.51	2	9.7	6.87
25-29	1	2.1	2.08	0	0.0	0.00	1	4.1	4.14
30-34	1	2.1	2.08	1	4.2	4.23	0	0.0	0.00
35-39	1	2.4	2.44	1	5.0	5.01	0	0.0	0.00
40-44	3	9.5	5.49	1	6.6	6.63	2	12.2	8.60
45-49	3	12.3	7.10	1	8.6	8.58	2	15.7	11.10
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	4	30.2	15.10	2	32.9	23.29	2	27.9	19.72
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	2	27.5	19.48	1	32.2	32.20	1	24.1	24.07
70-74	3	55.0	31.78	1	45.7	45.70	2	61.3	43.35
75-79	5	126.4	56.54	1	68.4	68.45	4	160.4	80.19
80-84	3	117.2	67.68	2	212.1	149.97	1	61.9	61.88
85+	4	199.9	99.95	2	304.4	215.25	2	148.8	105.22
Total deaths	35			15			20		
Connecticut									
. Crude rate		7.0	-		6.1	-		8.0	-
. AAMR (1940 Std. mil.)		9.0	1.59		-	-		9.2	2.13
. AAMR (1970 Std. mil.)		12.0	2.16		-	-		11.8	2.76
. AAMR (2000 Std. mil.)		15.9	3.00		-	-		15.3	3.69
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.8	-		26.1	-		17.1	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.3	2.28	0	0.0	0.00	1	4.8	4.77
20-24	3	7.0	4.05	1	4.5	4.51	2	9.7	6.87
25-29	1	2.1	2.08	0	0.0	0.00	1	4.1	4.14
30-34	1	2.1	2.08	1	4.2	4.23	0	0.0	0.00
35-39	2	4.9	3.45	2	10.0	7.09	0	0.0	0.00
40-44	4	12.7	6.34	2	13.3	9.38	2	12.2	8.60
45-49	3	12.3	7.10	1	8.6	8.58	2	15.7	11.10
50-54	1	5.5	5.50	0	0.0	0.00	1	10.3	10.32
55-59	6	45.3	18.49	3	49.4	28.52	3	41.8	24.15
60-64	7	73.2	27.68	5	113.7	50.85	2	38.8	27.41
65-69	8	110.2	38.96	5	161.0	71.99	3	72.2	41.70
70-74	10	183.5	58.02	7	319.9	120.92	3	92.0	53.10
75-79	13	328.7	91.16	6	410.7	167.66	7	280.7	106.08
80-84	13	508.0	140.90	11	1166.5	351.71	2	123.8	87.51
85+	18	899.6	212.03	10	1522.1	481.32	8	595.2	210.45
Total deaths	91			54			37		
Connecticut									
. Crude rate		18.3	-		21.9	-		14.8	-
. AAMR (1940 Std. mil.)		24.1	2.66		35.8	5.07		16.7	2.92
. AAMR (1970 Std. mil.)		35.7	3.87		56.0	7.91		23.5	3.98
. AAMR (2000 Std. mil.)		50.1	5.59		81.1	11.99		32.0	5.53
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.3	2.28	0	0.0	0.00	1	4.8	4.77
20-24	3	7.0	4.05	1	4.5	4.51	2	9.7	6.87
25-29	1	2.1	2.08	0	0.0	0.00	1	4.1	4.14
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.4	2.44	1	5.0	5.01	0	0.0	0.00
40-44	2	6.3	4.49	1	6.6	6.63	1	6.1	6.08
45-49	2	8.2	5.80	0	0.0	0.00	2	15.7	11.10
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	15.1	10.68	1	16.5	16.47	1	13.9	13.94
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	13			5			8		
Connecticut									
. Crude rate		2.6	-		2.0	-		3.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.2	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.1	2.08	0	0.0	0.00	1	4.1	4.11
35-39	7	17.1	6.46	7	35.1	13.27	0	0.0	0.00
40-44	2	6.3	4.49	2	13.3	9.38	0	0.0	0.00
45-49	10	41.0	12.96	10	85.8	27.15	0	0.0	0.00
50-54	4	22.0	11.01	4	47.2	23.58	0	0.0	0.00
55-59	5	37.7	16.88	5	82.3	36.82	0	0.0	0.00
60-64	7	73.2	27.68	4	91.0	45.49	3	58.1	33.57
65-69	3	41.3	23.86	1	32.2	32.20	2	48.1	34.04
70-74	4	73.4	36.70	2	91.4	64.63	2	61.3	43.35
75-79	2	50.6	35.76	1	68.4	68.45	1	40.1	40.10
80-84	2	78.2	55.26	0	0.0	0.00	2	123.8	87.51
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	47			36			11		
Connecticut									
. Crude rate		9.5	-		14.6	-		4.4	-
. AAMR (1940 Std. mil.)		13.6	2.04		21.9	3.79		-	-
. AAMR (1970 Std. mil.)		15.3	2.39		23.1	4.24		-	-
. AAMR (2000 Std. mil.)		17.6	2.74		26.4	4.79		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		10.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.08	1	4.2	4.17	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.9	3.45	0	0.0	0.00	2	9.5	6.73
40-44	1	3.2	3.17	1	6.6	6.63	0	0.0	0.00
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	1	5.5	5.50	1	11.8	11.79	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	20.9	14.80	2	45.5	32.16	0	0.0	0.00
65-69	1	13.8	13.77	0	0.0	0.00	1	24.1	24.07
70-74	3	55.0	31.78	1	45.7	45.70	2	61.3	43.35
75-79	1	25.3	25.28	0	0.0	0.00	1	40.1	40.10
80-84	1	39.1	39.08	0	0.0	0.00	1	61.9	61.88
85+	2	100.0	70.68	1	152.2	152.21	1	74.4	74.40
Total deaths	16			8			8		
Connecticut									
. Crude rate		3.2	-		3.3	-		3.2	-
. AAMR (1940 Std. mil.)		4.3	1.14		-	-		-	-
. AAMR (1970 Std. mil.)		5.6	1.51		-	-		-	-
. AAMR (2000 Std. mil.)		7.4	2.02		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.3	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	1	3.3	3.26	0	0.0	0.00
5-9	1	2.0	1.95	1	3.8	3.81	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.3	2.28	0	0.0	0.00	1	4.8	4.77
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	6.2	3.60	2	8.3	5.89	1	4.1	4.14
30-34	1	2.1	2.08	1	4.2	4.23	0	0.0	0.00
35-39	9	22.0	7.33	6	30.1	12.28	3	14.3	8.25
40-44	6	19.0	7.77	6	39.8	16.25	0	0.0	0.00
45-49	13	53.3	14.78	10	85.8	27.15	3	23.5	13.59
50-54	5	27.5	12.31	3	35.4	20.42	2	20.6	14.60
55-59	1	7.5	7.55	1	16.5	16.47	0	0.0	0.00
60-64	5	52.3	23.40	4	91.0	45.49	1	19.4	19.38
65-69	15	206.6	53.35	8	257.6	91.06	7	168.5	63.69
70-74	8	146.8	51.90	2	91.4	64.63	6	183.9	75.09
75-79	9	227.6	75.85	4	273.8	136.89	5	200.5	89.66
80-84	2	78.2	55.26	1	106.0	106.04	1	61.9	61.88
85+	8	399.8	141.35	4	608.8	304.41	4	297.6	148.81
Total deaths	88			54			34		
Connecticut									
. Crude rate		17.7	-		21.9	-		13.6	-
. AAMR (1940 Std. mil.)		24.1	2.69		32.4	4.67		17.0	3.06
. AAMR (1970 Std. mil.)		29.9	3.43		39.3	6.01		22.3	3.98
. AAMR (2000 Std. mil.)		37.8	4.43		50.2	8.11		28.3	5.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.08	1	4.2	4.17	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	7.3	4.23	0	0.0	0.00	3	14.3	8.25
40-44	2	6.3	4.49	1	6.6	6.63	1	6.1	6.08
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	2	11.0	7.78	1	11.8	11.79	1	10.3	10.32
55-59	1	7.5	7.55	0	0.0	0.00	1	13.9	13.94
60-64	2	20.9	14.80	2	45.5	32.16	0	0.0	0.00
65-69	3	41.3	23.86	0	0.0	0.00	3	72.2	41.70
70-74	3	55.0	31.78	1	45.7	45.70	2	61.3	43.35
75-79	4	101.1	50.57	3	205.3	118.55	1	40.1	40.10
80-84	1	39.1	39.08	0	0.0	0.00	1	61.9	61.88
85+	2	100.0	70.68	1	152.2	152.21	1	74.4	74.40
Total deaths	25			11			14		
Connecticut									
. Crude rate		5.0	-		4.5	-		5.6	-
. AAMR (1940 Std. mil.)		7.0	1.46		-	-		-	-
. AAMR (1970 Std. mil.)		9.0	1.92		-	-		-	-
. AAMR (2000 Std. mil.)		11.6	2.51		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		6.7	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	16.9	5.35	6	19.6	7.98	4	14.1	7.03
5-9	5	9.8	4.36	3	11.4	6.59	2	8.0	5.66
10-14	1	2.3	2.25	1	4.5	4.45	0	0.0	0.00
15-19	7	16.0	6.03	6	26.2	10.70	1	4.8	4.77
20-24	13	30.4	8.43	9	40.6	13.52	4	19.4	9.72
25-29	17	35.3	8.57	17	70.8	17.18	0	0.0	0.00
30-34	15	31.3	8.07	14	59.2	15.82	1	4.1	4.11
35-39	13	31.7	8.81	12	60.2	17.37	1	4.8	4.76
40-44	16	50.8	12.69	13	86.2	23.92	3	18.2	10.53
45-49	11	45.1	13.60	10	85.8	27.15	1	7.8	7.85
50-54	5	27.5	12.31	4	47.2	23.58	1	10.3	10.32
55-59	3	22.6	13.08	2	32.9	23.29	1	13.9	13.94
60-64	2	20.9	14.80	1	22.7	22.74	1	19.4	19.38
65-69	2	27.5	19.48	1	32.2	32.20	1	24.1	24.07
70-74	2	36.7	25.95	1	45.7	45.70	1	30.7	30.66
75-79	2	50.6	35.76	2	136.9	96.80	0	0.0	0.00
80-84	2	78.2	55.26	0	0.0	0.00	2	123.8	87.51
85+	2	100.0	70.68	0	0.0	0.00	2	148.8	105.22
Total deaths	128			102			26		
Connecticut									
. Crude rate		25.8	-		41.4	-		10.4	-
. AAMR (1940 Std. mil.)		26.5	2.44		43.3	4.50		10.6	2.19
. AAMR (1970 Std. mil.)		26.1	2.55		40.5	4.56		12.2	2.57
. AAMR (2000 Std. mil.)		29.7	3.08		45.7	5.34		14.3	3.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		44.1	-		17.6	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.4	2.39	1	3.3	3.26	1	3.5	3.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.25	1	4.5	4.45	0	0.0	0.00
15-19	5	11.4	5.10	4	17.5	8.74	1	4.8	4.77
20-24	9	21.0	7.01	5	22.5	10.08	4	19.4	9.72
25-29	8	16.6	5.88	8	33.3	11.78	0	0.0	0.00
30-34	2	4.2	2.95	1	4.2	4.23	1	4.1	4.11
35-39	5	12.2	5.46	5	25.1	11.21	0	0.0	0.00
40-44	3	9.5	5.49	2	13.3	9.38	1	6.1	6.08
45-49	3	12.3	7.10	3	25.8	14.87	0	0.0	0.00
50-54	3	16.5	9.53	3	35.4	20.42	0	0.0	0.00
55-59	2	15.1	10.68	2	32.9	23.29	0	0.0	0.00
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	44			36			8		
Connecticut									
. Crude rate		8.9	-		14.6	-		3.2	-
. AAMR (1940 Std. mil.)		9.4	1.46		16.0	2.78		-	-
. AAMR (1970 Std. mil.)		8.7	1.39		14.8	2.69		-	-
. AAMR (2000 Std. mil.)		8.8	1.43		15.4	2.81		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.7	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	0	0.0	0.00	1	3.5	3.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	1	4.5	4.51	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	6.3	4.49	2	13.3	9.38	0	0.0	0.00
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	25.3	25.28	1	68.4	68.45	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	50.0	49.98	0	0.0	0.00	1	74.4	74.40
Total deaths	7			5			2		
Connecticut									
. Crude rate		1.4	-		2.0	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	1	3.3	3.26	0	0.0	0.00
5-9	2	3.9	2.76	2	7.6	5.38	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.3	2.28	1	4.4	4.37	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.2	3.17	1	6.6	6.63	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	7.5	7.55	0	0.0	0.00	1	13.9	13.94
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	13.8	13.77	1	32.2	32.20	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	7			6			1		
Connecticut									
. Crude rate		1.4	-		2.4	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.8	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	8.5	3.78	3	9.8	5.64	2	7.0	4.97
5-9	1	2.0	1.95	0	0.0	0.00	1	4.0	4.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.1	2.08	1	4.2	4.23	0	0.0	0.00
35-39	1	2.4	2.44	0	0.0	0.00	1	4.8	4.76
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	10.5	10.46	0	0.0	0.00	1	19.4	19.38
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	18.3	18.35	1	45.7	45.70	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	10			5			5		
Connecticut									
. Crude rate		2.0	-		2.0	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.5	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.25	1	4.5	4.45	0	0.0	0.00
15-19	2	4.6	3.22	2	8.7	6.18	0	0.0	0.00
20-24	5	11.7	5.23	5	22.5	10.08	0	0.0	0.00
25-29	3	6.2	3.60	3	12.5	7.22	0	0.0	0.00
30-34	7	14.6	5.52	6	25.4	10.36	1	4.1	4.11
35-39	5	12.2	5.46	4	20.1	10.03	1	4.8	4.76
40-44	4	12.7	6.34	4	26.5	13.27	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	11.0	7.78	2	23.6	16.67	0	0.0	0.00
55-59	1	7.5	7.55	0	0.0	0.00	1	13.9	13.94
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	31			28			3		
Connecticut									
. Crude rate		6.2	-		11.4	-		1.2	-
. AAMR (1940 Std. mil.)		6.4	1.18		11.6	2.27		-	-
. AAMR (1970 Std. mil.)		5.7	1.10		10.3	2.11		-	-
. AAMR (2000 Std. mil.)		6.2	1.19		11.2	2.28		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.1	2.93	0	0.0	0.00	3	10.6	6.09
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.25	0	0.0	0.00	1	4.6	4.56
15-19	12	27.4	7.90	12	52.4	15.14	0	0.0	0.00
20-24	11	25.7	7.75	10	45.1	14.25	1	4.9	4.86
25-29	12	24.9	7.20	11	45.8	13.82	1	4.1	4.14
30-34	5	10.4	4.66	3	12.7	7.32	2	8.2	5.82
35-39	7	17.1	6.46	7	35.1	13.27	0	0.0	0.00
40-44	2	6.3	4.49	2	13.3	9.38	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	11.0	7.78	2	23.6	16.67	0	0.0	0.00
55-59	2	15.1	10.68	2	32.9	23.29	0	0.0	0.00
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	1	13.8	13.77	1	32.2	32.20	0	0.0	0.00
70-74	1	18.3	18.35	1	45.7	45.70	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	60			52			8		
Connecticut									
. Crude rate		12.1	-		21.1	-		3.2	-
. AAMR (1940 Std. mil.)		12.4	1.66		22.6	3.29		-	-
. AAMR (1970 Std. mil.)		11.6	1.63		21.2	3.31		-	-
. AAMR (2000 Std. mil.)		11.3	1.62		21.1	3.37		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.5	-		14.6	-		4.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.1	2.93	0	0.0	0.00	3	10.6	6.09
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.25	0	0.0	0.00	1	4.6	4.56
15-19	12	27.4	7.90	12	52.4	15.14	0	0.0	0.00
20-24	11	25.7	7.75	10	45.1	14.25	1	4.9	4.86
25-29	12	24.9	7.20	11	45.8	13.82	1	4.1	4.14
30-34	5	10.4	4.66	3	12.7	7.32	2	8.2	5.82
35-39	7	17.1	6.46	7	35.1	13.27	0	0.0	0.00
40-44	2	6.3	4.49	2	13.3	9.38	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	11.0	7.78	2	23.6	16.67	0	0.0	0.00
55-59	2	15.1	10.68	2	32.9	23.29	0	0.0	0.00
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	1	13.8	13.77	1	32.2	32.20	0	0.0	0.00
70-74	1	18.3	18.35	1	45.7	45.70	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	60			52			8		
Connecticut									
. Crude rate		12.1	-		21.1	-		3.2	-
. AAMR (1940 Std. mil.)		12.4	1.66		22.6	3.29		-	-
. AAMR (1970 Std. mil.)		11.6	1.63		21.2	3.31		-	-
. AAMR (2000 Std. mil.)		11.3	1.62		21.1	3.37		-	-
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.3	-		14.5	-		4.0	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	15	25.4	6.55	7	22.8	8.62	8	28.1	9.95
5-9	5	9.8	4.36	3	11.4	6.59	2	8.0	5.66
10-14	3	6.8	3.90	2	8.9	6.29	1	4.6	4.56
15-19	22	50.2	10.69	21	91.8	20.02	1	4.8	4.77
20-24	29	67.8	12.59	24	108.2	22.08	5	24.3	10.87
25-29	34	70.6	12.11	33	137.5	23.93	1	4.1	4.14
30-34	27	56.3	10.83	23	97.3	20.28	4	16.5	8.23
35-39	28	68.4	12.92	26	130.4	25.57	2	9.5	6.73
40-44	22	69.8	14.88	19	126.0	28.92	3	18.2	10.53
45-49	11	45.1	13.60	10	85.8	27.15	1	7.8	7.85
50-54	9	49.5	16.51	8	94.3	33.34	1	10.3	10.32
55-59	6	45.3	18.49	4	65.9	32.93	2	27.9	19.72
60-64	4	41.9	20.93	3	68.2	39.39	1	19.4	19.38
65-69	3	41.3	23.86	2	64.4	45.53	1	24.1	24.07
70-74	3	55.0	31.78	2	91.4	64.63	1	30.7	30.66
75-79	2	50.6	35.76	2	136.9	96.80	0	0.0	0.00
80-84	2	78.2	55.26	0	0.0	0.00	2	123.8	87.51
85+	2	100.0	70.68	0	0.0	0.00	2	148.8	105.22
Total deaths	227			189			38		
Connecticut									
. Crude rate		45.7	-		76.8	-		15.2	-
. AAMR (1940 Std. mil.)		46.7	3.21		79.8	6.09		14.9	2.53
. AAMR (1970 Std. mil.)		44.5	3.25		74.1	6.07		16.2	2.85
. AAMR (2000 Std. mil.)		48.5	3.71		80.2	6.78		18.1	3.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		52.1	-		79.2	-		26.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.4	2.39	1	3.3	3.26	1	3.5	3.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.25	1	4.5	4.45	0	0.0	0.00
15-19	5	11.4	5.10	4	17.5	8.74	1	4.8	4.77
20-24	9	21.0	7.01	5	22.5	10.08	4	19.4	9.72
25-29	8	16.6	5.88	8	33.3	11.78	0	0.0	0.00
30-34	2	4.2	2.95	1	4.2	4.23	1	4.1	4.11
35-39	5	12.2	5.46	5	25.1	11.21	0	0.0	0.00
40-44	3	9.5	5.49	2	13.3	9.38	1	6.1	6.08
45-49	3	12.3	7.10	3	25.8	14.87	0	0.0	0.00
50-54	3	16.5	9.53	3	35.4	20.42	0	0.0	0.00
55-59	2	15.1	10.68	2	32.9	23.29	0	0.0	0.00
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	44			36			8		
Connecticut									
. Crude rate		8.9	-		14.6	-		3.2	-
. AAMR (1940 Std. mil.)		9.4	1.46		16.0	2.78		-	-
. AAMR (1970 Std. mil.)		8.7	1.39		14.8	2.69		-	-
. AAMR (2000 Std. mil.)		8.8	1.43		15.4	2.81		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.0	-		22.2	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	0	0.0	0.00	1	3.5	3.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	1	4.5	4.51	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.4	2.44	1	5.0	5.01	0	0.0	0.00
40-44	2	6.3	4.49	2	13.3	9.38	0	0.0	0.00
45-49	1	4.1	4.10	1	8.6	8.58	0	0.0	0.00
50-54	1	5.5	5.50	1	11.8	11.79	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	50.0	49.98	0	0.0	0.00	1	74.4	74.40
Total deaths	8			6			2		
Connecticut									
. Crude rate		1.6	-		2.4	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.25	0	0.0	0.00	1	4.6	4.56
15-19	11	25.1	7.56	11	48.1	14.49	0	0.0	0.00
20-24	14	32.7	8.75	13	58.6	16.25	1	4.9	4.86
25-29	13	27.0	7.49	12	50.0	14.43	1	4.1	4.14
30-34	6	12.5	5.11	4	16.9	8.46	2	8.2	5.82
35-39	6	14.7	5.98	6	30.1	12.28	0	0.0	0.00
40-44	2	6.3	4.49	2	13.3	9.38	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	5.5	5.50	1	11.8	11.79	0	0.0	0.00
55-59	1	7.5	7.55	1	16.5	16.47	0	0.0	0.00
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	56			51			5		
Connecticut									
. Crude rate		11.3	-		20.7	-		2.0	-
. AAMR (1940 Std. mil.)		11.2	1.52		20.5	2.94		-	-
. AAMR (1970 Std. mil.)		10.0	1.41		18.3	2.73		-	-
. AAMR (2000 Std. mil.)		9.6	1.35		17.7	2.65		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		24.1	-		3.9	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	1	2.3	2.28	1	4.4	4.37	0	-	-
20-24	3	7.0	4.05	3	13.5	7.81	0	-	-
25-29	1	2.1	2.08	1	4.2	4.17	0	-	-
30-34	1	2.1	2.08	1	4.2	4.23	0	-	-
35-39	2	4.9	3.45	2	10.0	7.09	0	-	-
40-44	1	3.2	3.17	1	6.6	6.63	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	9			9			-		
Connecticut									
. Crude rate		1.8	-		3.7	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.5	-		11.5	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.25	0	0.0	0.00	1	4.6	4.56
15-19	10	22.8	7.21	10	43.7	13.82	0	0.0	0.00
20-24	11	25.7	7.75	10	45.1	14.25	1	4.9	4.86
25-29	11	22.9	6.89	10	41.7	13.17	1	4.1	4.14
30-34	5	10.4	4.66	3	12.7	7.32	2	8.2	5.82
35-39	4	9.8	4.88	4	20.1	10.03	0	0.0	0.00
40-44	1	3.2	3.17	1	6.6	6.63	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	5.5	5.50	1	11.8	11.79	0	0.0	0.00
55-59	1	7.5	7.55	1	16.5	16.47	0	0.0	0.00
60-64	1	10.5	10.46	1	22.7	22.74	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	46			41			5		
Connecticut									
. Crude rate		9.3	-		16.7	-		2.0	-
. AAMR (1940 Std. mil.)		9.3	1.40		16.7	2.68		-	-
. AAMR (1970 Std. mil.)		8.4	1.31		15.1	2.53		-	-
. AAMR (2000 Std. mil.)		7.9	1.23		14.3	2.41		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.6	-		11.0	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	0	0.0	0.00	1	3.5	3.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.6	3.22	2	8.7	6.18	0	0.0	0.00
20-24	4	9.4	4.68	4	18.0	9.01	0	0.0	0.00
25-29	9	18.7	6.23	9	37.5	12.50	0	0.0	0.00
30-34	10	20.8	6.59	10	42.3	13.37	0	0.0	0.00
35-39	11	26.9	8.10	10	50.1	15.86	1	4.8	4.76
40-44	11	34.9	10.52	9	59.7	19.90	2	12.2	8.60
45-49	5	20.5	9.17	4	34.3	17.17	1	7.8	7.85
50-54	1	5.5	5.50	1	11.8	11.79	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	54			49			5		
Connecticut									
. Crude rate		10.9	-		19.9	-		2.0	-
. AAMR (1940 Std. mil.)		10.4	1.44		19.3	2.80		-	-
. AAMR (1970 Std. mil.)		8.8	1.24		16.1	2.39		-	-
. AAMR (2000 Std. mil.)		10.6	1.51		19.4	2.91		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		8.5	-		3.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.08	1	4.2	4.17	0	0.0	0.00
30-34	1	2.1	2.08	0	0.0	0.00	1	4.1	4.11
35-39	3	7.3	4.23	3	15.0	8.69	0	0.0	0.00
40-44	2	6.3	4.49	2	13.3	9.38	0	0.0	0.00
45-49	7	28.7	10.85	7	60.1	22.71	0	0.0	0.00
50-54	6	33.0	13.48	6	70.7	28.88	0	0.0	0.00
55-59	2	15.1	10.68	2	32.9	23.29	0	0.0	0.00
60-64	4	41.9	20.93	3	68.2	39.39	1	19.4	19.38
65-69	3	41.3	23.86	2	64.4	45.53	1	24.1	24.07
70-74	1	18.3	18.35	1	45.7	45.70	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	30			27			3		
Connecticut									
. Crude rate		6.0	-		11.0	-		1.2	-
. AAMR (1940 Std. mil.)		8.6	1.63		16.7	3.33		-	-
. AAMR (1970 Std. mil.)		9.0	1.76		17.3	3.60		-	-
. AAMR (2000 Std. mil.)		9.9	1.88		19.2	3.91		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.8	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.69	0	0.0	0.00	1	3.5	3.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	7.0	4.05	3	13.5	7.81	0	0.0	0.00
25-29	10	20.8	6.57	10	41.7	13.17	0	0.0	0.00
30-34	11	22.9	6.91	10	42.3	13.37	1	4.1	4.11
35-39	10	24.4	7.72	9	45.1	15.04	1	4.8	4.76
40-44	10	31.7	10.03	8	53.1	18.76	2	12.2	8.60
45-49	5	20.5	9.17	4	34.3	17.17	1	7.8	7.85
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	50			44			6		
Connecticut									
. Crude rate		10.1	-		17.9	-		2.4	-
. AAMR (1940 Std. mil.)		9.5	1.35		17.0	2.59		-	-
. AAMR (1970 Std. mil.)		7.8	1.14		13.9	2.16		-	-
. AAMR (2000 Std. mil.)		9.6	1.42		17.1	2.69		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.3	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher