

# STATE OF CONNECTICUT

## DEPARTMENT OF PUBLIC HEALTH



Manisha Juthani, MD  
Commissioner

Ned Lamont  
Governor  
Susan Bysiewicz  
Lt. Governor

### Drinking Water Section

#### **Drinking Water State Revolving Fund Environmental Assessment Justification for Categorical Exclusion**

##### **A. Project Identification**

PWS Name: Aqua Vista Lower System  
Town: Danbury  
PWSID: CT0347051  
DWS Project No.: SFY 21-03  
Project Name: Small Loan Program – Well House Improvements  
Project Location: Danbury

##### **B. Summary of Environmental Review**

11/2/2020

The environmental aspects of this project have been reviewed in accordance with State and Federal regulations. The findings of the environmental review are summarized below.

##### **1. Project Description**

Replacement of valves, piping, electrical equipment, along with associated controls and appurtenances. The project will also include the replacement of the hydropneumatic storage tank with diaphragm type pressure tanks along with variable frequency driven booster pumps, chlorine feed pumps, a chemical feed day tank, chlorine analyzers, chart recorders as well as various wellhouse general purpose upgrades.

This project will be funded through the Department of Public Health's (DPH) Drinking Water State Revolving Fund (DWSRF).

##### **2. Justification for Categorical Exclusion from Connecticut Environmental Policy Act Requirements**

The DPH has performed a review of the project under the Environmental Classification Document (ECD) for Connecticut state agencies and determined that this project is well defined and sufficiently limited in scope to qualify as a Category IV project consisting of minor renovations to existing facilities. Based on this determination a review pursuant to the Connecticut Environmental Policy Act (CEPA) is not warranted.

The public water system will be required to obtain any necessary local permits, as applicable. Copies of all required permits must be submitted to the DPH prior to any DWSRF funds being dispersed.

The project area is not within an identified flood plain.

It is not reasonable to expect any adverse impact to the natural diversity of the surrounding area as the project areas are not within any current Natural Diversity Database Areas.

It is not expected that anything of archeological significance will be found.



Phone: (860) 509-7333 • Fax: (860) 509-7359  
410 Capitol Avenue, MS#51WAT, P.O. Box 340308  
Hartford, Connecticut 06134-0308  
[www.ct.gov/dph](http://www.ct.gov/dph)

*Affirmative Action/Equal Opportunity Employer*



### 3. Justification for Categorical Exclusion from National Environmental Policy Act Requirements

Pursuant to 40 C.F.R. Part 6, Procedures for Implementing the Requirements of the National Environmental Policy Act (NEPA), the DPH has reviewed the proposed scope of work submitted by the Aqua Vista Association in its application for DWSRF assistance. The result of this review indicates that there are no environmental concerns with this project, as discussed below:

- a. With respect to the criteria set forth in 40 CFR Part 6, the proposed project involves actions that are consistent with the eligibility for granting a Categorical Exclusion pursuant to 40 CFR Part 6.204 (a)(ii). Specifically, the project actions are related to existing infrastructure systems that involve one for one replacement of the existing system and system components.
- b. With respect to the criteria set forth in 40 CFR Part 6.204 (b) for not granting a Categorical Exclusion:
  - i. The proposed action is not known or expected to have potentially significant impacts on the quality of the human environment either individually or cumulatively over time;
  - ii. The proposed action is not known or expected to have any adverse human health or environmental effects on any community;
  - iii. The proposed action is not known or expected to significantly affect federally listed threatened or endangered species or their critical habitat;
  - iv. The proposed action is not known or expected to significantly affect any national natural landmarks;
  - v. The proposed action is not known or expected to significantly affect any natural resource areas (e.g. flood plains, wetlands, farmlands, or aquifer recharge zones);
  - vi. The proposed action is not known or expected to cause significant adverse air quality effects;
  - vii. The proposed action is not known or expected to have any effects on land use or growth patterns; and
  - viii. The proposed action is not known or expected to cause significant public controversy.

### C. Conclusion

Based on the DPH's review, none of the NEPA criteria which would result in the denial of a Categorical Exclusion are met. The proposed action is not known or expected to have any adverse impact on the quality of the human environment. The action will provide a direct public health benefit to residents served by the Aqua Vista Association public water system through the improved function of the water main. Furthermore, the Department has reviewed the action against the ECD for Connecticut state agencies and determined it is a Category IV action for which a review under the CEPA is not warranted. As a result, the proposed action has met the criteria to be categorically excluded from further NEPA or CEPA review.



Joseph Buehler, P.E.  
Sanitary Engineer, Drinking Water Section

11/2/2020

Date