

Children One to Two Years of Age with a Confirmed Blood Lead Test in CY 2004

		Numbers and Percents of Confirmed^c Blood Lead Levels among Children^b One to Two Years of Age															
CY 2004 Data (1 to 2 years old)	% Housing Stock Built Before 1960 ^a	Number of Children^b with Confirmed^c Test	Confirmed^c Blood Lead Levels										Cumulative Statistics				
			0-9 µg/dL		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥ 10 µg/dL		≥ 20 µg/dL		
			Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
Connecticut																	
CY 2002	48.2	40573	39562	97.5	606	1.5	221	0.5	176	0.4	8	0.0	1011	2.5	184	0.5	
CY 2003	48.2	38797	37928	97.8	539	1.4	160	0.4	163	0.4	7	0.0	869	2.2	170	0.4	
CY 2004	48.2	39344	38485	97.8	504	1.3	177	0.4	166	0.4	12	0.0	859	2.2	178	0.5	
By-Town																	
1 ANDOVER	41.9	5	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
2 ANSONIA	65.9	242	229	94.6	9	3.7	1	0.4	3	1.2	0	0.0	13	5.4	3	1.2	
3 ASHFORD	31.4	22	21	95.5	1	4.5	0	0.0	0	0.0	0	0.0	1	4.5	0	0.0	
4 AVON	17.7	133	133	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
5 BARKHAMSTED	33.6	22	22	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
6 BEACON FALLS	40.8	63	61	96.8	2	3.2	0	0.0	0	0.0	0	0.0	2	3.2	0	0.0	
7 BERLIN	42.8	105	104	99.0	1	1.0	0	0.0	0	0.0	0	0.0	1	1.0	0	0.0	
8 BETHANY	32.6	50	50	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
9 BETHEL	36.1	209	209	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
10 BETHLEHEM	43.4	26	26	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
11 BLOOMFIELD	38.2	146	146	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
12 BOLTON	42.5	13	13	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
13 BOZRAH	40.1	35	35	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
14 BRANFORD	40.2	169	169	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
15 BRIDGEPORT	66.2	3207	3047	95.0	95	3.0	29	0.9	33	1.0	3	0.1	160	5.0	36	1.1	
16 BRIDGEWATER	43.9	4	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
17 BRISTOL	45.9	647	636	98.3	7	1.1	1	0.2	3	0.5	0	0.0	11	1.7	3	0.5	
18 BROOKFIELD	25.9	116	116	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
19 BROOKLYN	34.5	76	76	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
20 BURLINGTON	18.6	66	66	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
21 CANAAN	60.2	11	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
22 CANTERBURY	30.1	64	64	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	

Children One to Two Years of Age with a Confirmed Blood Lead Test in CY 2004

		Numbers and Percents of Confirmed^c Blood Lead Levels among Children^b One to Two Years of Age														
CY 2004 Data (1 to 2 years old)	% Housing Stock Built Before 1960 ^a	Number of Children^b with Confirmed^c Test	Confirmed^c Blood Lead Levels										Cumulative Statistics			
			0-9 µg/dL		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥ 10 µg/dL		≥ 20 µg/dL	
			Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
23 CANTON	41.3	71	70	98.6	1	1.4	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
24 CHAPLIN	44.7	4	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
25 CHESHIRE	34.2	184	184	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
26 CHESTER	50.7	51	51	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
27 CLINTON	35.2	133	133	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
28 COLCHESTER	24.5	167	166	99.4	1	0.6	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
29 COLEBROOK	47.9	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30 COLUMBIA	34.1	18	17	94.4	1	5.6	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0
31 CORNWALL	59.1	2	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
32 COVENTRY	43.2	32	32	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
33 CROMWELL	33.3	88	87	98.9	1	1.1	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0
34 DANBURY	42.1	1045	1041	99.6	3	0.3	1	0.1	0	0.0	0	0.0	4	0.4	0	0.0
35 DARIEN	69.3	316	315	99.7	0	0.0	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0
36 DEEP RIVER	58.5	76	73	96.1	2	2.6	1	1.3	0	0.0	0	0.0	3	3.9	0	0.0
37 DERBY	59.7	130	129	99.2	1	0.8	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0
38 DURHAM	34.7	55	55	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
39 EASTFORD	33.6	9	9	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
40 EAST GRANBY	31.2	33	33	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
41 EAST HADDAM	45.0	81	80	98.8	1	1.2	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0
42 EAST HAMPTON	41.5	67	66	98.5	1	1.5	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0
43 EAST HARTFORD	56.7	509	488	95.9	10	2.0	5	1.0	6	1.2	0	0.0	21	4.1	6	1.2
44 EAST HAVEN	48.8	181	181	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
45 EAST LYME	39.3	167	167	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
46 EASTON	39.8	120	120	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
47 EAST WINDSOR	39.7	50	50	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48 ELLINGTON	30.2	111	111	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49 ENFIELD	49.1	232	229	98.7	1	0.4	1	0.4	1	0.4	0	0.0	3	1.3	1	0.4

Children One to Two Years of Age with a Confirmed Blood Lead Test in CY 2004

		Numbers and Percents of Confirmed^c Blood Lead Levels among Children^b One to Two Years of Age																
CY 2004 Data (1 to 2 years old)	% Housing Stock Built Before 1960 ^a	Number of Children^b with Confirmed^c Test	Confirmed^c Blood Lead Levels										Cumulative Statistics					
			0-9 µg/dL		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥ 10 µg/dL		≥ 20 µg/dL			
			Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
50 ESSEX	46.7	120	120	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
51 FAIRFIELD	61.3	1060	1050	99.1	8	0.8	2	0.2	0	0.0	0	0.0	10	0.9	0	0.0		
52 FARMINGTON	30.7	138	137	99.3	0	0.0	0	0.0	1	0.7	0	0.0	1	0.7	1	0.7		
53 FRANKLIN	32.6	20	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
54 GLASTONBURY	30.1	77	76	98.7	1	1.3	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0		
55 GOSHEN	31.4	4	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
56 GRANBY	35.8	64	64	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
57 GREENWICH	61.4	216	215	99.5	1	0.5	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0		
58 GRISWOLD	42.3	153	152	99.3	0	0.0	0	0.0	1	0.7	0	0.0	1	0.7	1	0.7		
59 GROTON	41.5	437	437	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
60 GUILFORD	30.6	144	144	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
61 HADDAM	40.5	62	61	98.4	1	1.6	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0		
62 HAMDEN	52.4	592	584	98.6	7	1.2	0	0.0	1	0.2	0	0.0	8	1.4	1	0.2		
63 HAMPTON	42.7	7	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
64 HARTFORD	62.8	2843	2704	95.1	81	2.8	25	0.9	32	1.1	1	0.0	139	4.9	33	1.2		
65 HARTLAND	43.0	13	13	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
66 HARWINTON	45.7	13	13	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
67 HEBRON	19.2	36	36	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
68 KENT	48.7	18	17	94.4	1	5.6	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0		
69 KILLINGLY	51.5	283	274	96.8	7	2.5	1	0.4	1	0.4	0	0.0	9	3.2	1	0.4		
70 KILLINGWORTH	14.4	77	77	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
71 LEBANON	28.9	51	51	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
72 LEDYARD	23.9	116	116	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
73 LISBON	35.8	48	48	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
74 LITCHFIELD	49.3	27	25	92.6	1	3.7	0	0.0	1	3.7	0	0.0	2	7.4	1	3.7		
75 LYME	52.2	16	16	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
76 MADISON	27.8	151	149	98.7	2	1.3	0	0.0	0	0.0	0	0.0	2	1.3	0	0.0		

Children One to Two Years of Age with a Confirmed Blood Lead Test in CY 2004

		Numbers and Percents of Confirmed^c Blood Lead Levels among Children^b One to Two Years of Age															
CY 2004 Data (1 to 2 years old)	% Housing Stock Built Before 1960 ^a	Number of Children^b with Confirmed^c Test	Confirmed^c Blood Lead Levels										Cumulative Statistics				
			0-9 µg/dL		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥ 10 µg/dL		≥ 20 µg/dL		
			Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
77	MANCHESTER	52.7	239	236	98.7	1	0.4	1	0.4	1	0.4	0	0.0	3	1.3	1	0.4
78	MANSFIELD	34.9	26	26	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
79	MARLBOROUGH	25.0	12	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
80	MERIDEN	52.7	948	926	97.7	10	1.1	8	0.8	3	0.3	1	0.1	22	2.3	4	0.4
81	MIDDLEBURY	49.4	75	75	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
82	MIDDLEFIELD	50.0	26	25	96.2	1	3.8	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
83	MIDDLETOWN	39.8	414	409	98.8	3	0.7	1	0.2	1	0.2	0	0.0	5	1.2	1	0.2
84	MILFORD	51.7	608	604	99.3	3	0.5	1	0.2	0	0.0	0	0.0	4	0.7	0	0.0
85	MONROE	27.1	260	259	99.6	1	0.4	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
86	MONTVILLE	30.5	180	180	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
87	MORRIS	50.1	12	12	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
88	NAUGATUCK	45.5	290	285	98.3	2	0.7	3	1.0	0	0.0	0	0.0	5	1.7	0	0.0
89	NEW BRITAIN	66.6	976	953	97.6	10	1.0	4	0.4	7	0.7	2	0.2	23	2.4	9	0.9
90	NEW CANAAN	49.2	294	290	98.6	1	0.3	2	0.7	1	0.3	0	0.0	4	1.4	1	0.3
91	NEW FAIRFIELD	32.7	141	141	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
92	NEW HARTFORD	33.7	34	34	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
93	NEW HAVEN	61.9	2494	2333	93.5	86	3.4	37	1.5	38	1.5	0	0.0	161	6.5	38	1.5
94	NEWINGTON	40.5	104	104	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
95	NEW LONDON	68.5	325	318	97.8	4	1.2	2	0.6	1	0.3	0	0.0	7	2.2	1	0.3
96	NEW MILFORD	30.0	221	220	99.5	1	0.5	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
97	NEWTOWN	32.2	336	336	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
98	NORFOLK	70.6	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
99	NORTH BRANFORD	33.8	82	82	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
100	NORTH CANAAN	59.1	3	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
101	NORTH HAVEN	46.1	131	129	98.5	2	1.5	0	0.0	0	0.0	0	0.0	2	1.5	0	0.0
102	NORTH STONINGTON	35.0	20	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
103	NORWALK	52.6	1406	1391	98.9	10	0.7	0	0.0	5	0.4	0	0.0	15	1.1	5	0.4

Children One to Two Years of Age with a Confirmed Blood Lead Test in CY 2004

		Numbers and Percents of Confirmed^c Blood Lead Levels among Children^b One to Two Years of Age														
CY 2004 Data (1 to 2 years old)	% Housing Stock Built Before 1960 ^a	Number of Children^b with Confirmed^c Test	Confirmed^c Blood Lead Levels										Cumulative Statistics			
			0-9 µg/dL		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥ 10 µg/dL		≥ 20 µg/dL	
			Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
104 NORWICH	62.0	617	596	96.6	11	1.8	6	1.0	4	0.6	0	0.0	21	3.4	4	0.6
105 OLD LYME	51.0	109	108	99.1	0	0.0	1	0.9	0	0.0	0	0.0	1	0.9	0	0.0
106 OLD SAYBROOK	45.1	150	150	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
107 ORANGE	46.9	124	123	99.2	0	0.0	0	0.0	1	0.8	0	0.0	1	0.8	1	0.8
108 OXFORD	29.7	146	146	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
109 PLAINFIELD	47.2	290	284	97.9	5	1.7	0	0.0	1	0.3	0	0.0	6	2.1	1	0.3
110 PLAINVILLE	45.3	130	125	96.2	3	2.3	2	1.5	0	0.0	0	0.0	5	3.8	0	0.0
111 PLYMOUTH	52.4	113	113	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
112 POMFRET	44.4	58	57	98.3	1	1.7	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0
113 PORTLAND	57.3	76	76	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
114 PRESTON	37.6	51	50	98.0	0	0.0	1	2.0	0	0.0	0	0.0	1	2.0	0	0.0
115 PROSPECT	31.3	59	58	98.3	1	1.7	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0
116 PUTNAM	64.5	116	115	99.1	1	0.9	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0
117 REDDING	37.4	93	93	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
118 RIDGEFIELD	32.5	212	212	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
119 ROCKY HILL	22.5	108	108	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
120 ROXBURY	43.0	23	23	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
121 SALEM	14.5	40	40	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
122 SALISBURY	58.2	13	12	92.3	1	7.7	0	0.0	0	0.0	0	0.0	1	7.7	0	0.0
123 SCOTLAND	35.5	4	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
124 SEYMOUR	45.8	184	181	98.4	3	1.6	0	0.0	0	0.0	0	0.0	3	1.6	0	0.0
125 SHARON	57.8	8	8	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
126 SHELTON	31.8	454	450	99.1	2	0.4	2	0.4	0	0.0	0	0.0	4	0.9	0	0.0
127 SHERMAN	31.8	26	26	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
128 SIMSBURY	29.2	135	135	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
129 SOMERS	32.3	65	65	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
130 SOUTHBURY	17.5	198	198	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Children One to Two Years of Age with a Confirmed Blood Lead Test in CY 2004

		Numbers and Percents of Confirmed^c Blood Lead Levels among Children^b One to Two Years of Age															
CY 2004 Data (1 to 2 years old)		% Housing Stock Built Before 1960 ^a	Number of Children^b with Confirmed^c Test	Confirmed^c Blood Lead Levels										Cumulative Statistics			
				0-9 µg/dL		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥ 10 µg/dL		≥ 20 µg/dL	
				Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
131	SOUTHINGTON	33.8	265	265	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
132	SOUTH WINDSOR	25.3	100	99	99.0	1	1.0	0	0.0	0	0.0	0	0.0	1	1.0	0	0.0
133	SPRAGUE	62.5	36	35	97.2	1	2.8	0	0.0	0	0.0	0	0.0	1	2.8	0	0.0
134	STAFFORD	50.9	56	56	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
135	STAMFORD	44.8	1764	1748	99.1	12	0.7	4	0.2	0	0.0	0	0.0	16	0.9	0	0.0
136	STERLING	36.1	51	50	98.0	1	2.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
137	STONINGTON	54.3	109	109	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
138	STRATFORD	61.5	643	636	98.9	4	0.6	2	0.3	1	0.2	0	0.0	7	1.1	1	0.2
139	SUFFIELD	40.7	54	54	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
140	THOMASTON	49.2	51	51	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
141	THOMPSON	49.8	55	55	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
142	TOLLAND	17.9	77	75	97.4	1	1.3	1	1.3	0	0.0	0	0.0	2	2.6	0	0.0
143	TORRINGTON	57.0	83	81	97.6	0	0.0	2	2.4	0	0.0	0	0.0	2	2.4	0	0.0
144	TRUMBULL	42.7	443	443	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
145	UNION	43.8	2	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
146	VERNON	39.8	215	204	94.9	4	1.9	6	2.8	1	0.5	0	0.0	11	5.1	1	0.5
147	VOLUNTOWN	37.0	28	28	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
148	WALLINGFORD	45.7	555	552	99.5	2	0.4	0	0.0	1	0.2	0	0.0	3	0.5	1	0.2
149	WARREN	44.0	3	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
150	WASHINGTON	55.4	29	28	96.6	1	3.4	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0
151	WATERBURY	55.2	1888	1820	96.4	38	2.0	13	0.7	12	0.6	5	0.3	68	3.6	17	0.9
152	WATERFORD	49.8	107	106	99.1	0	0.0	1	0.9	0	0.0	0	0.0	1	0.9	0	0.0
153	WATERTOWN	48.5	169	168	99.4	0	0.0	1	0.6	0	0.0	0	0.0	1	0.6	0	0.0
154	WESTBROOK	42.6	73	73	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
155	WEST HARTFORD	71.5	411	407	99.0	4	1.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
156	WEST HAVEN	54.0	688	676	98.3	10	1.5	2	0.3	0	0.0	0	0.0	12	1.7	0	0.0
157	WESTON	34.0	150	150	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Children One to Two Years of Age with a Confirmed Blood Lead Test in CY 2004

		Numbers and Percents of Confirmed^c Blood Lead Levels among Children^b One to Two Years of Age															
CY 2004 Data (1 to 2 years old)		% Housing Stock Built Before 1960 ^a	Number of Children^b with Confirmed^c Test	Confirmed^c Blood Lead Levels										Cumulative Statistics			
				0-9 µg/dL		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥ 10 µg/dL		≥ 20 µg/dL	
				Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
158	WESTPORT	57.6	526	522	99.2	2	0.4	2	0.4	0	0.0	0	0.0	4	0.8	0	0.0
159	WETHERSFIELD	49.2	105	104	99.0	1	1.0	0	0.0	0	0.0	0	0.0	1	1.0	0	0.0
160	WILLINGTON	27.0	18	18	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
161	WILTON	35.4	289	289	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
162	WINCHESTER	65.1	24	22	91.7	0	0.0	0	0.0	2	8.3	0	0.0	2	8.3	2	8.3
163	WINDHAM	53.5	147	135	91.8	7	4.8	3	2.0	2	1.4	0	0.0	12	8.2	2	1.4
164	WINDSOR	42.9	208	207	99.5	0	0.0	1	0.5	0	0.0	0	0.0	1	0.5	0	0.0
165	WINDSOR LOCKS	58.2	38	38	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
166	WOLCOTT	43.1	134	134	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
167	WOODBIDGE	42.6	70	70	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
168	WOODBURY	35.2	111	108	97.3	2	1.8	0	0.0	1	0.9	0	0.0	3	2.7	1	0.9
169	WOODSTOCK	35.8	78	77	98.7	1	1.3	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
	UNKNOWN CT CITY/TOWN		82	81	98.8	1	1.2	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0

^a From 2000 U.S. Census (Data for housing stock built pre1950 not readily available for all CT towns)

^b Children are counted only once, regardless of the number of times they were tested in CY2004.

^c Confirmed test blood lead test = (1) venous sample, (2) fingerstick < 10µg/dL, (3) second fingerstick ≥ 10µg/dL after first fingerstick of ≥10µg/dL within 12 week period, or (4) ≥ 10µg/dL fingerstick with a previously confirmed ≥10µg/dL test