

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age Less Than Six Years with a Screening ^a in CY 2000			Numbers and Percents of Valid Elevated Blood Lead Levels among Children Less Than Six Years of Age												
		Number of Children Age Less Than Six ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
			Number	Percent		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL	
						Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Connecticut	270,187	63,955	23.7	63,292	1,350	2.1	465	0.7	401	0.6	17	0.0	2,233	3.5	418	0.7
1	Andover	280	19	6.8	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
2	Ansonia	1,529	440	28.8	439	4	0.9	1	0.2	3	0.7	0	0.0	8	1.8	3	0.7
3	Ashford	306	36	11.8	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
4	Avon	1,269	156	12.3	154	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
5	Barkhamsted	237	16	6.8	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
6	Beacon Falls	408	85	20.8	85	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
7	Berlin	1,284	208	16.2	207	1	0.5	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
8	Bethany	399	63	15.8	62	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
9	Bethel	1,505	338	22.5	339	4	1.2	0	0.0	0	0.0	0	0.0	4	1.2	0	0.0
10	Bethlehem	220	33	15.0	33	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
11	Bloomfield	1,206	283	23.5	283	5	1.8	0	0.0	0	0.0	0	0.0	5	1.8	0	0.0
12	Bolton	380	32	8.4	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13	Bozrah	157	28	17.8	28	1	3.6	0	0.0	0	0.0	0	0.0	1	3.6	0	0.0
14	Branford	1,846	208	11.3	205	0	0.0	1	0.5	1	0.5	0	0.0	2	1.0	1	0.5
15	Bridgeport	13,635	5,765	42.3	5,844	345	5.9	111	1.9	91	1.6	3	0.1	550	9.4	94	1.6
16	Bridgewater	96	8	8.3	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
17	Bristol	4,497	503	11.2	500	1	0.2	2	0.4	2	0.4	0	0.0	5	1.0	2	0.4
18	Brookfield	1,268	222	17.5	222	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
19	Brooklyn	471	103	21.9	101	0	0.0	1	1.0	0	0.0	0	0.0	1	1.0	0	0.0
20	Burlington	752	62	8.2	61	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
21	Canaan	73	29	39.7	28	0	0.0	1	3.6	0	0.0	0	0.0	1	3.6	0	0.0
22	Canterbury	307	63	20.5	62	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
23	Canton	698	89	12.8	87	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
24	Chaplin	187	11	5.9	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
25	Cheshire	2,010	244	12.1	239	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
26	Chester	284	65	22.9	64	1	1.6	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0
27	Clinton	1,041	224	21.5	220	0	0.0	1	0.5	2	0.9	0	0.0	3	1.4	2	0.9
28	Colchester	1,515	229	15.1	227	2	0.9	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
29	Colebrook	115	3	2.6	3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30	Columbia	393	17	4.3	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age Less Than Six Years with a Screening ^a in CY 2000			Numbers and Percents of Valid Elevated Blood Lead Levels among Children Less Than Six Years of Age												
		Number of Children Age Less Than Six ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
			Number	Percent		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL	
						Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
31	Cornwall	86	8	9.3	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
32	Coventry	983	83	8.4	82	2	2.4	0	0.0	0	0.0	0	0.0	2	2.4	0	0.0
33	Cromwell	833	115	13.8	114	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
34	Danbury	5,846	1,464	25.0	1,460	3	0.2	8	0.5	4	0.3	0	0.0	15	1.0	4	0.3
35	Darien	2,442	371	15.2	364	1	0.3	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
36	Deep River	318	76	23.9	76	0	0.0	1	1.3	1	1.3	0	0.0	2	2.6	1	1.3
37	Derby	927	222	23.9	220	2	0.9	2	0.9	2	0.9	0	0.0	6	2.7	2	0.9
38	Durham	556	75	13.5	72	1	1.4	1	1.4	1	1.4	0	0.0	3	4.2	1	1.4
39	Eastford	123	21	17.1	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
40	East Granby	396	39	9.8	39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
41	East Haddam	696	99	14.2	98	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
42	East Hampton	853	122	14.3	118	1	0.8	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0
43	East Hartford	3,885	911	23.4	910	10	1.1	3	0.3	1	0.1	0	0.0	14	1.5	1	0.1
44	East Haven	1,930	285	14.8	283	0	0.0	2	0.7	0	0.0	0	0.0	2	0.7	0	0.0
45	East Lyme	1,086	195	18.0	194	2	1.0	1	0.5	0	0.0	0	0.0	3	1.5	0	0.0
46	Easton	694	148	21.3	147	0	0.0	1	0.7	0	0.0	0	0.0	1	0.7	0	0.0
47	East Windsor	645	105	16.3	104	1	1.0	0	0.0	0	0.0	0	0.0	1	1.0	0	0.0
48	Ellington	1,007	169	16.8	165	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49	Enfield	3,083	535	17.4	534	2	0.4	3	0.6	3	0.6	0	0.0	8	1.5	3	0.6
50	Essex	511	117	22.9	115	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
51	Fairfield	4,910	1,194	24.3	1,177	3	0.3	0	0.0	1	0.1	0	0.0	4	0.3	1	0.1
52	Farmington	1,667	121	7.3	121	0	0.0	1	0.8	1	0.8	0	0.0	2	1.7	1	0.8
53	Franklin	130	19	14.6	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
54	Glastonbury	2,766	139	5.0	141	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
55	Goshen	173	8	4.6	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
56	Granby	872	90	10.3	88	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
57	Greenwich	5,221	257	4.9	257	2	0.8	1	0.4	1	0.4	0	0.0	4	1.6	1	0.4
58	Griswold	782	173	22.1	169	3	1.8	0	0.0	0	0.0	0	0.0	3	1.8	0	0.0
59	Groton	3,836	745	19.4	735	4	0.5	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
60	Guilford	1,571	160	10.2	153	1	0.7	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
61	Haddam	515	64	12.4	64	1	1.6	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age Less Than Six Years with a Screening ^a in CY 2000			Numbers and Percents of Valid Elevated Blood Lead Levels among Children Less Than Six Years of Age												
		Number of Children Age Less Than Six ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
			Number	Percent		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL	
						Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
62	Hamden	3,675	772	21.0	761	11	1.4	5	0.7	3	0.4	0	0.0	19	2.5	3	0.4
63	Hampton	130	20	15.4	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
64	Hartford	12,134	6,217	51.2	6,269	217	3.5	66	1.1	54	0.9	5	0.1	342	5.5	59	0.9
65	Hartland	134	4	3.0	4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
66	Harwinton	366	26	7.1	26	0	0.0	0	0.0	1	3.8	0	0.0	1	3.8	1	3.8
67	Hebron	928	40	4.3	39	2	5.1	0	0.0	0	0.0	0	0.0	2	5.1	0	0.0
68	Kent	215	22	10.2	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
69	Killingly	1,231	540	43.9	524	5	1.0	3	0.6	1	0.2	0	0.0	9	1.7	1	0.2
70	Killingworth	549	85	15.5	84	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
71	Lebanon	554	53	9.6	51	1	2.0	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0
72	Ledyard	1,125	174	15.5	174	2	1.1	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
73	Lisbon	307	37	12.1	39	2	5.1	0	0.0	0	0.0	0	0.0	2	5.1	0	0.0
74	Litchfield	521	37	7.1	37	1	2.7	0	0.0	0	0.0	0	0.0	1	2.7	0	0.0
75	Lyme	120	35	29.2	34	0	0.0	0	0.0	1	2.9	0	0.0	1	2.9	1	2.9
76	Madison	1,504	194	12.9	193	1	0.5	0	0.0	2	1.0	0	0.0	3	1.6	2	1.0
77	Manchester	4,129	534	12.9	530	9	1.7	4	0.8	3	0.6	0	0.0	16	3.0	3	0.6
78	Mansfield	740	68	9.2	67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
79	Marlborough	484	27	5.6	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
80	Meriden	4,979	1,283	25.8	1,249	35	2.8	15	1.2	15	1.2	0	0.0	65	5.2	15	1.2
81	Middlebury	434	74	17.1	71	1	1.4	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
82	Middlefield	294	42	14.3	40	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
83	Middletown	3,330	778	23.4	768	5	0.7	4	0.5	2	0.3	0	0.0	11	1.4	2	0.3
84	Milford	3,749	743	19.8	737	5	0.7	1	0.1	1	0.1	0	0.0	7	0.9	1	0.1
85	Monroe	1,772	308	17.4	305	2	0.7	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
86	Montville	1,267	221	17.4	217	2	0.9	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
87	Morris	157	23	14.6	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
88	Naugatuck	2,593	482	18.6	475	6	1.3	4	0.8	0	0.0	0	0.0	10	2.1	0	0.0
89	New Britain	5,685	2,385	42.0	2,365	49	2.1	12	0.5	26	1.1	3	0.1	90	3.8	29	1.2
90	New Canaan	1,934	386	20.0	383	1	0.3	0	0.0	2	0.5	0	0.0	3	0.8	2	0.5
91	New Fairfield	1,347	235	17.4	235	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
92	New Hartford	496	37	7.5	36	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age Less Than Six Years with a Screening ^a in CY 2000			Numbers and Percents of Valid Elevated Blood Lead Levels among Children Less Than Six Years of Age												
		Number of Children Age Less Than Six ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
			Number	Percent		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL	
						Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
93	New Haven	10,431	4,502	43.2	4,460	253	5.7	94	2.1	80	1.8	3	0.1	430	9.6	83	1.9
94	Newington	1,873	144	7.7	143	0	0.0	0	0.0	1	0.7	0	0.0	1	0.7	1	0.7
95	New London	2,034	950	46.7	888	24	2.7	9	1.0	0	0.0	1	0.1	34	3.8	1	0.1
96	New Milford	2,362	310	13.1	308	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
97	Newtown	2,427	501	20.6	494	2	0.4	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
98	Norfolk	120	8	6.7	7	1	14.3	0	0.0	0	0.0	0	0.0	1	14.3	0	0.0
99	North Branford	1,113	117	10.5	116	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
100	North Canaan	217	3	1.4	2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
101	North Haven	1,523	179	11.8	176	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
102	North Stonington	348	45	12.9	43	1	2.3	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0
103	Norwalk	6,747	2,187	32.4	2,147	15	0.7	7	0.3	2	0.1	0	0.0	24	1.1	2	0.1
104	Norwich	2,808	825	29.4	825	32	3.9	4	0.5	8	1.0	0	0.0	44	5.3	8	1.0
105	Old Lyme	519	126	24.3	123	0	0.0	0	0.0	2	1.6	0	0.0	2	1.6	2	1.6
106	Old Saybrook	727	181	24.9	179	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
107	Orange	931	139	14.9	139	0	0.0	1	0.7	0	0.0	0	0.0	1	0.7	0	0.0
108	Oxford	795	175	22.0	175	2	1.1	2	1.1	0	0.0	0	0.0	4	2.3	0	0.0
109	Plainfield	1,157	403	34.8	387	12	3.1	3	0.8	2	0.5	0	0.0	17	4.4	2	0.5
110	Plainville	1,035	155	15.0	155	1	0.6	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
111	Plymouth	881	116	13.2	114	1	0.9	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0
112	Pomfret	277	90	32.5	89	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
113	Portland	738	130	17.6	129	1	0.8	1	0.8	0	0.0	0	0.0	2	1.6	0	0.0
114	Preston	260	44	16.9	44	1	2.3	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0
115	Prospect	666	112	16.8	110	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
116	Putnam	645	204	31.6	198	8	4.0	0	0.0	0	0.0	0	0.0	8	4.0	0	0.0
117	Redding	705	143	20.3	142	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
118	Ridgefield	2,356	428	18.2	423	0	0.0	0	0.0	1	0.2	0	0.0	1	0.2	1	0.2
119	Rocky Hill	1,104	86	7.8	85	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
120	Roxbury	124	14	11.3	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
121	Salem	316	43	13.6	42	1	2.4	0	0.0	3	7.1	0	0.0	4	9.5	3	7.1
122	Salisbury	184	15	8.2	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
123	Scotland	137	6	4.4	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age Less Than Six Years with a Screening ^a in CY 2000			Numbers and Percents of Valid Elevated Blood Lead Levels among Children Less Than Six Years of Age												
		Number of Children Age Less Than Six ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
			Number	Percent		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL	
						Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
124	Seymour	1,104	267	24.2	266	0	0.0	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0
125	Sharon	154	13	8.4	10	0	0.0	0	0.0	1	10.0	0	0.0	1	10.0	1	10.0
126	Shelton	2,817	721	25.6	718	0	0.0	2	0.3	0	0.0	0	0.0	2	0.3	0	0.0
127	Sherman	298	46	15.4	46	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
128	Simsbury	2,044	242	11.8	240	1	0.4	2	0.8	0	0.0	0	0.0	3	1.3	0	0.0
129	Somers	559	108	19.3	108	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
130	Southbury	1,207	233	19.3	230	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
131	Southington	2,866	282	9.8	282	2	0.7	1	0.4	0	0.0	0	0.0	3	1.1	0	0.0
132	South Windsor	1,939	277	14.3	277	0	0.0	2	0.7	1	0.4	0	0.0	3	1.1	1	0.4
133	Sprague	185	47	25.4	46	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
134	Stafford	886	162	18.3	159	3	1.9	1	0.6	0	0.0	0	0.0	4	2.5	0	0.0
135	Stamford	9,647	2,199	22.8	2,188	21	1.0	5	0.2	6	0.3	0	0.0	32	1.5	6	0.3
136	Sterling	286	76	26.6	76	0	0.0	1	1.3	0	0.0	0	0.0	1	1.3	0	0.0
137	Stonington	1,192	189	15.9	183	2	1.1	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
138	Stratford	3,613	1,084	30.0	1,067	10	0.9	1	0.1	2	0.2	0	0.0	13	1.2	2	0.2
139	Suffield	876	155	17.7	155	1	0.6	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
140	Thomaston	534	94	17.6	95	2	2.1	2	2.1	0	0.0	0	0.0	4	4.2	0	0.0
141	Thompson	634	145	22.9	135	1	0.7	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
142	Tolland	1,213	154	12.7	152	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
143	Torrington	2,513	180	7.2	181	7	3.9	4	2.2	1	0.6	0	0.0	12	6.6	1	0.6
144	Trumbull	2,849	505	17.7	502	1	0.2	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
145	Union	53	3	5.7	3	0	0.0	0	0.0	1	33.3	0	0.0	1	33.3	1	33.3
146	Vernon	2,069	375	18.1	370	7	1.9	4	1.1	3	0.8	0	0.0	14	3.8	3	0.8
147	Voluntown	202	61	30.2	61	1	1.6	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0
148	Wallingford	3,216	527	16.4	518	1	0.2	1	0.2	2	0.4	0	0.0	4	0.8	2	0.4
149	Warren	88	5	5.7	5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
150	Washington	190	30	15.8	29	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
151	Waterbury	9,785	4,458	45.6	4,252	127	3.0	47	1.1	46	1.1	2	0.0	222	5.2	48	1.1
152	Waterford	1,168	176	15.1	170	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
153	Watertown	1,568	289	18.4	288	2	0.7	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
154	Westbrook	423	108	25.5	108	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Connecticut Department of Public Health
Childhood Lead Poisoning Prevention Program**

CY 2000 data		Children Age Less Than Six Years with a Screening ^a in CY 2000			Numbers and Percents of Valid Elevated Blood Lead Levels among Children Less Than Six Years of Age												
		Number of Children Age Less Than Six ^b	Number and Percent of Children Screened		Number of Valid Blood Lead Tests ^c	Validated Elevated Blood Lead Levels								cumulative statistics			
			Number	Percent		10-14 µg/dL		15-19 µg/dL		20-44 µg/dL		45+ µg/dL		≥10 µg/dL		≥20 µg/dL	
						Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
155	West Hartford	4,384	668	15.2	668	6	0.9	2	0.3	1	0.1	0	0.0	9	1.3	1	0.1
156	West Haven	3,896	1,039	26.7	1,029	19	1.8	5	0.5	6	0.6	0	0.0	30	2.9	6	0.6
157	Weston	1,014	284	28.0	281	1	0.4	0	0.0	1	0.4	0	0.0	2	0.7	1	0.4
158	Westport	2,392	595	24.9	592	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
159	Wethersfield	1,684	140	8.3	139	1	0.7	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
160	Willington	351	41	11.7	39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
161	Wilton	1,725	396	23.0	390	1	0.3	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
162	Winchester	731	55	7.5	56	4	7.1	0	0.0	2	3.6	0	0.0	6	10.7	2	3.6
163	Windham	1,773	320	18.0	306	7	2.3	3	1.0	1	0.3	0	0.0	11	3.6	1	0.3
164	Windsor	2,065	348	16.9	339	2	0.6	2	0.6	0	0.0	0	0.0	4	1.2	0	0.0
165	Windsor Locks	842	97	11.5	96	1	1.0	0	0.0	0	0.0	0	0.0	1	1.0	0	0.0
166	Wolcott	1,192	233	19.5	228	3	1.3	2	0.9	0	0.0	0	0.0	5	2.2	0	0.0
167	Woodbridge	636	106	16.7	105	0	0.0	0	0.0	1	1.0	0	0.0	1	1.0	1	1.0
168	Woodbury	671	119	17.7	117	1	0.9	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0
169	Woodstock	499	150	30.1	148	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

^a any test (capillary or venous in LSS from 01/01/2000 - 12/31/2000)

^b from 2000 U.S. Census

^c valid blood lead test = venous sample, fingerstick < 10, or fingerstick > 10 followed by another test within 90 days