

Connecticut Registration Report

Births, Deaths, and Marriages Calendar Year 2013

**State of Connecticut
Department of Public Health**

Raul Pino, MD, MPH, Commissioner

July, 2016



<http://www.ct.gov/dph/RegistrationReport>

Prepared by:

Vanessa Neergheen, BA
Intern, MPH Anticipated May 2017, Emory University

Amy C. Smart, MS
Epidemiologist, Public Health Associate

Carol L. Stone, PhD, MPH, MA, MAS
Supervising Epidemiologist

Lloyd M. Mueller, PhD
Senior Epidemiologist

Federico A. Amadeo, MPA
Associate Research Analyst

Karyn Backus, MPH
Epidemiologist 3

The authors gratefully acknowledge the contributions of the following staff of
The State of Connecticut, Department of Public Health:

Janet Brancifort, MPH, RRT
Deputy Commissioner

Diane Aye, MPH, PhD
Section Chief, Health Statistics and Surveillance

Vital Records Unit:
Jane Purtill, State Registrar
David Antolini, Supervisor
Dianne Gustafson
Carol Mangiafico
Lisa Carmona
Jibelle Wilson-Williams

Information Technology Unit:
Audrey Peacock
George Rypysc

Suggested citation:


Neergheen, V., Smart, A.C., Stone, C.L., Mueller, L.M., Amadeo, F.A., Backus, K. (2016). Registration Report for the Year Ended December 31, 2013, Connecticut Department of Public Health, Hartford, CT (<http://www.ct.gov/dph/RegistrationReport>).

TABLE OF CONTENTS

Topic	Page
Highlights of 2013	4
List of Tables	6
List of Figures	7
Introduction	8
Population Distribution	11
Age and Sex	11
Towns	12
Births	13
Number and Rate	13
Demographic Factors	13
Poor Birth Outcomes	15
Low Birth Weight	15
Preterm Births	22
Births to Teenage Mothers	23
Risk Factors for Poor Birth Outcomes	25
Prenatal Care	25
Tobacco Use During Pregnancy	26
Alcohol Use During Pregnancy	27
Fetal and Infant Deaths	29
Fetal Deaths	29
Infant Deaths	30
Deaths (All Ages)	32
All Causes of Death	32
Leading Causes of Death	33
Age and Sex	33
Race/Ethnicity and Sex	36
Leading Causes of Death, 2003 to 2013	36
Marriages	38
Marriage Rate	38
Town of Occurrence	38
Appendix I: Notes	39
Appendix II: Rate Definitions	42
Appendix III: Health District Constituent Towns	43
Appendix IV: Glossary	45
Appendix V: Statistical Analyses	48
Tables	49

STATE RANKING HIGHLIGHTS OF 2013

**Connecticut State Rankings for
Selected Health Indicators, CDC Wonder, 2013**



* For this indicator, data was only available for 42 states; Connecticut ranks 40th, placing it among the top 10 states.

Of the 50 states and District of Columbia, Connecticut is among the best 10 states for:

Births to teenage mothers

- Percentage of all births to mothers under 20 years old.
- **United States:** 7.0%; **Connecticut:** 4.5%

Preterm births

- Percentage of all births born before 37 weeks gestation.
- **United States:** 11.4%; **Connecticut:** 9.8%

Self-reported tobacco use during pregnancy

- Percentage of mothers reporting tobacco use during pregnancy.
- **United States:** 7.2%; **Connecticut:** 3.8%

Infant death rate

- Number of infant deaths per 1,000 live births.
- **United States:** 6.0 per 1,000; **Connecticut:** 4.8 per 1,000

Connecticut also has a lower percentage of:

Low birth weight births

- Percentage of all births weighing less than 2,500 grams.
- **United States:** 8.0%; **Connecticut:** 7.8%

Note: All data obtained from CDC Wonder [23,24] and 2013 Connecticut Registration Tables.



**Antibiotics:
Will they work
when you *really*
need them?**

Antibiotics do not fight viral illnesses like colds. Taking antibiotics for colds can be harmful to your child's health — in fact, unnecessary antibiotics can make future infections harder to treat. Work with your child's healthcare provider to find the best treatment for your sick child.

Get Smart About Antibiotics Week
November 18-24, 2013

Get helpful tips on how to treat the symptoms of viral infections, and learn more about antibiotic resistance: please visit www.cdc.gov/getsmart, or call 1-800-CDC-INFO.



CS121156

LIST OF TABLES

Table	Page
1 Connecticut, 2013: Estimated Population by Age and Sex	50
2A Connecticut, 2013: Population, Births, Deaths, Fetal Deaths, and Infant Deaths By Place of Occurrence and Residence and Marriages by Place of Occurrence	51
2B Connecticut, 2013: Resident Births, Deaths, Fetal Deaths, and Infant Deaths By Race and Hispanic Ethnicity for Counties, Health Districts, and Towns	54
3 Connecticut Resident Births, 2013: Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality; Birth Order; Mother's Presumptive Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and Smoking and Alcohol Use during Pregnancy	57
4 Connecticut Resident Births, 2013: Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity	62
5 Connecticut Resident Fetal Deaths, 2013: Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity, Sex, Place of Delivery, Gestational Age, Plurality, and Mother's Age	77
6 Connecticut Resident Fetal Deaths, 2013: Cause of Death by Mother's Race and Hispanic Ethnicity and by Gestational Age	80
7 Connecticut Resident Infant, Neonatal, and Postneonatal Deaths, 2013: Deaths by Infant's Race and Ethnicity for Counties, Health Districts, and Towns	81
8 Connecticut Resident Infant, Neonatal, and Postneonatal Deaths, 2013: Cause of Death by Infant's Race and Ethnicity	84
9 Connecticut Resident Deaths, 2013: Selected Causes of Death by Decedent's Age, Sex, Race, and Hispanic Ethnicity	85
10 Connecticut Resident Deaths, 2013: Top Five Leading Causes of Death by Age and Sex	107
11 Statistical Analysis of Birth Outcomes and Their Risk Factors, Infant Mortality and Fetal Mortality at the State, Health District, and Town Levels for Connecticut, 2013	112
12 Statistical Analysis of Birth Outcomes and Their Risk Factors for Racial and Ethnic Groups for Connecticut, 2013	116
13 Connecticut Teen Birth Rates, 2009-2013: Statistical Comparison of State-level Teen Birth Rates (Ages 15-19) by Race/Ethnicity and Town-State Teen Birth Rates (Ages 15-19)	117

LIST OF FIGURES

Figure	Page
1 Estimated Population Age Distribution by Sex, Connecticut, 2013	11
2 Town Population Growth, Connecticut, 2003-2013	12
3 Rate of Resident Births by Town, Connecticut, 2013	13
4 Race Distribution for Singletons and Multiples, Connecticut, 2013	14
5 Percentage of Low Birth Weight by Race/Ethnicity, Connecticut, 2003-2013	17
6 Percentage of Low Birth Weight by Plurality and Race/Ethnicity, Connecticut, 2013	18
7 Trend in Births to Teenage Mothers by Race/Ethnicity, Connecticut, 2003-2013	24
8 Percentage of Women Receiving Late or No Prenatal Care, Connecticut, 2013	26
9 Trend in Tobacco Use During Pregnancy, United States and Connecticut, 2003-2013	27
10 Trend in Infant Mortality Rate, United States and Connecticut, 1998-2013	30
11 Percentage of All Deaths by Age and Race/Ethnicity, Connecticut, 2013	32
12 Top Three Leading Causes of Death by Age, Connecticut, 2013	34
13 Percentage of All Deaths by Age and Sex, Connecticut, 2013	35

INTRODUCTION

The *Registration Report* is a statistical summary of vital events for the State of Connecticut. The series has a long history, with annual reports beginning in 1848 and with only one year lost in 1852. Although the narrative portion of the *Registration Report* was not created between 1999 through 2009, tables for the registration report have been produced annually throughout this 12-year period and are available online (see **Availability on the Internet**, below). The Section's vital statistics database contains records pertaining to four types of events: births, deaths, fetal deaths, and marriages. Records of divorces are not maintained by the Connecticut Department of Public Health and therefore, are not included.

Completeness of Registration

The statistics presented in the *Registration Report* reflect not only vital events that occur in Connecticut, but also those involving Connecticut residents that occur in other states and Canada. The Connecticut Department of Public Health reciprocates with every state in the U.S. and the provinces of Canada to exchange copies of birth and death records for non-residents. The exception is New York City, which does not report cause of death for non-resident deaths or birth weight for non-resident births. Registration of births in Connecticut is essentially 100% complete, and there is virtually no under-reporting of deaths. Because there is no interstate transfer of marriage or fetal death records, however, it is not possible to determine the completeness of registration of these events for Connecticut residents.

Local Health District Information

Summary statistics are reported for multi-town Local Health Districts in **Table 2B**, **Table 4**, and **Table 7**. Summations for local health districts may enable local health agencies to better understand and serve their resident populations. The composition of the respective health

districts reflects membership as of July 1, 2013 (see listing and map in **Appendix III**).

Rates and Percentages

Rates were calculated using the equations given in **Appendix II**. Caution should be used in drawing conclusions based on rates or percentages that were calculated from small numbers of events. Due to the variability of these figures, the data tables do not contain rates or percentages based on less than five related events. Percentages based on birth data do not include records lacking information about the characteristic of interest. The term "unknown" as used in this report includes both "missing" responses (no code entered) and responses coded as "unknown."

Town specific birth rates for teenage women (15-19 years old) are included in this year's report (**Table 13**). Currently, these rates cannot be calculated annually due to the lack of appropriate town level population estimates. Table 13 takes advantage of town population data from the 2010 Census to calculate five-year (2009-2013) estimates for teen birth rates in each Connecticut town. Since the number of teen births for many towns is too low to produce reliable teen birth rate estimates, we have used 5-year aggregate rates to provide more stable estimates and to prevent many towns from being dropped out of the analysis due to small numbers.

Tests of Statistical Significance

Statistical assessments of data for birth risk factors and outcomes, infant deaths, and fetal deaths have been included to distinguish group differences attributable to chance from those signifying noteworthy patterns. Two types of assessments appear in **Table 11** and **Table 12**: 1) Comparisons between the current and prior years (2013 and 2012); and 2) Comparisons

among selected demographic subgroups or geographic regions for the current year alone. Town-to-state comparisons are provided (**Table 13**). The health status of the state's largest eight towns is discussed, regardless of the level of statistical significance, as these towns are considered to be of broad interest. A more complete discussion of the methods used in this assessment are given in **Appendix V**. In addition, trends across multiple years appear for selected indicators in this narrative, and these analyses were conducted with statistical software.

Population Estimation Methodology

Population estimates are used to calculate rates of births, deaths, and marriages. The U.S. Census Bureau's Population Estimates Program issues total population estimates for Connecticut counties as of July 1 of each year, by race, sex, ethnicity, and single age.

Inclusion Marital Status

"Presumptive marital status" in editions of the *Registration Report* prior to 2010 were estimated within the agency. In 1998, the birth record was modified to enable reporting of actual rather than presumptive marital status.

Comparability of Cause-of-Death Data

The system for classifying cause of death, the *International Classification of Diseases (ICD)*, is revised occasionally to reflect changes in medical practices and new medical knowledge. This edition of the *Registration Report* used the tenth revision of the ICD (known as the ICD-10), which became effective on October 1, 2015.

Same-Sex Marriages

Same-sex marriages in Connecticut became possible on November 11, 2008. Although not currently included in the 2013 Registration Tables, information about same-sex marriages is included in this report.

Divorces

Information about divorces is not gathered by DPH and is therefore not reported.

Availability on the Internet

Full reports (1992-1998, 2010, 2011, 2012, and 2013), tables (1998-2013), and methods discussion (1999-2006) are available on the internet at the following web site:
<http://www.ct.gov/dph/RegistrationReport>

For Further Information

Definitions of the technical terms used in this document are given in the *Glossary* in **Appendix IV**. For questions about this report, please contact the Health Statistics and Surveillance Section of the State of Connecticut Department of Public Health.

Mailing Address

410 Capitol Avenue, MS 11PSI,
P.O. Box 340308,
Hartford, Connecticut 06134-0308

Telephone

(860) 509-7658

3 FACTS

YOU SHOULD KNOW ABOUT

HEPATITIS C



Hepatitis C is a leading cause of liver cancer.



Millions of Americans have hepatitis C, but most don't know it.



Treatments can eliminate the hepatitis C virus.

**Talk to your doctor about getting tested.
It could save your life.**



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention

www.cdc.gov/knowmorehepatitis



Publication No. 201208


POPULATION DISTRIBUTION

Age and Sex

The estimated July 1, 2013 population of Connecticut was 3,596,080 (**Table 1**), which is 112,690 (3.2%) higher than the census count a decade earlier on July 1, 2003 [1], and 5,733 (0.2%) higher than the census count the previous year on July 1, 2012 [2]. Of the total 2013 Connecticut population, 1,754,151 (48.8%) were males and 1,841,929 (51.2%) were females (**Table 1** and **Figure 1**). In the age groups from less than 1 year old through 25-29 years old, the number of males exceeded that of females. However, in all subsequent 5-year age cohorts, females exceeded males. By ages 80-84 and 85+ years old, females outnumbered males by factors of 1.5 and 2.0, respectively.

For both sexes, the population grew throughout the decade (2003-2013) for age groups 15-29 years, 50-74 years, and for individuals 85 years and older. Between 2003 and 2013, the population became smaller for ages 0-14, 30-49, and 75-84 years old (**Table 1**). The population of men aged 80-84 years grew larger during this timeframe, while that of women in this age group declined. These data indicate a progressive increase in population over the past ten years with a shift toward greater numbers of older individuals in their fifth, sixth, seventh, and eighth decade of life.

Figure 1. Estimated Population Age Distribution by Sex, Connecticut, 2013



In 2013, the population in Connecticut had:


- **More males for ages less than 30 years old and more females for ages 30 years and older;**
- **1.5-times more females than males for ages 80-84 years; and**
- **2.0-times more females than males for ages 85 and older.**

Towns

Compared to the estimated population of the 169 towns in Connecticut on July 1, 2003 [3], the 2013 estimated population was lower in 37 towns and greater in the remaining 132 towns (**Table 2A and Figure 2**). Four towns experienced a decrease in population of at least 5%; these towns were Bridgewater, Sherman, Sharon, and Salisbury, with losses of 9.9% (186 residents), 9.5% (385 residents), 8.9% (268 residents), and 8.4% (340 residents), respectively. Only the town of Oxford experienced a population gain of at least 20% between 2003 and 2013, with an increase of 2,145 residents (20.0%). The towns of Union and Sterling experienced slightly lower population increases of 15.4% (113 residents) and 15.3% (502 residents), respectively.

Of the five towns in Connecticut with populations over 100,000, Bridgeport experienced the greatest increase from 2003 to 2013 with 7,552 new residents, an increase of 5.4% (**Table 2A**). The towns of Stamford, New Haven, and Waterbury increased by 5.3% (6,349 residents), 4.8% (5,998 residents) and 1.4% (1,546 residents), respectively. The town of Hartford only increased by 630 residents, a 0.5% increase in population from 2003 to 2013f.

Figure 2. Town Population Growth, Connecticut, 2003-2013



BIRTHS

Number and Rate

The total number of live births among Connecticut residents in 2013 was 36,086 (**Table 2A**). This represents a decrease of 426 live births compared to the previous year, or a decline of 1.2%, continuing the downward trend in births since 2008 [4]. In 2013, the birth rate, which is based on the entire population of state residents, was 10.0 live births per 1,000 population, representing a decrease of 0.2% compared to the previous year, and a total decrease of 2.3% since 2003.

Demographic Factors

Town of Residence

In 2013, town-specific resident birth rates in Connecticut ranged from a high of 15.2 per 1,000 population in Hartford to a low of 1.8 per 1,000 in Bridgewater (**Table 2A and Figure 3**). Eight towns (Bridgeport, Hartford, New Haven, Stamford, Waterbury, Norwalk, Danbury, and

New Britain) each registered more than 1,000 births during the year. Together, these eight towns accounted for over one-third of all resident births.


Mother's Race and Ethnicity

In 2013, of the 36,086 resident live births in Connecticut, 20,263 (56.2%) were to non-Hispanic White mothers, 4,478 (12.4%) were to non-Hispanic Black/African American mothers, and 8,228 (22.8%) were to Hispanic/Latino mothers (**Table 3**). Relative to 2012 [5], these figures represented a decrease in births of 2.0% for non-Hispanic White mothers and 2.5% for non-Hispanic Black/African American mothers and an increase of 3.6% for Hispanic/Latino mothers. In 2013, race was classified as "Unknown Race/Ethnicity" for 193 births, representing less than 1% of all resident births.

Infant's Sex

Of all Connecticut resident births in 2013, 18,461 (51.2%) were male and 17,625 (48.8%) were female (**Table 3**), representing the same

Figure 3. Rate of Resident Births by Town, Connecticut, 2013



male-to-female ratio as the previous year [5].

Place of Delivery

During 2013, all but 1,124 (3.1%) of Connecticut resident births occurred in hospitals (Table 3). There were 199 home births, and 925 births reported with an “Other and Unknown” place of delivery. These figures represent an increase of six home births and a decrease of one birth in an “Other and Unknown” place of delivery since 2012 (193 home births and 926 “Other and Unknown”).

Live Birth Order

Of babies delivered in Connecticut during 2013, 42.4% (15,283) were first-born, 34.4% (12,412) were second-born, and 23.2% (8,370) were third-born or of a greater birth order (Table 3). Of the remaining 21 deliveries, the birth order was not known.

Plurality

Live births can be singleton or they can be multiple, resulting in twins, triplets, and higher orders. Twins, triplets, and high order newborns are at a higher risk of poor birth outcomes than singleton babies (see **Poor Birth Outcomes**).


Of all Connecticut resident births in 2013, 1,486 (4.1%) were multiple births (Table 3); 61.2% (910 births) of the multiple births were to non-Hispanic White mothers, 13.7% (204 births) were to non-Hispanic Black/African American mothers, and 17.6% (261 births) were to Hispanic/Latino mothers (Figure 4). These percentages varied from both singleton births and all Connecticut births, indicating that a higher percentage of multiple births are to non-Hispanic White and non-Hispanic Black/African American mothers and a lower percentage are to Hispanic/Latino mothers.

Recent information from the CDC indicates that the incidence of multiple births throughout the nation has been steadily rising since 1980 [6]. This national surge corresponds to birth rates in Connecticut, which is significant due to the impact multiple births have on poor birth outcomes such as rates of preterm births and low birth weight. For more discussion on multiple births, see **Low Birth Weight**, in **Poor Birth Outcomes** (next section).

Mother’s Marital Status

In Connecticut during 2013, 13,747 resident births (38.1%) were to unmarried mothers (Table 3). A decade earlier, in 2003, only

Figure 4. Race Distribution for Singletons and Multiples, Connecticut, 2013



30.0% of births were to unmarried mothers [5], indicating that births to unmarried mothers are becoming more common in the state.

Mother's Education

During 2013, 12,197 (33.8%) of resident births in Connecticut were to mothers with 12 or fewer years of education (**Table 3**), compared to 36.7% in 2003 [5].

Among all 2013 births to mothers with an education level of 12 years or less, 42.8% were Hispanic/Latino, 35.7% were non-Hispanic White and 16.6% were non-Hispanic Black/African American (**Table 3**). Of the remaining 23,889 births, 14,966 (62.6%) were born to mothers with at least some college education (13-16 years of total education) while 8,748 (36.6%) births were to mothers with a post-college education (17 or more years).

Foreign-Born Mothers

A mother born in one of the 50 states or the District of Columbia is classified as native-born. All others are defined as foreign-born, including those born in Puerto Rico or other U.S. territories [7]. During 2013, 29.0% of Connecticut births were to foreign-born mothers (**Table 4**). Sixteen towns reported birth rates over 30% for mothers born outside the U.S., including Danbury, Stamford, and Rocky Hill, where 57.6%, 55.9%, and 54.4% of births were to foreign-born mothers, respectively.

Mother's Age

In 2013, 1,626 or 4.5% of all Connecticut resident births were to teenage mothers under 20 years old (**Table 4**). Before 2011, the percentage of births to teens had not changed significantly since 2003. However, in 2011, the number of teen births dropped significantly to 5.5% (2,045 births) following a rate of 6.1% in 2010 [5].

Of all resident births in 2013, 1.3% (463) were to mothers under the age of 18; these included 19 births to mothers less than 15 years old (**Tables 3 and 4**). Among all teen births, 24.4% were to non-Hispanic White mothers under the age of twenty years old, while 19.8% were to

non-Hispanic Black/African American mothers. Births to Hispanic/Latino mothers under twenty years old accounted for half (52.1%) of all teen births in 2013. In Connecticut, the percentage of births to Hispanic/Latino mothers under the age of twenty years old was 5.2-times higher than births to non-Hispanic White mothers under the age of twenty. More discussion of teen births is included in the next section, **Poor Birth Outcomes**.

Mothers aged 20 to 34 accounted for 26,961 (74.7%) of all 2013 resident births (**Table 3**); this percentage has not changed significantly since 2003 [5]. In 2013, those aged 20-24 years, 25-29 years, and 30-34 years represented 16.4%, 25.9%, and 32.4%, respectively, of all resident births. For the seventh consecutive year, more births occurred to women aged 30-34 than to women in any other 5-year age cohort.

Of all resident births in Connecticut during 2013, 7,499 (20.8%) were to mothers 35 years and older (**Table 3**). 1,563 (4.3%) of these births were to women at least 40 years old. This percentage was equivalent to the 4.3% that occurred in 2012, representing a plateau in the downward trend noted since 2010.

Poor Birth Outcomes


Low Birth Weight

Babies born with a birth weight less than 2,500 grams, or about 5.5 pounds, are classified as low birth weight. A low birth weight infant can be born too small, too early, or both. A subset of low birth weight babies are born weighing less than 1,500 grams, or about 3.3 pounds, and these births are classified as very low birth weight. Compared to babies born with a birth weight of at least 2,500 grams, babies born low birth weight or very low birth weight are at a higher risk of infant death and poor child development [8]. The rate of low birth weight and very low birth weight are expressed per 100 live births, and are shown in this report as a percentage.

During 2013, a total of 2,819 or 7.8% of all births in Connecticut were low birth weight

Connecticut Infant Mortality—1918

Total deaths under one year, 3955
 Infant death rate per 1000 births, 106.4



This little graphic shows that

3955 babies under one year of age died in Connecticut in 1918.
 2337 babies died when less than three months old.

59% of infant deaths occurred within the first three months of life.

833 babies died within one day after birth.

21% of infant deaths occurred before the babies were two days old.

Pre-natal care of mothers and the proper feeding of infants should reduce this mortality by one-half.

Have you a Visiting Nurse in your town?

State of Connecticut Health Bulletin 1919

(Table 4), a slight decrease from 7.9% in 2012 [5]. The percentage of low birth weight infants in Connecticut during 2013 was not significantly different from the national rate (Table 11).

In 2013, a total of 512 or 1.4% of all births were very low birth weight, a slight decrease from 1.5% during 2012, 2011, and 2010 (Table 4). The percentage of very low birth weight has varied only slightly in the past 10 years, from a previous high of 1.7% in 2006 to a low of 1.4% in 2009 and 2013 [5]. The number of very low birth weight infants in 2013 did not change significantly from the previous year and was not significantly different from the U.S. percentage (Table 11).


As in the past, in 2013 the characteristics of low birth weight were not distributed evenly across all communities in the state (Table 3 and Table 4). Variation in low birth weight occurred within categories defined by mother’s race/ethnicity, infant’s sex, plurality of births, live birth order, mother’s marital status, mother’s education, mother’s age, time of initiation and adequacy of prenatal care, tobacco and alcohol use during pregnancy, and mother’s place of residence, as explained in greater detail in the following sections.

Mother’s Race/Ethnicity

The percentages of low birth weight babies born in 2013 to non-Hispanic White, non-Hispanic Black/African American, and Hispanic/Latino mothers were 6.5%, 12.4%, and 8.1%, respectively (Table 3 and Table 4 and Figure 5). The percentage of low birth weight babies born to non-Hispanic Black/African American and Hispanic/Latino mothers was 1.9-times and 1.2-times higher, respectively, than that of babies born to non-Hispanic White mothers. These numbers were significantly higher than that of babies born to non-Hispanic White mothers, though they were not significantly different from 2012 (Table 12). Racial and ethnic disparities in low birth weight have persisted across the decade; in 2003 6.4% of non-Hispanic White babies were low birth weight in comparison to 12.6% of non-Hispanic Black/African American births and 8.7% of Hispanic/Latino births (Figure 4).

During 2013, 1.1% of all births to non-Hispanic White mothers had a very low birth weight (Table 3 and Table 4). In contrast, 2.4% of births to non-Hispanic Black/African American mothers were very low birth weight. The percentage of infants with a very low birth weight born to Hispanic/Latino mothers (1.7%)

Figure 5. Percentage of Low Birth Weight by Race/Ethnicity, Connecticut, 2003-2013



Between 2003 and 2013, the percentage of infants born at a low birth weight only varied slightly:

- From 6% to 7% of non-Hispanic White births;
- From 13% to 12% of non-Hispanic Black/African American births; and
- From 9% to 8% of Hispanic/Latino births.

was also elevated compared to babies born to non-Hispanic White mothers. These percentages represent disparities of 2.2-times and 1.5-times higher than babies born to non-Hispanic White mothers and are significantly higher when compared to non-Hispanic White mothers (Table 12). While the numbers decreased slightly for non-Hispanic Black/African American babies since 2012 (2.8-times and 1.5-times for babies born to non-Hispanic Black/African American and Hispanic/Latino mothers, respectively), this change was not statistically significant [5].

Infant’s Sex

As in previous years, in 2013 the percentage of low birth weight female babies (8.4%) was greater than that among male babies (7.3%) (Table 3) [5]. A higher rate of low birth weight among females was consistent for mothers of all known racial/ethnic categories: non-Hispanic White, non-Hispanic Black/African American, and Hispanic/Latino.

Among all infants born with a very low birth weight, male babies born to non-Hispanic Black/African American mothers had the highest percentage (2.6%) of very low birth weight

(Table 3). The percentage of very low birth weight babies was equivalent for males and females for all other races/ethnicities with the exception of Other Non-Hispanic babies (0.9% and 1.4% very low birth weight for males and females, respectively) (Table 3).


Plurality

More than half (54.7%) of all multiple births in 2013 were low birth weight, compared to only 5.8% of singleton births (Table 3); the percentage of low birth weight among multiple births was almost 9.5-times higher than that among singleton births (Figure 6). This ratio was slightly greater than that of the previous year, when the percentage of low birth weight among multiple births was 8.6-times higher than that of singleton births.

The percentage of very low birth weight among multiple births (11.2%) was just over 11-times higher than that among singleton births (1.0%) (Table 3). This ratio grew larger since the previous year, when the percentage of very low birth weight among multiples (10.6%) was about ten times higher than that of singleton births.

In 2013, racial and ethnic disparities among mothers who gave birth to very low birth weight

Figure 6. Percentage of Low Birth Weight by Plurality and Race/Ethnicity, Connecticut, 2013



In 2013, for all races/ethnicities, the percentage of low birth weight babies among multiple births was 9.5-times higher than that among singleton births.

55% of all multiple births were low birth weight:

- 51% non-Hispanic White mothers;
- 60% non-Hispanic Black/African American mothers; and
- 61% Hispanic/Latino mothers.

infants were most pronounced among singleton births (**Table 3**). Of all singleton births, 1.0% were very low birth weight. Although only about one in 135 singleton babies born to non-Hispanic White mothers was very low birth weight (0.7%), about one in every 50 babies born to non-Hispanic Black/African American mothers was very low birth weight (2.0%). About one in every 75 singleton babies born to Hispanic/Latino mothers was very low birth weight (1.3%).

Of all singleton low birth weight babies, 19.8% of babies born to non-Hispanic Black/African American mothers were very low birth weight compared to only 15.9% of babies born to non-Hispanic White mothers (**Table 3**).

Live Birth Order

By order of live births to one mother in 2013, 8.3% of first-born infants had a low birth weight and 1.5% were very low birth weight (**Table 3**). These figures represent a higher rate of low birth weight among first-born infants compared to the overall incidence of these poor birth outcomes. In contrast, 6.7% and 1.3% of second-born babies were low birth weight and very low birth weight, respectively. 8.6% and 1.5% of third-order or higher-order babies born to one mother were low birth weight and very low birth weight, respectively.

Mother's Marital Status

Among all babies born to married mothers in 2013, 6.8% were low birth weight and 1.2% were very low birth weight (**Table 3**), which is lower than the overall incidence of these poor birth outcomes. The percentage of low birth weight and very low birth weight to unmarried mothers was correspondingly higher (9.4% and 1.8%, respectively).

Mother's Education

Of all 2013 births in Connecticut to mothers with a known level of education, mothers who did not complete high school had an elevated incidence of low birth weight and very low birth weight (**Table 3**), compared to those who completed high school or some post-high school

education. The percentage of low birth weight infants to mothers with less than a high school degree (9.3%) was much higher than the overall percentage of low birth weight babies (7.8%).

The percentage of very low birth weight babies to mothers with at least 12 years of education (1.4%) was equivalent to the overall percentage of 1.4% (**Table 3**). Births to mothers with an unknown level of education were at greatest risk for low birth weight (17.0%).

Mother's Age

Lower percentages of low birth weight were found among mothers who were over 20 years of age and younger than 40 years of age (**Table 3**). Eighteen year old mothers also had a lower percentage of low birth weight babies. Mothers who were 16 years old or at least 45 years old had the highest percentages of low birth weight deliveries (12.4% and 21.6%, respectively).

Where calculations were available, rates of low birth weight deliveries were consistently elevated among non-Hispanic Black/African American mothers, with a low of 11.1% for 20-24 year old mothers and a high of 22.6% in the 16 year old age cohort. Additionally, with the exception of the 17 year olds, percentages of low birth weight among Hispanic/Latino mothers were higher than that for non-Hispanic White mothers. Among Hispanic/Latino mothers, low birth weight was highest for mothers 45 years and older (46.7%).

Initiation of Prenatal Care

The trimester of pregnancy in which women begin prenatal care is a strong indicator for risk of low birth weight (**Table 3**). Pregnant women who do not receive adequate prenatal care run the risk that complications will go undetected or may not be managed in a timely manner, which increases the possibility of adverse outcomes for the mother and baby. In general, the benefits of early and ongoing prenatal care are improved birth weight and decreased risk of preterm delivery.

Within the total 40 weeks gestation for a normal pregnancy, the first trimester constitutes the first 12 weeks of pregnancy. The second and third trimesters constitute between 13 and 28 weeks, and 29 and 40 weeks gestation, respectively.

The 2013 percentage of women in Connecticut who gave birth to low birth weight infants and who initiated prenatal care in their first trimester of pregnancy was 7.4% (**Table 3**). Among women who initiated prenatal care in their second trimester, the rate of low birth weight was 9.0%. About 1 in every 6 women who received no prenatal care during pregnancy had a low birth weight baby, and 1 in every 14 women gave birth to a very low birth weight baby.

Adequacy of Prenatal Care

Adequacy of prenatal care is measured using the Adequacy of Prenatal Care Utilization (APNCU) index, or Kotelchuck Index. This index measures two distinct components of prenatal care—adequacy of initiation and adequacy of received services (visits). While the APNCU captures these two components of utilization, the quality of prenatal care is not measured [9].

The APNCU Index uses five categories to characterize prenatal care: “Intensive,” “Adequate,” “Intermediate,” “Inadequate,” or “Unknown.” The category “Adequate” refers to the minimum recommended level of care (for a pregnancy with no complications), while “Intensive” refers to a level of care exceeding recommended standards.

In 2013, among women with “Inadequate” prenatal care, the low birth weight rate was 8.3% (**Table 3**). In contrast, among women with either “Intermediate” or “Adequate” prenatal care, the low birth weight rate was 4.0% and 3.7%, respectively. Women with “Intensive” prenatal care had a low birth weight rate of 12.9%, a value much higher than any other known level of prenatal care adequacy. This number indicates that women with “Intensive” prenatal care may experience signs of preterm labor and exhibit

other problems that lead to low birth weight babies.

Smoking During Pregnancy

Of women who gave birth in 2013, the rate of low birth weight was nearly two times higher among those who reported smoking cigarettes during pregnancy (14.3%), compared to who did not smoke (7.6%) (**Table 3**). This relationship was true for all racial/ethnic subgroups.

Alcohol Use During Pregnancy

During 2013, the rate of low birth weight among women who reported alcohol consumption during pregnancy was 12.3% (**Table 3**), or approximately 1.5-times the rate of low birth weight among women who did not drink alcohol while pregnant (7.8%). However, the small number of women reporting alcohol consumption during pregnancy (122 women) could result in unreliable measures of low birth weight and alcohol use.

Mother’s Place of Residence

The rate of low birth weight during 2013 varied greatly across towns within Connecticut (**Table 4**). Of the eight towns with 1,000 or more births, six towns had a low birth weight rate that exceeded the overall state rate of 7.8%: Hartford (11.1%), Waterbury (10.1%), Bridgeport (9.5%), New Haven (8.3%), Danbury (8.2%), and Stamford (8.1%). Two towns had over 1,000 births, but fell below the overall state rate of low birth weight: New Britain (7.7%) and Norwalk (7.7%). The total number of low birth weight babies from these eight towns was 1,129, or 40.0% of all low birth weight babies born to Connecticut mothers.

Compared to the Connecticut value, for towns with 100 or more low birth weight infants born in 2013, percentages were significantly higher in Hartford, Bridgeport, and Waterbury (**Table 11**). However, none of these towns had significant changes in the rate of low birth weight between 2012 and 2013. Although the towns of Ansonia and South Windsor had less than 100 low birth weight infants, both towns experienced significant increases in the rate of low birth



HIV TREATMENT WORKS

**“I may have gotten you, HIV.
But you will never, ever get the best of me.”**

Sharmain - Memphis, TN
Born with HIV in 1990.

I was diagnosed with HIV when I was just 4 months old. I do everything in my power to take good care of my health and keep from passing the virus on to my baby. The best chance of my son being born without HIV is for me to take my medicine every day. He's my motivation. Being in care and staying on treatment means my baby has a 99% chance of being born HIV-free.



Get in care. Stay in care. Live well.
cdc.gov/HIVTreatmentWorks

weight relative to 2012, though only Ansonia had a significantly higher rate compared to the Connecticut reference group.

Preterm Births

A preterm, or premature, birth is one that occurs before 37 weeks gestation, whereas a full term birth occurs at 40 weeks. A premature baby is at increased risk of developmental delays, chronic health conditions, and poor academic achievement in childhood [10,11].

In 2013, 10.6% of all Connecticut resident births were premature, which is significantly lower than the overall U.S. rate of preterm births (**Table 11**), though a 0.7% increase from the previous year (**Table 3**) [12,13]. Substantial variation occurred within the categories defined by mother's race/ethnicity, infant's sex, plurality, live birth order, mother's marital status, mother's education, mother's age, time of prenatal care initiation, adequacy of prenatal care, mother's use of tobacco and alcohol during pregnancy, and mother's place of residence. These differences were similar to those noted for low birth weight deliveries and are described in the following sections.

Mother's Race/Ethnicity

Premature births in 2013 were highest among non-Hispanic Black/African Americans at 14.4%. 9.5% and 11.5% of births were premature to non-Hispanic White and Hispanic/Latino mothers, respectively (**Table 3**). Relative to non-Hispanic Whites, the percentage of preterm delivery was 1.5-times greater for non-Hispanic Black/African Americans and 1.2-times greater for Hispanics/Latinos. For both minority racial/ethnic groups, percentages of prematurity were significantly higher than that for non-Hispanic Whites (**Table 12**).

Infant's Sex

Despite a higher percentage of low birth weight among female infants in 2013, the number of males born prematurely was higher when compared to females; 11.2% and 9.9%, respectively (**Table 3**).

Plurality

In 2013, infants were born prematurely 7.2-times more frequently with multiple births (60.3%) than with singleton births (8.4%) (**Table 3**).

Live Birth Order

In 2013, prematurity among third-or-more born infants occurred more frequently than among second-born or first-born infants (13.1%, 9.9%, and 9.7%, respectively; **Table 3**).

Mother's Marital Status

Among unmarried women, the percentage of premature delivery was 1.2-times higher than among married women at 11.9% and 9.7%, respectively (**Table 3**).

Mother's Education

The percentage of premature delivery declined with greater education (**Table 3**). Among mothers with less than 12 years of education, 13.0% of infants were born premature compared to mothers with at least a high school degree (11.1%), some college education or a college degree (10.2%), or post-college education (9.4%).

Mother's Age

The percentage of preterm births in 2013 among women aged 20-34 years old was less than the overall statewide percentage of 10.6% (**Table 3**). With the exception of the 18 year old age cohort, women aged 15-19 and 35 years and older demonstrated a higher percentage of births born prematurely than the overall statewide percentage.

Premature births to non-Hispanic Black/African American mothers were consistently in the double digits for each age cohort except for 18 year olds, with a high of 22.6% for mothers 40-44 years old (**Table 3**). Hispanic/Latino women had percentages of premature births in the double digits for all ages with a high of 60.0% for mothers 45 years and older. Data for mothers less than 15 years old were not available; data were also unavailable for non-Hispanic

Black/African American mothers aged 16 and 45 years or older.

Initiation of Prenatal Care

The trimester of pregnancy in which women begin prenatal care is a strong indicator for risk of low birth weight and prematurity. Generally, the later prenatal care begins, the greater the likelihood of low birth weight and premature deliveries. Of 40 total weeks gestation, the first trimester constitutes the first 12 weeks of pregnancy. The second and third trimesters constitute between 13 and 28 weeks, and 29 and 40 weeks gestation, respectively. In 2013, relative to women who began prenatal care in the first trimester of gestation (10.2%), the percent of premature delivery was about 2-times greater for those who received no prenatal care (21.6%). Among mothers who began prenatal care during the third trimester, 8.6% of births were premature (**Table 3**).

Adequacy of Prenatal Care

Premature delivery in 2013 varied with adequacy of prenatal care (**Table 3**). The percentage of women who had a preterm baby among those who received “Inadequate” care was almost 3.5-times higher than for those who received “Adequate” care (10.9% and 3.2%, respectively). The percentage of women who had a premature delivery among those with “Intermediate” care was also slightly elevated (3.6%). Among women who had “Intensive” prenatal care, the percentage of preterm delivery was 20.2%. This figure indicates that women who experience signs of premature labor may receive “Intensive” prenatal care.

Smoking and Alcohol Use

Among women who reported smoking cigarettes during pregnancy in 2013, 15.7% had a preterm delivery, over 5 percent higher than that among women who did not report smoking during pregnancy (10.3%; **Table 3**). Few women self-reported alcohol use during pregnancy, but among those who did indicate alcohol consumption, 14.2% had a preterm baby, compared to 10.5% of those who did not report drinking alcohol during pregnancy.

Mother’s Place of Residence

Towns in Connecticut with a rate of preterm birth significantly higher than the overall state rate were Waterbury (13.7%) and Stamford (13.1%). Stamford also experienced a significant increase in premature births since 2012. South Windsor’s percentage of preterm births was not significantly higher than the state rate, though there was a significant increase in relation to the previous year (**Table 11**). Lastly, Groton (6.9%) and Newington (5.3%) had rates of premature births significantly lower than the overall state rate.

Births to Teenage Mothers

In 2013, a total of 1,626 or 4.5% of all live Connecticut resident births were to mothers under the age of 20 years (**Table 4**), representing a small decrease from the previous year (5.2%). The percentage of teen births in Connecticut was significantly less than that of the national percentage, and there was a significant decrease since the previous year (**Table 11**). Prior to a drop in teen births in 2011, the state of Connecticut averaged a teen birth rate of 6.9% for nearly a decade.

Race/Ethnicity

In 2013, dramatic differences in teen birth rates were observed among non-Hispanic White, non-Hispanic Black/African American, and Hispanic/Latino mothers (**Table 4** and **Figure 7**).

While the percentage of teen births among non-Hispanic White women in 2013 was 2.0%, non-Hispanic Black/African American women (7.2%) and Hispanic/Latino women (10.3%) exhibited much higher rates of teenage births (**Table 4**). The differences in teen births among racial/ethnic minorities were significant at rates approximately 3.6- to 5.2-times higher than that among non-Hispanic White women (**Table 12**). Furthermore, a significant decrease in teen births among non-Hispanic White and Hispanic/Latino women was observed since the previous year (**Table 12**).

Compared to 2003, the percentage of teen births among non-Hispanic White, non-Hispanic Black/African American, and Hispanic/Latino women were lower in 2013 (**Figure 7**). Among Hispanic/Latino women, for instance, the percentage of teen births decreased from 16.2% in 2003 to 10.3% in 2013. Similarly, the percent of teen births among non-Hispanic Black/African American women decreased from 14.0% in 2003 to 7.2% in 2013. Among non-Hispanic White women, the percentage of teen births decreased from 3.4% in 2003 to 2.0% in 2013.

Disparities in teen births among non-Hispanic Black/African American women have become slightly smaller since 2003 (**Table 4**). Relative to non-Hispanic White women, teen births among non-Hispanic Black/African American women occurred 4.1-times more in 2003 and 3.6-times more in 2013. In contrast, births to Hispanic/Latino teenagers had a disparity ratio of 4.8 in 2003 and 5.2 in 2013 when compared to non-Hispanic White women (**Figure 7**).


Despite reductions in teen births among non-Hispanic Black/African American women, significant racial/ethnic disparities

persisted in 2013 (**Table 4**): about 1 of every 10 births to Hispanic/Latino women was to a teen mother, and nearly 1 of every 14 births to non-Hispanic Black/African American women was to a teenager. In sharp contrast, approximately 1 of every 50 births to non-Hispanic White women was to a teen mother.

Health District and Town of Residence

Of the eight towns with 1,000 or more births in 2013, five exceeded the state percentage (4.5%) of teen births (**Table 4**). They were: Hartford (10.1%), Waterbury (9.6%), New Britain (9.1%), Bridgeport (8.2%), and New Haven (8.1%). The percentage of teen births in all these towns was significantly higher than the state percentage (**Table 11**), though Hartford and New Haven experienced a significant drop in teen birth rate from 12.7% and 10.3%, respectively, since 2012. These five towns accounted for 46.8% of all births to teenage mothers in Connecticut, but represented only about one-fourth (23.5%) of all births in the state (**Table 4**). The remaining three towns with 1,000 or more births in 2013 were Danbury, Norwalk, and Stamford. Each of these towns had teen birth rates less than the state percentage, at 3.9%, 3.7% and 3.1%, respectively.

Figure 7. Trend in Births to Teenage Mothers by Race/Ethnicity, Connecticut, 2003-2013



While disparities remain, between 2003 and 2013 the percentage of teen births diminished for non-Hispanic Black/African American and Hispanic/Latino mothers.

- In 2013, teen mothers represented:
- 2% of non-Hispanic White births;
 - 7% of non-Hispanic Black/African American births; and
 - 10% of Hispanic/Latino births.

Compared to the overall percentage of teen births in Connecticut, towns with less than 1,000 births in 2013 that had a significantly higher rate of births to teen mothers were Meriden (9.0%), Windham (8.5%), Norwich (6.9%), and East Hartford (6.8%) (**Table 4 and 11**). None of these towns experienced a significant change in teen birth rate compared to the previous year. Overall, of Connecticut's 169 towns, 16 towns reported teen birth rates between 2009 and 2013 that were significantly higher than the state rate (**Table 13**). In contrast, many more towns (79 towns) reported birth rates for teenage mothers between 2009 and 2013 to be significantly lower than the state rate.

Risk Factors For Poor Birth Outcomes

Prenatal Care

The trimester of pregnancy in which a woman begins prenatal care is a strong indicator of risk for poor birth outcomes. Generally, the later prenatal care begins, the greater the likelihood of complications and low birth weight deliveries. A normal pregnancy consists of 40 weeks gestation. The first trimester constitutes the first 12 weeks of pregnancy, while the second and third trimester constitute between 13 and 28 weeks, and 29 and 40 weeks gestation, respectively.

Adequacy of prenatal care, as defined by the Adequacy of Prenatal Care Utilization (APNCU) index, or Kotelchuck Index, is a measure involving the timing of the first prenatal visit, the total number of prenatal visits, and the duration of gestation at the time of birth [9]. Categories of prenatal care adequacy increase from "Inadequate" and "Intermediate", to "Adequate" and "Intensive."

Initiation of Prenatal Care

Of all live births in Connecticut during 2013, 86.4% began prenatal care during the first trimester of pregnancy, 10.4% during the second trimester, and 1.3% in the third trimester (**Table 3**). An additional 357 women (1.0%) received no


prenatal care, a 0.1% increase from the previous year. Lastly, trimester of initiation of prenatal care was unknown for 330 (0.9%) of all births in the state. The statewide percentage of late or no prenatal care at 12.8% was significantly higher than the national percentage (**Table 11**).

The rate of late or no prenatal care was 18.1% for non-Hispanic Black/African American mothers and 18.8% for Hispanic/Latino mothers, compared to only 8.3% for non-Hispanic White mothers (**Table 4**), representing disparity ratios of 2.2 and 2.3, respectively. The percentage of late or no prenatal care for non-Hispanic White mothers represented a significantly lower rate compared to non-Hispanic Black/African American and Hispanic/Latino mothers (**Table 12**). Relative to 2012, the 2013 percentages of late or no prenatal care for non-Hispanic White and Hispanic/Latino mothers did not change significantly, though this percentage significantly decreased for non-Hispanic Black/African Americans.

Of the eight towns with 1,000 or more births in 2013, all exceeded the statewide percentage of late or no prenatal care (12.8%), accounting for 50.7% of all births to Connecticut women who received late or no prenatal care (**Table 4**). Waterbury had the highest percentage at 25.9%; next were New Britain (20.2%), Stamford (16.8%), New Haven (17.5%), Norwalk (15.5%), Hartford (17.2%), Bridgeport (16.1%), and Danbury (16.0%) (**Figure 8**).

Among the towns with 1,000 or more births in 2013, Hartford and New Haven experienced a significant decrease in women receiving late or no prenatal care since 2012. In contrast, Stamford had a significant increase, while the rest saw no significant difference since the previous year (**Table 11**). The towns of Fairfield, Groton, Killingly, Middletown, Milford, New Milford, Southington, Trumbull, and Wallingford had less than 1,000 births in 2013, and had rates of late or no prenatal care that were significantly lower than the state percentage. In Southington, this rate significantly decreased from the previous year.

Figure 8. Percentage of Women Receiving Late or No Prenatal Care, Connecticut, 2013



Note: For more information regarding tests of statistical significance, see **Table 3**.

Adequacy of Prenatal Care

For all births in Connecticut during 2013 for which adequacy of prenatal care was known, 40.0% of mothers received “Adequate” prenatal care, 37.1% received “Intensive” prenatal care, and 22.9% received “Non-Adequate” prenatal care (**Table 4**). The percentage of mothers who received “Non-Adequate” care in the state was not significantly higher than the nationwide percentage and did not change significantly from 2012 (**Table 11**). Of note, adequacy of prenatal care was unknown for 2.3% (848) of all births in the state (**Table 3**).

Of the eight towns with 1,000 or more births in 2013, two towns, Danbury (11.8%) and Waterbury (19.1%), were below the state percentage for “Non-Adequate” care (22.9%) (**Table 4**). The remaining six towns with higher percentages of “Non-Adequate” prenatal care were New Britain (37.4%), Bridgeport (35.2%), Stamford (34.0%), Hartford (28.4%), New Haven (23.7%), and Norwalk (23.0%) (**Table 11**). Among these six towns, the percentage of “Non-Adequate” prenatal care significantly decreased in Norwalk (27.5% to 23.0%) between 2012 and 2013.

Tobacco Use During Pregnancy

Tobacco use during pregnancy is associated with miscarriage, low birth weight, and preterm birth, as well as placental problems and some birth defects [14]. In Connecticut, the likelihood of a low birth weight baby among mothers who report smoking during pregnancy is 2.4-times greater than that of mothers who do not smoke tobacco during pregnancy [15]. Underreporting of tobacco use during pregnancy is likely because of the well-known risks associated with this behavior.

In 2013, 1,382 (3.8%) of Connecticut births were to mothers who reported using tobacco during pregnancy (**Table 3** and **Table 11**). This percentage was a significant decrease from the 2012 rate of 4.5%. (**Table 11**). The percentage of non-Hispanic Black/African American mothers who reported smoking during pregnancy was 3.7%, a significantly lower figure when compared to 4.5% among non-Hispanic White mothers (**Table 12**). The percentage among Hispanic/Latino mothers (3.0%) was also significantly less than that among non-Hispanic White mothers. Among non-Hispanic White and Hispanic/Latino mothers, the rate of smoking significantly

decreased since the previous year (5.5% to 4.5% and 3.6% to 3.0%, respectively).

Since 2003, the percentage of mothers reporting tobacco use during pregnancy has decreased from 6.4%, and has also decreased for all races and ethnicities. Among non-Hispanic White mothers the percentage of mothers indicating smoking during pregnancy decreased from 6.9% to 4.5%; among non-Hispanic Black/African American and Hispanic/Latino mothers the percentage declined from 6.4% to 3.7% and 5.6% to 3.0%, respectively (**Table 3** and **Figure 9**). In 2013, the percentage of mothers who reported smoking during pregnancy was significantly higher than the statewide percentage in the following health districts: Uncas Regional (12.0%), Northeast (11.4%), Torrington Area (9.1%), Bristol-Burlington (8.7%), Naugatuck Valley (5.5%) and North Central (5.4%) (**Table 11**). Among these districts, only North Central experienced a significant decrease in the percentage of smoking during pregnancy from 2012. Compared to the state percentage, 11 Connecticut towns reported a significantly higher percentage of births to mothers reporting smoking during pregnancy. Towns with a

prevalence of smoking during pregnancy in the double digits were Norwich (13.1%), Torrington (11.6%), and Killingly (11.3%).


Alcohol Use During Pregnancy

Alcohol use during pregnancy is associated with an increased risk of fetal alcohol spectrum disorders, with an accompanying constellation of serious effects that include physical abnormalities and developmental and behavioral disorders [16]. Alcohol use during pregnancy is also associated with miscarriages and stillbirths.

Similar to tobacco use during pregnancy, underreporting of alcohol use during pregnancy is likely because of the well-known risks associated with this behavior.

In 2013, among births for which information was available, 122 mothers reported drinking alcohol during pregnancy, representing 0.3% of all births in Connecticut (**Table 3**). Information on alcohol use during pregnancy was not available for 313 births.


Figure 9. Trend in Tobacco Use During Pregnancy, United States and Connecticut, 2003-2013



Since 2003, self-reported tobacco use during pregnancy has reduced in the United States and Connecticut.

Mothers reporting tobacco use during pregnancy represented:

- 9% of births in 2003 and 7% of births in 2013 across the **United States**.
- 6% of births in 2003 and 4% of births in 2013 in **Connecticut**.



**The Secret to a Longer Life
Can Begin with a Mammogram.**

With no-cost mammograms* available at professional, medical facilities, there's no reason to wait. The sooner you have a mammogram, the greater your chances are of finding cancer in its early stages and making a full recovery. It's your life. Go live it.

Call 1-800-4-CANCER to schedule your mammogram today.

*Eligibility criteria may apply.

FETAL AND INFANT DEATHS

Fetal Deaths

Records of fetal death, or stillbirth, refer to an intrauterine death of a fetus occurring at 20 or more weeks gestation. During 2013, there were 200 resident fetal deaths in Connecticut, representing a statewide rate of 5.5 per 1,000 live births and fetal deaths (**Table 2A**). This rate did not change significantly relative to the 2012 rate of 5.0 per 1,000, and was not significantly different from the national rate (**Table 11**) [17].

Among fetal deaths of known sex in 2013, 95 (47.5%) were male and 99 (49.5%) were female (**Table 5**). The majority of fetal deaths (169 or 84.5%) occurred between 20 and 36 weeks gestation. The remaining 31 (15.5%) occurred at 37 weeks or more gestation.

Of all fetal deaths in 2013 of known plurality, 18 (9.0%) were of multiple plurality (**Table 5**). A disproportionate burden of fetal deaths occurred among multiple births; in 2013, the percentage of multiple live births was only 4.1% (**Table 3**).

In Connecticut, the percentage of fetal deaths in 2013 among women less than 20 years of age was 7.5%, 35.5% for women 20-29 years old, 50.0% for women 30-39 years old, and 6.0% for women at least 40 years old (**Table 5**). In comparison, the percent of live births by mother's age among women less than 20 years old was 4.5%, 42.3% for women 20-29 years old, 48.8% for women 30-39 years old, and 4.3% for women at least 40 years of age (**Table 3**). These data indicate that the burden of fetal deaths was disproportionately reduced among mothers aged 20-29 years (42.3% live births, 35.5% fetal deaths), compared to mothers of either younger or older age groups.

Mother's Race/Ethnicity

Of all resident fetal deaths of known race/ethnicity in 2013, 75 (37.5%) were to non-

Hispanic White mothers, 41 (20.5%) were to non-Hispanic Black/African American mothers, and 51 (25.5%) were to Hispanic/Latino mothers (**Table 5**). A disproportionate burden of fetal deaths occurred among non-Hispanic Black/African American and Hispanic/Latino women, where the percent distribution of live births was only 12.4% and 22.8%, respectively (**Table 3**).

In 2013, the fetal death rate among non-Hispanic Black/African American mothers (9.1 per 1,000 live births and fetal deaths) and Hispanic (6.2 per 1,000 live births and fetal deaths) mothers were significantly higher than that among non-Hispanic White mothers at 3.7 per 1,000 (**Table 12**). There were no significant changes in fetal death rates for any race or ethnicity since 2012.

Town of Residence

Among the eight towns in Connecticut with 1,000 or more live births in 2013, all but two had higher fetal death rates than the statewide rate of 5.5 per 1,000 live births and fetal deaths (**Table 2A**). Towns with higher fetal death rates were: Bridgeport (10.1 per 1,000), Danbury (10.0), Waterbury (9.4), New Haven (5.9), Stamford (5.9), and Hartford (5.8). In 2013, New Britain had 1,032 live births with a fetal death rate of 4.8 per 1,000; Norwalk had 1,150 live births with a fetal death rate of 4.3 per 1,000. East Hartford and Bridgeport had significantly higher fetal death rates (16.3 per 1,000 and 10.1 per 1,000, respectively) than the state overall, though only in East Hartford did the rate significantly increase from the previous year (**Table 11**) [17].

Low Birth Weight and Premature Delivery

Five of every 6 resident fetal deaths in 2013 (83.1%) were low birth weight (less than 2,500 grams), and 66.7% were very low birth weight (less than 1,500 grams) (**Table 5**). The percent of fetal deaths with low birth weight was uniformly high for mothers of all racial/ethnic groups, though lowest among non-Hispanic

White mothers (77.3%). Overall, 84.5% of resident fetal deaths were delivered prematurely (less than 37 weeks of gestation).

Leading Causes of Fetal Death

In 2013, 165 of the 200 fetal deaths (82.5%) were caused by perinatal conditions (Table 6). Within this broad category of causes of death, the three leading causes were: 1) “Other disorders originating in perinatal period” (85 deaths); 2) “Disorders related to short gestation and low birthweight” (32 deaths); and 3) “Fetus affected by complications of placenta, cord, and membranes” (27 deaths) (Table 6). Congenital malformations, deformations, and chromosomal abnormalities were associated with 13 (6.5%) of all fetal deaths. The remaining 21 fetal deaths (10.5%) were associated with other undefined causes.

Infant Deaths

Infant deaths occur after a baby is born, but before the first year of life is completed, or within 364 days of life. An infant mortality rate is an estimate of the number of infant deaths for every 1,000 live births. A neonatal death occurs


and a post-neonatal death occurs between 28 and 364 days of life. Neonatal deaths often occur as a result of a baby’s condition that is evident at birth, while post-neonatal deaths are usually related to other events. Infant mortality is considered an indicator of a population’s overall health and well-being [18].

In 2013, there were 169 resident infant deaths, with a mortality rate of 4.7 per 1,000 live births (Table 2A). This rate reflects a decrease in infant deaths over the past 15 years, falling from 305 infant deaths in 1998, with a mortality rate of 7.0 per 1,000 live births (Figure 10) [19]. Of all Connecticut infant deaths in 2013, 117 occurred in the neonatal period and 52 occurred in the post-neonatal period, with mortality rates of 3.2 and 1.4 per 1,000 live births, respectively. The overall infant mortality rate in the state of Connecticut was significantly lower than the national rate, though this rate did not change significantly from the previous year (Table 11) [17].

Infant’s Race

In 2013, infant mortality rates varied dramatically by race, with a disproportionately

Figure 10. Trend in Infant Mortality Rate, United States and Connecticut, 1998-2013



The infant mortality rate slightly lessened in the United States and Connecticut over the past 15 years.

The infant mortality rate was:

- 7 per 1,000 live births in 1998 and 6 per 1,000 live births in 2013 across the **United States**.
- 7 per 1,000 live births in 1998 and 5 per 1,000 live births in 2013 in **Connecticut**.

before the first month of life (before 28 days),

high rate of deaths among infants born to non-Hispanic Black/African American mothers (**Table 7** and **12**). Of all infant deaths, 69 were babies born to non-Hispanic White mothers, while 39 and 50 were babies born to non-Hispanic Black/African American and Hispanic/Latino mothers, respectively (**Table 12**). The infant mortality rate for non-Hispanic Black/African American mothers (8.7 per 1,000 live births) and Hispanic mothers (6.1 per 1,000 live births) were significantly higher than that in the non-Hispanic White community (3.4 per 1,000) [17]. This disparity did not change significantly from the previous year.

Town of Residence

In 2013, infant deaths occurred to residents in 59 Connecticut towns (**Table 2A**). Eight of these towns lost at least five babies during the year. These eight towns suffered infant mortality rates ranging from a low of 3.2 per 1,000 live births in Stamford to 16.5 per 1,000 in Naugatuck. Overall, these eight towns accounted for 43.2% of all infant deaths in the state of Connecticut.


The town of Naugatuck (16.5 per 1,000) experienced an infant mortality rate significantly higher than the statewide rate of 4.7 per 1,000 live births (**Table 11**). Since the previous year, the infant mortality rate in Naugatuck also significantly increased, jumping from 0 per 1,000 in 2012 to 16.5 per 1,000 in 2013. In East Hartford, the infant mortality rate significantly decreased from 11.5 per 1,000 in 2012 to 1.5 per 1,000 in 2013.

Leading Causes of Infant Death

Neonatal deaths in 2013 occurred largely as a result of "Certain conditions originating in the perinatal period" (92 of 117 neonatal deaths; **Table 8**). Within this broad category, most deaths were caused by "Disorders relating to short gestation and low birth weight" (29 deaths) or "Complications of pregnancy, labor and delivery" (22 deaths).

Of the 52 post-neonatal deaths that occurred in 2013, 16 were caused by sudden infant death syndrome, 9 were due to congenital

malformations (with 6 of these deaths caused by congenital malformation of the circulatory system), and 6 resulted from infectious and parasitic diseases (**Table 8**).



State of Connecticut Health Bulletin 1920

DEATHS (All Ages)

There were 29,602 deaths to Connecticut residents in 2013, with a crude death rate of 8.2 deaths per 1,000 population (**Table 2A**). Males accounted for 14,217 (48.0%) resident deaths, while 15,385 (52.0%) deaths were females. In 2013, there were 18,729 deaths to persons aged 75 years and over, representing 63.3% of all resident deaths. This percentage is higher than that of the national cohort (55.9%) [20].

Overall, 25,530 (86.2%) of Connecticut resident deaths were non-Hispanic White, 2,143 (7.2%) were non-Hispanic Black/African American, and 1,364 (4.6%) were Hispanic/Latino (**Table 9**). This percent distribution by race/ethnicity differs from that at the national level, where 79.0% of deaths were non-Hispanic White, 11.5% were non-Hispanic Black/African American, and 6.3% were Hispanic/Latino [20].

In 2013, among non-Hispanic Black/African American and Hispanic/Latino residents, male deaths outnumbered female deaths, while deaths to non-Hispanic White females outnumbered deaths to their male counterparts. Race was unknown for 276 deaths, and ethnicity was unknown for 233 deaths (**Table 2B**, footnote b).

All Causes of Death

Age at Death

Among non-Hispanic White residents in Connecticut, more than half (58.4%) of 2013 deaths occurred to those at least 80 years old (**Table 9**). In contrast, only 29.9% and 22.0% of deaths to non-Hispanic Black/African American and Hispanic/Latino residents, respectively, occurred among residents at least 80 years old. The disparity ratio for resident deaths by race/ethnicity was consistently higher for non-Hispanic Black/African American and Hispanic/Latino residents compared to non-Hispanic White residents before the age of 80 years old (**Figure 11**).


The percentage of deaths among Hispanic/Latino residents less than 20 years old (5.6%) was almost 10-times higher than that of the non-Hispanic White population (0.6%) for the same age cohort (**Table 9**). Deaths among non-Hispanic Black/African American residents less than 20 years old (3.2%) were slightly greater than half that of Hispanic/Latinos (5.6%)

In 2013, deaths to residents over 80 years old represented:

- 58% of non-Hispanic White deaths;
- 30% of non-Hispanic Black/African American deaths; and
- 22% of Hispanic/Latino deaths.

The percentage of deaths among racial/ethnic minorities was greater than that among non-Hispanic Whites for all age groups under 80 years old.

Figure 11. Percentage of All Deaths by Age and Race/Ethnicity, Connecticut, 2013



and over 5-times greater than non-Hispanic White resident deaths of the same age (0.6%).

The disparity ratio of deaths to Hispanic/Latino residents aged 20-39 years old was also elevated almost 5-times the number of non-Hispanic White deaths (9.8% for Hispanic/Latinos *versus* 2.0% for non-Hispanic Whites). The same disparity ratio was nearly 3.5-times higher for non-Hispanic Black/African Americans when compared to non-Hispanic Whites of the same age (6.6% for non-Hispanic Black/African Americans *versus* 2.0% for non-Hispanic Whites) (**Table 9**).

Town of Residence

Of the five towns that reported 700 or more Connecticut resident deaths (**Table 2A**), only Waterbury (8.6 per 1,000) had a crude death rate above the state rate of 8.2 per 1,000 population. The crude death rates for the remaining four towns were: New Haven (6.5 per 1,000), Bridgeport (6.4), Hartford (6.2), and Stamford (5.9). Among Connecticut's 169 towns, Willington had the lowest crude death rate at 3.5 per 1,000 and North Canaan had the highest (18.2 per 1,000).

Leading Causes of Death

The five leading causes of death in 2013 for persons of all ages and sexes are shown in rank order in **Table 10**. By proportional share of total deaths, they were: 1) "Diseases of the heart" (23.8%); 2) "Malignant neoplasms" (22.2%); 3) "Accidents (unintentional injuries)" (5.2%); 4) "Chronic lower respiratory diseases" (4.5%); and 5) "Cerebrovascular disease" (4.5%). These rankings are a departure from 2012, when "Chronic lower respiratory diseases" and "Accidents" were the third (4.7%) and fourth (4.6%) leading causes of death, respectively. Additionally, since 2003, "Cerebrovascular disease" has shifted down from the third leading cause of death, previously outranking both "Chronic lower respiratory diseases" and "Accidents."

Age and Sex

The five leading causes of death by age and sex are detailed in **Table 10** and summarized in **Figure 12**. Over the year, between 2012 and 2013, the number of deaths grew larger in age groups 10-14, 15-19, 20-24, 25-34, 55-64, 65-74, and 85+ years, whereas deaths in all other 5-year age groups became smaller. Total deaths in each age group during 2013 ranged from a low of 13 (ages 5-9) to a high of 12,013 (age 85+). A total of 169 deaths occurred among infants less than one year old. The number of male deaths exceeded or was equivalent to the number of female deaths for all age groups less than 75 years old (**Table 10** and **Figure 13**). Overall, in 2013, cause of death for both sexes was comparable to data from the previous year, with the most variation among ages 1-14, where fewer deaths contributed to greater variability in the rankings. Between 2012 and 2013, there were substantial differences in cause of death for 5-9 year olds, which partially corresponds to "Homicide" becoming the leading cause of death for this age group in 2012 due to the Sandy Hook Elementary School shooting in Newtown, Connecticut. In 2013, "Malignant neoplasms" and "Accidents" replaced "Homicide" as the leading cause of death for 5-9 year olds.

"Accidents" was the leading cause of death for ages 10-44 years old. "Malignant neoplasms" was the leading cause of death for ages 45-84 years old. "Diseases of the heart" was the most common cause of death among those 85 years and older, and consistently ranked second for those aged 45-84 years old.

Age <1 Year

See Infant Deaths, p. 34.

Ages 1-19 Years

In 2013, deaths to residents 1 to 19 years old accounted for 147 or 0.5% of all deaths (**Table 10; Figure 12**). Of this number, a total of 51 deaths (34.7%) were caused by "Accidents".


Figure 12
Top Three Leading Causes of
Death by Age, Connecticut, 2013

		Female Age (Years)											
		1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Rank													
1		Unintentional injuries	Malignant neoplasms, Unintentional injuries, Congenital anomalies, Septicemia	Suicide	Unintentional injuries	Unintentional injuries	Unintentional injuries	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Diseases of the heart
2		Homicide		Malignant neoplasms, Unintentional injuries	Diseases of the heart	Suicide	Malignant neoplasms	Unintentional injuries	Diseases of the heart	Diseases of the heart	Diseases of the heart	Diseases of the heart	Diseases of the heart
3		Malignant neoplasms			Suicide	Homicide	Diseases of the heart	Diseases of the heart	Unintentional injuries	Chronic lower respiratory diseases	Chronic lower respiratory diseases	Chronic lower respiratory diseases	Chronic lower respiratory diseases

		Male Age (Years)											
		1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Rank													
1		Homicide	Malignant neoplasms, Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Diseases of the heart	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Diseases of the heart
2		Unintentional injuries		Malignant neoplasms, Septicemia	Homicide	Homicide	Suicide	Diseases of the heart	Malignant neoplasms	Diseases of the heart	Diseases of the heart	Diseases of the heart	Diseases of the heart
3		Malignant neoplasms			Suicide	Suicide	Homicide	Homicide	Unintentional injuries	Unintentional injuries	Unintentional injuries	Chronic lower respiratory diseases	Chronic lower respiratory diseases

Source: Table 10

Figure 13. Percentage of All Deaths by Age and Sex, Connecticut, 2013



The percentage of deaths among males was greater than that among females for all age groups less than 85 years old.

Among teens 15-19 years old, there were a total of 81 deaths in 2013 (**Table 10**). “Accidents” was the most common cause of death in this age group, among both males and females (**Figure 12**). Of the 35 deaths due to “Accidents,” a large majority (27 deaths or 77.1%) was caused by “Motor vehicle accidents,” 17 (63.0%) of which were to males and the remaining 10 (37.0%) to females.

“Homicide” and “Suicide” ranked second and third for cause of death among males in this age group. For females, “Diseases of the heart” and “Suicide” were ranked second and third, respectively.

Ages 20-34 Years

The age group including 20 to 34 year olds accounted for 617 deaths, or 2.1% of all deaths in 2013 (**Table 10**). Within this group, “Accidents” continued to be the leading cause of death. For males 20-34 and females 20-24 years old, “Suicide” and “Homicide” were the next most common causes of death, though for females aged 25-34, “Malignant neoplasms” and “Diseases of the heart” were the second and third most common causes (**Figure 12**).

For 20-34 year olds, there were a total of 289 deaths due to “Accidents” (**Table 10**).

Among 20-24 year olds, “Motor vehicle accidents” was the most common accident, with 48 deaths (49.5%), 36 (75.0%) for males and 12 (25.0%) for females. For 25-34 year olds, “Accidental poisoning & exposure to noxious substances” claimed the most lives, with 117 deaths, or 60.9% of all deaths due to accidents.

Ages 35-54 Years

Deaths in 2013 to residents between 35 and 54 years old accounted for 2,353 deaths, or 7.9% of all deaths (**Table 10**). Within the 35-44 age group, “Accidents” continued to be the leading cause of death (**Figure 12**), followed by “Malignant neoplasms,” “Diseases of the heart,” “Suicide,” and “Chronic liver disease and cirrhosis.” Similarly, within the 45-54 age group, the leading causes of death varied slightly with “Accidents” as the third cause after “Malignant neoplasms” and “Diseases of the heart.” “Chronic liver disease and cirrhosis” and “Suicide” were the fourth and fifth leading causes of death for this age group, respectively.

Within the 35-54 year age group, there were 609 (25.9%) deaths due to malignant neoplasms in 2013 (**Table 10**). Of this total, 269 (44.2%) occurred to males and the remaining 340 (55.8%) occurred to females. Of all deaths to males 45-54 years old due to this cause,

“Trachea, bronchus & lung cancer” (48 deaths, 21.2%) was the most frequent, followed by “Colorectal cancer” (26 deaths, 11.5%). Of all female deaths aged 45-54 due to “Malignant neoplasms”, a total of 71 (25.5%) and 51 (18.3%) deaths were due to “Breast cancer” and “Trachea, bronchus & lung cancer,” respectively.

Ages 55-74 Years

The next two consecutive age groups, 55-64 and 65-74, accounted for 7,586 deaths, or 25.6% of all deaths in 2013 (**Table 10**). A total of 4,412 of these deaths were males and 3,174 females. The two leading causes of death for ages 55-64 did not differ between males and females, and were “Malignant neoplasms” (1,129 or 36.0% of all deaths to this age group) and “Diseases of the heart” (602 or 19.2% of all deaths). Among males, the remaining top three causes of death were “Accidents” (131, 6.7%), “Chronic liver disease and cirrhosis” (64, 3.3%), and “Suicide” (60, 3.1%), while among females the corresponding causes were “Chronic lower respiratory diseases” (59, 5.0%), “Accidents” (47, 4.0%), and “Diabetes” (36, 3.0%) (**Figure 12**).

“Malignant neoplasms” remained the leading cause of death for both age groups between 55-74 years old. The most frequent cause of death in this category was “Trachea, bronchus & lung cancer,” with 784 deaths total, representing 29.3% of all cancer deaths to males and 27.9% of all cancer deaths to females (**Table 10**). For females in this age group, “Breast cancer” also had high numbers of deaths with 172 deaths or 13.6% of all cancer deaths to females.

Ages 75+ Years

The 75-84 and 85+ age groups accounted for the majority of deaths in 2013, totaling 18,729 deaths, or 63.3% of all deaths (**Table 10**). For both sexes in this age range, the two leading causes of death were either “Malignant neoplasms” with 3,160 or 16.9% of all deaths in this age group, or “Diseases of the heart” with 5,042 or 26.9% of all deaths in this age group. Whereas “Malignant neoplasms” was the

leading cause of death among 75-84 year olds, “Diseases of the heart” was the primary cause of death among residents 85 years of age or older (**Figure 12**).

Race/Ethnicity and Sex

Of all deaths in 2013, a total of 25,530 were non-Hispanic White residents, 2,143 were non-Hispanic Black/African American residents, and 1,364 were Hispanic/Latino residents (**Table 9**). Among non-Hispanic White resident deaths, a slight majority was female (52.7%). In contrast, among non-Hispanic Black/African American and Hispanic/Latino residents, 49.6% and 45.0% of deaths were female, respectively.

Within each category of race, ethnicity, and sex, a majority of 2013 deaths were caused by the four leading causes of death: “Major cardiovascular diseases,” “Malignant neoplasms,” “Accidents,” and “Chronic lower respiratory diseases.” A greater percentage of deaths to Hispanic/Latino males were caused by accidents; 14.1% of all deaths to Hispanic/Latino males were caused by accidents compared to 6.2% of deaths to non-Hispanic White males and 7.3% of non-Hispanic Black/African American males (**Table 9**).

In 2013, compared to non-Hispanic White females, a greater percentage of deaths to non-Hispanic Black/African American females was caused by malignant neoplasms. Similar to their male counterparts, Hispanic/Latino females also outnumbered non-Hispanic White and non-Hispanic Black/African American female deaths caused by accidents at 4.6%, compared to only 3.6% for the other groups.

Leading Causes of Death, 2003-2013

Compared to the top three leading causes of death in 2013 (**Table 10**), the leading causes of death in 2003 differed in several ways [21].

Both male and female age-specific death rates for each leading cause of death for children less than 15 years old were very small (6 or fewer) in 2003 and 2013 (**Table 10**). Furthermore, in both

2003 and 2013, the leading cause of death for both sexes was “Diseases of the heart” [21].

For deaths among women aged 15 to 24 years old, “Accidents” were the leading cause of death in both 2003 and 2013 (**Table 10**). The rate of accidents among females 15-19 years old in 2003 was 13.1 per 100,000 and dropped over the decade to 11.3 per 100,000 in 2013. For females 20-24 years old, however, the rate of accidents decreased from 20.3 per 100,000 in 2003 to 15.9 per 100,000 in 2013. Even more striking was the decline in the death rate due to “Accidents” among 15-19 year old males, which dropped from 27.4 per 100,000 in 2003 to 16.2 per 100,000 in 2013. In both 2003 and 2013, accidents remained in the top two leading causes of death for males between 5 and 44 years old, but death rates after 20 years old did not exhibit the same substantial decline over the decade. These rates actually increased among 25-34 year old males (40.0 per 100,000 in 2003; 66.6 per 100,000 in 2013) and 35-44 year olds (49.4 per 100,000 in 2003; 51.6 per 100,000 in 2013).

From 2003 to 2013, “Malignant neoplasms” remained the leading cause of death for both sexes between ages 45-74 years old, with the exception of 45-54 year old males, for whom “Diseases of the heart” was the leading cause of death in both 2003 and 2013. With respect to malignant neoplasms, there was a consistent reduction in the age-specific death rate between 2003 and 2013 among both males and females [21].

In 2003, “Diseases of the heart” was the leading cause of death for ages 75-84 years old, while “Malignant neoplasms” became the principal cause of death for 75-84 year olds by 2013. For those aged 85 years and older, “Diseases of the heart” was the leading cause of death in both 2003 and 2013. Both sexes in the 85+ age group experienced very high death rates due to “Diseases of the heart” in 2003 at 5,305.6 per 100,000 for males and 4,868.8 per 100,000 for females. By 2013, the rates for each sex had substantially decreased to 4,475.2 per 100,000 for males and 3,696.2 per 100,000 for females.



Are You the Picture of Health?

Photo by Hilmar

“Colorectal cancer often has no symptoms, so please get tested. I did.”

*Katie Couric, Co-Founder
EIF's National Colorectal Cancer
Research Alliance*

If you're over 50
talk to your
doctor and
get screened.







MARRIAGES


Marriage Rate

In 2013, there were 19,428 marriages in Connecticut (**Table 2A**), representing an increase of 212 marriages since the previous year [22]. The marriage rate was 10.8 persons per 1,000 population, up slightly from 10.7 per 1,000 in 2012. Of all marriages in the state during 2013, a total of 1,356 were same-sex marriages (data not shown). There were 668 same-sex marriages in 2012, 1,262 in 2011, 1,791 in 2010, 2,706 in 2009, and 543 in 2008, the first year for which same-sex marriages became possible in the state (data not shown).

Town of Occurrence

Marriages are registered by town of occurrence. Two towns registered over 1,000 marriages (**Table 2A**); New Haven registered 1,342 marriages and Hartford registered 1,104 marriages. Four towns each registered between 500 and 1,000 marriages in 2013. These towns were: Bridgeport (889 marriages), Stamford (759 marriages), Danbury (569 marriages), and Waterbury (530 marriages). The fewest number of marriages were registered in the towns of Andover, Hampton, Union, Chaplin, and Hartland each with five or less marriages.

The marriage rate in 2013 varied by town from a low of 2.5 persons per 1,000 population, to a high of 57.9 per 1,000 (**Table 2A**). The towns of Bethany (2.5 persons per 1,000) and New Fairfield (2.7 persons per 1,000) had the lowest marriage rates, while the towns of Westbrook (57.9 persons per 1,000) and Kent (35.4 persons per 1,000) had the highest marriage rates.



State of Connecticut Health Bulletin 1918

APPENDIX I NOTES

- [1] Estimated Populations in Connecticut as of July 1, 2003. Annual Registration Report, 2003, Table 1, Connecticut Department of Public Health, Office of Policy, Planning and Evaluation (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 9, 2016.
- [2] Estimated Populations in Connecticut as of July 1, 2012. Annual Registration Report, 2012, Table 1, Connecticut Department of Public Health, Health Information Systems and Reporting (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 9, 2016.
- [3] Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence and Marriages by Place of Occurrence. Annual Registration Report, 2003, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 9, 2016.
- [4] Connecticut Resident births, 2003 through 2013, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 9, 2016.
- [5] Connecticut Resident births, 2003 through 2013, Tables 3 and 4, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 10, 2016.
- [6] Centers for Disease Control and Prevention. NCHS Data Brief, Number 80, January 2012 (<http://www.cdc.gov/nchs/data/databriefs/db80.htm>), accessed on May 10, 2016.
- [7] National Center for Health Statistics. Vital statistics available. 2013 natality public use file. Hyattsville, MD: National Center for Health Statistics. Available from http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm, accessed on May 10, 2016.
- [8] Aarnoudse-Moens, CSH, Weisglas-Kuperus, N, van Goudoever, JB, Oosteriaan, J (2009) Meta-analysis of neurobehavioral outcomes in very preterm and/or very low birth weight children. *Pediatrics* 124 (2): 717-727.
- [9] Kotelchuck M (1994) An evaluation of the Kessner Adequacy of Prenatal Care Index and a proposed Adequacy of Prenatal Care Utilization Index. *Am J Public Health* 84 (9): 1414-1420.
- [10] Preterm Births. U.S. Centers for Disease Control and Prevention (<http://www.cdc.gov/reproductivehealth/maternalinfanthealth/pretermbirth.htm>), accessed on May 11, 2016.
- [11] Hack, MMB, Taylor, HG, Klein, N, Eiben, R, Schatshneider, C (1994) School-age outcomes in children with birth weights less than 750 grams. *New England J Med* 331 (12):754-759.
- [12] Gestational age is calculated using the date of the last menstrual period (LMP) or the clinical estimate of gestational age, if the LMP is not available. (Table 3).

- [13] Connecticut Resident births, 2000 through 2010, Table 11, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT
(<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 11, 2016.
- [14] United States Department of Health and Human Services, Centers for Disease Control and Prevention: Tobacco Use and Pregnancy
(<http://www.cdc.gov/reproductivehealth/tobaccousepregnancy>), accessed on May 11, 2016.
- [15] Stone, CL, Mueller, LM (2007) Association between WIC enrollment during pregnancy and low birth weight outcomes in Connecticut. Connecticut Department of Public Health, Hartford, Connecticut
(http://www.ct.gov/dph/lib/dph/family_health/bwm_website_050409.pdf), accessed on May 11, 2016.
- [16] United States Department of Health and Human Services, Centers for Disease Control and Prevention: Alcohol Use and Pregnancy
(<http://www.cdc.gov/ncbddd/fasd/alcohol-use.html>), accessed on May 11, 2016.
- [17] The annual number of fetal and infant deaths in Connecticut is small even in the most highly populated towns, so standard tests of single-year differences are statistically significant only when the changes are great. Methods other than the simple one-year comparisons are needed. Such analyses are, however, beyond the scope of this report.
- [18] Report of the Secretary's Advisory Committee on Infant Mortality (SACIM): Recommendations for Department of Health and Human Services (HHS) Action and Framework for a National Strategy, January 2013,
(<http://www.hrsa.gov/advisorycommittees/mchbadvisory/InfantMortality/Correspondence/recommendationsjan2013.pdf>), accessed on May 11, 2016.
- [19] Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence and Marriages by Place of Occurrence. Annual Registration Report, 1998, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT
(<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 9, 2016.
- [20] Centers for Disease Control and Prevention, National Center for Health Statistics. Compressed Mortality File 1999-2014 on CDC WONDER Online Database, released December 2015. Data are from the Compressed Mortality File 1999-2014 Series No. 2T, 2015, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/cmfi-icd10.html> on May 16, 2016.
- [21] Connecticut Resident Deaths, 2003, Table 10, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT
(<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 16, 2016.
- [22] Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence and Marriages by Place of Occurrence. Annual Registration Report, 2012, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT
(<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on May 15, 2016.

[23] Centers for Disease Control and Prevention, National Center for Health Statistics. Linked Birth / Infant Death Records 2007-2013, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program, on CDC WONDER Online Database. Accessed at <http://wonder.cdc.gov/lbd-current.html> on July 13, 2016.

[24] Centers for Disease Control and Prevention, National Center for Health Statistics. Natality public-use data 2007-2014, on CDC WONDER Online Database, February 2016. Accessed at <http://wonder.cdc.gov/natality-current.html> on July 13, 2016.

ALL CHILDREN CANNOT ENJOY
THE BENEFITS OF SALT AIR AND SEA BATHING BUT



ALL CAN HAVE
AND SHOULD HAVE PLENTY OF FRESH AIR AND SUNSHINE

State of Connecticut Health Bulletin 1918

APPENDIX II RATE DEFINITIONS

Crude birth rate

$$\left(\frac{\text{Number of resident live births}}{\text{Total resident population}} \right) \times 1,000$$

Marriage rate

$$\left(\frac{\text{Number of registered marriages} \times 2}{\text{Mid-year total resident population}} \right) \times 1,000$$

Crude death rate

$$\left(\frac{\text{Number of resident deaths}}{\text{Total resident population}} \right) \times 1,000$$

Age-specific birth rate

$$\left(\frac{\text{Number of live births in a specific age group}}{\text{Total resident population in specific age group}} \right) \times 100,000$$

Age-specific death rate

$$\left(\frac{\text{Number of deaths in a specific age group}}{\text{Total resident population in specific age group}} \right) \times 100,000$$

Infant death rate

$$\left(\frac{\text{Number of infant deaths}}{\text{Number of live births}} \right) \times 1,000$$

Fetal death rate


$$\left(\frac{\text{Number of fetal deaths}}{\text{Number of live births and fetal deaths}} \right) \times 1,000$$

Feto-infant death rate

$$\left(\frac{\text{Number of fetal and infant deaths}}{\text{Number of live births and fetal deaths}} \right) \times 1,000$$

APPENDIX III
HEALTH DISTRICT CONSTITUENT TOWNS
July, 2013

Health District	District Number	Constituent Towns
Bristol-Burlington	1	Bristol, Burlington
Connecticut River Area	2	Clinton, Deep River, Old Saybrook
Central Connecticut	3	Berlin, Newington, Rocky Hill, Wethersfield
Chatham	4	Colchester, Hebron, Marlborough, Portland, East Hampton, Haddam, East Haddam
Chesprocott	5	Cheshire, Prospect, Wolcott
East Shore	6	Branford, East Haven, North Branford
Eastern Highlands	7	Andover, Ashford, Bolton, Chaplin, Columbia, Coventry, Mansfield, Scotland, Tolland, Willington
Farmington Valley	8	Avon, Barkhamsted, Canton, Colebrook, East Granby, Farmington, Granby, Hartland, New Hartford, Simsbury
Ledge Light	9	East Lyme, Groton, Ledyard, New London, Waterford
Naugatuck Valley	10	Ansonia, Beacon Falls, Derby, Naugatuck, Seymour, Shelton
Newtown	11	Bridgewater, Newtown, Roxbury
North Central	12	East Windsor, Ellington, Enfield, Stafford, Suffield, Vernon, Windsor Locks
Northeast	13	Brooklyn, Canterbury, Eastford, Hampton, Killingly, Plainfield, Pomfret, Putnam, Sterling, Thompson, Union, Woodstock
Plainville-Southington Regional	14	Plainville, Southington
Pomperaug	15	Oxford, Southbury, Woodbury
Quinnipiack Valley	16	Bethany, Hamden, North Haven, Woodbridge
Torrington Area	17	Bethlehem, Canaan, Cornwall, Goshen, Harwinton, Kent, Litchfield, Morris, Norfolk, North Canaan, Plymouth, Salisbury, Thomaston, Torrington, Warren, Watertown, Winchester
Trumbull-Monroe	18	Monroe, Trumbull
Uncas	19	Bozrah, Griswold, Lisbon, Montville, Norwich, Sprague, Voluntown
West Hartford-Bloomfield	20	Bloomfield, West Hartford
Westport Weston	21	Weston, Westport



State of Connecticut Local Health Departments and Districts July 2013

Health Districts¹

- 1 Bristol-Burlington Health District
- 2 CT River Area Health District
- 3 Central Connecticut Health District
- 4 Chatham Health District
- 5 Chesproct Health District
- 6 East Shore Health District
- 7 Eastern Highlands Health District
- 8 Farmington Valley Health District
- 9 Ledge Light Health District
- 10 Naugatuck Valley Health District
- 11 Newtown Health District
- 12 North Central Health District
- 13 Northeast District Dept of Health
- 14 Plainville-Southington Regional Health District
- 15 Pomperaug Health District
- 16 Quinnipiac Valley Health District
- 17 Torrington Area Health District
- 18 Trumbull-Monroe Health District
- 19 Uncas Health District
- 20 West Hartford-Bloomfield Health District
- 21 Westport Weston Health District

¹Health Districts are defined as towns, cities, boroughs unified to form district departments of health and have a full-time Health Director.

Sovereign Nations

- A Mohegan Tribe
- B Mashantucket Tribe



Local Health Departments and Districts

- Local Health District
- Full-Time Municipal Health Director
- Part-Time Municipal Health Director
- Sovereign Nations



October 15, 2012

APPENDIX IV GLOSSARY

Adequacy of prenatal care: This publication uses the Adequacy of Prenatal Care Utilization (APNCU) Index as a measure of adequacy of prenatal care. The index characterizes prenatal care utilization based on two independent dimensions—time of initiation of prenatal care, and number of prenatal care visits after care has begun.

The APNCU Index classifies prenatal care utilization by comparing the *actual* number of prenatal care visits to the *expected* number of visits. The expected number of visits is the total number recommended by the American College of Obstetricians and Gynecologists (ACOG), adjusted for the length of gestation at birth. The ACOG recommendations for a full-term (40-week) pregnancy without complications are: one visit every 4 weeks for the first 28 weeks; one visit every 2-3 weeks until 36 weeks; and weekly visits for the rest of the pregnancy.

When prenatal care begins by the fourth month of pregnancy, the care is considered *intensive* if actual visits are 110% or more of expected visits, *adequate* if the actual-to-expected ratio is 80-109%, *intermediate* with an actual-to-expected ratio of 50-79%, and *inadequate* with an actual-to-expected ratio of less than 50%. In cases where prenatal care begins after the fourth month of gestation, the care is termed *inadequate* regardless of the total number of visits. The APNCU Index has been adopted by the National Center for Health Statistics for reporting adequacy of prenatal care.

Age-specific birth rate: The number of live births to women in a specific age group per 1,000 females in the population in the same age group.

Age-specific death rate: The number of deaths in a specific age group, per

1,000 population in the same age group.

Birth Order: The rank of the most recent birth, relative to other siblings by age.

Birth weight: The first weight of a fetus or infant at time of delivery. This weight is usually measured during the first hour of life. See also “Low birth weight” and “Very low birth weight.”

Cause of death: The underlying cause of death determined to be the primary condition leading to death, based on the international rules and sequential procedure set forth for manual classification of the underlying causes of death by the National Center for Health Statistics and the World Health Organization (*International Classification of Disease, Tenth Revision*). See also “Underlying cause of death.”

Crude death rate: The number of deaths per 1,000 population. This rate should not be used for making comparisons between different populations when the age, race, and sex distributions of the populations are different. See also “Age-specific death rate.”

Ethnicity: See “Hispanic/Latino ethnicity.”

Fetal death: Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.

Gestational age: The number of completed weeks elapsed between the first day of the last normal

menstrual period (LMP) and the date of delivery.

Health district: A local governmental entity consisting of two or more towns that is responsible for the public health of its constituent towns. See [Appendix II](#) for a listing of the 20 health districts in existence in Connecticut as of July, 2010.

Hispanic/Latino ethnicity: Refers to people whose origins are from Spain, the Spanish-speaking countries of Central America, South America, and the Caribbean, or persons of Hispanic/Latino origin identifying themselves as Spanish, Spanish-American, Hispanic/Latino, Hispano, Latino, and so on. In Connecticut, the birth, death, and fetal death certificates have a separate line item for the individual's Hispanic/Latino status, to attempt to distinguish Hispanic/Latino ethnicity from race. Individuals identifying themselves as "Hispanic/Latino" can be of any race, and are also counted in the race breakdown as either "White," "Black/African American," or "Other."

Infant death: Death occurring to an individual of less than one year (365 days) of age, comprising the sum of *neonatal death* and *postneonatal death*. See also "Neonatal death" and "Postneonatal death."

Live birth: The complete expulsion or extraction from the mother of a product of conception, regardless of the duration of pregnancy; after such separation, the product shows signs of life (e.g., heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles).

Live birth order: The number of children born alive to the same mother, including the current birth (first born, second born, third born, etc.).

Low birth weight: A birth weight of less than 2,500 grams (approximately 5 lbs., 8 oz.).

Neonatal death: Death occurring to an infant less than 28 days of age.

Occurrence: Place of occurrence identifies where the vital event actually took place, regardless of the place of residence of the individual.

Plurality: The number of siblings born as the result of a single pregnancy; commonly expressed as *singleton* or *multiple*. A singleton pregnancy results in a single delivery, while a multiple pregnancy results in twins, triplets, or higher order deliveries.

Post-neonatal death: Death occurring to an infant aged 28 days to 364 days, inclusive.

Premature: A live birth or fetal death that occurs before the completion of the 37th week of gestation.

Race: A population of individuals who identify themselves from a common history, nationality, or geographical place. When responses in the "race" line item on vital records are associated with the definition of Hispanic/Latino origin, they are re-coded to "white race," as described in the National Center for Health Statistics instruction manuals for coding vital records. Individuals identifying themselves as either "White," "Black/African American," or "Other" race can be of any ethnic group. See also "Hispanic/Latino ethnicity."

Residence: The usual place of abode of the person to whom the vital event occurred. For births and fetal deaths, residence is defined as the mother's usual place of residence.


Teenage mother: A woman under 20 years of age on the date of delivery.

Trimester of pregnancy: One-third of the total gestation period of a full-term pregnancy, or 13 weeks per trimester. The "third trimester" classification comprises pregnancies of 27 or more weeks gestation. The weekly count begins on the first day of the last menstrual period.


Underlying cause of death: The disease or injury that initiated the sequence of events leading directly to death, or the circumstances of the accident or violence that produced the fatal injury.

Very low birth weight: A birth weight of less than 1,500 grams (approx. 3 lbs., 5 oz.).






HYPERTENSION WORLDWIDE




Worldwide, 1 in 3 adults has high blood pressure—a condition that leads to heart attack and stroke.



Everyone can take **five concrete steps** to help prevent high blood pressure:

-  Healthy diet
-  Physical activity
-  Avoiding tobacco
-  Avoiding harmful use of alcohol
-  Managing stress in healthy ways



APPENDIX V STATISTICAL ANALYSES

Tests of statistical significance in this publication were conducted on data for birth outcomes and risk factors, infant deaths, and fetal deaths, by health district and town, and for racial/ethnic groups. Two types of statistical assessments were made: 1) Comparisons between the current and prior years (2013 and 2012) for the same town, health district, or racial/ethnic group; and 2) Comparisons between a reference group and the other groups within the current year. In the current-year comparisons, the reference group for towns and health districts was the state of Connecticut, while the reference group for racial/ethnic groups was “non-Hispanic/Latino White.” Results for the state, health districts, and towns are shown in **Table 11** and **Table 12**.

To balance the need to screen out random fluctuations with the need to detect meaningful differences, these analyses were limited to geographic regions with at least 200 reported pregnancies, and appropriate significance level thresholds were used. For determining annual significant changes for fetal and infant deaths, an additional criterion—a total of 10 or more deaths in both years combined—was applied. Comparisons were labeled “significant” in either of two situations: $p < 0.01$ for comparisons within the current data year; or $p < 0.05$ for differences between the current year and prior year. The latter, less stringent probability level was used because statistically significant changes over time are more difficult to detect than significant differences within the same year.

A limitation of annual significance testing is that single-year figures for some towns are too small to allow valid conclusions to be drawn. Readers are thus cautioned to use the statistical assessments as a guide, not as an absolute dictum. Also, the choice of an appropriate “p-value” for use as a reporting

threshold varies with the point of view of the reader or analyst. The *Registration Report* is often used by persons primarily concerned with information about a single town. The appropriate “p-value” for single-town analyses can differ considerably from that used in this report to survey all 169 Connecticut towns.

Table 13 provides p-values that are adjusted for maximum number of state-to-town rate comparisons. These adjusted probability levels are found in the far right column of **Table 13**. If the reader is interested in finding out which of Connecticut’s 169 towns have teen birth rates that differ significantly ($p < 0.05$) from the state rate, these are the figures to examine. For those who are interested in only a single town–state comparison, examine the figures in the adjacent column “Single Town–State Comparisons.”

For more information about the importance of adjusting for multiple comparisons in statistical assessments, please see the following webpage:
http://www.ct.gov/dph/lib/dph/hisr/hcqsar/mortality/pdf/guide_to_aamr_state-town_comparisons.pdf.



**REGISTRATION
TABLES

2013**

TABLE 1
CONNECTICUT, 2013
 Estimated Population^a by Age and Sex

AGE (Years)	BOTH SEXES		MALES			FEMALES		
			Number	Percent of		Number	Percent of	
	Number	Percent		Age Group	Males		Age Group	Females
All Ages	3,596,080	100.0%	1,754,151	48.8%	100.0%	1,841,929	51.2%	100.0%
<1 ^b	36,086	1.0%	18,461	51.2%	1.1%	17,625	48.8%	1.0%
1-4	155,851	4.3%	79,557	51.0%	4.5%	76,294	49.0%	4.1%
5-9	215,094	6.0%	109,620	51.0%	6.2%	105,474	49.0%	5.7%
10-14	232,242	6.5%	118,896	51.2%	6.8%	113,346	48.8%	6.2%
15-19	253,776	7.1%	129,674	51.1%	7.4%	124,102	48.9%	6.7%
20-24	236,408	6.6%	123,082	52.1%	7.0%	113,326	47.9%	6.2%
25-29	222,098	6.2%	113,116	50.9%	6.4%	108,982	49.1%	5.9%
30-34	217,495	6.0%	107,673	49.5%	6.1%	109,822	50.5%	6.0%
35-39	206,853	5.8%	101,767	49.2%	5.8%	105,086	50.8%	5.7%
40-44	240,745	6.7%	117,068	48.6%	6.7%	123,677	51.4%	6.7%
45-49	270,295	7.5%	131,326	48.6%	7.5%	138,969	51.4%	7.5%
50-54	286,083	8.0%	139,016	48.6%	7.9%	147,067	51.4%	8.0%
55-59	264,437	7.4%	128,929	48.8%	7.3%	135,508	51.2%	7.4%
60-64	212,946	5.9%	102,074	47.9%	5.8%	110,872	52.1%	6.0%
65-69	172,211	4.8%	81,152	47.1%	4.6%	91,059	52.9%	4.9%
70-74	122,592	3.4%	55,880	45.6%	3.2%	66,712	54.4%	3.6%
75-79	88,339	2.5%	38,164	43.2%	2.2%	50,175	56.8%	2.7%
80-84	73,159	2.0%	29,334	40.1%	1.7%	43,825	59.9%	2.4%
85+	89,370	2.5%	29,362	32.9%	1.7%	60,008	67.1%	3.3%

NOTES:

^a All figures except those for <1 year of age are estimates from the National Center for Health Statistics: Vintage 2013 postcensal estimates of the resident population of the United States for July 1, 2010-July 1, 2013, by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex. Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of June 26, 2014, following release by the U.S. Census Bureau of the unbridged Vintage 2013 postcensal estimates by 5-year age group on June 26, 2014.

^b The <1 year age group represents registered 2013 Connecticut resident births. In 2013, there were 0 births of unknown sex.

TABLE 2A
CONNECTICUT, 2013
 Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence
 and Marriages by Place of Occurrence^{ab}

GEOGRAPHIC AREA	2013 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS						MARRIAGES Occurrence ^e	
		Occur- rence	Residence		Occur- rence	Residence		Occur- rence	Residence		Occur- rence	Residence						
			Number	Rate ^c		Number	Rate ^c		Number	Rate ^d		Total	Neonatal	Post-neonatal				
CONNECTICUT	3,596,080	36,851	36,086	10.0	29,700	29,602	8.2	210	200	5.5	162	169	4.7	117	3.2	52	1.4	19,428
COUNTY																		
Fairfield County	939,904	11,266	10,049	10.7	6,510	6,515	6.9	70	67	6.7	28	39	3.9	26	2.6	13	1.3	4,800
Hartford County	898,272	10,548	9,316	10.4	8,088	7,682	8.6	62	57	6.1	46	35	3.8	24	2.6	11	1.2	4,529
Litchfield County	186,924	733	1,424	7.6	1,524	1,841	9.8	2	2	a	1	6	4.2	6	4.2	-	-	934
Middlesex County	165,562	1,056	1,375	8.3	1,408	1,505	9.1	4	5	3.6	3	6	4.4	4	a	2	a	1,325
New Haven County	862,287	9,609	8,981	10.4	8,428	7,589	8.8	57	48	5.3	67	49	5.5	36	4.0	13	1.4	4,596
New London County	274,150	2,431	2,659	9.7	2,119	2,352	8.6	11	11	4.1	13	17	6.4	9	3.4	8	3.0	2,095
Tolland County	151,377	217	1,088	7.2	757	994	6.6	1	5	4.6	1	4	a	2	a	2	a	503
Windham County	117,604	991	1,194	10.2	866	1,000	8.5	3	5	4.2	3	8	6.7	5	4.2	3	a	643
HEALTH DISTRICT^f																		
Bristol-Burlington	70,062	556	688	9.8	591	648	9.2	5	7	10.2	-	-	-	-	-	-	-	242
Central Connecticut	97,771	2	825	8.4	451	947	9.7	-	2	a	-	1	a	-	-	1	a	309
Chatham	72,107	8	536	7.4	361	554	7.7	-	2	a	-	2	a	2	a	-	-	424
Chesprocott	55,546	2	361	6.5	221	417	7.5	-	2	a	-	2	a	2	a	-	-	231
CT River Area	28,015	2	169	6.0	150	275	9.8	-	2	a	-	1	a	-	-	1	a	210
East Shore	71,462	7	596	8.3	1,381	764	10.7	-	5	8.4	-	-	-	-	-	-	-	434
Eastern Highlands	81,002	5	483	6.0	256	441	5.4	-	-	-	-	2	a	-	-	2	a	257
Farmington Valley	108,934	605	721	6.6	731	810	7.4	13	1	a	10	5	6.9	5	6.9	-	-	592
Ledge Light	121,257	1574	1,386	11.4	1140	990	8.2	6	8	5.8	6	10	7.2	5	3.6	5	3.6	995
Naugatuck Valley	127,150	640	1,280	10.1	849	1,178	9.3	1	5	3.9	1	9	7.0	7	5.5	2	a	434
Newtown	32,038	-	179	5.6	141	201	6.3	-	3	a	-	-	-	-	-	-	-	123
North Central	166,603	604	1,593	9.6	1,194	1,505	9	2	10	6.3	2	4	a	3	a	1	a	635
Northeast	84,983	601	836	9.8	540	718	8.4	2	3	a	2	6	7.2	4	a	2	a	517
Plainville-Southgtn ^f	61,481	3	498	8.1	402	563	9.2	-	2	a	-	2	a	1	a	1	a	230
Pomperaug	42,555	-	248	5.8	283	483	11.4	-	-	-	-	1	a	1	a	-	-	145
Quinnipiac Valley	100,041	4	855	8.5	497	950	9.5	-	3	a	1	5	5.8	2	a	3	a	379
Torrington Area	134,624	465	1049	7.8	1111	1448	10.8	-	2	a	1	3	a	3	a	-	-	669
Trumbull-Monroe	56,405	-	440	7.8	257	491	8.7	-	1	a	-	1	a	1	a	-	-	295
Uncas Regional	84,596	850	851	10.1	607	698	8.3	5	3	a	6	6	7.1	4	a	2	a	487
W Hrtfd-Bloomfield	84,044	6	778	9.3	569	828	9.9	-	3	a	-	4	a	2	a	2	a	368
Weston-Westport	37,680	2	227	6.0	98	194	5.1	-	1	a	-	-	-	-	-	-	-	184
TOWN																		
Andover	3,273	1	18	5.5	3	13	4.0	-	-	-	-	-	-	-	-	-	-	5
Ansonia	19,020	1	201	10.6	57	191	10.0	-	2	a	-	1	a	1	a	-	-	50
Ashford	4,281	1	46	10.7	7	27	6.3	-	-	-	-	-	-	-	-	-	-	10
Avon	18,386	1	118	6.4	116	144	7.8	-	-	-	-	1	a	1	a	-	-	71
Barkhamsted	3,745	-	18	4.8	9	22	5.9	-	-	-	-	-	-	-	-	-	-	22
Beacon Falls	6,052	1	48	7.9	9	30	5.0	-	1	a	-	-	-	-	-	-	-	13
Berlin	20,590	-	152	7.4	77	197	9.6	-	-	-	-	-	-	-	-	-	-	68
Bethany	5,540	-	43	7.8	11	36	6.5	-	-	-	-	-	-	-	-	-	-	7
Bethel	19,264	1	142	7.4	83	120	6.2	-	-	-	-	2	a	2	a	-	-	69
Bethlehem	3,553	-	27	7.6	12	30	8.4	-	-	-	-	-	-	-	-	-	-	20
Bloomfield	20,673	-	145	7.0	160	264	12.8	-	-	-	-	3	a	1	a	2	a	90
Bolton	4,948	-	39	7.9	15	36	7.3	-	-	-	-	-	-	-	-	-	-	78
Bozrah	2,639	-	23	8.7	4	18	6.8	-	-	-	-	-	-	-	-	-	-	7
Branford	27,988	4	249	8.9	1,211	322	11.5	-	3	a	-	-	-	-	-	-	-	260
Bridgeport	147,216	3,284	2,069	14.1	1,642	948	6.4	24	21	10.1	13	11	5.3	5	2.4	6	2.9	889
Bridgewater	1,696	-	3	a	4	10	5.9	-	-	-	-	-	-	-	-	-	-	10
Bristol	60,568	556	626	10.3	577	604	10.0	5	7	11.2	-	-	-	-	-	-	-	227
Brookfield	16,860	1	110	6.5	44	115	6.8	-	-	-	-	-	-	-	-	-	-	171
Brooklyn	8,280	-	64	7.7	42	71	8.6	-	1	a	-	1	a	1	a	-	-	48
Burlington	9,494	-	62	6.5	14	44	4.6	-	-	-	-	-	-	-	-	-	-	15
Canaan	1,214	-	4	a	2	17	14.0	-	-	-	-	-	-	-	-	-	-	6
Canterbury	5,096	1	44	8.6	18	37	7.3	-	-	-	-	-	-	-	-	-	-	49
Canton	10,357	1	75	7.2	51	82	7.9	-	-	-	-	-	-	-	-	-	-	27
Chaplin	2,276	-	18	7.9	4	16	7.0	-	-	-	-	-	-	-	-	-	-	4
Cheshire	29,150	1	183	6.3	108	213	7.3	-	2	a	-	1	a	1	a	-	-	50
Chester	4,343	1	27	6.2	42	50	11.5	-	-	-	-	-	-	-	-	-	-	22
Clinton	13,180	1	95	7.2	35	91	6.9	-	1	a	-	1	a	-	-	1	a	47
Colchester	16,210	-	111	6.8	109	125	7.7	-	-	-	-	-	-	-	-	-	-	58
Colebrook	1,457	-	8	5.5	3	10	6.9	-	-	-	-	-	-	-	-	-	-	9
Columbia	5,460	-	32	5.9	26	46	8.4	-	-	-	-	-	-	-	-	-	-	14
Cornwall	1,412	-	4	a	3	12	8.5	-	-	-	-	-	-	-	-	-	-	16
Coventry	12,411	1	95	7.7	29	74	6.0	-	-	-	-	-	-	-	-	-	-	34
Cromwell	14,178	2	140	9.9	103	138	9.7	-	-	-	-	-	-	-	-	-	-	46
Danbury	83,684	2,141	1,099	13.1	975	554	6.6	18	11	10	11	7	6.4	4	a	3	a	569
Darien	21,330	1	193	9.0	45	90	4.2	-	1	a	-	-	-	-	-	-	-	163
Deep River	4,589	-	27	5.9	11	30	6.5	-	-	-	-	-	-	-	-	-	-	39
Derby	12,801	636	153	12.0	357	139	10.9	1	-	-	1	-	-	-	-	-	-	44
Durham	7,361	-	59	8.0	17	48	6.5	-	-	-	-	-	-	-	-	-	-	22
Eastford	1,736	-	24	13.8	5	14	8.1	-	-	-	-	-	-	-	-	-	-	10
East Granby	5,212	-	54	10.4	13	41	7.9	-	-	-	-	-	-	-	-	-	-	8
East Haddam	9,147	1	72	7.9	45	70	7.7	-	1	a	-	-	-	-	-	-	-	59
East Hampton	12,912	4	118	9.1	43	116	9.0	-	-	-	-	1	a	1	a	-	-	32
East Hartford	51,199	5	663	12.9	210	451	8.8	1	11	16.6	-	1	a	-	-	1	a	225
East Haven	29,121	3	262	9.0	112	304	10.4	-	2	a	-	-	-	-	-	-	-	107
East Lyme	18,937	4	136	7.2	119	161	8.5	-	1	a	-	1	a	-	-	1	a	100

Connecticut Department of Public Health

GEOGRAPHIC AREA	2013 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS					MARRIAGES Occurrence ^g		
		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence						
			Number	Rate ^c		Number	Rate ^c		Number	Rate ^g		Number	Rate ^g	Post-neonatal	Number		Rate ^g	
Easton	7,616	-	42	5.5	20	57	7.5	-	-	-	-	-	-	-	-	-	13	
East Windsor	11,406	1	124	10.9	64	110	9.6	-	-	-	-	-	-	-	-	-	84	
Ellington	15,786	1	151	9.6	34	98	6.2	-	2	a	-	1	a	1	a	-	27	
Enfield	44,748	-	375	8.4	191	397	8.9	-	1	a	-	1	a	1	a	-	163	
Essex	6,633	-	29	4.4	77	75	11.3	-	-	-	-	-	-	-	-	-	53	
Fairfield	60,855	4	504	8.3	382	500	8.2	-	1	a	-	1	a	1	a	-	200	
Farmington	25,613	599	165	6.4	363	233	9.1	13	-	-	10	1	a	1	a	-	150	
Franklin	1,987	-	13	6.5	12	23	11.6	-	-	-	-	-	-	-	-	-	7	
Glastonbury	34,768	2	249	7.2	172	247	7.1	-	2	a	-	-	-	-	-	-	142	
Goshen	2,945	-	17	5.8	4	21	7.1	-	-	-	-	-	-	-	-	-	8	
Granby	11,323	2	59	5.2	38	76	6.7	-	-	-	-	1	a	1	a	-	28	
Greenwich	62,396	2,164	612	9.8	599	411	6.6	8	3	a	1	1	a	1	a	-	333	
Griswold	11,959	1	117	9.8	28	79	6.6	-	-	-	-	-	-	-	-	-	49	
Groton	40,176	7	576	14.3	161	277	6.9	-	3	a	-	4	a	2	a	2	a	381
Guilford	22,417	3	122	5.4	99	176	7.9	-	1	a	-	-	-	-	-	-	99	
Haddam	8,363	1	63	7.5	18	50	6.0	-	-	-	-	-	-	-	-	-	112	
Hamden	61,607	3	582	9.4	325	560	9.1	-	2	a	1	3	a	1	a	2	a	245
Hampton	1,868	-	8	4.3	2	8	4.3	-	-	-	-	-	-	-	-	-	5	
Hartford	125,017	6,542	1,903	15.2	2,786	777	6.2	33	11	5.8	31	11	5.8	9	4.7	2	a	1,104
Hartland	2,131	-	13	6.1	6	12	5.6	-	1	a	-	-	-	-	-	-	4	
Harwinton	5,593	2	40	7.2	22	49	8.8	-	-	-	-	-	-	-	-	-	44	
Hebron	9,588	-	67	7.0	14	48	5.0	-	-	-	-	1	a	1	a	-	27	
Kent	2,939	-	15	5.1	38	31	10.5	-	-	-	-	-	-	-	-	-	52	
Killingly	17,233	-	204	11.8	119	153	8.9	-	1	a	-	-	-	-	-	-	69	
Killingworth	6,490	1	28	4.3	7	42	6.5	-	-	-	-	-	-	-	-	-	15	
Lebanon	7,319	3	49	6.7	16	54	7.4	-	-	-	-	-	-	-	-	-	36	
Ledyard	15,094	1	154	10.2	36	95	6.3	-	1	a	-	-	-	-	-	-	54	
Lisbon	4,348	1	22	5.1	11	40	9.2	-	-	-	-	-	-	-	-	-	8	
Litchfield	8,333	-	52	6.2	62	107	12.8	-	-	-	-	-	-	-	-	-	81	
Lyme	2,401	-	11	4.6	11	32	13.3	-	-	-	-	-	-	-	-	-	35	
Madison	18,297	1	83	4.5	71	155	8.5	-	-	-	-	-	-	-	-	-	117	
Manchester	58,211	1,217	763	13.1	563	492	8.5	6	4	a	1	2	a	1	a	1	a	308
Mansfield	25,774	2	87	3.4	75	99	3.8	-	-	-	-	-	-	-	-	-	48	
Marlborough	6,431	-	41	6.4	78	51	7.9	-	1	a	-	-	-	-	-	-	13	
Meriden	60,456	924	763	12.6	586	491	8.1	2	3	a	1	3	a	3	a	-	242	
Middlebury	7,571	-	53	7.0	36	58	7.7	-	-	-	-	-	-	-	-	-	15	
Middlefield	4,425	-	34	7.7	15	44	9.9	-	1	a	-	-	-	-	-	-	22	
Middletown	47,333	1,041	539	11.4	824	442	9.3	4	1	a	3	4	a	3	a	1	a	409
Milford	53,137	110	423	8.0	360	481	9.1	1	1	a	2	1	a	1	a	-	269	
Monroe	19,834	-	153	7.7	53	149	7.5	-	1	a	-	-	-	-	-	-	171	
Montville	19,713	2	146	7.4	83	162	8.2	-	-	-	-	-	-	-	-	-	94	
Morris	2,345	-	14	6.0	6	17	7.2	-	-	-	-	-	-	-	-	-	24	
Naugatuck	31,707	1	364	11.5	120	262	8.3	-	1	a	-	6	16.5	5	13.7	1	a	102
New Britain	72,939	1,606	1,032	14.1	882	672	9.2	4	5	4.8	4	3	a	1	a	2	a	416
New Canaan	20,194	-	145	7.2	72	105	5.2	-	1	a	-	1	a	-	-	1	a	74
New Fairfield	14,145	1	85	6.0	28	80	5.7	-	-	-	-	-	-	-	-	-	19	
New Hartford	6,886	-	44	6.4	9	32	4.6	-	-	-	-	-	-	-	-	-	29	
New Haven	130,660	5728	1877	14.4	1942	845	6.5	39	11	5.9	55	14	7.5	9	4.8	5	2.7	1,342
Newington	30,756	1	243	7.9	163	295	9.6	-	1	a	-	-	-	-	-	-	81	
New London	27,545	1,560	382	13.9	660	220	8.0	6	2	a	6	4	a	3	a	1	a	278
New Milford	27,767	22	255	9.2	241	208	7.5	-	-	-	-	3	a	3	a	-	100	
Newtown	28,113	-	166	5.9	130	178	6.3	-	3	a	-	-	-	-	-	-	102	
Norfolk	1,678	-	12	7.2	3	13	7.7	-	-	-	-	-	-	-	-	-	14	
North Branford	14,353	-	85	5.9	58	138	9.6	-	-	-	-	-	-	-	-	-	67	
North Canaan	3,241	-	19	5.9	75	59	18.2	-	-	-	-	-	-	-	-	-	10	
North Haven	23,939	1	175	7.3	99	260	10.9	-	-	-	-	2	a	1	a	1	a	101
North Stonington	5,291	-	40	7.6	17	50	9.5	-	-	-	1	1	a	-	-	1	a	60
Norwalk	87,776	1,378	1,150	13.1	642	544	6.2	5	5	4.3	1	3	a	2	a	1	a	433
Norwich	40,347	844	491	12.2	469	370	9.2	5	3	a	6	5	10.2	3	a	2	a	292
Old Lyme	7,592	-	29	3.8	24	63	8.3	-	-	-	-	-	-	-	-	-	68	
Old Saybrook	10,246	1	47	4.6	104	154	15.0	-	1	a	-	-	-	-	-	-	124	
Orange	13,953	-	102	7.3	70	147	10.5	-	-	-	-	-	-	-	-	-	56	
Oxford	12,874	-	89	6.9	19	71	5.5	-	-	-	-	1	a	1	a	-	43	
Plainfield	15,228	-	159	10.4	97	139	9.1	-	-	-	-	2	a	2	a	-	54	
Plainville	17,820	1	166	9.3	92	163	9.1	-	-	-	-	2	a	1	a	1	a	45
Plymouth	12,047	-	90	7.5	43	111	9.2	-	-	-	-	-	-	-	-	-	34	
Pomfret	4,198	-	24	5.7	9	23	5.5	-	-	-	-	-	-	-	-	-	39	
Portland	9,456	2	64	6.8	54	94	9.9	-	-	-	-	-	-	-	-	-	123	
Preston	4,755	1	34	7.2	7	29	6.1	-	-	-	-	-	-	-	-	-	24	
Prospect	9,671	-	69	7.1	46	62	6.4	-	-	-	-	1	a	1	a	-	70	
Putnam	9,465	598	119	12.6	183	92	9.7	2	1	a	2	2	a	-	-	2	a	56
Redding	9,312	-	40	4.3	54	88	9.5	-	1	a	-	-	-	-	-	-	31	
Ridgefield	25,164	4	176	7.0	89	164	6.5	-	1	a	-	-	-	-	-	-	106	
Rocky Hill	19,915	-	180	9.0	131	192	9.6	-	1	a	-	-	-	-	-	-	32	
Roxbury	2,229	-	10	4.5	7	13	5.8	-	-	-	-	-	-	-	-	-	11	
Salem	4,201	1	25	6.0	7	21	5.0	-	-	-	-	-	-	-	-	-	10	
Salisbury	3,693	-	18	4.9	42	44	11.9	-	-	-	-	-	-	-	-	-	53	
Scotland	1,699	-	17	10.0	7	14	8.2	-	-	-	-	-	-	-	-	-	7	
Seymour	16,571	-	170	10.3	78	167	10.1	-	-	-	-	-	-	-	-	-	123	
Sharon	2,743	246	13	4.7	122	28	10.2	2	-	-	-	-	-	-	-	-	23	
Shelton	40,999	1	344	8.4	228	389	9.5	-	1	a	-	2	a	1	a	1	a	102
Sherman	3,670	-	14	3.8	6	20	5.4	-	-	-	-	-	-	-	-	-	16	
Simsbury	23,824	2	167	7.0	123	158	6.6	-	-	-	-	2	a	2	a	-	244	
Somers	11,320	-	49	4.3	22	57	5.0	-	-	-	-	-	-	-	-	-	44	
Southbury	19,859	-	101	5.1	226	326	16.4	-	-	-	-	-	-	-	-	-	68	
Southington	43,661	2	332	7.6	310	400	9.2	-	2	a	-	-	-	-	-	-	185	
South Windsor	25,846	-	204	7.9	90	210	8.1	-	1	a	-	1	a	-	-	1	a	194

Connecticut Department of Public Health

GEOGRAPHIC AREA	2013 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS						MARRIAGES Occurrence ^g	
		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence						
			Number	Rate ^c		Number	Rate ^c		Number	Rate ^g		Total Number	Total Rate ^g	Neonatal Number	Neonatal Rate ^g	Post-neonatal Number		Post-neonatal Rate ^g
Sprague	2,979	1	35	11.7	4	13	4.4	-	-	-	-	-	-	-	-	-	-	15
Stafford	11,928	208	84	7.0	172	99	8.3	1	1	a	-	-	-	-	-	-	-	49
Stamford	126,456	2,277	1,849	14.6	771	748	5.9	15	11	5.9	2	6	3.2	6	3.2	-	-	759
Sterling	3,780	-	35	9.3	8	15	4.0	-	-	-	-	1	a	1	a	-	-	10
Stonington	18,541	2	110	5.9	169	267	14.4	-	-	-	-	-	-	-	-	-	-	315
Stratford	52,112	6	526	10.1	246	573	11.0	-	5	9.5	-	4	a	3	a	1	a	235
Suffield	15,788	1	115	7.3	101	153	9.7	-	1	a	-	-	-	-	-	-	-	22
Thomaston	7,761	1	56	7.2	15	68	8.8	-	2	a	-	-	-	-	-	-	-	13
Thompson	9,354	1	80	8.6	31	88	9.4	-	-	-	-	-	-	-	-	-	-	93
Tolland	14,915	-	94	6.3	79	95	6.4	-	-	-	-	2	a	-	-	2	a	47
Torrington	35,611	460	364	10.2	613	448	12.6	-	-	-	1	2	a	2	a	-	-	135
Trumbull	36,571	-	287	7.8	204	342	9.4	-	-	-	-	1	a	1	a	-	-	124
Union	848	-	6	7.1	2	8	9.4	-	-	-	-	-	-	-	-	-	-	5
Vernon	29,161	4	329	11.3	275	300	10.3	-	2	a	1	-	-	-	-	-	-	115
Voluntown	2,611	1	17	6.5	8	16	6.1	-	-	-	-	1	a	1	a	-	-	22
Wallingford	45,141	2	388	8.6	545	504	11.2	-	-	-	-	-	-	-	-	-	-	216
Warren	1,447	-	5	3.5	4	16	11.1	-	-	-	-	-	-	-	-	-	-	14
Washington	3,526	-	19	5.4	16	42	11.9	-	-	-	-	-	-	-	-	-	-	42
Waterbury	109,676	2,188	1,596	14.6	1,477	939	8.6	14	15	9.4	7	13	8.1	10	6.3	3	a	530
Waterford	19,505	2	138	7.1	164	237	12.2	-	1	a	-	1	a	-	-	1	a	182
Watertown	22,228	1	167	7.5	93	220	9.9	-	-	-	-	1	a	1	a	-	-	65
Westbrook	6,906	-	33	4.8	13	61	8.8	-	-	-	-	-	-	-	-	-	-	200
West Hartford	63,371	6	633	10.0	409	564	8.9	-	3	a	-	1	a	1	a	-	-	278
West Haven	55,046	2	636	11.6	277	475	8.6	-	3	a	-	3	a	2	a	1	a	223
Weston	10,372	-	55	5.3	19	37	3.6	-	-	-	-	-	-	-	-	-	-	25
Westport	27,308	2	172	6.3	79	157	5.7	-	1	a	-	-	-	-	-	-	-	159
Wethersfield	26,510	1	250	9.4	80	263	9.9	-	-	-	-	1	a	-	-	1	a	128
Willington	5,965	-	37	6.2	11	21	3.5	-	-	-	-	-	-	-	-	-	-	10
Wilton	18,657	1	116	6.2	99	146	7.8	-	-	-	-	-	-	-	-	-	-	37
Winchester	11,013	1	92	8.4	38	127	11.5	-	-	-	-	-	-	-	-	-	-	65
Windham	25,213	389	283	11.2	310	233	9.2	1	2	a	1	2	a	1	a	1	a	110
Windsor	29,142	2	275	9.4	181	275	9.4	-	4	a	-	4	a	4	a	-	-	112
Windsor Locks	12,573	-	132	10.5	47	115	9.1	-	1	a	-	-	-	-	-	-	-	65
Wolcott	16,725	1	109	6.5	67	142	8.5	-	-	-	-	-	-	-	-	-	-	111
Woodbridge	8,955	-	55	6.1	62	94	10.5	-	1	a	-	-	-	-	-	-	-	26
Woodbury	9,822	-	58	5.9	38	86	8.8	-	-	-	-	-	-	-	-	-	-	34
Woodstock	7,897	1	69	8.7	24	70	8.9	-	-	-	-	-	-	-	-	-	-	79
Out-Of-State ^g		916	1,677	-	886	984	-	-	10	6.0	9	2	a	1	a	1	a	3
Unknown State		-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town		-	-	-	-	125	-	-	-	-	-	5	-	5	-	-	-	-

NOTES:

- ^a Rates are not calculated for less than five events because of the high degree of variability associated with small numbers.
- ^b A dash (-) represents the quantity zero.
- ^c Live birth and death rates are per 1,000 population. CT town of residence was unknown for 0 births and 125 deaths.
- ^d Fetal and infant death rates are per 1,000 live births. CT town of residence was unknown for 5 infant deaths.
- ^e Marriage statistics are based on the number of events occurring in a county or town and may or may not reflect the county or town of residence of either party.
- ^f Beginning with the 2010 Registration Reports, Health District statistics are tabulated using the districting that was in effect for the year during which these events occurred. Previous Registration Reports used the districting that was current at the time that the Registration Report was published.
- ^g Out-of-state occurrence refers to events to Connecticut residents that occurred in other states. Out-of-state residence refers to events that occurred in Connecticut to residents of other states.

Connecticut Department of Public Health

GEOGRAPHIC AREA	RESIDENT BIRTHS					RESIDENT DEATHS					RESIDENT FETAL DEATHS					RESIDENT INFANT DEATHS				
	Mother's Race/Ethnicity					Decedent's Race/Ethnicity					Mother's Race/Ethnicity					Infant's Race/Ethnicity				
	Race				Hispanic	Race				Hispanic	Race				Hispanic	Race				Hispanic
	Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other	
Enfield	375	325	25	24	35	397	388	6	3	7	1	1	-	-	-	1	1	-	-	-
Essex	29	26	2	1	3	75	74	1	-	2	-	-	-	-	-	-	-	-	-	-
Fairfield	504	450	11	42	27	500	489	8	3	6	1	1	-	-	-	1	1	-	-	-
Farmington	165	132	4	29	7	233	224	2	6	4	-	-	-	-	-	1	-	-	-	-
Franklin	13	13	-	-	-	23	22	1	-	-	-	-	-	-	-	-	-	-	-	-
Glastonbury	249	211	7	31	19	247	239	5	2	3	2	2	-	-	-	-	-	-	-	-
Goshen	17	15	1	1	1	21	20	1	-	-	-	-	-	-	-	-	-	-	-	-
Granby	59	58	-	1	3	76	74	1	1	1	-	-	-	-	-	1	1	-	-	-
Greenwich	612	518	15	75	85	411	394	12	5	16	3	3	-	-	-	1	1	-	-	-
Griswold	117	102	6	9	5	79	78	-	-	-	-	-	-	-	-	-	-	-	-	-
Groton	576	458	40	76	61	277	257	8	9	11	3	2	-	1	-	4	4	-	-	2
Guilford	122	115	1	5	6	176	172	3	1	-	1	1	-	-	-	-	-	-	-	-
Haddam	63	60	-	3	2	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-
Hamden	582	369	145	66	85	560	487	70	3	9	2	1	1	-	-	3	1	2	-	-
Hampton	8	8	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Hartford	1,903	1,044	719	130	948	777	441	316	9	197	11	5	6	-	6	11	7	3	1	5
Hartland	13	12	-	1	1	12	12	-	-	-	1	1	-	-	-	-	-	-	-	-
Harwinton	40	38	1	1	2	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-
Hebron	67	66	-	1	2	48	46	1	1	-	-	-	-	-	-	1	1	-	-	-
Kent	15	11	2	1	2	31	29	-	1	-	-	-	-	-	-	-	-	-	-	-
Killingly	204	195	6	2	3	153	150	1	-	-	1	1	-	-	-	-	-	-	-	-
Killingworth	28	27	-	1	1	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-
Lebanon	49	47	-	2	8	54	52	1	-	1	-	-	-	-	-	-	-	-	-	-
Ledyard	154	130	2	22	15	95	87	3	4	1	1	1	-	-	-	-	-	-	-	-
Lisbon	22	22	-	-	-	40	38	-	-	-	-	-	-	-	-	-	-	-	-	-
Litchfield	52	50	-	2	1	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme	11	11	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	83	75	1	6	3	155	154	-	1	-	-	-	-	-	-	15	-	-	-	-
Manchester	763	477	121	162	114	492	451	30	9	19	4	2	-	2	-	2	2	-	-	1
Mansfield	87	63	3	20	4	99	98	-	-	1	-	-	-	-	-	-	-	-	-	-
Marlborough	41	40	-	1	2	51	50	-	1	-	1	1	-	-	-	-	-	-	-	-
Meriden	763	633	82	44	309	491	465	22	2	62	3	3	-	-	2	3	2	1	-	2
Middlebury	53	50	-	3	-	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlefield	34	31	2	1	-	44	44	-	-	-	1	-	1	-	-	-	-	-	-	-
Middletown	539	391	76	71	78	442	405	32	1	12	1	-	1	-	-	4	4	-	-	-
Milford	423	343	11	69	18	481	468	9	4	8	1	1	-	-	-	1	1	-	-	1
Monroe	153	147	-	6	10	149	146	1	2	3	1	1	-	-	-	-	-	-	-	-
Montville	146	114	7	25	6	162	152	4	5	3	-	-	-	-	-	-	-	-	-	-
Morris	14	14	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-
Naugatuck	364	312	30	22	52	262	254	8	-	8	1	1	-	-	1	6	6	-	-	-
New Britain	1,032	816	132	66	559	672	620	46	5	94	5	5	-	-	4	3	2	-	1	1
New Canaan	145	137	-	8	4	105	102	3	-	1	1	1	-	-	-	1	1	-	-	1
New Fairfield	85	81	2	2	5	80	78	1	1	-	-	-	-	-	-	-	-	-	-	-
New Hartford	44	44	-	-	-	32	31	1	-	1	-	-	-	-	-	-	-	-	-	-
New Haven	1,877	1,064	630	180	709	845	515	312	11	87	11	4	5	2	3	14	4	9	-	5
Newington	243	205	10	26	31	295	288	5	2	6	1	1	-	-	1	-	-	-	-	-
New London	382	273	85	24	156	220	169	44	7	22	2	1	1	-	1	4	2	2	-	-
New Milford	255	231	13	11	27	208	203	3	1	4	-	-	-	-	-	3	3	-	-	1
Newtown	166	157	2	7	9	178	174	-	3	1	3	3	-	-	-	-	-	-	-	-
Norfolk	12	12	-	-	1	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-
North Branford	85	80	2	3	3	138	137	1	-	-	-	-	-	-	-	-	-	-	-	-
North Canaan	19	19	-	-	1	59	58	-	-	2	-	-	-	-	-	-	-	-	-	-
North Haven	175	153	8	14	11	260	248	9	3	1	-	-	-	-	-	2	1	1	-	-
North Stonington	40	38	-	2	2	50	35	-	1	-	-	-	-	-	-	1	1	-	-	-
Norwalk	1,150	896	155	98	382	544	457	76	7	47	5	4	-	1	1	3	2	1	-	2
Norwich	491	346	83	60	93	370	329	29	9	13	3	3	-	-	1	5	2	2	-	2
Old Lyme	29	24	1	4	2	63	62	-	1	1	-	-	-	-	-	-	-	-	-	-
Old Saybrook	47	45	-	2	7	154	149	2	1	-	1	-	1	-	-	-	-	-	-	-
Orange	102	88	-	14	5	147	144	2	1	-	-	-	-	-	-	-	-	-	-	-
Oxford	89	80	3	6	5	71	70	1	-	2	-	-	-	-	-	1	1	-	-	-
Plainfield	159	154	-	4	2	139	134	-	1	1	-	-	-	-	-	2	2	-	-	-
Plainville	166	157	1	8	21	163	159	1	3	5	-	-	-	-	-	2	2	-	-	-
Plymouth	90	86	1	3	7	111	110	1	-	1	-	-	-	-	-	-	-	-	-	-
Pomfret	24	22	1	1	1	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland	64	63	-	1	5	94	94	-	-	1	-	-	-	-	-	-	-	-	-	-
Preston	34	32	1	1	2	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-
Prospect	69	65	1	2	2	62	62	-	-	2	-	-	-	-	-	1	1	-	-	-
Putnam	119	116	-	3	5	92	89	1	-	-	1	1	-	-	-	2	2	-	-	-
Redding	40	34	-	6	3	88	87	-	1	3	1	1	-	-	-	-	-	-	-	-
Ridgefield	176	162	1	11	5	164	163	-	-	-	1	1	-	-	-	-	-	-	-	-
Rocky Hill	180	94	12	74	9	192	187	3	2	6	1	1	-	-	-	-	-	-	-	-
Roxbury	10	10	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Salem	25	25	-	-	2	21	20	-	-	1	-	-	-	-	-	-	-	-	-	-
Salisbury	18	16	-	2	-	44	42	1	-	1	-	-	-	-	-	-	-	-	-	-
Scotland	17	17	-	-	1	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-
Seymour	170	146	12	12	17	167	165	2	-	2	-	-	-	-	-	-	-	-	-	-
Sharon	13	12	-	1	1	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-
Shelton	344	293	21	30	37	389	374	6	6	8	1	-	-	1	-	2	1	-	-	-
Sherman	14	13	-	1	-	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-
Simsbury	167	147	7	12	9	158	156	-	2	1	-	-	-	-	-	2	2	-	-	-
Somers	49	48	-	1	1	57	55	1	1	2	-	-	-	-	-	-	-	-	-	-
Southbury	101	95	1	5	4	326	322	2	2	2	-	-	-	-	-	-	-	-	-	-
Southington	332	310	6	15	12	400	395	2	-	6	2	2	-	-	-	-	-	-	-	-
South Windsor	204	169	9	25	13	210	194	9	6	2	1	1	-	-	-	1	1	-	-	-
Sprague	35	32	-	3	3	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Stafford	84	78	1	5	4	99	98	-	1	-	1	1	-	-	-	-	-	-	-	-
Stamford	1,849	1,322	206	321	601	748	637	98	8	53	11	6	5	-	4	6	3	3	-	3
Sterling	35	35	-	-	-	15	14	-	-	-	-	-	-	-	-	1	1	-	-	-
Stonington	110	102	1	6	5	267	209	1	4	1	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

GEOGRAPHIC AREA	RESIDENT BIRTHS					RESIDENT DEATHS					RESIDENT FETAL DEATHS					RESIDENT INFANT DEATHS				
	Mother's Race/Ethnicity				Hispanic Ethnicity	Decedent's Race/Ethnicity				Hispanic Ethnicity	Mother's Race/Ethnicity				Hispanic Ethnicity	Infant's Race/Ethnicity				Hispanic Ethnicity
	Race					Race					Race					Race				
	Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other	
Stratford	526	379	113	33	99	573	525	47	1	21	5	1	4	-	-	4	4	-	-	3
Suffield	115	110	-	4	1	153	149	2	1	1	1	-	-	1	-	-	-	-	-	-
Thomaston	56	55	-	1	1	68	67	-	-	-	2	2	-	-	-	-	-	-	-	-
Thompson	80	79	-	1	3	88	87	-	-	-	-	-	-	-	-	-	-	-	-	-
Tolland	94	86	1	7	4	95	94	-	1	-	-	-	-	-	-	2	2	-	-	-
Torrington	364	319	22	22	61	448	444	4	-	9	-	-	-	-	-	2	1	1	-	-
Trumbull	287	239	11	37	20	342	323	15	4	4	-	-	-	-	-	1	-	1	-	-
Union	6	6	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	329	245	33	50	22	300	286	7	5	2	2	1	-	1	-	-	-	-	-	-
Voluntown	17	17	-	-	1	16	16	-	-	-	-	-	-	-	-	1	1	-	-	-
Wallingford	388	346	11	31	65	504	496	3	5	11	-	-	-	-	-	-	-	-	-	-
Warren	5	5	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	19	19	-	-	1	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterbury	1,596	1,198	313	83	729	939	789	141	6	126	15	9	4	2	6	13	10	3	-	6
Waterford	138	119	5	14	7	237	228	2	5	2	1	1	-	-	-	1	1	-	-	-
Watertown	167	156	6	5	6	220	216	1	1	3	-	-	-	-	-	1	1	-	-	-
Westbrook	33	30	-	3	5	61	60	1	-	3	-	-	-	-	-	-	-	-	-	-
West Hartford	633	500	48	84	89	564	526	25	11	16	3	1	2	-	-	1	1	-	-	1
West Haven	636	441	140	55	188	475	412	54	5	20	3	2	1	-	2	3	2	1	-	2
Weston	55	49	2	4	2	37	35	1	1	-	-	-	-	-	-	-	-	-	-	-
Westport	172	157	3	12	9	157	150	5	2	1	1	1	-	-	-	-	-	-	-	-
Wethersfield	250	221	12	15	25	263	254	8	1	9	-	-	-	-	-	1	-	1	-	-
Willington	37	28	-	9	2	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilton	116	99	1	16	8	146	146	-	-	3	-	-	-	-	-	-	-	-	-	-
Winchester	92	86	3	3	5	127	125	2	-	-	-	-	-	-	-	-	-	-	-	-
Windham	283	263	8	12	131	233	224	9	-	25	2	2	-	-	2	2	2	-	-	2
Windsor	275	150	98	27	36	275	208	61	6	9	4	1	3	-	1	4	4	-	-	1
Windsor Locks	132	100	11	21	10	115	109	2	2	2	1	-	1	-	-	-	-	-	-	-
Wolcott	109	99	3	7	16	142	139	3	-	1	-	-	-	-	-	-	-	-	-	-
Woodbridge	55	43	1	11	2	94	89	5	-	1	1	1	-	-	-	-	-	-	-	-
Woodbury	58	54	1	3	2	86	85	-	1	-	-	-	-	-	-	-	-	-	-	-
Woodstock	69	67	1	1	1	70	68	-	1	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town	-	-	-	-	-	125	7	1	-	2	-	-	-	-	-	5	1	-	-	1

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. For CT residents, race is unknown for 93 births, 276 deaths, 7 infant deaths, and 1 fetal deaths; ethnicity of CT residents is unknown for 151 births, 233 deaths, 4 infant death, and 19 fetal deaths.

^c Beginning with the 2010 Registration Reports, Health District statistics are tabulated using the districting that was in effect for the year during which these events occurred. Previous Registration Reports used the districting that was current at the time that the Registration Report was published.

TABLE 3
CONNECTICUT RESIDENT BIRTHS, 2013
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality;
 Birth Order; Mother's Presumptive Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and
 Smoking and Alcohol Use during Pregnancy^{a,b,c}

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	Un-known			17-36 WKS	37+ WKS	Un-known	
MOTHER'S RACE & ETHNICITY														
MOTHER'S RACE/ETHNICITY ^g	36,086	52	206	254	2,307	20,088	13,155	24	1.4	7.8	3,807	32,247	32	10.6
White non-Hispanic	20,263	15	87	121	1,096	10,482	8,458	4	1.1	6.5	1,914	18,338	11	9.5
Black non-Hispanic	4,478	14	49	46	445	2,718	1,202	4	2.4	12.4	646	3,829	3	14.4
Other non-Hispanic	2,924	3	12	19	229	1,880	780	1	1.2	9.0	278	2,644	2	9.5
Hispanic	8,228	20	57	66	520	4,903	2,659	3	1.7	8.1	947	7,279	2	11.5
Unknown Race/Ethn	193	-	1	2	17	105	56	12	b	11.0	22	157	14	12.3
MOTHER'S RACE	36,086	52	206	254	2,307	20,088	13,155	24	1.4	7.8	3,807	32,247	32	10.6
White	27,784	33	138	177	1,580	14,946	10,902	8	1.3	6.9	2,792	24,978	14	10.1
Black	4,910	15	52	52	471	2,984	1,332	4	2.4	12.0	684	4,223	3	13.9
Other	3,299	4	15	22	251	2,108	898	1	1.2	8.9	321	2,976	2	9.7
Unknown	93	-	1	3	5	50	23	11	b	b	10	70	13	12.5
MOTHER'S ETHNICITY	36,086	52	206	254	2,307	20,088	13,155	24	1.4	7.8	3,807	32,247	32	10.6
Non-Hispanic	27,707	32	148	186	1,772	15,106	10,453	10	1.3	7.7	2,840	24,849	18	10.3
Hispanic	8,228	20	57	66	520	4,903	2,659	3	1.7	8.1	947	7,279	2	11.5
Unknown	151	-	1	2	15	79	43	11	b	12.9	20	119	12	14.4
INFANT'S SEX														
MALE	18,461	24	106	132	1,086	9,500	7,601	12	1.4	7.3	2,062	16,383	16	11.2
White Non-Hispanic	10,455	8	39	69	529	4,939	4,870	10	1.1	6.2	1,060	9,390	5	10.1
Black Non-Hispanic	2,218	8	27	22	193	1,284	681	3	2.6	11.3	328	1,888	2	14.8
Other Non-Hispanic	1,481	1	6	7	111	896	460	1	0.9	8.4	156	1,324	1	10.5
Hispanic	4,220	7	33	33	246	2,337	1,562	2	1.7	7.6	507	3,712	1	12.0
Unknown Race/Ethn	87	-	1	1	7	44	28	6	b	11.1	11	69	7	13.8
FEMALE	17,625	28	100	122	1,221	10,588	5,554	12	1.4	8.4	1,745	15,864	16	9.9
White Non-Hispanic	9,808	7	48	52	567	5,543	3,588	3	1.1	6.9	854	8,948	6	8.7
Black Non-Hispanic	2,260	6	22	24	252	1,434	521	1	2.3	13.5	318	1,941	1	14.1
Other Non-Hispanic	1,443	2	6	12	118	984	320	1	1.4	9.6	122	1,320	1	8.5
Hispanic	4,008	13	24	33	274	2,566	1,097	1	1.7	8.6	440	3,567	1	11.0
Unknown Race/Ethn	106	-	-	1	10	61	28	6	b	11.0	11	88	7	11.1
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACE OF DELIVERY														
IN-HOSPITAL	34,962	52	191	230	2,225	19,544	12,712	8	1.4	7.7	3,650	31,299	13	10.4
White Non-Hispanic	19,474	15	80	107	1,045	10,109	8,116	2	1.0	6.4	1,813	17,655	6	9.3
Black Non-Hispanic	4,418	14	45	44	440	2,686	1,186	3	2.3	12.3	635	3,781	2	14.4
Other Non-Hispanic	2,855	3	12	16	225	1,837	761	1	1.1	9.0	269	2,584	2	9.4
Hispanic	8,135	20	53	63	511	4,860	2,626	2	1.7	8.0	927	7,206	2	11.4
Unknown Race/Ethn	80	-	1	-	4	52	23	-	a	6.3	6	73	1	7.6
HOME BIRTH	199	-	4	2	9	86	98	-	3.0	7.5	12	184	3	6.1
White Non-Hispanic	156	-	1	1	5	64	85	-	a	4.5	6	148	2	3.9
Black Non-Hispanic	22	-	1	1	3	13	4	-	a	22.7	3	18	1	a
Other Non-Hispanic	5	-	-	-	-	3	2	-	a	a	-	5	-	a
Hispanic	13	-	2	-	1	4	6	-	a	a	3	10	-	a
Unknown Race/Ethn	3	-	-	-	-	2	1	-	a	a	-	3	-	a
Other AND Unknown	925	-	11	22	73	458	345	16	3.6	11.7	145	764	16	16.0
White Non-Hispanic	633	-	6	13	46	309	257	2	3.0	10.3	95	535	3	15.1
Black Non-Hispanic	38	-	3	1	2	19	12	1	a	16.2	8	30	-	21.1
Other Non-Hispanic	64	-	-	3	4	40	17	-	a	10.9	9	55	-	14.1
Hispanic	80	-	2	3	8	39	27	1	6.3	16.5	17	63	-	21.3
Unknown Race/Ethn	110	-	-	2	13	51	32	12	b	15.3	16	81	13	16.5
PLURALITY														
SINGLETONS	34,598	38	144	164	1,662	19,434	13,137	19	1.0	5.8	2,912	31,658	28	8.4
White Non-Hispanic	19,353	9	57	64	728	10,045	8,446	4	0.7	4.4	1,367	17,975	11	7.1
Black Non-Hispanic	4,274	10	40	36	346	2,636	1,202	4	2.0	10.1	521	3,750	3	12.2
Other Non-Hispanic	2,829	3	10	14	178	1,846	778	-	1.0	7.2	225	2,602	2	8.0
Hispanic	7,967	16	37	48	402	4,806	2,655	3	1.3	6.3	785	7,180	2	9.9
Unknown Race/Ethn	175	-	-	2	8	101	56	8	b	6.0	14	151	10	8.5
MULTIPLE BIRTHS	1,486	14	62	90	645	654	18	3	11.2	54.7	895	589	2	60.3
White Non-Hispanic	910	6	30	57	368	437	12	-	10.2	50.7	547	363	-	60.1
Black Non-Hispanic	204	4	9	10	99	82	-	-	11.3	59.8	125	79	-	61.3
Other Non-Hispanic	95	-	2	5	51	34	2	1	7.4	61.7	53	42	-	55.8
Hispanic	261	4	20	18	118	97	4	-	16.1	61.3	162	99	-	62.1
Unknown Race/Ethn	16	-	1	-	9	4	-	2	b	71.4	8	6	2	57.1
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	Un-known			17-36 WKS	37+ WKS	Un-known	
LIVE BIRTH ORDER^h														
FIRST BORN	15,283	20	102	105	1,034	8,947	5,068	7	1.5	8.3	1,483	13,793	7	9.7
White Non-Hispanic	8,967	5	46	54	511	4,937	3,411	3	1.2	6.9	776	8,187	4	8.7
Black Non-Hispanic	1,802	5	25	19	200	1,121	430	2	2.7	13.8	244	1,557	1	13.5
Other Non-Hispanic	1,392	2	9	9	114	917	340	1	1.4	9.6	126	1,266	-	9.1
Hispanic	3,041	8	22	23	204	1,921	863	-	1.7	8.5	331	2,710	-	10.9
Unknown Race/Ethn	81	-	-	-	5	51	24	1	b	6.3	6	73	2	7.6
SECOND BORN	12,412	21	62	76	677	6,715	4,857	4	1.3	6.7	1,229	11,177	6	9.9
White Non-Hispanic	7,249	7	26	40	331	3,630	3,215	-	1.0	5.6	663	6,583	3	9.1
Black Non-Hispanic	1,356	4	16	8	111	813	403	1	2.1	10.3	177	1,179	-	13.1
Other Non-Hispanic	1,097	1	2	8	83	688	315	-	1.0	8.6	105	991	1	9.6
Hispanic	2,652	9	17	19	148	1,551	906	2	1.7	7.3	277	2,374	1	10.4
Unknown Race/Ethn	58	-	1	1	4	33	18	1	a	10.5	7	50	1	12.3
THIRD OR MORE	8,370	11	41	73	594	4,425	3,224	2	1.5	8.6	1,093	7,270	7	13.1
White Non-Hispanic	4,038	3	15	27	252	1,914	1,827	-	1.1	7.4	474	3,561	3	11.7
Black Non-Hispanic	1,320	5	8	19	134	784	369	1	2.4	12.6	225	1,093	2	17.1
Other Non-Hispanic	435	-	1	2	32	275	125	-	a	8.0	47	387	1	10.8
Hispanic	2,534	3	17	24	168	1,431	890	1	1.7	8.4	338	2,195	1	13.3
Unknown Race/Ethn	43	-	-	1	8	21	13	-	a	20.9	9	34	-	20.9
UNKNOWN	21	-	1	-	2	1	6	11	b	b	2	7	12	b
White Non-Hispanic	9	-	-	-	2	1	5	1	b	a	1	7	1	a
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	1	-	-	-	-	-	a	a	1	-	-	a
Unknown Race/Ethn	11	-	-	-	-	-	1	10	b	b	-	-	11	b
MOTHER'S MARITAL STATUS														
MARRIED	22,325	25	93	139	1,271	11,881	8,901	15	1.2	6.8	2,164	20,145	16	9.7
White Non-Hispanic	15,378	10	56	90	762	7,746	6,711	3	1.0	6.0	1,391	13,980	7	9.0
Black Non-Hispanic	1,471	8	15	11	136	834	465	2	2.3	11.6	212	1,259	-	14.4
Other Non-Hispanic	2,468	1	7	15	193	1,609	642	1	0.9	8.8	224	2,242	2	9.1
Hispanic	2,864	6	15	21	167	1,618	1,035	2	1.5	7.3	320	2,544	-	11.2
Unknown Race/Ethn	144	-	-	2	13	74	48	7	b	10.9	17	120	7	12.4
UNMARRIED	13,747	27	112	115	1,034	8,198	4,252	9	1.8	9.4	1,640	12,091	16	11.9
White Non-Hispanic	4,884	5	31	31	334	2,736	1,746	1	1.4	8.2	523	4,357	4	10.7
Black Non-Hispanic	3,002	6	34	35	308	1,880	737	2	2.5	12.8	433	2,566	3	14.4
Other Non-Hispanic	456	2	5	4	36	271	138	-	2.4	10.3	54	402	-	11.8
Hispanic	5,362	14	42	45	353	3,283	1,624	1	1.9	8.5	627	4,733	2	11.7
Unknown Race/Ethn	43	-	-	-	3	28	7	5	b	b	3	33	7	a
UNKNOWN	14	-	1	-	2	9	2	-	a	a	3	11	-	a
White Non-Hispanic	1	-	-	-	-	-	1	-	a	a	-	1	-	a
Black Non-Hispanic	5	-	-	-	1	4	-	-	a	a	1	4	-	a
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	2	-	-	a	a	-	2	-	a
Unknown Race/Ethn	6	-	1	-	1	3	1	-	a	a	2	4	-	a
MOTHER'S EDUCATION														
HIGH SCHOOL (<=11)	3,884	10	40	31	280	2,362	1,159	2	2.1	9.3	503	3,377	4	13.0
White Non-Hispanic	762	1	7	6	59	432	256	1	1.8	9.6	91	671	-	11.9
Black Non-Hispanic	511	2	5	3	61	315	125	-	2.0	13.9	72	438	1	14.1
Other Non-Hispanic	164	1	2	1	14	98	48	-	a	11.0	19	144	1	11.7
Hispanic	2,433	6	26	21	145	1,507	727	1	2.2	8.1	320	2,111	2	13.2
Unknown Race/Ethn	14	-	-	-	1	10	3	-	a	a	1	13	-	a
HIGH SCHOOL (12)	8,313	14	51	52	574	4,847	2,773	2	1.4	8.3	921	7,387	5	11.1
White Non-Hispanic	3,591	4	17	19	218	1,983	1,350	-	1.1	7.2	369	3,219	3	10.3
Black Non-Hispanic	1,511	4	15	15	128	955	393	1	2.3	10.7	203	1,306	2	13.5
Other Non-Hispanic	405	-	2	4	44	259	96	-	1.5	12.3	54	351	-	13.3
Hispanic	2,790	6	17	14	183	1,641	928	1	1.3	7.9	294	2,496	-	10.5
Unknown Race/Ethn	16	-	-	-	1	9	6	-	a	a	1	15	-	a
COLLEGE (13-16 YRS)	14,966	21	86	119	907	8,189	5,637	7	1.5	7.6	1,532	13,425	9	10.2
White Non-Hispanic	9,327	7	45	60	460	4,778	3,975	2	1.2	6.1	850	8,471	6	9.1
Black Non-Hispanic	1,935	4	23	23	205	1,163	514	3	2.6	13.2	289	1,646	-	14.9
Other Non-Hispanic	1,248	2	5	9	86	806	340	-	1.3	8.2	122	1,125	1	9.8
Hispanic	2,380	8	13	26	150	1,395	787	1	2.0	8.3	264	2,116	-	11.1
Unknown Race/Ethn	76	-	-	1	6	47	21	1	a	9.3	7	67	2	9.5
POST-COLLEGE (17+YRS)	8,748	7	26	47	526	4,608	3,531	3	0.9	6.9	822	7,924	2	9.4
White Non-Hispanic	6,537	3	18	35	354	3,268	2,858	1	0.9	6.3	599	5,936	2	9.2
Black Non-Hispanic	482	4	4	3	44	270	157	-	2.3	11.4	70	412	-	14.5
Other Non-Hispanic	1,095	-	3	4	84	709	294	1	0.6	8.3	81	1,014	-	7.4
Hispanic	581	-	1	5	37	333	205	-	1.0	7.4	63	518	-	10.8
Unknown Race/Ethn	53	-	-	-	7	28	17	1	b	13.5	9	44	-	17.0
UNKNOWN	175	-	3	5	20	82	55	10	b	17.0	29	134	12	17.8
White Non-Hispanic	46	-	-	1	5	21	19	-	a	13.0	5	41	-	10.9
Black Non-Hispanic	39	-	2	2	7	15	13	-	a	28.2	12	27	-	30.8
Other Non-Hispanic	12	-	-	1	1	8	2	-	a	a	2	10	-	a
Hispanic	44	-	-	-	5	27	12	-	a	11.4	6	38	-	13.6
Unknown Race/Ethn	34	-	1	1	2	11	9	10	b	b	4	18	12	a

Connecticut Department of Public Health

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	Un-known			17-36 WKS	37+ WKS	Un-known	
MOTHER'S AGE														
LESS THAN 15 YRS	19	-	1	-	3	13	2	-	a	a	1	18	-	a
White Non-Hispanic	2	-	-	-	-	2	-	-	a	a	-	2	-	a
Black Non-Hispanic	7	-	1	-	3	3	-	-	a	a	1	6	-	a
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	10	-	-	-	-	8	2	-	a	a	-	10	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 YRS	58	-	-	1	2	35	20	-	a	a	7	51	-	12.1
White Non-Hispanic	10	-	-	-	-	5	5	-	a	a	-	10	-	a
Black Non-Hispanic	13	-	-	-	1	7	5	-	a	a	2	11	-	a
Other Non-Hispanic	2	-	-	-	-	1	1	-	a	a	-	2	-	a
Hispanic	33	-	-	1	1	22	9	-	a	a	5	28	-	15.2
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 YRS	145	-	1	-	17	91	36	-	a	12.4	20	124	1	13.9
White Non-Hispanic	26	-	-	-	3	14	9	-	a	a	4	22	-	a
Black Non-Hispanic	31	-	-	-	7	19	5	-	a	22.6	3	27	1	a
Other Non-Hispanic	3	-	-	-	-	2	1	-	a	a	-	3	-	a
Hispanic	84	-	1	-	7	55	21	-	a	9.5	13	71	-	15.5
Unknown Race/Ethn	1	-	-	-	-	1	-	-	a	a	-	1	-	a
17 YRS	241	1	5	3	18	155	59	-	3.7	11.2	32	208	1	13.3
White Non-Hispanic	49	-	-	2	4	29	14	-	a	12.2	7	42	-	14.3
Black Non-Hispanic	39	1	-	-	5	25	8	-	a	15.4	6	33	-	15.4
Other Non-Hispanic	7	-	2	-	-	4	1	-	a	a	2	5	-	a
Hispanic	146	-	3	1	9	97	36	-	a	8.9	17	128	1	11.7
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 YRS	411	-	4	-	28	259	120	-	a	7.8	37	374	-	9.0
White Non-Hispanic	96	-	-	-	4	55	37	-	a	a	3	93	-	a
Black Non-Hispanic	71	-	2	-	8	51	10	-	a	14.1	7	64	-	9.9
Other Non-Hispanic	13	-	-	-	1	6	6	-	a	a	1	12	-	a
Hispanic	229	-	2	-	15	146	66	-	a	7.4	26	203	-	11.4
Unknown Race/Ethn	2	-	-	-	-	1	1	-	a	a	-	2	-	a
19 YRS	752	3	9	4	57	485	194	-	2.1	9.7	86	666	-	11.4
White Non-Hispanic	214	-	3	2	8	129	72	-	2.3	6.1	15	199	-	7.0
Black Non-Hispanic	161	-	1	1	20	113	26	-	a	13.7	22	139	-	13.7
Other Non-Hispanic	30	-	-	-	3	21	6	-	a	a	3	27	-	a
Hispanic	345	3	5	1	26	221	89	-	2.6	10.1	46	299	-	13.3
Unknown Race/Ethn	2	-	-	-	-	1	1	-	a	a	-	2	-	a
20-24 YRS	5,935	11	33	38	401	3,640	1,804	8	1.4	8.1	587	5,339	9	9.9
White Non-Hispanic	2,232	3	14	13	123	1,275	803	1	1.3	6.9	198	2,032	2	8.9
Black Non-Hispanic	1,121	1	7	7	109	718	278	1	1.3	11.1	130	990	1	11.6
Other Non-Hispanic	271	-	1	2	23	166	79	-	a	9.6	27	244	-	10.0
Hispanic	2,286	7	11	15	145	1,466	640	2	1.4	7.8	230	2,055	1	10.1
Unknown Race/Ethn	25	-	-	1	1	15	4	4	b	b	2	18	5	a
25-29 YRS	9,341	8	48	50	558	5,239	3,434	4	1.1	7.1	845	8,491	5	9.1
White Non-Hispanic	5,100	-	20	23	243	2,679	2,134	1	0.8	5.6	384	4,712	4	7.5
Black Non-Hispanic	1,168	2	7	8	120	710	319	2	1.5	11.7	156	1,012	-	13.4
Other Non-Hispanic	827	2	3	3	51	555	213	-	1.0	7.1	61	766	-	7.4
Hispanic	2,196	4	18	16	139	1,266	753	1	1.7	8.1	240	1,956	-	10.9
Unknown Race/Ethn	50	-	-	-	5	29	15	1	b	10.2	4	45	1	a
30-34 YRS	11,685	17	55	87	700	6,186	4,633	7	1.4	7.4	1,215	10,460	10	10.4
White Non-Hispanic	7,672	7	26	43	416	3,815	3,363	2	1.0	6.4	711	6,956	5	9.3
Black Non-Hispanic	1,074	7	17	16	94	623	316	1	3.7	12.5	192	882	-	17.9
Other Non-Hispanic	1,101	1	4	9	83	725	278	1	1.3	8.8	108	991	2	9.8
Hispanic	1,776	2	7	19	102	989	656	1	1.6	7.3	196	1,580	-	11.0
Unknown Race/Ethn	62	-	1	-	5	34	20	2	b	10.0	8	51	3	13.6
35-39 YRS	5,936	7	38	49	384	3,132	2,324	2	1.6	8.1	709	5,226	1	11.9
White Non-Hispanic	3,862	3	18	24	224	1,938	1,655	-	1.2	7.0	440	3,422	-	11.4
Black Non-Hispanic	591	1	10	11	55	335	179	-	3.7	13.0	81	510	-	13.7
Other Non-Hispanic	546	-	2	5	50	327	162	-	1.3	10.4	54	492	-	9.9
Hispanic	903	3	8	8	54	513	317	-	2.1	8.1	130	773	-	14.4
Unknown Race/Ethn	34	-	-	1	1	19	11	2	b	a	4	29	1	a
40-44 YRS	1,424	5	12	18	113	776	497	3	2.5	10.4	231	1,189	4	16.3
White Non-Hispanic	900	2	6	10	59	481	342	-	2.0	8.6	130	770	-	14.4
Black Non-Hispanic	191	2	4	3	20	109	53	-	4.7	15.2	43	147	1	22.6
Other Non-Hispanic	112	-	-	-	14	67	31	-	a	12.5	19	93	-	17.0
Hispanic	205	1	2	5	15	114	68	-	3.9	11.2	35	170	-	17.1
Unknown Race/Ethn	16	-	-	-	5	5	3	3	b	38.5	4	9	3	a
45+ YRS	139	-	-	4	26	77	32	-	a	21.6	37	101	1	26.8
White Non-Hispanic	100	-	-	4	12	60	24	-	a	16.0	22	78	-	22.0
Black Non-Hispanic	11	-	-	-	3	5	3	-	a	a	3	8	-	a
Other Non-Hispanic	12	-	-	-	4	6	2	-	a	a	3	9	-	a
Hispanic	15	-	-	-	7	6	2	-	a	46.7	9	6	-	60.0
Unknown Race/Ethn	1	-	-	-	-	-	1	-	a	a	-	-	1	b
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							Un-known	% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	17-36 WKS				37+ WKS	Un-known		
INITIATION OF PRENATAL CARE¹															
NONE	357	5	12	8	39	190	101	2	7.0	18.0	75	273	9	21.6	
White Non-Hispanic	191	1	5	4	17	101	63	-	5.2	14.1	31	157	3	16.5	
Black Non-Hispanic	50	2	4	-	8	23	12	1	12.2	28.6	17	30	3	36.2	
Other Non-Hispanic	24	-	-	2	2	15	5	-	a	a	4	20	-	a	
Hispanic	58	2	2	2	5	33	14	-	10.3	19.0	16	40	2	28.6	
Unknown Race/Ethn	34	-	1	-	7	18	7	1	a	24.2	7	26	1	21.2	
FIRST TRIMESTER	31,171	44	163	205	1,900	17,200	11,653	6	1.3	7.4	3,177	27,989	5	10.2	
White Non-Hispanic	18,312	14	72	99	943	9,398	7,783	3	1.0	6.2	1,663	16,645	4	9.1	
Black Non-Hispanic	3,600	10	39	37	358	2,157	997	2	2.4	12.3	517	3,083	-	14.4	
Other Non-Hispanic	2,539	3	11	14	189	1,644	678	-	1.1	8.5	238	2,300	1	9.4	
Hispanic	6,601	17	41	53	403	3,933	2,153	1	1.7	7.8	749	5,852	-	11.3	
Unknown Race/Ethn	119	-	-	2	7	68	42	-	a	7.6	10	109	-	8.4	
SECOND TRIMESTER	3,749	2	19	25	292	2,226	1,184	1	1.2	9.0	434	3,314	1	11.6	
White Non-Hispanic	1,438	-	7	8	105	807	511	-	1.0	8.3	166	1,271	1	11.6	
Black Non-Hispanic	669	1	3	8	65	438	154	-	1.8	11.5	89	580	-	13.3	
Other Non-Hispanic	286	-	1	2	26	180	77	-	a	10.1	27	259	-	9.4	
Hispanic	1,344	1	8	7	94	792	441	1	1.2	8.2	150	1,194	-	11.2	
Unknown Race/Ethn	12	-	-	-	2	9	1	-	a	a	2	10	-	a	
THIRD TRIMESTER	479	-	2	2	31	316	128	-	a	7.3	41	438	-	8.6	
White Non-Hispanic	179	-	1	2	14	102	60	-	a	9.5	21	158	-	11.7	
Black Non-Hispanic	94	-	1	-	3	65	25	-	a	a	7	87	-	7.4	
Other Non-Hispanic	42	-	-	-	3	26	13	-	a	a	-	42	-	a	
Hispanic	156	-	-	-	11	116	29	-	a	7.1	12	144	-	7.7	
Unknown Race/Ethn	8	-	-	-	7	1	-	-	a	a	1	7	-	a	
UNKNOWN	330	1	10	14	45	156	89	15	7.9	22.2	80	233	17	25.6	
White Non-Hispanic	143	-	2	8	17	74	41	1	7.0	19.0	33	107	3	23.6	
Black Non-Hispanic	65	1	2	1	11	35	14	1	a	23.4	16	49	-	24.6	
Other Non-Hispanic	33	-	-	1	9	15	7	1	a	31.3	9	23	1	28.1	
Hispanic	69	-	6	4	7	29	22	1	14.7	25.0	20	49	-	29.0	
Unknown Race/Ethn	20	-	-	-	1	3	5	11	b	b	2	5	13	b	
ADEQUACY OF PRENATAL CARE (APNCU INDEX)															
INTENSIVE	13,080	27	111	152	1,392	7,275	4,120	3	2.2	12.9	2,640	10,436	4	20.2	
White Non-Hispanic	7,573	10	46	69	699	4,011	2,737	1	1.7	10.9	1,370	6,199	4	18.1	
Black Non-Hispanic	1,584	8	26	31	268	900	351	-	4.1	21.0	444	1,140	-	28.0	
Other Non-Hispanic	1,021	-	8	10	126	654	223	-	1.8	14.1	188	833	-	18.4	
Hispanic	2,868	9	31	41	292	1,691	802	2	2.8	13.0	628	2,240	-	21.9	
Unknown Race/Ethn	34	-	-	1	7	19	7	-	a	23.5	10	24	-	29.4	
ADEQUATE	14,104	11	28	36	445	7,810	5,771	3	0.5	3.7	458	13,646	-	3.2	
White Non-Hispanic	8,323	1	17	20	202	4,250	3,831	2	0.5	2.9	229	8,094	-	2.8	
Black Non-Hispanic	1,556	1	6	6	77	979	486	1	0.8	5.8	69	1,487	-	4.4	
Other Non-Hispanic	1,163	3	-	3	57	754	346	-	0.5	5.4	36	1,127	-	3.1	
Hispanic	3,011	6	5	7	109	1,798	1,086	-	0.6	4.2	124	2,887	-	4.1	
Unknown Race/Ethn	51	-	-	-	29	22	-	-	a	a	-	51	-	a	
INTERMEDIATE	5,025	1	12	14	174	2,780	2,043	1	0.5	4.0	181	4,844	-	3.6	
White Non-Hispanic	2,678	-	2	2	77	1,328	1,269	-	a	3.0	87	2,591	-	3.2	
Black Non-Hispanic	672	-	4	3	38	416	210	1	1.0	6.7	30	642	-	4.5	
Other Non-Hispanic	397	-	1	1	13	267	115	-	a	3.8	15	382	-	3.8	
Hispanic	1,254	1	5	7	45	754	442	-	1.0	4.6	48	1,206	-	3.8	
Unknown Race/Ethn	24	-	-	1	1	15	7	-	a	a	1	23	-	a	
INADEQUATE	3,029	5	20	22	203	1,813	965	1	1.6	8.3	329	2,690	10	10.9	
White Non-Hispanic	1,254	1	8	11	74	684	476	-	1.6	7.5	132	1,118	4	10.6	
Black Non-Hispanic	553	2	4	4	47	366	129	1	1.8	10.3	69	481	3	12.5	
Other Non-Hispanic	262	-	-	2	18	163	79	-	a	7.6	19	243	-	7.3	
Hispanic	942	2	7	5	64	585	279	-	1.5	8.3	107	833	2	11.4	
Unknown Race/Ethn	18	-	1	-	-	15	2	-	a	a	2	15	1	a	
UNKNOWN	848	8	35	30	93	410	256	16	8.8	20.0	199	631	18	24.0	
White Non-Hispanic	435	3	14	19	44	209	145	1	8.3	18.4	96	336	3	22.2	
Black Non-Hispanic	113	3	9	2	15	57	26	1	12.5	25.9	34	79	-	30.1	
Other Non-Hispanic	81	-	3	3	15	42	17	1	7.5	26.3	20	59	2	25.3	
Hispanic	153	2	9	6	10	75	50	1	11.2	17.8	40	113	-	26.1	
Unknown Race/Ethn	66	-	-	-	9	27	18	12	b	b	9	44	13	17.0	
SMOKING DURING PREGNANCY															
YES	1,382	2	12	21	163	878	306	-	2.5	14.3	217	1,161	4	15.7	
White Non-Hispanic	915	2	4	13	110	554	232	-	2.1	14.1	131	782	2	14.3	
Black Non-Hispanic	164	-	2	2	21	111	28	-	a	15.2	28	135	1	17.2	
Other Non-Hispanic	51	-	1	-	9	36	5	-	a	19.6	11	40	-	21.6	
Hispanic	247	-	5	6	22	173	41	-	4.5	13.4	46	201	-	18.6	
Unknown Race/Ethn	5	-	-	-	1	4	-	-	a	a	1	3	1	a	
NO	34,664	49	194	232	2,143	19,198	12,834	14	1.4	7.6	3,585	31,062	17	10.3	
White Non-Hispanic	19,328	13	83	108	985	9,920	8,215	4	1.1	6.2	1,780	17,539	9	9.2	
Black Non-Hispanic	4,312	13	47	44	424	2,606	1,174	4	2.4	12.3	617	3,693	2	14.3	
Other Non-Hispanic	2,871	3	11	19	220	1,842	775	1	1.1	8.8	267	2,602	2	9.3	
Hispanic	7,978	20	52	60	498	4,729	2,616	3	1.7	7.9	901	7,075	2	11.3	
Unknown Race/Ethn	175	-	1	1	16	101	54	2	a	10.4	20	153	2	11.6	
UNKNOWN	40	1	-	1	1	12	15	10	b	b	5	24	11	17.2	
White Non-Hispanic	20	-	-	-	1	8	11	-	a	a	3	17	-	a	
Black Non-Hispanic	2	1	-	-	-	1	-	-	a	a	1	1	-	a	
Other Non-Hispanic	2	-	-	-	-	2	-	-	a	a	-	2	-	a	
Hispanic	3	-	-	-	-	1	2	-	a	a	-	3	-	a	
Unknown Race/Ethn	13	-	-	1	-	-	2	10	b	b	1	1	11	b	

Connecticut Department of Public Health

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	Un-known			17-36 WKS	37+ WKS	Un-known	
ALCOHOL USE DURING PREGNANCY														
YES	122	-	1	2	12	69	38	-	a	12.3	17	103	2	14.2
White Non-Hispanic	83	-	-	2	6	45	30	-	a	9.6	9	74	-	10.8
Black Non-Hispanic	16	-	1	-	3	10	2	-	a	a	4	11	1	a
Other Non-Hispanic	9	-	-	-	-	7	2	-	a	a	-	9	-	a
Hispanic	11	-	-	-	2	6	3	-	a	a	3	8	-	a
Unknown Race/Ethn	3	-	-	-	1	1	1	-	a	a	1	1	1	a
NO	35,651	51	199	246	2,270	19,856	13,016	13	1.4	7.8	3,741	31,892	18	10.5
White Non-Hispanic	20,004	15	85	117	1,076	10,340	8,367	4	1.1	6.5	1,881	18,113	10	9.4
Black Non-Hispanic	4,440	13	45	46	442	2,699	1,191	4	2.3	12.3	637	3,801	2	14.4
Other Non-Hispanic	2,886	3	12	18	227	1,853	772	1	1.1	9.0	275	2,609	2	9.5
Hispanic	8,178	20	56	64	516	4,876	2,643	3	1.7	8.0	934	7,242	2	11.4
Unknown Race/Ethn	143	-	1	1	9	88	43	1	a	7.7	14	127	2	9.9
UNKNOWN	313	1	6	6	25	163	101	11	4.3	12.6	49	252	12	16.3
White Non-Hispanic	176	-	2	2	14	97	61	-	a	10.2	24	151	1	13.7
Black Non-Hispanic	22	1	3	-	-	9	9	-	a	a	5	17	-	22.7
Other Non-Hispanic	29	-	-	1	2	20	6	-	a	a	3	26	-	a
Hispanic	39	-	1	2	2	21	13	-	a	12.8	10	29	-	25.6
Unknown Race/Ethn	47	-	-	1	7	16	12	11	b	b	7	29	11	19.4

NOTES:

Starting with 2007 births, the reported birthweight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics. The quality assurance edits for GAGE include 1) changing the GAGE range to 17-47 weeks; 2) applying a series of consistency checks between BWT, GAGE based on mother's report of last menstrual period (LMP), and clinical estimate of GAGE; and 3) imputing GAGE using values from records with similar BWT and race/ethnicity for births where month and year of LMP is known but day of LMP is unknown. The imputation process used by NCHS to impute unknown GAGE values cannot be precisely reproduced at the state level; however, DPH staff developed an analytic process to approximate it.

^b Age-specific death rates and crude death rates were calculated per 100,000 population using 2013 population counts (Table 1) as the denominators. Rates for persons under 1 year of age were the exception; for this group, rates were calculated per 1,000 live births. Denominators for the 1-4 year age group were derived by subtracting 2010 resident births of known sex from the population figure for the 0-4 year age group. Crude death rates were used for persons of all ages combined because this grouping is not age-specific.

^b Percentages were not calculated when the number of unknown events was greater than the number of known events

^c A dash (-) represents the quantity zero.

^d In 2013, BWT was recoded to 'unknown' for 6 records where BWT values were inconsistent with both clinical and LMP-based estimates of gestational age.

^e In 2013, 841 gestational age values were imputed of which 9.63% were preterm.

^f "Prematurity" refers to births of less than 37 weeks gestation for events where gestational age was known or imputed.

^g Mother's Race/Ethnicity represents mutually exclusive groups.

^h "Live birth order" identifies the birth order of each child based on the current pregnancy and all previous pregnancies.

ⁱ "Trimester of initiation of prenatal care" refers to the pregnancy stage in which the first prenatal visit occurred.

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2013
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^b

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^d						PRENATAL CARE						FOREIGN-BORN MOTHERS ^h	
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)							
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
CONNECTICUT																					
MOTHER'S RACE/ETHN	36,086	19	0.1	463	1.3	1,626	4.5	512	1.4	2,819	7.8	4,343	12.2	8,054	22.9	14,104	40.0	13,080	37.1	10,420	29.0
White non-Hisp	20,263	2	a	87	0.4	397	2.0	223	1.1	1,319	6.5	1,666	8.3	3,932	19.8	8,323	42.0	7,573	38.2	2,364	11.7
Black non-Hisp	4,478	7	0.2	90	2.0	322	7.2	109	2.4	554	12.4	796	18.1	1,225	28.1	1,556	35.6	1,584	36.3	1,369	30.7
Other non-Hisp	2,924	-	a	12	0.4	55	1.9	34	1.2	263	9.0	330	11.5	659	23.2	1,163	40.9	1,021	35.9	2,238	77.0
Hispanic	8,228	10	0.1	273	3.3	847	10.3	143	1.7	663	8.1	1,528	18.8	2,196	27.2	3,011	37.3	2,868	35.5	4,418	53.9
Unk Race/Ethn	193	-	a	1	a	5	2.6	3	a	20	11.0	23	16.2	42	33.1	51	40.2	34	26.8	31	17.4
MOTHER'S RACE	36,086	19	0.1	463	1.3	1,626	4.5	512	1.4	2,819	7.8	4,343	12.2	8,054	22.9	14,104	40.0	13,080	37.1	10,420	29.0
White	27,784	10	0.0	340	1.2	1,170	4.2	348	1.3	1,928	6.9	3,054	11.2	5,922	21.8	11,068	40.7	10,181	37.5	6,383	23.0
Black	4,910	8	0.2	104	2.1	368	7.5	119	2.4	590	12.0	874	18.1	1,345	28.1	1,711	35.8	1,729	36.1	1,552	31.7
Other	3,299	1	a	19	0.6	84	2.5	41	1.2	292	8.9	391	12.1	754	23.5	1,302	40.6	1,151	35.9	2,451	74.7
Unknown	93	-	a	-	a	4	a	4	a	9	11.0	24	32.0	33	44.0	23	30.7	19	25.3	34	42.5
MOTHER'S ETHNICITY	36,086	19	0.1	463	1.3	1,626	4.5	512	1.4	2,819	7.8	4,343	12.2	8,054	22.9	14,104	40.0	13,080	37.1	10,420	29.0
Non-Hispanic	27,707	9	0.0	189	0.7	775	2.8	366	1.3	2,138	7.7	2,805	10.3	5,838	21.6	11,052	40.8	10,187	37.6	5,994	21.7
Hispanic	8,228	10	0.1	273	3.3	847	10.3	143	1.7	663	8.1	1,528	18.8	2,196	27.2	3,011	37.3	2,868	35.5	4,418	53.9
Unknown	151	-	a	1	a	4	a	3	a	18	12.9	10	9.9	20	23.3	41	47.7	25	29.1	8	5.8
COUNTIES																					
Fairfield County	10,049	6	0.1	109	1.1	369	3.7	136	1.4	786	7.8	1,223	12.5	2,451	25.2	3,751	38.5	3,538	36.3	3,928	39.3
White non-Hisp	5,189	-	a	12	0.2	39	0.8	51	1.0	330	6.4	350	6.9	1,031	20.5	2,009	40.0	1,982	39.5	977	18.9
Black non-Hisp	1,236	3	a	21	1.7	99	8.0	37	3.0	154	12.5	241	19.8	385	31.9	440	36.5	382	31.6	447	36.3
Other non-Hisp	892	-	a	2	a	10	1.1	8	0.9	87	9.8	90	10.4	202	23.4	339	39.3	321	37.2	704	80.0
Hispanic	2,680	3	a	74	2.8	221	8.2	39	1.5	207	7.7	541	20.5	827	31.5	955	36.4	845	32.2	1,797	67.3
Unk Race/Ethn	52	-	a	-	a	-	a	1	a	8	16.3	1	a	6	27.3	8	36.4	8	36.4	3	a
Hartford County	9,316	4	a	147	1.6	444	4.8	156	1.7	771	8.3	1,184	12.8	2,582	28.1	3,584	39.0	3,029	32.9	2,758	29.7
White non-Hisp	4,580	-	a	17	0.4	75	1.6	52	1.1	308	6.7	452	9.9	1,229	27.1	1,877	41.4	1,430	31.5	522	11.4
Black non-Hisp	1,470	1	a	26	1.8	75	5.1	41	2.8	175	11.9	231	16.0	440	30.6	503	35.0	496	34.5	521	35.6
Other non-Hisp	854	-	a	1	a	11	1.3	10	1.2	75	8.8	99	11.7	247	29.3	336	39.9	260	30.8	697	81.9
Hispanic	2,333	3	a	103	4.4	282	12.1	51	2.2	203	8.7	383	16.5	640	27.7	844	36.5	828	35.8	993	42.7
Unk Race/Ethn	79	-	a	-	a	1	a	2	a	10	13.5	19	26.0	26	40.0	24	36.9	15	23.1	25	34.7
Litchfield County	1,424	-	a	10	0.7	42	2.9	19	1.3	96	6.7	132	9.4	219	15.7	563	40.4	611	43.9	196	13.8
White non-Hisp	1,214	-	a	5	0.4	35	2.9	13	1.1	80	6.6	103	8.6	187	15.7	484	40.7	518	43.6	68	5.6
Black non-Hisp	32	-	a	-	a	-	a	3	a	4	a	5	16.1	4	a	7	22.6	20	64.5	15	48.4
Other non-Hisp	52	-	a	-	a	-	a	-	a	3	a	4	a	7	14.0	14	28.0	29	58.0	41	78.8
Hispanic	122	-	a	5	4.1	7	5.7	3	a	9	7.4	20	16.7	21	17.5	56	46.7	43	35.8	71	59.2
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	1	a
Middlesex County	1,375	-	a	12	0.9	36	2.6	13	0.9	69	5.0	95	7.0	252	18.5	558	41.0	552	40.5	221	16.1
White non-Hisp	1,068	-	a	3	a	17	1.6	10	0.9	48	4.5	70	6.6	191	18.0	434	40.9	436	41.1	66	6.2
Black non-Hisp	81	-	a	3	a	4	a	1	a	12	14.8	6	7.5	19	23.8	26	32.5	35	43.8	27	33.3
Other non-Hisp	95	-	a	1	a	3	a	1	a	3	a	6	6.3	21	22.1	41	43.2	33	34.7	73	76.8
Hispanic	127	-	a	5	3.9	12	9.4	1	a	5	3.9	13	10.3	21	16.7	57	45.2	48	38.1	55	43.3
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a	-	a
New Haven County	8,981	7	0.1	144	1.6	532	5.9	127	1.4	730	8.1	1,269	14.4	1,837	21.1	3,454	39.8	3,397	39.1	2,528	28.2
White non-Hisp	4,543	-	a	30	0.7	117	2.6	56	1.2	302	6.6	411	9.2	780	17.7	1,880	42.6	1,749	39.7	587	12.9
Black non-Hisp	1,392	3	a	33	2.4	122	8.8	22	1.6	183	13.2	273	20.1	331	24.7	482	35.9	529	39.4	262	18.8
Other non-Hisp	648	-	a	5	0.8	17	2.6	10	1.5	57	8.8	82	13.0	113	18.4	271	44.1	230	37.5	474	73.4
Hispanic	2,380	4	a	75	3.2	274	11.5	39	1.6	188	7.9	501	21.4	607	26.3	819	35.5	883	38.2	1,204	50.7
Unk Race/Ethn	18	-	a	1	a	2	a	-	a	-	a	2	a	6	42.9	2	a	6	42.9	1	a
New London County	2,659	-	a	22	0.8	116	4.4	37	1.4	210	7.9	240	9.1	363	13.8	1,245	47.2	1,028	39.0	489	18.4
White non-Hisp	1,825	-	a	6	0.3	59	3.2	20	1.1	128	7.0	130	7.2	229	12.7	884	48.9	695	38.4	80	4.4
Black non-Hisp	209	-	a	7	3.3	18	8.6	4	a	23	11.0	36	17.2	35	16.7	75	35.9	99	47.4	73	35.1
Other non-Hisp	239	-	a	2	a	9	3.8	4	a	25	10.5	29	12.1	43	18.1	100	42.0	95	39.9	139	58.2
Hispanic	379	-	a	7	1.8	28	7.4	9	2.4	34	9.0	45	12.0	55	14.7	183	48.8	137	36.5	197	52.0
Unk Race/Ethn	7	-	a	-	a	2	a	-	a	-	a	-	a	1	a	3	a	2	a	-	a
Tolland County	1,088	-	a	6	0.6	27	2.5	11	1.0	76	7.0	96	8.9	220	20.5	498	46.5	354	33.0	165	15.2
White non-Hisp	872	-	a	6	0.7	18	2.1	9	1.0	59	6.8	72	8.3	185	21.4	400	46.3	279	32.3	38	4.4
Black non-Hisp	42	-	a	-	a	3	a	1	a	3	a	3	a	7	17.1	17	41.5	17	41.5	20	47.6
Other non-Hisp	115	-	a	-	a	2	a	1	a	11	9.6	15	13.3	21	18.6	51	45.1	41	36.3	91	79.1
Hispanic	50	-	a	-	a	4	a	-	a	3	a	5	10.0	7	14.0	26	52.0	17	34.0	16	32.0
Unk Race/Ethn	9	-	a	-	a	-	a	-	a	-	a	1	a	-	a	4	a	-	a	-	a
Windham County	1,194	2	a	13	1.1	60	5.0	13	1.1	81	6.8	104	8.9	130	11.3	451	39.1	571	49.6	135	11.3
White non-Hisp	972	2	a	8	0.8	37	3.8	12	1.2	64	6.6	78	8.2	100	10.6	355	37.8	484	51.5	26	2.7
Black non-Hisp	16	-	a	-	a	1	a	-	a	-	a	1	a	4	a	6	37.5	6	37.5	4	a
Other non-Hisp	29	-	a																		

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^d				PRENATAL CARE			FOREIGN-BORN MOTHERS ^h						
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)	ADEQUACY (APNCU Index)								
		No.	%	No.	%	No.	%	No.	%	No.	%		No.	%		No.	%				
Chatham	536	-	a	-	a	9	1.7	3	a	31	5.8	30	5.6	111	20.7	232	43.4	192	35.9	34	6.3
White non-Hisp	502	-	a	-	a	7	1.4	3	a	30	6.0	29	5.8	108	21.6	212	42.3	181	36.1	17	3.4
Black non-Hisp	1	-	a	-	a	-	-	-	a	-	-	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	15	-	a	-	a	-	-	-	a	1	a	1	a	2	a	8	53.3	5	33.3	11	73.3
Hispanic	17	-	a	-	a	1	a	-	a	-	a	-	a	1	a	10	58.8	6	35.3	5	29.4
Unk Race/Ethn	1	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Chesprocott	361	-	a	2	a	11	3.0	3	a	30	8.3	33	9.2	57	16.0	128	35.9	172	48.2	51	14.2
White non-Hisp	310	-	a	2	a	8	2.6	3	a	24	7.7	25	8.1	47	15.3	114	37.1	146	47.6	29	9.4
Black non-Hisp	7	-	a	-	a	1	a	-	a	1	a	-	a	1	a	2	a	4	a	-	a
Other non-Hisp	20	-	a	-	a	1	a	-	a	3	a	4	a	6	31.6	8	42.1	5	26.3	15	75.0
Hispanic	22	-	a	-	a	1	a	-	a	2	a	4	a	3	a	4	a	15	68.2	7	31.8
Unk Race/Ethn	2	-	a	-	a	-	-	-	-	-	-	-	-	-	-	-	-	2	a	-	a
CT River Area	169	-	a	3	a	10	5.9	-	a	13	7.7	10	6.1	28	17.1	64	39.0	72	43.9	26	15.4
White non-Hisp	142	-	a	2	a	7	4.9	-	a	10	7.0	9	6.4	23	16.5	54	38.8	62	44.6	4	a
Black non-Hisp	2	-	a	1	a	1	a	-	a	1	a	-	a	-	a	-	a	1	a	1	a
Other non-Hisp	4	-	a	-	a	1	a	-	a	-	a	-	a	1	a	1	a	2	a	3	a
Hispanic	21	-	a	-	a	1	a	-	a	2	a	1	a	4	a	9	45.0	7	35.0	18	85.7
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Shore	596	-	a	6	1.0	14	2.3	3	a	39	6.5	42	7.2	101	17.6	256	44.7	216	37.7	120	20.3
White non-Hisp	441	-	a	4	a	8	1.8	3	a	28	6.3	28	6.4	76	17.7	194	45.1	160	37.2	30	6.8
Black non-Hisp	30	-	a	-	a	-	-	-	a	2	a	3	a	4	a	14	50.0	10	35.7	9	30.0
Other non-Hisp	47	-	a	1	a	1	a	-	a	5	10.6	2	a	8	19.5	18	43.9	15	36.6	35	77.8
Hispanic	78	-	a	1	a	5	6.4	-	a	4	a	9	12.0	13	17.6	30	40.5	31	41.9	46	59.7
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern Highlands	483	-	a	5	1.0	15	3.1	4	a	33	6.8	48	10.0	91	19.0	233	48.7	154	32.2	65	13.5
White non-Hisp	406	-	a	4	a	12	3.0	4	a	27	6.7	35	8.7	74	18.4	200	49.8	128	31.8	20	4.9
Black non-Hisp	5	-	a	-	a	-	-	-	a	-	-	-	-	1	a	2	a	2	a	2	a
Other non-Hisp	50	-	a	1	a	1	a	-	a	5	10.0	9	18.0	13	26.0	18	36.0	19	38.0	40	80.0
Hispanic	20	-	a	-	a	2	a	-	a	1	a	4	a	3	a	12	60.0	5	25.0	3	a
Unk Race/Ethn	2	-	a	-	a	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-
Farmington Valley	721	-	a	-	a	4	a	4	a	39	5.4	58	8.1	219	30.8	280	39.3	213	29.9	116	16.1
White non-Hisp	608	-	a	-	a	4	a	3	a	25	4.1	50	8.3	192	31.9	238	39.5	172	28.6	44	7.2
Black non-Hisp	15	-	a	-	a	-	-	-	a	1	a	-	-	4	a	5	35.7	5	35.7	8	53.3
Other non-Hisp	62	-	a	-	a	-	-	1	a	7	11.3	5	8.2	17	27.9	24	39.3	20	32.8	51	83.6
Hispanic	29	-	a	-	a	-	-	-	a	3	a	3	a	6	20.7	11	37.9	12	41.4	12	41.4
Unk Race/Ethn	7	-	a	-	a	-	-	-	-	3	a	-	-	-	-	2	a	4	a	1	a
Ledge Light	1,386	-	a	13	0.9	55	4.0	18	1.3	106	7.7	137	9.9	221	16.1	736	53.6	417	30.3	291	21.1
White non-Hisp	889	-	a	3	a	28	3.1	10	1.1	61	6.9	68	7.7	129	14.6	492	55.8	260	29.5	52	5.9
Black non-Hisp	116	-	a	3	a	10	8.6	2	a	11	9.5	23	19.8	26	22.4	51	44.0	39	33.6	30	26.1
Other non-Hisp	131	-	a	-	a	1	a	1	a	12	9.2	12	9.2	25	19.1	64	48.9	42	32.1	80	61.1
Hispanic	247	-	a	7	2.8	15	6.1	5	2.0	22	8.9	34	13.9	40	16.4	128	52.5	76	31.1	129	52.8
Unk Race/Ethn	3	-	a	-	a	1	a	-	-	-	-	-	-	1	a	1	a	-	-	-	-
Naugatuck Valley	1,280	-	a	15	1.2	54	4.2	19	1.5	117	9.1	142	11.2	223	17.8	506	40.3	526	41.9	269	21.0
White non-Hisp	902	-	a	7	0.8	26	2.9	15	1.7	80	8.9	82	9.2	141	15.9	365	41.1	383	43.1	102	11.3
Black non-Hisp	119	-	a	6	5.0	13	10.9	1	a	17	14.4	25	21.4	33	28.2	41	35.0	43	36.8	38	31.9
Other non-Hisp	83	-	a	1	a	2	a	1	a	7	8.4	7	8.6	14	17.7	35	44.3	30	38.0	65	78.3
Hispanic	176	-	a	1	a	13	7.4	2	a	13	7.4	28	16.1	35	20.6	65	38.2	70	41.2	64	36.4
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newtown	179	-	a	1	a	4	a	3	a	14	7.8	10	5.6	10	5.6	48	26.8	121	67.6	22	12.3
White non-Hisp	161	-	a	1	a	4	a	3	a	14	8.7	6	3.7	8	5.0	47	29.2	106	65.8	13	8.1
Black non-Hisp	2	-	a	-	a	-	-	-	-	-	-	1	a	2	a	-	-	-	-	1	a
Other non-Hisp	7	-	a	-	a	-	-	-	-	-	-	1	a	-	-	-	-	7	100.0	6	85.7
Hispanic	9	-	a	-	a	-	-	-	-	-	-	2	a	-	-	1	a	8	88.9	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Central	1,593	1	a	13	0.8	53	3.3	20	1.3	119	7.5	161	10.2	302	19.5	719	46.3	531	34.2	315	19.8
White non-Hisp	1,111	1	a	8	0.7	20	1.8	12	1.1	76	6.9	103	9.4	227	20.8	501	45.9	363	33.3	47	4.2
Black non-Hisp	89	-	a	-	a	8	9.0	1	a	8	9.0	9	10.3	20	23.3	32	37.2	34	39.5	38	42.7
Other non-Hisp	145	-	a	-	a	4	a	4	a	11	7.6	20	14.3	25	17.9	73	52.1	42	30.0	115	79.3
Hispanic	215	-	a	5	2.3	21	9.8	2	a	21	9.8	27	12.6	29	13.6	97	45.5	87	40.8	113	52.8
Unk Race/Ethn	33	-	a	-	a	-	-	1	a	3	a	2	a	1	a	16	72.7	5	22.7	2	a
Northeast	836	1	a	5	0.6	32	3.8	11	1.3	55	6.6	53	6.5	75	9.4	277	34.8	443	55.7	41	4.9
White non-Hisp	772	1	a	5	0.6	29	3.8	10	1.3	50	6.5	50	6.6	67	9.1	258	34.9	415	56.1	19	2.5
Black non-Hisp	8	-	a	-	a	-	-	-	-	-	-	-	-	1	a	3	a	4	a	3	a
Other non-Hisp	13	-	a	-	a	-	-	-	-	2	a	-	-	1	a	2	a	9	75.0	11	84.6
Hispanic	22	-	a	-	a	3	a	1	a	2	a	3	a	3	a	5	23.8	13	61.9	7	31.8
Unk Race/Ethn	21	-	a	-	a	-	-	-	-	1	a	-	-	3	a	9	64.3	2	a	1	a
Plainville-Southngtn	498	-	a	2	a	5	1.0	7	1.4	42	8.5	45	9.1	121	24.4	212	42.7	163	32.9	74	14.9
White non-Hisp	437	-	a	1	a	4	a	7	1.6	38	8.7	37	8.5	107	24.6	182	41.8	146	33.6	34	7.8
Black non-Hisp	6	-	a	-	a	-	-	-	-	-	-	-	-	2	a	2	a	2	a	3	a
Other non-Hisp	21	-	a	-	a	-	-	-	-	4	a	4	a	7	33.3	8	38.1	6	28.6	16	76.2
Hispanic	33	-	a	1	a	1	a	-	-	-	-	4	a	5	15.2	19	57.6	9	27.3	20	60.6
Unk Race/Ethn	1	-	a	-	a	-	-	-	-	-	-	-	-	-	-	1	a	-	-	1	a
Pomperaug	248	-	a	-	a	3	a	3	a	13	5.2	12	4.9	31	12.8	80	32.9	132	54.3	31	12.5
White non-Hisp	219	-	a	-	a	2	a	3	a	11	5.0	10	4.6	28	13.1	66	30.8	120	56.1	16	7.3
Black non-Hisp	5	-	a	-	a	1	a	-	-	-	-	1	a	2	a	2	a	1	a	-	-
Other non-Hisp	13	-	a	-	a	-	-	-	-	-	-	-	-	-	-	6	46.2	7	53.8	12	92.3
Hispanic	11	-	a	-	a	-	-	2	a	2	a	1	a	1	a	6	54.5	4	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quinnipiac Valley	855	-	a	5	0.6	24	2.8	5	0.6	56	6.5	81	9.6	140	16.9	389	46.9	300	36.2	211	24.7
White non-Hisp	513	-	a	-	a	4	a	3	a	22	4.3	33	6.5	70	13.9	252	50.0	182	36.1	74	14.4
Black non-Hisp	147	-	a	1	a	11	7.5	-	-	23	15.6	25	17.5	38	26.6	55	38.5	50	35.0	24	16.3
Other non-Hisp	91																				

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		TIMING (Late ^e or None)	PRENATAL CARE ADEQUACY (APNCU Index)			FOREIGN-BORN MOTHERS ^h							
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT		Non-Adequate ^f	Adequate	Intensive								
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%						
Torrington Area	1,049	-	a	9	0.9	37	3.5	12	1.1	62	5.9	113	10.9	173	16.8	445	43.3	410	39.9	141	13.5
White non-Hisp	894	-	a	4	a	31	3.5	10	1.1	55	6.2	92	10.4	143	16.3	382	43.5	353	40.2	48	5.4
Black non-Hisp	20	-	a	-	a	-	-	1	a	1	a	1	a	3	a	6	31.6	10	52.6	8	42.1
Other non-Hisp	42	-	a	-	a	-	a	-	a	3	a	4	a	7	17.5	11	27.5	22	55.0	32	76.2
Hispanic	91	-	a	5	5.5	6	6.6	1	a	3	a	16	17.8	20	22.2	45	50.0	25	27.8	52	57.8
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Trumbull-Monroe	440	-	a	-	a	4	a	3	a	28	6.4	29	6.7	110	25.6	169	39.4	150	35.0	89	20.3
White non-Hisp	356	-	a	-	a	2	a	2	a	16	4.5	20	5.7	89	25.5	135	38.7	125	35.8	37	10.4
Black non-Hisp	10	-	a	-	a	1	a	1	a	4	a	3	a	3	a	1	a	3	a	6	60.0
Other non-Hisp	42	-	a	-	a	-	a	-	a	5	11.9	3	a	9	22.0	20	48.8	12	29.3	36	87.8
Hispanic	30	-	a	-	a	1	a	-	a	2	a	3	a	9	30.0	12	40.0	9	30.0	10	33.3
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	-	a	-	a
Uncas Regional	851	-	a	9	1.1	49	5.8	13	1.5	77	9.0	78	9.2	93	11.1	306	36.4	442	52.6	166	19.5
White non-Hisp	558	-	a	3	a	22	3.9	4	a	42	7.5	39	7.0	53	9.7	214	39.0	282	51.4	17	3.1
Black non-Hisp	91	-	a	4	a	8	8.8	2	a	12	13.2	13	14.3	9	9.9	23	25.3	59	64.8	43	47.3
Other non-Hisp	90	-	a	2	a	7	7.8	3	a	12	13.3	15	16.7	17	18.9	27	30.0	46	51.1	49	54.4
Hispanic	110	-	a	-	a	12	10.9	4	a	11	10.0	11	10.1	14	12.8	42	38.5	53	48.6	57	51.8
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	-	a
W Hrtfd-Bloomfield	778	2	a	10	1.3	17	2.2	8	1.0	66	8.5	79	10.2	232	29.9	293	37.8	250	32.3	220	28.3
White non-Hisp	460	-	a	1	a	2	a	3	a	39	8.5	31	6.7	144	31.4	176	38.3	139	30.3	65	14.1
Black non-Hisp	128	1	a	3	a	5	3.9	3	a	14	10.9	21	16.4	44	34.4	36	28.1	48	37.5	46	35.9
Other non-Hisp	90	-	a	-	a	1	a	1	a	7	7.8	11	12.4	25	28.1	39	43.8	25	28.1	67	75.3
Hispanic	98	1	a	6	6.1	9	9.2	1	a	6	6.1	14	14.4	18	18.6	42	43.3	37	38.1	41	41.8
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	2	a	-	a	1	a	-	a	1	a	1	a
Weston-Westport	227	-	a	-	a	1	a	1	a	11	4.8	13	6.1	43	20.3	98	46.2	71	33.5	51	22.7
White non-Hisp	195	-	a	-	a	1	a	-	a	8	4.1	8	4.3	36	19.6	84	45.7	64	34.8	33	17.1
Black non-Hisp	4	-	a	-	a	-	a	1	a	1	a	1	a	2	a	2	a	-	a	3	a
Other non-Hisp	15	-	a	-	a	-	a	-	a	1	a	1	a	3	a	7	50.0	4	a	9	60.0
Hispanic	11	-	a	-	a	-	a	-	a	1	a	3	a	2	a	5	50.0	3	a	6	54.5
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
TOWNS																					
Andover	18	-	a	-	a	-	a	-	a	1	a	2	a	5	27.8	9	50.0	4	a	2	a
White non-Hisp	17	-	a	-	a	-	a	-	a	1	a	2	a	5	29.4	8	47.1	4	a	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ansonia	201	-	a	3	a	11	5.5	2	a	35	17.4	20	10.1	38	19.3	68	34.5	91	46.2	45	22.4
White non-Hisp	117	-	a	1	a	4	a	-	a	18	15.4	10	8.7	21	18.3	37	32.2	57	49.6	16	13.7
Black non-Hisp	30	-	a	1	a	3	a	-	a	8	26.7	5	16.7	5	16.7	12	40.0	13	43.3	3	a
Other non-Hisp	12	-	a	1	a	1	a	1	a	3	a	-	a	3	a	5	50.0	2	a	6	50.0
Hispanic	42	-	a	-	a	3	a	1	a	6	14.3	5	11.9	9	21.4	14	33.3	19	45.2	20	47.6
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashford	46	-	a	1	a	3	a	-	a	5	10.9	5	11.1	9	20.0	22	48.9	14	31.1	5	10.9
White non-Hisp	39	-	a	-	a	2	a	-	a	5	12.8	3	a	5	13.2	20	52.6	13	34.2	3	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Other non-Hisp	4	-	a	1	a	1	a	-	a	-	a	1	a	2	a	1	a	1	a	2	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avon	118	-	a	-	a	-	a	-	a	4	a	12	10.3	42	36.2	46	39.7	28	24.1	29	24.8
White non-Hisp	97	-	a	-	a	-	a	-	a	3	a	10	10.3	36	37.1	39	40.2	22	22.7	11	11.3
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	16	-	a	-	a	-	a	-	a	1	a	2	a	6	40.0	5	33.3	4	a	15	100.0
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barkhamsted	18	-	a	-	a	-	a	-	a	-	a	1	a	3	a	11	64.7	3	a	-	a
White non-Hisp	18	-	a	-	a	-	a	-	a	-	a	1	a	3	a	11	64.7	3	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beacon Falls	48	-	a	-	a	2	a	2	a	2	a	7	15.2	6	13.3	19	42.2	20	44.4	9	18.8
White non-Hisp	42	-	a	-	a	2	a	2	a	2	a	5	12.5	5	12.8	16	41.0	18	46.2	5	11.9
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	2	a	1	a	2	a	1	a	4	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Berlin	152	-	a	-	a	3	a	-	a	10	6.6	20	13.2	47	31.1	69	45.7	35	23.2	20	13.2
White non-Hisp	133	-	a	-	a	2	a	-	a	9	6.8	17	12.8	39	29.5	60	45.5	33	25.0	12	9.0
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	10	-	a	-	a	-	a	-	a	-	a	1	a	3	a	5	50.0	2	a	6	60.0
Hispanic	7	-	a	-	a	1	a	-	a	1	a	1	a	3	a	4	a	-	a	1	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	-	a	1	a
Bethany	43	-	a																		

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		TIMING	PRENATAL CARE						FOREIGN-BORN MOTHERS ^h				
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	(Late ^e or None)	ADEQUACY (APNCU Index)										
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.		%			
Bethel	142	-	a	2	a	2	a	1	a	9	6.3	5	3.6	8	5.7	34	24.3	98	70.0	25	17.6
White non-Hisp	120	-	a	2	a	2	a	-	a	6	5.0	5	4.2	8	6.7	28	23.5	83	69.7	13	10.8
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a
Other non-Hisp	7	-	a	-	a	-	a	-	a	2	a	-	a	-	a	1	a	5	83.3	5	71.4
Hispanic	11	-	a	-	a	-	a	1	a	1	a	-	a	-	a	4	a	7	63.6	7	63.6
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Bethlehem	27	-	a	-	a	1	a	-	a	2	a	1	a	1	a	8	29.6	18	66.7	1	a
White non-Hisp	23	-	a	-	a	1	a	-	a	2	a	1	a	1	a	8	34.8	14	60.9	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomfield	145	-	a	1	a	1	a	3	a	9	6.2	19	13.1	56	38.6	43	29.7	46	31.7	54	37.2
White non-Hisp	39	-	a	-	a	-	a	-	a	-	a	4	a	19	48.7	11	28.2	9	23.1	10	25.6
Black non-Hisp	86	-	a	-	a	-	a	3	a	9	10.5	11	12.8	30	34.9	24	27.9	32	37.2	34	39.5
Other non-Hisp	10	-	a	-	a	-	a	-	a	-	a	1	a	3	a	4	a	3	a	6	60.0
Hispanic	9	-	a	1	a	1	a	-	a	-	a	2	a	3	a	4	a	2	a	4	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Bolton	39	-	a	-	a	1	a	1	a	3	a	5	12.8	11	28.2	14	35.9	14	35.9	6	15.8
White non-Hisp	33	-	a	-	a	1	a	1	a	3	a	5	15.2	8	24.2	11	33.3	14	42.4	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	-	a	3	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Bozrah	23	-	a	-	a	-	a	-	a	2	a	-	a	3	a	10	43.5	10	43.5	3	a
White non-Hisp	20	-	a	-	a	-	a	-	a	2	a	-	a	2	a	8	40.0	10	50.0	1	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Branford	249	-	a	3	a	3	a	1	a	17	6.8	18	7.3	44	18.3	110	45.6	87	36.1	52	21.0
White non-Hisp	194	-	a	3	a	3	a	1	a	14	7.2	14	7.3	37	19.5	85	44.7	68	35.8	15	7.8
Black non-Hisp	8	-	a	-	a	-	a	-	a	-	a	2	a	2	a	4	a	2	a	2	a
Other non-Hisp	20	-	a	-	a	-	a	-	a	2	a	-	a	3	a	9	50.0	6	33.3	17	85.0
Hispanic	27	-	a	-	a	-	a	-	a	1	a	2	a	2	a	12	48.0	11	44.0	18	66.7
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bridgeport	2,069	3	a	54	2.6	169	8.2	37	1.8	196	9.5	330	16.1	715	35.2	784	38.6	532	26.2	939	45.5
White non-Hisp	385	-	a	4	a	10	2.6	4	a	25	6.5	43	11.3	103	27.2	177	46.7	99	26.1	164	42.7
Black non-Hisp	666	1	a	12	1.8	57	8.6	20	3.0	83	12.5	125	18.9	216	33.0	249	38.0	190	29.0	223	33.6
Other non-Hisp	99	-	a	2	a	6	6.1	2	a	10	10.1	21	21.9	37	40.2	31	33.7	24	26.1	63	63.6
Hispanic	917	2	a	36	3.9	96	10.5	11	1.2	78	8.5	141	15.5	357	39.5	327	36.2	219	24.3	488	53.2
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a	1	a
Bridgewater	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	-	a
White non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bristol	626	-	a	6	1.0	25	4.0	12	1.9	55	8.8	78	12.5	125	20.1	255	41.0	242	38.9	118	18.9
White non-Hisp	436	-	a	2	a	11	2.5	9	2.1	38	8.7	50	11.5	82	18.9	183	42.3	168	38.8	40	9.2
Black non-Hisp	45	-	a	1	a	4	a	-	a	5	11.1	7	15.6	10	22.2	14	31.1	21	46.7	6	13.6
Other non-Hisp	29	-	a	-	a	1	a	-	a	1	a	4	a	7	24.1	8	27.6	14	48.3	21	72.4
Hispanic	114	-	a	3	a	9	7.9	3	a	11	9.6	16	14.0	25	22.1	49	43.4	39	34.5	50	44.2
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a	1	a
Brookfield	110	-	a	1	a	3	a	1	a	11	10.0	9	8.2	5	4.5	27	24.5	78	70.9	20	18.2
White non-Hisp	98	-	a	1	a	3	a	1	a	10	10.2	8	8.2	5	5.1	23	23.5	70	71.4	10	10.2
Black non-Hisp	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	1	a	1	a
Other non-Hisp	7	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	5	71.4	6	85.7
Hispanic	3	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	2	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Brooklyn	64	-	a	-	a	3	a	-	a	4	a	5	7.9	5	8.2	21	34.0	35	57.4	2	a
White non-Hisp	57	-	a	-	a	2	a	-	a	3	a	5	8.9	5	9.3	20	37.0	29	53.7	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	2	a	1	a
Hispanic	5	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a	4	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burlington	62	-	a	-	a	-	a	-	a	2	a	3	a	12	19.4	24	38.7	26	41.9	4	a
White non-Hisp	58	-	a	-	a	-	a	-	a	2	a	3	a	12	20.7	21	36.2	25	43.1	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	2	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canaan	4	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a
White non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canterbury	44	-	a	-	a	-	a	1	a	4	a	2	a	2	a	23	54.8	17	40.5	2	a
White non-Hisp	42	-	a	-	a	-	a	1	a	3	a	2	a	2	a	23	54.8	17	40.5	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^d		PRENATAL CARE						FOREIGN-BORN MOTHERS ^h					
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^e or None)	ADEQUACY (APNCU Index)			MOTHERS ^h	%						
		No.	%	No.	%	No.	%	No.	%		No.	%	No.			%					
Canton	75	-	a	-	a	1	a	-	a	7	9.3	3	a	18	24.3	29	39.2	27	36.5	6	8.0
White non-Hisp	66	-	a	-	a	1	a	-	a	1	a	2	a	17	26.2	27	41.5	21	32.3	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	4	-	a	-	a	-	a	-	a	3	a	1	a	1	a	1	a	2	a	3	a
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	3	a	-	a	-	a	1	a	3	a	-	a
Chaplin	18	-	a	1	a	1	a	-	a	-	a	2	a	1	a	9	50.0	8	44.4	-	a
White non-Hisp	16	-	a	1	a	1	a	-	a	-	a	2	a	1	a	8	50.0	7	43.8	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Cheshire	183	-	a	2	a	5	2.7	3	a	13	7.1	14	7.7	34	18.9	66	36.7	80	44.4	28	15.3
White non-Hisp	162	-	a	2	a	5	3.1	3	a	11	6.8	11	6.8	30	18.8	59	36.9	71	44.4	14	8.6
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a
Other non-Hisp	13	-	a	-	a	-	a	-	a	2	a	1	a	3	a	6	50.0	3	a	11	84.6
Hispanic	4	-	a	-	a	-	a	-	a	-	a	2	a	1	a	-	a	3	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Chester	27	-	a	-	a	1	a	2	a	4	a	1	a	2	a	10	38.5	14	53.8	2	a
White non-Hisp	27	-	a	-	a	1	a	2	a	4	a	1	a	2	a	10	38.5	14	53.8	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clinton	95	-	a	1	a	5	5.3	-	a	5	5.3	4	a	17	18.9	32	35.6	41	45.6	15	15.8
White non-Hisp	80	-	a	-	a	3	a	-	a	4	a	3	a	14	18.2	28	36.4	35	45.5	3	a
Black non-Hisp	2	-	a	1	a	1	a	-	a	1	a	-	a	-	a	-	a	1	a	1	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	12	-	a	-	a	1	a	-	a	-	a	1	a	3	a	4	a	4	a	10	83.3
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colchester	111	-	a	-	a	5	4.5	-	a	10	9.0	3	a	12	10.8	52	46.8	47	42.3	2	a
White non-Hisp	106	-	a	-	a	4	a	-	a	10	9.4	3	a	12	11.3	47	44.3	47	44.3	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	-	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Unk Race/Ethn	1	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Colebrook	8	-	a	-	a	-	a	-	a	1	a	-	a	2	a	2	a	4	a	-	a
White non-Hisp	8	-	a	-	a	-	a	-	a	1	a	-	a	2	a	2	a	4	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Columbia	32	-	a	-	a	-	a	-	a	2	a	2	a	4	a	14	43.8	14	43.8	-	a
White non-Hisp	29	-	a	-	a	-	a	-	a	-	a	2	a	4	a	14	48.3	11	37.9	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	2	a	-	a
Hispanic	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cornwall	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	1	a	1	a
White non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	1	a	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coventry	95	-	a	-	a	3	a	1	a	7	7.4	9	9.5	9	9.5	59	62.1	27	28.4	10	10.5
White non-Hisp	89	-	a	-	a	3	a	1	a	7	7.9	6	6.7	9	10.1	56	62.9	24	27.0	7	7.9
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	2	a	-	a	2	a	2	a	2	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cromwell	140	-	a	-	a	1	a	1	a	9	6.4	12	8.6	31	22.3	59	42.4	49	35.3	28	20.0
White non-Hisp	118	-	a	-	a	1	a	1	a	7	5.9	8	6.8	24	20.3	50	42.4	44	37.3	11	9.3
Black non-Hisp	5	-	a	-	a	-	a	-	a	1	a	2	a	2	a	2	a	1	a	4	a
Other non-Hisp	10	-	a	-	a	-	a	-	a	-	a	1	a	4	a	4	a	2	a	9	90.0
Hispanic	6	-	a	-	a	-	a	-	a	1	a	1	a	1	a	3	a	2	a	4	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a	-	a
Danbury	1,099	1	a	6	0.5	43	3.9	20	1.8	90	8.2	174	16.0	128	11.8	234	21.5	724	66.7	633	57.6
White non-Hisp	501	-	a	-	a	5	1.0	11	2.2	40	8.0	43	8.7	43	8.7	98	19.9	351	71.3	161	32.1
Black non-Hisp	58	-	a	-	a	3	a	3	a	9	15.5	6	10.3	8	13.8	12	20.7	38	65.5	19	32.8
Other non-Hisp	104	-	a	-	a	2	a	1	a	15	14.4	7	6.7	6	5.8	24	23.1	74	71.2	85	81.7
Hispanic	431	1	a	6	1.4	33	7.7	5	1.2	26	6.0	117	27.3	70	16.4	99	23.2	258	60.4	367	85.2
Unk Race/Ethn	5	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	3	a	1	a
Darien	193	-	a	-	a	-	a	-	a	9	4.7	6	3.4	43	24.6	82	46.9	50	28.6	25	13.0
White non-Hisp	167	-	a	-	a	-	a	-	a	8	4.8	5	3.3	37	24.5	71	47.0	43	28.5	11	6.6
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	16	-	a	-	a	-	a	-	a	1	a	1	a	3	a	8	50.0	5	31.3	8	50.0
Hispanic	9	-	a	-	a	-	a	-	a	-	a	-	a	3	a	3	a	2	a	6	66.7
Unk Race																					

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE						FOREIGN-BORN MOTHERS ^h					
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^e or None)	ADEQUACY (APNCU Index)						No.	%			
		No.	%	No.	%	No.	%	No.	%		No.	%	No.	%	No.	%					
Derby	153	-	a	4	a	12	7.8	3	a	16	10.5	16	10.7	37	25.0	55	37.2	56	37.8	24	15.7
White non-Hisp	90	-	a	1	a	3	a	2	a	9	10.0	3	a	17	19.3	32	36.4	39	44.3	9	10.0
Black non-Hisp	28	-	a	3	a	6	21.4	-	a	5	18.5	9	34.6	12	46.2	8	30.8	6	23.1	4	a
Other non-Hisp	7	-	a	-	a	-	a	-	a	-	a	1	a	2	a	4	a	1	a	5	71.4
Hispanic	28	-	a	-	a	3	a	1	a	2	a	3	a	6	22.2	11	40.7	10	37.0	6	21.4
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham	59	-	a	-	a	-	a	-	a	-	a	2	a	7	11.9	27	45.8	25	42.4	6	10.2
White non-Hisp	55	-	a	-	a	-	a	-	a	-	a	2	a	6	10.9	24	43.6	25	45.5	4	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	2	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastford	24	-	a	-	a	-	a	1	a	3	a	1	a	1	a	5	21.7	17	73.9	2	a
White non-Hisp	22	-	a	-	a	-	a	1	a	3	a	1	a	1	a	3	a	17	81.0	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
East Granby	54	-	a	-	a	1	a	-	a	3	a	7	13.0	21	38.9	19	35.2	14	25.9	5	9.3
White non-Hisp	46	-	a	-	a	1	a	-	a	3	a	6	13.0	17	37.0	16	34.8	13	28.3	1	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	1	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	-	a	1	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a	1	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
East Haddam	72	-	a	-	a	-	a	-	a	2	a	2	a	13	18.3	29	40.8	29	40.8	2	a
White non-Hisp	70	-	a	-	a	-	a	-	a	2	a	2	a	13	18.8	27	39.1	29	42.0	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Hampton	118	-	a	-	a	-	a	2	a	6	5.1	10	8.5	30	25.4	50	42.4	38	32.2	13	11.0
White non-Hisp	108	-	a	-	a	-	a	2	a	6	5.6	10	9.3	29	26.9	47	43.5	32	29.6	5	4.6
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	5	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	3	a	5	100.0
Hispanic	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	3	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Hartford	663	-	a	8	1.2	45	6.8	7	1.1	57	8.6	88	13.5	187	28.9	257	39.7	204	31.5	261	39.4
White non-Hisp	160	-	a	1	a	9	5.6	1	a	13	8.1	21	13.3	46	29.1	69	43.7	43	27.2	10	6.3
Black non-Hisp	198	-	a	1	a	9	4.5	3	a	19	9.6	25	13.0	65	33.9	62	32.3	65	33.9	90	45.5
Other non-Hisp	62	-	a	-	a	2	a	-	a	4	a	10	16.7	21	35.0	24	40.0	15	25.0	46	74.2
Hispanic	242	-	a	6	2.5	25	10.3	3	a	21	8.7	32	13.4	54	22.8	102	43.0	81	34.2	115	47.7
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
East Haven	262	-	a	3	a	10	3.8	1	a	18	6.9	21	8.3	45	18.1	107	43.1	96	38.7	63	24.3
White non-Hisp	170	-	a	1	a	4	a	1	a	10	5.9	12	7.2	28	17.1	73	44.5	63	38.4	13	7.6
Black non-Hisp	20	-	a	-	a	-	a	-	a	2	a	1	a	2	a	8	44.4	8	44.4	6	30.0
Other non-Hisp	24	-	a	1	a	1	a	-	a	3	a	2	a	5	25.0	8	40.0	7	35.0	17	77.3
Hispanic	48	-	a	1	a	5	10.4	-	a	3	a	6	13.0	10	21.7	18	39.1	18	39.1	27	57.4
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Lyme	136	-	a	-	a	2	a	-	a	12	8.8	10	7.5	18	13.4	80	59.7	36	26.9	22	16.2
White non-Hisp	114	-	a	-	a	1	a	-	a	10	8.8	7	6.3	16	14.3	70	62.5	26	23.2	9	7.9
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	13	-	a	-	a	-	a	-	a	2	a	1	a	1	a	6	46.2	6	46.2	10	76.9
Hispanic	8	-	a	-	a	1	a	-	a	-	a	2	a	1	a	4	a	3	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Easton	42	-	a	-	a	-	a	1	a	5	11.9	2	a	2	a	25	64.1	12	30.8	8	20.0
White non-Hisp	36	-	a	-	a	-	a	1	a	4	a	2	a	2	a	21	63.6	10	30.3	3	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	2	a	-	a	2	a
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Windsor	124	-	a	1	a	4	a	-	a	7	5.6	6	4.9	24	19.7	63	51.6	35	28.7	29	23.4
White non-Hisp	88	-	a	1	a	2	a	-	a	6	6.8	2	a	18	20.7	44	50.6	25	28.7	3	a
Black non-Hisp	9	-	a	-	a	1	a	-	a	1	a	1	a	-	a	3	a	5	62.5	2	a
Other non-Hisp	20	-	a	-	a	-	a	-	a	-	a	2	a	4	a	13	65.0	3	a	19	95.0
Hispanic	7	-	a	-	a	1	a	-	a	-	a	1	a	2	a	3	a	2	a	5	71.4
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ellington	151	-	a	-	a	1	a	4	a	13	8.6	9	6.0	31	20.7	60	40.0	59	39.3	23	15.2
White non-Hisp	127	-	a	-	a	-	a	4	a	11	8.7	9	7.1	26	20.5	51	40.2	50	39.4	7	5.5
Black non-Hisp	5	-	a	-	a	1	a	-	a	-	a	-	a	1	a	1	a	3	a	2	a
Other non-Hisp	14	-	a	-	a	-	a	-	a	-	a	-	a	3	a	7	53.8	3	a	12	85.7
Hispanic	5	-	a	-	a	-	a	-	a	2	a	-	a	1	a	1	a	3	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enfield	375	-	a	4	a	9	2.4	5	1.3	23	6.2	32	8.6	66	18.4	172	47.9	121	33.7	55	14.7
White non-Hisp	276	-	a	3	a	5	1.8	2	a	14	5.1	19	6.9	50	18.8	126	47.4	90	33.8	9	3.3
Black non-Hisp	24	-	a	-	a	2	a	-	a	1	a	3	a	6							

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE							FOREIGN-BORN MOTHERS ^h				
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING		ADEQUACY (APNCU Index)									
		No.	%	No.	%	No.	%	No.	%	(Late ^e or None)	Non-Adequate ^f	Adequate	Intensive	No.	%	No.		%	No.	%	
Fairfield	504	-	a	1	a	5	1.0	4	a	37	7.3	29	5.9	121	24.7	209	42.7	160	32.7	101	20.2
White non-Hisp	423	-	a	-	a	1	a	3	a	25	5.9	23	5.6	98	23.8	173	42.1	140	34.1	49	11.7
Black non-Hisp	11	-	a	-	a	2	a	-	a	3	a	-	a	2	a	4	a	5	45.5	4	a
Other non-Hisp	41	-	a	-	a	1	a	1	a	7	17.1	3	a	11	27.5	20	50.0	9	22.5	33	80.5
Hispanic	27	-	a	1	a	1	a	-	a	2	a	3	a	9	34.6	11	42.3	6	23.1	15	55.6
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a
Farmington	165	-	a	-	a	2	a	2	a	11	6.7	14	8.6	40	24.4	73	44.5	51	31.1	45	27.4
White non-Hisp	125	-	a	-	a	2	a	2	a	7	5.6	11	8.8	34	27.4	56	45.2	34	27.4	18	14.5
Black non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a	3	a
Other non-Hisp	29	-	a	-	a	-	a	-	a	4	a	2	a	5	17.2	14	48.3	10	34.5	23	79.3
Hispanic	7	-	a	-	a	-	a	-	a	-	a	1	a	-	a	2	a	5	71.4	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin	13	-	a	-	a	1	a	1	a	3	a	2	a	3	a	3	a	7	53.8	-	a
White non-Hisp	13	-	a	-	a	1	a	1	a	3	a	2	a	3	a	3	a	7	53.8	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glastonbury	249	-	a	-	a	2	a	4	a	14	5.6	17	6.9	81	33.2	95	38.9	68	27.9	46	18.5
White non-Hisp	193	-	a	-	a	2	a	2	a	7	3.6	10	5.3	65	34.4	74	39.2	50	26.5	13	6.7
Black non-Hisp	6	-	a	-	a	-	a	-	a	-	a	1	a	3	a	2	a	1	a	2	a
Other non-Hisp	30	-	a	-	a	-	a	2	a	5	16.7	3	a	13	43.3	10	33.3	7	23.3	21	70.0
Hispanic	19	-	a	-	a	-	a	-	a	2	a	3	a	-	a	9	47.4	10	52.6	10	52.6
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Goshen	17	-	a	-	a	-	a	-	a	-	a	1	a	2	a	7	50.0	5	35.7	2	a
White non-Hisp	14	-	a	-	a	-	a	-	a	-	a	1	a	2	a	6	50.0	4	a	1	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Granby	59	-	a	-	a	-	a	-	a	3	a	2	a	21	35.6	17	28.8	21	35.6	2	a
White non-Hisp	55	-	a	-	a	-	a	-	a	3	a	2	a	20	36.4	15	27.3	20	36.4	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich	612	-	a	1	a	6	1.0	9	1.5	35	5.7	29	5.2	121	21.9	264	47.8	167	30.3	195	32.7
White non-Hisp	430	-	a	-	a	-	a	8	1.9	26	6.0	18	4.6	82	21.0	192	49.1	117	29.9	81	19.0
Black non-Hisp	14	-	a	-	a	1	a	-	a	1	a	1	a	3	a	5	35.7	6	42.9	6	42.9
Other non-Hisp	71	-	a	-	a	1	a	-	a	6	8.5	3	a	10	15.4	33	50.8	22	33.8	47	71.2
Hispanic	85	-	a	1	a	4	a	1	a	2	a	7	8.8	26	32.5	33	41.3	21	26.3	61	75.3
Unk Race/Ethn	12	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Griswold	117	-	a	2	a	5	4.3	-	a	14	12.0	7	6.0	10	8.6	42	36.2	64	55.2	6	5.1
White non-Hisp	98	-	a	1	a	4	a	-	a	10	10.2	3	a	5	5.2	35	36.1	57	58.8	-	a
Black non-Hisp	5	-	a	1	a	1	a	-	a	1	a	1	a	1	a	3	a	1	a	1	a
Other non-Hisp	9	-	a	-	a	-	a	-	a	1	a	3	a	4	a	1	a	4	a	3	a
Hispanic	5	-	a	-	a	-	a	-	a	2	a	-	a	-	a	3	a	2	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Groton	576	-	a	3	a	17	3.0	6	1.0	39	6.8	52	9.1	104	18.2	307	53.8	160	28.0	111	19.3
White non-Hisp	405	-	a	2	a	12	3.0	4	a	26	6.4	34	8.4	68	17.0	218	54.4	115	28.7	28	6.9
Black non-Hisp	36	-	a	-	a	2	a	1	a	3	a	5	13.9	7	19.4	17	47.2	12	33.3	9	25.0
Other non-Hisp	72	-	a	-	a	1	a	-	a	7	9.7	6	8.3	15	20.8	39	54.2	18	25.0	48	66.7
Hispanic	61	-	a	1	a	1	a	1	a	3	a	7	11.5	14	23.0	32	52.5	15	24.6	26	42.6
Unk Race/Ethn	2	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Guilford	122	-	a	-	a	2	a	-	a	8	6.6	5	4.2	11	9.2	63	52.9	45	37.8	12	9.8
White non-Hisp	109	-	a	-	a	2	a	-	a	5	4.6	4	a	9	8.4	57	53.3	41	38.3	6	5.5
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Other non-Hisp	5	-	a	-	a	-	a	-	a	1	a	-	a	1	a	3	a	1	a	1	a
Hispanic	6	-	a	-	a	-	a	-	a	2	a	1	a	-	a	3	a	3	a	5	83.3
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Haddam	63	-	a	-	a	-	a	1	a	4	a	3	a	10	15.9	26	41.3	27	42.9	8	12.7
White non-Hisp	58	-	a	-	a	-	a	1	a	4	a	3	a	10	17.2	24	41.4	24	41.4	6	10.3
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	2	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hamden	582	-	a	4	a	18	3.1	3	a	40	6.9	61	10.7	106	18.8	254	45.1	203	36.1	168	28.9
White non-Hisp	293	-	a	-	a	2	a	2	a	11	3.8	18	6.2	45	15.6	143	49.7	100	34.7	56	19.1
Black non-Hisp	138	-	a	1	a	10	7.2	-	a	21	15.2	23	17.2	34	25.4	51	38.1	49	36.6	23	16.7
Other non-Hisp	64	-	a	-	a	1	a	1	a	4	a	8	12.9	5	8.6	32	55.2	21	36.2	55	85.9
Hispanic	85	-	a	3	a	5	5.9	-	a	4	a	12	14.5	22	26.8	28	34.1	32	39.0	33	39.3
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hampton	8	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	7	87.5	1	a
White non-Hisp	8	-	a	-	a	-	a	-	a												

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE						FOREIGN-BORN MOTHERS ^h					
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^e or None)	ADEQUACY (APNCU Index)										
		No.	%	No.	%	No.	%	No.	%		No.	%	No.	%							
Hartland	13	-	a	-	a	-	a	-	a	2	a	1	a	5	38.5	7	53.8	1	a	2	a
White non-Hisp	11	-	a	-	a	-	a	-	a	1	a	1	a	5	45.5	6	54.5	-	a	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	1	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hartwinton	40	-	a	-	a	-	a	1	a	3	a	3	a	8	20.0	20	50.0	12	30.0	5	12.5
White non-Hisp	36	-	a	-	a	-	a	1	a	3	a	3	a	6	16.7	18	50.0	12	33.3	2	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hebron	67	-	a	-	a	2	a	-	a	5	7.5	2	a	24	35.8	28	41.8	15	22.4	3	a
White non-Hisp	64	-	a	-	a	2	a	-	a	4	a	2	a	24	37.5	25	39.1	15	23.4	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	-	a	-	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	15	-	a	-	a	-	a	-	a	1	a	1	a	2	a	8	57.1	4	a	3	a
White non-Hisp	11	-	a	-	a	-	a	-	a	1	a	1	a	1	a	7	63.6	3	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a
Killingly	204	-	a	3	a	10	4.9	1	a	13	6.4	12	6.0	20	10.1	65	32.8	113	57.1	8	3.9
White non-Hisp	189	-	a	3	a	9	4.8	1	a	13	6.9	11	5.9	20	10.8	60	32.3	106	57.0	5	2.6
Black non-Hisp	6	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	4	a	1	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a
Hispanic	3	-	a	-	a	1	a	-	a	-	a	1	a	-	a	1	a	2	a	-	a
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Killingworth	28	-	a	-	a	-	a	-	a	1	a	1	a	2	a	14	51.9	11	40.7	-	a
White non-Hisp	27	-	a	-	a	-	a	-	a	1	a	1	a	2	a	14	53.8	10	38.5	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lebanon	49	-	a	-	a	-	a	2	a	5	10.2	2	a	7	14.3	23	46.9	19	38.8	7	14.3
White non-Hisp	39	-	a	-	a	-	a	2	a	4	a	2	a	6	15.4	17	43.6	16	41.0	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a
Hispanic	8	-	a	-	a	-	a	-	a	1	a	-	a	1	a	6	75.0	1	a	5	62.5
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ledyard	154	-	a	1	a	4	a	1	a	5	3.2	8	5.2	19	12.3	92	59.7	43	27.9	11	7.3
White non-Hisp	121	-	a	1	a	4	a	1	a	3	a	4	a	14	11.6	73	60.3	34	28.1	2	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	1	a
Other non-Hisp	16	-	a	-	a	-	a	-	a	1	a	1	a	3	a	7	43.8	6	37.5	3	a
Hispanic	15	-	a	-	a	-	a	-	a	1	a	3	a	2	a	10	66.7	3	a	5	33.3
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lisbon	22	-	a	-	a	1	a	-	a	2	a	2	a	2	a	4	a	14	70.0	1	a
White non-Hisp	22	-	a	-	a	1	a	-	a	2	a	2	a	2	a	4	a	14	70.0	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Litchfield	52	-	a	-	a	1	a	-	a	-	a	4	a	8	15.7	26	51.0	17	33.3	2	a
White non-Hisp	49	-	a	-	a	1	a	-	a	-	a	3	a	8	16.3	26	53.1	15	30.6	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme	11	-	a	-	a	1	a	-	a	1	a	1	a	2	a	1	a	8	72.7	-	a
White non-Hisp	11	-	a	-	a	1	a	-	a	1	a	1	a	2	a	1	a	8	72.7	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	83	-	a	-	a	-	a	1	a	1	a	5	6.3	11	14.3	27	35.1	39	50.6	12	14.5
White non-Hisp	72	-	a	-	a	-	a	-	a	-	a	4	a	10	14.9	23	34.3	34	50.7	7	9.7
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Other non-Hisp	6	-	a	-	a	-	a	-	a	-	a	1	a	1	a	3	a	2	a	4	a
Hispanic	3	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a	1	a	-	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Manchester	763	-	a	8	1.0	27	3.5	9	1.2	55	7.2	91	12.0	168	22.2	339	44.8	249	32.9	253	33.2
White non-Hisp	373	-	a	1	a	11	2.9	4	a	26	7.0	36	9.8	71	19.2	171	46.3	127	34.4	24	6.4
Black non-Hisp	113	-	a	1	a	5	4.4	2	a	7	6.2	19	16.8	32	28.3	46	40.7	35	31.0	39	34.5
Other non-Hisp	159	-	a	-	a	1	a	1	a	14	8.8	12	7.5	31	19.5	74	46.5	54	34.0	148	93.1
Hispanic	114	-	a	6	5.3	10	8.8	1	a	7	6.1	22	19.5	32	28.3	48	42.5	33	29.2	41	36.0
Unk Race/Ethn	4	-	a	-	a	-	a	1	a	1	a	2	a	2	a	-	a	-			

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^d		PRENATAL CARE				FOREIGN-BORN MOTHERS ^h							
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^e or None)	ADEQUACY (APNCU Index)			No.	%						
		No.	%	No.	%	No.	%	No.	%		No.	%	No.			%					
Marlborough	41	-	a	-	a	1	a	-	4	a	4	a	9	22.0	18	43.9	14	34.1	3	a	
White non-Hisp	38	-	a	-	a	1	a	-	4	a	4	a	8	21.1	17	44.7	13	34.2	1	a	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	1	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meriden	763	-	a	14	1.8	69	9.0	16	2.1	75	9.8	103	13.5	293	38.7	319	42.1	146	19.3	203	26.6
White non-Hisp	345	-	a	1	a	13	3.8	7	2.0	32	9.3	38	11.0	109	31.8	158	46.1	76	22.2	25	7.2
Black non-Hisp	70	-	a	2	a	6	8.6	1	a	11	15.7	10	14.3	26	37.1	26	37.1	18	25.7	21	30.0
Other non-Hisp	36	-	a	-	a	-	a	1	a	5	13.9	7	19.4	10	27.8	16	44.4	10	27.8	23	63.9
Hispanic	309	-	a	10	3.2	49	15.9	7	2.3	27	8.7	46	14.9	145	47.4	119	38.9	42	13.7	134	43.4
Unk Race/Ethn	3	-	a	1	a	1	a	-	a	-	a	2	a	3	a	-	a	-	a	-	a
Middlebury	53	-	a	-	a	-	a	-	a	-	a	5	9.4	4	a	20	37.7	29	54.7	6	11.3
White non-Hisp	50	-	a	-	a	-	a	-	a	-	a	5	10.0	4	a	20	40.0	26	52.0	4	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	2	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlefield	34	-	a	-	a	1	a	-	a	1	a	1	a	5	14.7	12	35.3	17	50.0	3	a
White non-Hisp	31	-	a	-	a	1	a	-	a	-	a	1	a	5	16.1	11	35.5	15	48.4	-	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	2	a	2	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middletown	539	-	a	9	1.7	22	4.1	7	1.3	28	5.2	38	7.1	101	18.9	215	40.2	219	40.9	119	22.1
White non-Hisp	325	-	a	1	a	7	2.2	4	a	13	4.0	19	5.8	57	17.6	129	39.8	138	42.6	27	8.3
Black non-Hisp	69	-	a	2	a	3	a	1	a	9	13.0	4	a	15	21.7	23	33.3	31	44.9	17	24.6
Other non-Hisp	64	-	a	1	a	2	a	1	a	3	a	4	a	14	21.9	28	43.8	22	34.4	48	75.0
Hispanic	78	-	a	5	6.4	10	12.8	1	a	3	a	11	14.1	15	19.2	35	44.9	28	35.9	27	34.6
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Milford	423	-	a	1	a	11	2.6	7	1.7	19	4.5	24	5.9	81	20.6	155	39.4	157	39.9	106	25.1
White non-Hisp	325	-	a	-	a	6	1.8	7	2.2	17	5.2	17	5.4	65	21.5	120	39.7	117	38.7	32	9.8
Black non-Hisp	11	-	a	1	a	1	a	-	a	-	a	2	a	4	a	4	a	1	a	5	45.5
Other non-Hisp	69	-	a	-	a	2	a	-	a	2	a	5	7.6	10	15.4	24	36.9	31	47.7	62	89.9
Hispanic	18	-	a	-	a	2	a	-	a	-	a	2	a	2	a	7	41.2	8	47.1	7	38.9
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Monroe	153	-	a	-	a	-	a	-	a	11	7.2	11	7.3	38	25.3	53	35.3	59	39.3	19	12.4
White non-Hisp	137	-	a	-	a	-	a	-	a	10	7.3	9	6.7	35	26.1	47	35.1	52	38.8	13	9.5
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	6	-	a	-	a	-	a	-	a	1	a	1	a	3	a	3	a	2	a	6	100.0
Hispanic	10	-	a	-	a	-	a	-	a	-	a	1	a	2	a	3	a	5	50.0	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Montville	146	-	a	1	a	7	4.8	1	a	9	6.2	15	10.3	17	11.7	57	39.3	71	49.0	22	15.1
White non-Hisp	109	-	a	-	a	4	a	-	a	4	a	9	8.3	12	11.1	44	40.7	52	48.1	4	a
Black non-Hisp	7	-	a	-	a	-	a	-	a	2	a	2	a	1	a	1	a	5	71.4	4	a
Other non-Hisp	24	-	a	1	a	2	a	1	a	3	a	3	a	3	a	9	37.5	12	50.0	12	50.0
Hispanic	6	-	a	-	a	1	a	-	a	-	a	1	a	1	a	3	a	2	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morris	14	-	a	-	a	-	a	-	a	1	a	-	a	2	a	3	a	9	64.3	3	a
White non-Hisp	14	-	a	-	a	-	a	-	a	1	a	-	a	2	a	3	a	9	64.3	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Naugatuck	364	-	a	4	a	15	4.1	8	2.2	20	5.5	58	16.1	49	13.7	141	39.4	168	46.9	83	22.8
White non-Hisp	263	-	a	3	a	11	4.2	8	3.0	15	5.7	36	13.8	36	13.9	110	42.5	113	43.6	26	9.9
Black non-Hisp	28	-	a	1	a	1	a	-	a	-	a	5	17.9	6	21.4	8	28.6	14	50.0	17	60.7
Other non-Hisp	21	-	a	-	a	-	a	-	a	2	a	1	a	1	a	6	28.6	14	66.7	19	90.5
Hispanic	52	-	a	-	a	3	a	-	a	3	a	16	31.4	6	12.0	17	34.0	27	54.0	21	40.4
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Britain	1,032	1	a	30	2.9	94	9.1	20	1.9	79	7.7	208	20.2	384	37.4	404	39.3	240	23.3	398	38.6
White non-Hisp	302	-	a	3	a	10	3.3	6	2.0	18	6.0	69	23.0	108	36.0	124	41.3	68	22.7	101	33.4
Black non-Hisp	103	-	a	1	a	2	a	1	a	12	11.7	21	20.6	37	36.3	40	39.2	25	24.5	34	33.0
Other non-Hisp	55	-	a	1	a	3	a	1	a	7	12.7	7	12.7	21	38.2	23	41.8	11	20.0	35	63.6
Hispanic	559	1	a	25	4.5	78	14.0	12	2.2	41	7.3	107	19.1	210	37.6	215	38.5	134	24.0	216	38.7
Unk Race/Ethn	13	-	a	-	a	1	a	-	a	1	a	4	a	8	66.7	2	a	2	a	12	92.3
New Canaan	145	-	a	-	a	-	a	2	a	14	9.7	12	9.5	37	29.4	51	40.5	38	30.2	20	14.1
White non-Hisp	130	-	a	-	a	-	a	2	a	12	9.2	11	9.5	33	28.4	47	40.5	36	31.0	13	10.1
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	8	-	a	-	a	-	a	-	a	1	a	-	a	1	a	4	a	1	a	5	83.3
Hispanic	4	-	a	-	a	-	a	-	a	1	a	1	a	3	a	-	a	1	a	2	a
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
New Fairfield	85	-	a	-	a	-	a	1	a	3	a	5	5.9	10	11.8	21	24.7	54	63.5	14	16.5

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^d				TIMING			PRENATAL CARE						FOREIGN-BORN MOTHERS ^h	
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		(Late ^e or None)		ADEQUACY (APNCU Index)			No.	%				
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.			%			
New Haven	1,877	4	a	46	2.5	152	8.1	27	1.4	155	8.3	319	17.5	420	23.7	723	40.7	632	35.6	668	35.6	
White non-Hisp	419	-	a	4	a	10	2.4	4	a	22	5.3	37	9.2	72	18.5	197	50.6	120	30.8	102	24.3	
Black non-Hisp	594	2	a	18	3.0	61	10.3	10	1.7	71	12.0	117	20.1	133	23.4	215	37.9	220	38.7	68	11.5	
Other non-Hisp	152	-	a	3	a	8	5.3	2	a	9	5.9	21	14.2	33	22.8	72	49.7	40	27.6	98	64.5	
Hispanic	709	2	a	21	3.0	73	10.3	11	1.6	53	7.5	144	20.9	181	27.0	238	35.5	252	37.6	400	56.4	
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-
Newington	243	-	a	1	a	3	a	2	a	8	3.3	23	9.6	65	27.1	103	42.9	72	30.0	62	25.6	
White non-Hisp	176	-	a	1	a	3	a	2	a	5	2.8	11	6.3	46	26.3	76	43.4	53	30.3	21	11.9	
Black non-Hisp	8	-	a	-	a	-	a	-	a	1	a	1	a	3	a	3	a	2	a	4	a	
Other non-Hisp	26	-	a	-	a	-	a	-	a	2	a	3	a	6	24.0	9	36.0	10	40.0	22	88.0	
Hispanic	31	-	a	-	a	-	a	-	a	-	a	7	23.3	8	26.7	15	50.0	7	23.3	14	45.2	
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	-	a	-	a	
New London	382	-	a	9	2.4	27	7.1	6	1.6	34	8.9	58	15.3	62	16.4	183	48.3	134	35.4	127	33.4	
White non-Hisp	136	-	a	-	a	6	4.4	1	a	8	5.9	15	11.0	19	14.0	67	49.3	50	36.8	7	5.2	
Black non-Hisp	74	-	a	3	a	8	10.8	1	a	8	10.8	18	24.3	18	24.3	31	41.9	25	33.8	19	26.0	
Other non-Hisp	16	-	a	-	a	-	a	1	a	1	a	3	a	2	a	8	50.0	6	37.5	8	50.0	
Hispanic	156	-	a	6	3.8	13	8.3	3	a	17	11.0	22	14.4	23	15.0	77	50.3	53	34.6	93	59.6	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New Milford	255	-	a	1	a	5	2.0	5	2.0	22	8.6	15	6.0	18	7.2	72	28.8	160	64.0	48	19.0	
White non-Hisp	205	-	a	1	a	4	a	2	a	16	7.8	7	3.5	16	8.0	58	28.9	127	63.2	15	7.4	
Black non-Hisp	11	-	a	-	a	-	a	2	a	3	a	4	a	1	a	-	a	10	90.9	7	63.6	
Other non-Hisp	10	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	8	80.0	8	80.0	
Hispanic	27	-	a	-	a	1	a	1	a	3	a	4	a	1	a	11	42.3	14	53.8	18	69.2	
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	
Newtown	166	-	a	1	a	4	a	3	a	14	8.4	10	6.0	10	6.0	42	25.3	114	68.7	22	13.3	
White non-Hisp	148	-	a	1	a	4	a	3	a	14	9.5	6	4.1	8	5.4	41	27.7	99	66.9	13	8.8	
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	-	a	1	a	
Other non-Hisp	7	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	7	100.0	6	85.7	
Hispanic	9	-	a	-	a	-	a	-	a	-	a	2	a	-	a	1	a	8	88.9	2	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Norfolk	12	-	a	-	a	-	a	-	a	-	a	1	a	3	a	6	54.5	2	a	1	a	
White non-Hisp	11	-	a	-	a	-	a	-	a	-	a	1	a	3	a	5	50.0	2	a	1	a	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Branford	85	-	a	-	a	1	a	1	a	4	a	3	a	12	14.3	39	46.4	33	39.3	5	5.9	
White non-Hisp	77	-	a	-	a	1	a	1	a	4	a	2	a	11	14.5	36	47.4	29	38.2	2	a	
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	1	a	
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a	
Hispanic	3	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	2	a	1	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Canaan	19	-	a	-	a	-	a	-	a	-	a	1	a	2	a	6	35.3	9	52.9	2	a	
White non-Hisp	18	-	a	-	a	-	a	-	a	-	a	1	a	2	a	5	31.3	9	56.3	1	a	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Haven	175	-	a	1	a	5	2.9	2	a	8	4.6	11	6.3	19	11.2	92	54.1	59	34.7	28	16.0	
White non-Hisp	142	-	a	-	a	1	a	1	a	5	3.5	8	5.7	12	8.6	77	55.4	50	36.0	14	9.9	
Black non-Hisp	7	-	a	-	a	1	a	-	a	1	a	1	a	4	a	3	a	-	a	1	a	
Other non-Hisp	14	-	a	-	a	-	a	1	a	2	a	2	a	2	a	4	a	7	53.8	9	64.3	
Hispanic	11	-	a	1	a	3	a	-	a	-	a	-	a	-	a	8	80.0	2	a	4	a	
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	
North Stonington	40	-	a	-	a	-	a	-	a	-	a	2	a	1	a	24	60.0	15	37.5	2	a	
White non-Hisp	36	-	a	-	a	-	a	-	a	-	a	1	a	1	a	22	61.1	13	36.1	2	a	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	1	a	-	a	
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Norwalk	1,150	2	a	16	1.4	42	3.7	19	1.7	88	7.7	174	15.5	257	23.0	502	45.0	357	32.0	493	43.2	
White non-Hisp	537	-	a	-	a	1	a	4	a	35	6.5	31	6.0	117	22.6	240	46.4	160	30.9	89	16.7	
Black non-Hisp	146	2	a	4	a	15	10.3	4	a	17	11.6	38	26.6	43	30.1	50	35.0	50	35.0	47	32.2	
Other non-Hisp	83	-	a	-	a	-	a	2	a	6	7.2	6	7.5	19	23.8	34	42.5	27	33.8	66	81.5	
Hispanic	382	-	a	12	3.1	26	6.8	9	2.4	30	7.9	99	26.2	78	20.8	178	47.5	119	31.7	291	76.4	
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	
Norwich	491	-	a	6	1.2	34	6.9	10	2.0	45	9.2	53	10.9	60	12.4	172	35.5	253	52.2	130	26.5	
White non-Hisp	264	-	a	2	a	11	4.2	3	a	21	8.0	24	9.2	31	12.0	104	40.2	124	47.9	11	4.2	
Black non-Hisp	78	-	a	3	a	7	9.0	2	a	9	11.5	10	12.8	7	9.0	18	23.1	53	67.9	37	47.4	
Other non-Hisp	54	-	a	1	a	5	9.3	2	a	7	13.0	9	16.7	10	18.5	16	29.6	28	51.9	32	59.3	
Hispanic	93	-	a	-	a	11	11.8	3	a	8	8.6	10	10.9	12	13.0	34	37.0	46	50.0	50	53.8	
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	
Old Lyme	29	-	a	-	a	1																

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^d		PRENATAL CARE							FOREIGN-BORN MOTHERS ^h				
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^e or None)	ADEQUACY (APNCU Index)						No.	%			
		No.	%	No.	%	No.	%	No.	%		No.	%	No.	%	No.	%					
Orange	102	-	a	-	a	-	a	-	a	4	a	6	5.9	15	15.2	47	47.5	37	37.4	25	24.5
White non-Hisp	83	-	a	-	a	-	a	-	a	3	a	6	7.2	12	14.8	40	49.4	29	35.8	10	12.0
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	14	-	a	-	a	-	a	-	a	1	a	-	a	2	a	6	46.2	5	38.5	12	85.7
Hispanic	5	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	3	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	89	-	a	-	a	3	a	2	a	5	5.6	3	a	9	10.5	38	44.2	39	45.3	11	12.4
White non-Hisp	75	-	a	-	a	2	a	2	a	5	6.7	3	a	8	11.1	30	41.7	34	47.2	5	6.7
Black non-Hisp	3	-	a	-	a	1	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a
Other non-Hisp	6	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	3	a	5	83.3
Hispanic	5	-	a	-	a	-	a	-	a	-	a	-	a	-	a	4	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plainfield	159	-	a	-	a	5	3.1	4	a	11	6.9	11	7.1	14	9.2	48	31.4	91	59.5	8	5.1
White non-Hisp	153	-	a	-	a	5	3.3	4	a	11	7.2	10	6.7	12	8.2	48	32.7	87	59.2	4	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	3	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Plainville	166	-	a	2	a	5	3.0	3	a	15	9.1	20	12.0	34	20.5	68	41.0	64	38.6	32	19.3
White non-Hisp	138	-	a	1	a	4	a	3	a	13	9.5	17	12.3	31	22.5	51	37.0	56	40.6	5	9.4
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	6	-	a	-	a	-	a	-	a	2	a	1	a	1	a	4	a	1	a	5	83.3
Hispanic	21	-	a	1	a	1	a	-	a	2	a	2	a	2	a	13	61.9	6	28.6	14	66.7
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plymouth	90	-	a	-	a	2	a	4	a	8	8.9	14	15.6	21	23.3	39	43.3	30	33.3	8	8.9
White non-Hisp	79	-	a	-	a	2	a	4	a	8	10.1	13	16.5	19	24.1	33	41.8	27	34.2	5	6.3
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	-	a	1	a
Hispanic	7	-	a	-	a	-	a	-	a	-	a	1	a	-	a	5	71.4	2	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pomfret	24	-	a	-	a	-	a	-	a	1	a	1	a	2	a	8	36.4	12	54.5	2	a
White non-Hisp	21	-	a	-	a	-	a	-	a	1	a	1	a	1	a	6	31.6	12	63.2	-	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland	64	-	a	-	a	1	a	-	a	-	a	6	9.4	13	20.3	29	45.3	22	34.4	3	a
White non-Hisp	58	-	a	-	a	-	a	-	a	-	a	5	8.6	12	20.7	25	43.1	21	36.2	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	1	a
Hispanic	5	-	a	-	a	1	a	-	a	-	a	-	a	1	a	3	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Preston	34	-	a	-	a	-	a	-	a	1	a	1	a	5	14.7	12	35.3	17	50.0	3	a
White non-Hisp	30	-	a	-	a	-	a	-	a	1	a	1	a	5	16.7	10	33.3	15	50.0	1	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prospect	69	-	a	-	a	2	a	-	a	8	11.6	7	10.3	8	11.8	22	32.4	38	55.9	4	a
White non-Hisp	63	-	a	-	a	1	a	-	a	8	12.7	5	8.1	6	9.7	21	33.9	35	56.5	2	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	2	a	2	a	-	a	-	a	1	a
Hispanic	2	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Putnam	119	-	a	-	a	8	6.7	1	a	6	5.0	7	5.9	13	11.1	40	34.2	64	54.7	8	6.7
White non-Hisp	109	-	a	-	a	8	7.3	-	a	5	4.6	6	5.5	10	9.3	39	36.1	59	54.6	4	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	2	a
Hispanic	5	-	a	-	a	-	a	1	a	1	a	1	a	2	a	1	a	2	a	2	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Redding	40	-	a	-	a	-	a	-	a	2	a	-	a	6	15.4	16	41.0	17	43.6	11	27.5
White non-Hisp	30	-	a	-	a	-	a	-	a	1	a	-	a	6	20.7	13	44.8	10	34.5	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	6	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	4	a	5	83.3
Hispanic	3	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	3	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Ridgefield	176	-	a	-	a	-	a	3	a	18	10.2	6	3.4	16	9.2	53	30.5	105	60.3	28	16.0
White non-Hisp	157	-	a	-	a	-	a	2	a	14	8.9	6	3.8	16	10.3	49	31.4	91	58.3	21	13.5
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a
Other non-Hisp	10	-	a	-	a	-	a	-	a	2	a	-	a	-	a	1	a	9	90.0	6	60.0
Hispanic	5	-	a	-	a	-	a	-	a	1	a	-	a	-	a	2	a	3	a	1	a
Unk Race/Ethn	3	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a	1	a	-	a
Rocky Hill	180	-	a	-	a	-	a	1	a	14	7.8	19	10.6	49	27.4	71	39.7	59	33.0	98	54.4
White non-Hisp	85	-	a	-	a	-	a	-	a	4	a	11	12.9	27	31.8	34	40.0	24	28.2	17	20.0
Black non-Hisp	12	-	a	-	a	-	a	1	a	3	a	-	a	2	a	5	45.5	4	a	7	58.3
Other non-Hisp	73	-	a	-	a	-	a	-	a	5	6.8	5	6.8	18	24.7	27	37.0	28	38.4	68	93.2
Hispanic	9	-	a	-	a	-	a	-	a	2											

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^d		PRENATAL CARE					FOREIGN-BORN MOTHERS ^h						
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^e or None)	ADEQUACY (APNCU Index)				No.	%					
		No.	%	No.	%	No.	%	No.	%		No.	%	No.	%			No.	%			
Stamford	1,849	-	a	16	0.9	57	3.1	19	1.0	149	8.1	302	16.8	609	34.0	716	40.0	465	26.0	1,028	55.9
White non-Hisp	736	-	a	-	-	1	a	2	a	40	5.4	72	10.0	219	30.5	298	41.4	202	28.1	190	25.9
Black non-Hisp	199	-	a	2	a	10	5.0	6	3.0	22	11.1	41	21.7	68	36.0	76	40.2	45	23.8	92	46.2
Other non-Hisp	302	-	a	-	-	-	-	1	a	27	8.9	39	13.1	92	31.0	114	38.4	91	30.6	267	89.0
Hispanic	601	-	a	14	2.3	46	7.7	10	1.7	54	9.0	150	25.5	230	39.3	228	39.0	127	21.7	479	80.4
Unk Race/Ethn	11	-	a	-	-	-	-	-	-	6	54.5	-	-	-	-	-	-	-	-	-	-
Sterling	35	-	a	1	a	2	a	3	a	6	17.1	2	a	3	a	13	41.9	15	48.4	-	-
White non-Hisp	35	-	a	1	a	2	a	3	a	6	17.1	2	a	3	a	13	41.9	15	48.4	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stonington	110	-	a	-	-	4	a	3	a	7	6.4	11	10.0	14	12.8	60	55.0	35	32.1	11	10.0
White non-Hisp	97	-	a	-	-	3	a	3	a	6	6.2	10	10.3	13	13.4	54	55.7	30	30.9	4	a
Black non-Hisp	1	-	a	-	-	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-
Other non-Hisp	6	-	a	-	-	-	-	-	-	1	a	1	a	1	a	2	a	2	a	4	a
Hispanic	5	-	a	-	-	1	a	-	-	-	-	-	-	-	-	2	a	3	a	3	a
Unk Race/Ethn	1	-	a	-	-	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-
Strafford	526	-	a	8	1.5	26	4.9	9	1.7	35	6.7	51	9.8	121	23.5	215	41.7	179	34.8	128	24.4
White non-Hisp	300	-	a	3	a	7	2.3	4	a	18	6.0	18	6.0	54	18.3	141	47.8	100	33.9	33	11.0
Black non-Hisp	99	-	a	2	a	8	8.1	2	a	10	10.1	19	19.4	31	32.0	34	35.1	32	33.0	35	35.7
Other non-Hisp	26	-	a	-	-	-	-	1	a	3	a	3	a	5	20.8	9	37.5	10	41.7	19	73.1
Hispanic	99	-	a	3	a	11	11.1	2	a	4	a	11	11.3	29	29.9	31	32.0	37	38.1	40	40.4
Unk Race/Ethn	2	-	a	-	-	-	-	-	-	-	-	-	-	2	a	-	-	-	-	1	a
Suffield	115	-	a	-	-	-	-	2	a	8	7.0	13	11.5	23	21.5	47	43.9	37	34.6	8	7.0
White non-Hisp	100	-	a	-	-	-	-	2	a	6	6.0	11	11.1	23	23.5	41	41.8	34	34.7	5	5.1
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	a	-	-	-	-	-	-	-	-	1	a	-	-	3	a	1	a	3	a
Hispanic	1	-	a	-	-	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-
Unk Race/Ethn	10	-	a	-	-	-	-	-	-	2	a	1	a	-	-	2	a	2	a	-	-
Thomaston	56	-	a	-	-	2	a	-	-	5	8.9	8	14.3	9	16.1	19	33.9	28	50.0	4	a
White non-Hisp	54	-	a	-	-	2	a	-	-	5	9.3	8	14.8	7	13.0	19	35.2	28	51.9	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-	1	a
Hispanic	1	-	a	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thompson	80	1	a	1	a	2	a	-	-	2	a	7	9.6	9	13.0	25	36.2	35	50.7	2	a
White non-Hisp	68	1	a	1	a	1	a	-	-	-	-	7	11.1	8	13.3	20	33.3	32	53.3	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	-	-	-	-	-	1	a	-	-	-	-	-	-	-	-	1	a
Hispanic	3	-	a	-	-	1	a	-	-	-	-	-	-	-	-	-	-	3	a	-	-
Unk Race/Ethn	8	-	a	-	-	-	-	-	-	1	a	-	-	1	a	5	83.3	-	-	-	-
Tolland	94	-	a	1	a	2	a	1	a	5	5.3	8	8.8	19	20.9	39	42.9	33	36.3	9	9.6
White non-Hisp	81	-	a	1	a	1	a	1	a	5	6.2	7	8.9	18	22.8	33	41.8	28	35.4	2	a
Black non-Hisp	1	-	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	a	-	-
Other non-Hisp	7	-	a	-	-	-	-	-	-	-	-	1	a	1	a	3	a	3	a	6	85.7
Hispanic	4	-	a	-	-	1	a	-	-	-	-	-	-	-	-	3	a	1	a	1	a
Unk Race/Ethn	1	-	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Torrington	364	-	a	7	1.9	23	6.3	5	1.4	26	7.1	39	10.8	77	21.3	171	47.4	113	31.3	72	19.8
White non-Hisp	273	-	a	4	a	19	7.0	3	a	20	7.3	24	8.9	56	20.7	128	47.4	86	31.9	12	4.4
Black non-Hisp	10	-	a	-	-	-	-	1	a	1	a	-	-	2	a	5	50.0	3	a	3	a
Other non-Hisp	19	-	a	-	-	-	-	-	-	2	a	2	a	1	a	8	42.1	10	52.6	15	78.9
Hispanic	61	-	a	3	a	4	a	1	a	3	a	13	21.3	18	29.5	29	47.5	14	23.0	42	68.9
Unk Race/Ethn	1	-	a	-	-	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-
Trumbull	287	-	a	-	-	4	a	3	a	17	5.9	18	6.4	72	25.8	116	41.6	91	32.6	70	24.6
White non-Hisp	219	-	a	-	-	2	a	2	a	6	2.7	11	5.1	54	25.1	88	40.9	73	34.0	24	11.0
Black non-Hisp	10	-	a	-	-	1	a	1	a	4	a	3	a	3	a	1	a	3	a	6	60.0
Other non-Hisp	36	-	a	-	-	-	-	-	-	4	a	2	a	8	22.9	17	48.6	10	28.6	30	85.7
Hispanic	20	-	a	-	-	1	a	-	-	2	a	2	a	7	35.0	9	45.0	4	a	10	50.0
Unk Race/Ethn	2	-	a	-	-	-	-	-	-	1	a	-	-	-	-	1	a	1	a	-	-
Union	6	-	a	-	-	-	-	-	-	1	a	-	-	1	a	4	a	-	-	-	-
White non-Hisp	5	-	a	-	-	-	-	-	-	1	a	-	-	1	a	3	a	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	1	-	a	-	-	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-
Vernon	329	-	a	2	a	9	2.7	3	a	25	7.6	33	10.2	68	21.1	146	45.3	108	33.5	71	21.7
White non-Hisp	224	-	a	2	a	4	a	1	a	18	8.0	21	9.5	51	23.2	97	44.1	72	32.7	12	5.4
Black non-Hisp	32	-	a	-	-	1	a	1	a	3	a	3	a	6	19.4	14	45.2	11	35.5	16	50.0
Other non-Hisp	49	-	a	-	-	2	a	1	a	4	a	6	12.5	7	14.6	25	52.1	16	33.3	36	73.5
Hispanic	22	-	a	-	-	2	a	-	-	-	-	2	a	4	a	9	40.9	9	40.9	7	31.8
Unk Race/Ethn	2	-	a	-	-	-	-	-	-	1	a	-	-	-	-	1	a	-	-	-	-
Voluntown	17	-	a	-	-	2	a	-	-	2	a	-	-	-	-	4	a	13	76.5	-	-
White non-Hisp	16	-	a	-	-	2	a	-	-	2	a	-	-	-	-	4	a	12	7		

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^d		PRENATAL CARE						FOREIGN-BORN MOTHERS ^h			
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING		ADEQUACY (APNCU Index)				No.	%		
		No.	%	No.	%	No.	%	No.	%	(Late ^e or None)	No.	%	No.	%	No.	%	No.	%	
Other non-Hisp	65	-	a	-	a	1	1.5	2	3.1	14	21.5	10	15.4	26	40.0	29	44.6	40	61.5
Hispanic	729	2	a	32	4.4	107	14.7	14	1.9	68	9.3	210	29.0	149	20.6	230	31.8	344	47.6
Unk Race/Ethn	2	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a	-	a
Waterford	138	-	a	-	a	5	3.6	5	3.6	16	11.6	9	6.6	18	13.2	74	54.4	44	32.4
White non-Hisp	113	-	a	-	a	5	4.4	4	a	14	12.4	8	7.1	12	10.8	64	57.7	35	31.5
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Other non-Hisp	14	-	a	-	a	-	a	-	a	1	a	1	a	4	a	4	a	6	42.9
Hispanic	7	-	a	-	a	-	a	1	a	1	a	-	a	-	a	5	71.4	2	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Watertown	167	-	a	1	a	5	3.0	1	a	10	6.0	26	15.8	13	7.9	62	37.8	89	54.3
White non-Hisp	150	-	a	-	a	4	a	1	a	10	6.7	24	16.1	13	8.8	58	39.2	77	52.0
Black non-Hisp	6	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	5	100.0
Other non-Hisp	5	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	5	100.0
Hispanic	6	-	a	1	a	1	a	-	a	-	a	-	a	-	a	4	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westbrook	33	-	a	-	a	-	a	-	a	7	21.2	6	18.2	11	33.3	16	48.5	7	21.2
White non-Hisp	26	-	a	-	a	-	a	-	a	7	26.9	6	23.1	9	34.6	11	42.3	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a
Hispanic	5	-	a	-	a	-	a	-	a	-	a	-	a	2	a	3	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hartford	633	2	a	9	1.4	16	2.5	5	0.8	57	9.0	60	9.5	176	27.9	250	39.7	204	32.4
White non-Hisp	421	-	a	1	a	2	a	3	a	39	9.3	27	6.4	125	29.8	165	39.3	130	31.0
Black non-Hisp	42	1	a	3	a	5	11.9	-	a	5	11.9	10	23.8	14	33.3	12	28.6	16	38.1
Other non-Hisp	80	-	a	-	a	1	a	1	a	7	8.8	10	12.7	22	27.8	35	44.3	22	27.8
Hispanic	89	1	a	5	5.6	8	9.0	1	a	6	6.7	12	13.6	15	17.0	38	43.2	35	39.8
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	1	a
West Haven	636	-	a	9	1.4	34	5.3	12	1.9	53	8.3	85	13.7	124	20.7	228	38.1	246	41.1
White non-Hisp	267	-	a	2	a	11	4.1	5	1.9	16	6.0	25	9.5	49	19.7	99	39.8	101	40.6
Black non-Hisp	134	-	a	2	a	7	5.2	1	a	17	12.7	16	12.4	32	25.2	43	33.9	52	40.9
Other non-Hisp	46	-	a	-	a	1	a	2	a	7	15.2	6	13.6	7	16.7	16	38.1	19	45.2
Hispanic	188	-	a	5	2.7	15	8.0	4	a	13	6.9	38	20.5	36	20.1	70	39.1	73	40.8
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a
Weston	55	-	a	-	a	1	a	1	a	6	10.9	5	9.4	11	20.8	21	39.6	21	39.6
White non-Hisp	47	-	a	-	a	1	a	-	a	5	10.6	5	11.1	9	20.0	18	40.0	18	40.0
Black non-Hisp	2	-	a	-	a	-	a	1	a	1	a	-	a	1	a	-	a	-	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	2	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westport	172	-	a	-	a	-	a	-	a	5	2.9	8	5.0	32	20.1	77	48.4	50	31.4
White non-Hisp	148	-	a	-	a	-	a	-	a	3	a	3	a	27	19.4	66	47.5	46	33.1
Black non-Hisp	2	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	-	a
Other non-Hisp	11	-	a	-	a	-	a	-	a	1	a	1	a	2	a	6	60.0	2	a
Hispanic	9	-	a	-	a	-	a	1	a	3	a	3	a	2	a	4	a	2	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Wethersfield	250	-	a	1	a	2	a	1	a	12	4.8	25	10.0	78	31.2	92	36.8	80	32.0
White non-Hisp	198	-	a	-	a	1	a	-	a	7	3.5	14	7.1	62	31.3	74	37.4	62	31.3
Black non-Hisp	10	-	a	-	a	-	a	-	a	2	a	2	a	5	50.0	2	a	3	a
Other non-Hisp	15	-	a	-	a	-	a	-	a	4	a	3	a	6	40.0	6	40.0	6	40.0
Hispanic	25	-	a	1	a	1	a	1	a	3	a	3	a	7	28.0	9	36.0	9	36.0
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	2	a	1	a	1	a	1	a	-	a
Willington	37	-	a	1	a	2	a	-	a	5	13.5	5	13.5	8	22.2	17	47.2	11	30.6
White non-Hisp	26	-	a	1	a	2	a	-	a	2	a	2	a	6	24.0	12	48.0	7	28.0
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	9	-	a	-	a	-	a	3	a	2	a	2	a	4	a	3	a	3	a
Hispanic	2	-	a	-	a	-	a	-	a	1	a	-	a	1	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilton	116	-	a	1	a	1	a	1	a	9	7.8	6	5.4	21	18.9	55	49.5	35	31.5
White non-Hisp	90	-	a	1	a	1	a	1	a	7	7.8	5	5.7	19	21.8	39	44.8	29	33.3
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a
Other non-Hisp	16	-	a	-	a	-	a	-	a	-	a	-	a	1	a	14	87.5	1	a
Hispanic	8	-	a	-	a	-	a	2	a	1	a	1	a	1	a	2	a	4	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Winchester	92	-	a	1	a	3	a	1	a	5	5.4	9	9.8	18	20.0	38	42.2	34	37.8
White non-Hisp	83	-	a	-	a	2	a	1	a	4	a	7	8.4	16	19.8	35	43.2	30	37.0
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	1	a
Hispanic	5	-	a	1	a	1	a	-	a	1	a	1	a	2	a	2	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Windham	283	1	a	6	2.1	24	8.5	2	a	20	7.1	43	15.2	45	16.0	140	49.6	97	34.4
White non-Hisp	134	1	a	2	a	5	3.7	2	a	8	6.0	22	16.5	27	20.3	66	49.6	40	30.1
Black non-Hisp	7	-	a	-	a	1	a	-	a	-	a	1	a	2	a	3	a	2	a
Other non-Hisp	11	-	a	-	a	2	a	-	a	4	a	4	a	7	63.6	2	a	6	54.5
Hispanic	131	-	a	4	a	16	12.2	-	a	12	9.2	16	12.2	14	10.7	64	48.9	53	40.5
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Windsor	275	-	a	1	a	2	a	11	4.0	28	10.2	27	10.0	88	32.5	97	35.8	86	31.7
White non-Hisp	116	-	a	-	a	-	a	3	a	12	10.3	11	9.6	38	33.0	46	40.0	31	27.0
Black non-Hisp	95	-	a	1	a	2	a	7	7.4	11	11.6	12	13.0	32	34.8	25	27.2	35	38.0
Other non-Hisp	26	-	a	-	a	-	a	-	a	2	a	2	a	12	46.2	6	23.1	8	30.8
Hispanic	36	-	a	-	a	-	a	1	a	3	a	2	a	6	16.7	19			

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE								FOREIGN-BORN MOTHERS ^h	
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)							
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%				
														Non-Adequate ^f		Adequate		Intensive			
Woodbury	58	-	a	-	a	-	a	1	a	4	a	2	a	13	22.4	14	24.1	31	53.4	10	17.2
White non-Hisp	52	-	a	-	a	-	a	1	a	2	a	2	a	13	25.0	12	23.1	27	51.9	7	13.5
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	3	a
Hispanic	2	-	a	-	a	-	a	-	a	2	a	-	a	-	a	-	a	2	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodstock	69	-	a	-	a	2	a	-	a	4	a	4	a	5	7.6	24	36.4	37	56.1	6	8.7
White non-Hisp	63	-	a	-	a	2	a	-	a	4	a	4	a	4	a	22	36.7	34	56.7	2	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a
Unknown CT Town	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:

Starting with 2007 births, the reported birthweight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics. The quality assurance edits for GAGE include 1) changing the GAGE range to 17-47 weeks; 2) applying a series of consistency checks between BWT, GAGE based on mother's report of last menstrual period (LMP), and clinical estimate of GAGE; and 3) imputing GAGE using values from records with similar BWT and race/ethnicity for births where month and year of LMP is known but day of LMP is unknown. The imputation process used by NCHS to impute unknown GAGE values cannot be precisely reproduced at the state level; however, DPH staff developed an analytic process to approximate it.

^a Percentages were not calculated for less than five events because of the high degree of variability associated with small numbers. Denominators used for calculating percentages exclude records with missing data (i.e., denominator = total births minus unknowns).

^b A dash (-) represents the quantity zero.

^c In 2013, BWT was recoded to 'unknown' for 6 records where BWT values were inconsistent with both clinical and LMP-based estimates of gestational age.

^d Very low birthweight is defined as less than 1,500 grams. Low birthweight is defined as less than 2,500 grams

^e Late prenatal care is defined as prenatal care beginning in the second or third trimester of pregnancy

^f Non-adequate prenatal care comprises intermediate and inadequate prenatal care based on the Adequacy of Prenatal Care Utilization (APNCU) Index

^g Mother's Race/Ethnicity represents mutually exclusive groups.

^h Foreign-born status is determined using the mother's self-reported country of birth. Foreign-born is defined as any birth place other than the 50 states and Washington D.C. Denominators used

TABLE 5
CONNECTICUT RESIDENT FETAL DEATHS, 2013
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity,
 Sex, Place of Delivery, Gestational Age, Plurality, and Mother's Age^{a,b}

	TOTAL DEATHS	BIRTHWEIGHT (Grams)							% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ^c
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+	UN-KNOWN			17-36 WKS	37+ WKS	UN-KNOWN	
MOTHER'S RACE & ETHNICITY^d														
MOTHER'S RACE/ETHNICITY	200	71	37	10	29	25	5	23	66.7	83.1	169	31	-	84.5
White non-Hispanic	75	23	10	6	12	12	3	9	59.1	77.3	57	18	-	76.0
Black non-Hispanic	41	16	7	2	6	5	-	5	69.4	86.1	37	4	-	90.2
Other non-Hispanic	14	7	3	-	1	2	-	1	76.9	84.6	13	1	-	92.9
Hispanic	51	18	12	2	8	4	1	6	71.1	88.9	45	6	-	88.2
Unknown Race/Ethn	19	7	5	-	2	2	1	2	70.6	82.4	17	2	-	89.5
MOTHER'S RACE	200	71	37	10	29	25	5	23	66.7	83.1	169	31	-	84.5
White	130	41	25	8	20	17	5	14	63.8	81.0	106	24	-	81.5
Black	51	20	9	2	7	6	-	7	70.5	86.4	45	6	-	88.2
Other	18	9	3	-	2	2	-	2	75.0	87.5	17	1	-	94.4
Unknown	1	1	-	-	-	-	-	-	a	a	1	-	-	a
MOTHER'S ETHNICITY	200	71	37	10	29	25	5	23	66.7	83.1	169	31	-	84.5
Non-Hispanic	130	46	20	8	19	19	3	15	64.3	80.9	107	23	-	82.3
Hispanic	51	18	12	2	8	4	1	6	71.1	88.9	45	6	-	88.2
Unknown	19	7	5	-	2	2	1	2	70.6	82.4	17	2	-	89.5
SEX														
MALE	95	31	22	6	10	12	3	11	70.2	82.1	80	15	-	84.2
White non-Hispanic	36	12	7	4	2	5	2	4	71.9	78.1	28	8	-	77.8
Black non-Hispanic	21	7	3	1	4	3	-	3	61.1	83.3	19	2	-	90.5
Other non-Hispanic	7	5	1	-	-	1	-	-	85.7	85.7	6	1	-	85.7
Hispanic	21	4	8	1	3	2	-	3	72.2	88.9	19	2	-	90.5
Unknown Race/Ethn	10	3	3	-	1	1	1	1	66.7	77.8	8	2	-	80.0
FEMALE	99	39	14	4	19	13	2	8	62.6	83.5	83	16	-	83.8
White non-Hispanic	36	10	2	2	10	7	1	4	43.8	75.0	26	10	-	72.2
Black non-Hispanic	19	9	4	1	2	2	-	1	77.8	88.9	17	2	-	89.5
Other non-Hispanic	6	2	2	-	1	1	-	-	a	83.3	6	-	-	100.0
Hispanic	29	14	4	1	5	2	1	2	70.4	88.9	25	4	-	86.2
Unknown Race/Ethn	9	4	2	-	1	1	-	1	75.0	87.5	9	-	-	100.0
UNKNOWN	6	1	1	-	-	-	-	4	b	b	6	-	-	100.0
White non-Hispanic	3	1	1	-	-	-	-	1	a	a	3	-	-	a
Black non-Hispanic	1	-	-	-	-	-	-	1	b	b	1	-	-	a
Other non-Hispanic	1	-	-	-	-	-	-	1	b	b	1	-	-	a
Hispanic	1	-	-	-	-	-	-	1	b	b	1	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACE OF DELIVERY														
IN-HOSPITAL	198	70	37	10	29	24	5	23	66.9	83.4	168	30	-	84.8
White non-Hispanic	74	23	10	6	12	11	3	9	60.0	78.5	57	17	-	77.0
Black non-Hispanic	41	16	7	2	6	5	-	5	69.4	86.1	37	4	-	90.2
Other non-Hispanic	13	6	3	-	1	2	-	1	75.0	83.3	12	1	-	92.3
Hispanic	51	18	12	2	8	4	1	6	71.1	88.9	45	6	-	88.2
Unknown Race/Ethn	19	7	5	-	2	2	1	2	70.6	82.4	17	2	-	89.5
HOME BIRTH	1	1	-	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER & UNKNOWN	1	-	-	-	-	1	-	-	a	a	-	1	-	a
White non-Hispanic	1	-	-	-	-	1	-	-	a	a	-	1	-	a
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GESTATIONAL AGE														
20-27 WEEKS	114	66	31	1	-	-	-	16	100.0	100.0	114	-	-	100.0
White non-Hispanic	37	22	9	-	-	-	-	6	100.0	100.0	37	-	-	100.0
Black non-Hispanic	25	14	5	1	-	-	-	5	100.0	100.0	25	-	-	100.0
Other non-Hispanic	10	6	3	-	-	-	-	1	100.0	100.0	10	-	-	100.0
Hispanic	31	18	10	-	-	-	-	3	100.0	100.0	31	-	-	100.0
Unknown Race/Ethn	11	6	4	-	-	-	-	1	100.0	100.0	11	-	-	100.0
28-31 WEEKS	26	5	6	8	5	-	-	2	79.2	100.0	26	-	-	100.0
White non-Hispanic	9	1	1	5	2	-	-	-	77.8	100.0	9	-	-	100.0
Black non-Hispanic	6	2	2	1	1	-	-	-	83.3	100.0	6	-	-	100.0
Other non-Hispanic	2	1	-	-	1	-	-	-	a	a	2	-	-	a
Hispanic	6	-	2	2	1	-	-	1	a	100.0	6	-	-	100.0
Unknown Race/Ethn	3	1	1	-	-	-	-	1	a	a	3	-	-	a

Connecticut Department of Public Health

	TOTAL DEATHS	BIRTHWEIGHT (Grams)							% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ⁵
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+	UN-KNOWN			17-36 WKS	37+ WKS	UN-KNOWN	
32-35 WEEKS	19	-	-	1	14	4	-	-	a	78.9	19	-	-	100.0
White non-Hispanic	7	-	-	1	4	2	-	-	a	71.4	7	-	-	100.0
Black non-Hispanic	4	-	-	-	4	-	-	-	a	a	4	-	-	a
Other non-Hispanic	1	-	-	-	-	1	-	-	a	a	1	-	-	a
Hispanic	6	-	-	-	6	-	-	-	a	100.0	6	-	-	100.0
Unknown Race/Ethn	1	-	-	-	-	1	-	-	a	a	1	-	-	a
36 WEEKS	10	-	-	-	4	3	1	2	b	a	10	-	-	100.0
White non-Hispanic	4	-	-	-	2	2	-	-	a	a	4	-	-	a
Black non-Hispanic	2	-	-	-	1	1	-	-	a	a	2	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	2	b	b	2	-	-	a
Unknown Race/Ethn	2	-	-	-	1	-	1	-	a	a	2	-	-	a
37-39 WEEKS	22	-	-	-	6	14	1	1	b	28.6	-	22	-	a
White non-Hispanic	11	-	-	-	4	5	1	1	b	a	-	11	-	a
Black non-Hispanic	3	-	-	-	-	3	-	-	a	a	-	3	-	a
Other non-Hispanic	1	-	-	-	-	1	-	-	a	a	-	1	-	a
Hispanic	5	-	-	-	1	4	-	-	a	a	-	5	-	a
Unknown Race/Ethn	2	-	-	-	1	1	-	-	a	a	-	2	-	a
40+ WEEKS	9	-	-	-	-	4	3	2	b	b	-	9	-	a
White non-Hispanic	7	-	-	-	-	3	2	2	b	b	-	7	-	a
Black non-Hispanic	1	-	-	-	-	1	-	-	a	a	-	1	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	1	-	a	a	-	1	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLURALITY														
SINGLETONS	182	64	34	8	27	25	5	19	65.0	81.6	152	30	-	83.5
White non-Hispanic	70	22	10	4	11	12	3	8	58.1	75.8	53	17	-	75.7
Black non-Hispanic	40	16	7	2	6	5	-	4	69.4	86.1	36	4	-	90.0
Other non-Hispanic	11	5	2	-	1	2	-	1	70.0	80.0	10	1	-	90.9
Hispanic	49	17	12	2	8	4	1	5	70.5	88.6	43	6	-	87.8
Unknown Race/Ethn	12	4	3	-	1	2	1	1	63.6	72.7	10	2	-	83.3
MULTIPLE BIRTHS	18	7	3	2	2	-	-	4	85.7	100.0	17	1	-	94.4
White non-Hispanic	5	1	-	2	1	-	-	1	a	a	4	1	-	a
Black non-Hispanic	1	-	-	-	-	-	-	1	b	b	1	-	-	a
Other non-Hispanic	3	2	1	-	-	-	-	-	a	a	3	-	-	a
Hispanic	2	1	-	-	-	-	-	1	a	a	2	-	-	a
Unknown Race/Ethn	7	3	2	-	1	-	-	1	83.3	100.0	7	-	-	100.0
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTHER'S AGE														
LESS THAN 15 YRS	1	1	-	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 YRS	1	-	1	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	1	-	1	-	-	-	-	-	a	a	1	-	-	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 YRS	3	-	3	-	-	-	-	-	a	a	3	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	3	-	-	-	-	-	a	a	3	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

	TOTAL DEATHS	BIRTHWEIGHT (Grams)							% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ^c
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+	UN-KNOWN			17-36 WKS	37+ WKS	UN-KNOWN	
18 YRS	5	3	1	-	-	-	-	1	a	a	5	-	-	100.0
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	2	1	-	-	-	-	-	1	a	a	2	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	2	1	-	-	-	-	-	a	a	3	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19 YRS	5	4	-	-	-	1	-	-	a	a	4	1	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	2	2	-	-	-	-	-	-	a	a	2	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	2	-	-	-	1	-	-	a	a	2	1	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 YRS	35	13	6	2	8	2	-	4	67.7	93.5	30	5	-	85.7
White non-Hispanic	10	6	1	-	2	-	-	1	77.8	100.0	8	2	-	80.0
Black non-Hispanic	10	1	3	2	3	1	-	-	60.0	90.0	9	1	-	90.0
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	10	3	2	-	2	-	-	3	71.4	100.0	9	1	-	90.0
Unknown Race/Ethn	5	3	-	-	1	1	-	-	a	a	4	1	-	a
25-29 YRS	36	13	4	1	9	3	2	4	56.3	84.4	30	6	-	83.3
White non-Hispanic	13	4	1	1	5	2	-	-	46.2	84.6	9	4	-	69.2
Black non-Hispanic	6	2	1	-	2	-	-	1	a	100.0	6	-	-	100.0
Other non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Hispanic	10	4	1	-	1	1	1	2	62.5	75.0	8	2	-	80.0
Unknown Race/Ethn	6	2	1	-	1	-	1	1	a	a	6	-	-	100.0
30-34 YRS	66	24	12	3	6	12	2	7	66.1	76.3	54	12	-	81.8
White non-Hispanic	25	8	4	2	2	5	2	2	60.9	69.6	18	7	-	72.0
Black non-Hispanic	14	6	2	-	-	4	-	2	66.7	66.7	11	3	-	78.6
Other non-Hispanic	9	4	1	-	1	2	-	1	62.5	75.0	8	1	-	88.9
Hispanic	14	5	4	1	3	-	-	1	76.9	100.0	14	-	-	100.0
Unknown Race/Ethn	4	1	1	-	-	1	-	1	a	a	3	1	-	a
35-39 YRS	34	9	7	4	3	5	-	6	71.4	82.1	29	5	-	85.3
White non-Hispanic	19	3	3	3	1	4	-	5	64.3	71.4	15	4	-	78.9
Black non-Hispanic	4	2	-	-	1	-	-	1	a	a	4	-	-	a
Other non-Hispanic	3	2	1	-	-	-	-	-	a	a	3	-	-	a
Hispanic	5	1	1	1	1	1	-	-	a	a	4	1	-	a
Unknown Race/Ethn	3	1	2	-	-	-	-	-	a	a	3	-	-	a
40-44 YRS	10	2	2	-	2	2	1	1	a	66.7	8	2	-	80.0
White non-Hispanic	7	2	1	-	1	1	1	1	a	a	6	1	-	85.7
Black non-Hispanic	1	-	1	-	-	-	-	-	a	a	1	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	1	1	-	-	a	a	1	1	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45+ YRS	2	1	-	-	1	-	-	-	a	a	2	-	-	a
White non-Hispanic	1	-	-	-	1	-	-	-	a	a	1	-	-	a
Black non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	2	1	1	-	-	-	-	-	a	a	2	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Unknown Race/Ethn	1	-	1	-	-	-	-	-	a	a	1	-	-	a

NOTES:

^a Percentages were not calculated for less than five events because of the high degree of variability associated with small numbers. Denominators used for calculating percentages exclude records with missing data (i.e., denominator = total births minus unknowns).

^b A dash (-) represents the quantity zero.

^c "Premature" refers to fetal deaths of less than 37 weeks gestation when gestational age was known.

^d Mother's Race/Ethnicity represents mutually exclusive groups.

TABLE 6
CONNECTICUT RESIDENT FETAL DEATHS, 2013
 Cause of Death by Mother's Race and Hispanic Ethnicity and by Gestational Age^{a,b}

ICD-10 CODE AND CAUSE OF DEATH	TOTAL DEATHS	MOTHER'S RACE/ETHNICITY ^c						GESTATIONAL AGE			
		WHITE NON-HISP		BLACK NON-HISP		OTHER NON-HISP	HISP ANIC	UN-KNOWN	20-36 WKS	37+ WKS	UN-KNOWN
		75	41	14	51	19	169	31	-		
TOTAL: ALL CAUSES	200	75	41	14	51	19	169	31	-		
P00-P96 Perinatal conditions											
P00 Fetus affected by maternal conditions unrelated to pregnancy	2	1	-	1	-	-	1	1	-		
P01 Fetus affected by maternal complications of pregnancy	9	4	1	1	1	2	8	1	-		
P02 Fetus affected by complications of placenta, cord and membranes	27	10	7	2	7	1	20	7	-		
P03 Fetus affected by other labor, delivery complications	4	1	2	-	-	1	4	-	-		
P05 Slow fetal growth and fetal malnutrition	-	-	-	-	-	-	-	-	-		
P07 Disorders related to short gestation and low birthweight	32	7	7	4	12	2	32	-	-		
P20-P21 Intrauterine hypoxia and birth asphyxia	2	1	-	-	-	1	2	-	-		
P23-P28 Other respiratory conditions originating in the perinatal period	-	-	-	-	-	-	-	-	-		
P29 Cardiovascular disorders originating in perinatal period	2	1	1	-	-	-	1	1	-		
P35-P39 Infections specific to the perinatal period	1	-	1	-	-	-	1	-	-		
P61 Other perinatal hematological disorders	1	-	-	-	-	1	1	-	-		
P80-P83 Conditions involving fetus integument & temperature regulation	-	-	-	-	-	-	-	-	-		
P90-P96 Other disorders originating in perinatal period	85	37	17	6	20	5	70	15	-		
Q00-Q99 Congenital malformations, deformations, & chromosomal abnormalities											
Q00 Anencephaly and similar malformations	1	1	-	-	-	-	-	1	-		
Q05 Spina bifida	-	-	-	-	-	-	-	-	-		
Q01-Q02,Q04,Q06-Q07 Other congenital malformations of nervous system	-	-	-	-	-	-	-	-	-		
Q24 Other congenital malformation of the heart	-	-	-	-	-	-	-	-	-		
Q30-Q34 Congenital malformation of respiratory system	-	-	-	-	-	-	-	-	-		
Q60-Q64 Congenital malformation of urinary system	-	-	-	-	-	-	-	-	-		
Q68 Other congenital musculoskeletal deformities	-	-	-	-	-	-	-	-	-		
Q90,Q91 Chromosomal abnormalities	5	1	1	-	3	-	5	-	-		
Q89 Other congenital malformations	7	4	1	-	1	1	7	-	-		
R95-R99 Other ill-defined and unknown causes of mortality	-	-	-	-	-	-	-	-	-		
All Other Causes^d	21	7	3	-	6	5	17	4	-		

NOTES:

- ^a Fetal deaths are deaths of fetuses after 20 or more weeks of gestation.
- ^b A dash (-) represents the quantity zero.
- ^c Mother's Race/Ethnicity represents mutually exclusive groups.
- ^d There was 1 records with unknown cause of death.

TABLE 7
CONNECTICUT RESIDENT INFANT, NEONATAL, AND POSTNEONATAL DEATHS, 2013
 Deaths by Infant's Race and Ethnicity for Counties, Health Districts, and Towns^{a,b}

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY				TOTAL DEATHS	INFANT'S RACE & ETHNICITY				TOTAL DEATHS	INFANT'S RACE & ETHNICITY			
		WHITE	BLACK	OTHER	HIS- PANIC		WHITE	BLACK	OTHER	HIS- PANIC		WHITE	BLACK	OTHER	HIS- PANIC
CONNECTICUT	169	113	42	3	50	117	84	24	-	38	52	29	18	3	12
COUNTY:															
Fairfield County	39	23	13	-	15	26	16	8	-	11	13	7	5	-	4
Hartford County	35	25	6	2	11	24	20	3	-	8	11	5	3	2	3
Litchfield County	6	5	1	-	1	6	5	1	-	1	-	-	-	-	-
Middlesex County	6	5	1	-	-	4	4	-	-	-	2	1	1	-	-
New Haven County	49	31	17	-	16	36	26	9	-	14	13	5	8	-	2
New London County	17	11	4	1	4	9	5	3	-	2	8	6	1	1	2
Tolland County	4	4	-	-	-	2	2	-	-	-	2	2	-	-	-
Windham County	8	8	-	-	2	5	5	-	-	1	3	3	-	-	1
HEALTH DISTRICT:															
Bristol-Burlington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Connecticut	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Chatham	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Chesprocott	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
CT River Area	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
East Shore	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern Highlands	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-
Farmington Valley	5	4	-	-	-	5	4	-	-	-	-	-	-	-	-
Ledge Light	10	7	2	1	2	5	3	2	-	1	5	4	-	1	1
Naugatuck Valley	9	8	-	-	-	7	6	-	-	-	2	2	-	-	-
Newtown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Central	4	4	-	-	2	3	3	-	-	1	1	1	-	-	1
Northeast	6	6	-	-	-	4	4	-	-	-	2	2	-	-	-
Plainville-Southngtn	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-
Pomperaug	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Quinnipiack Valley	5	2	3	-	-	2	-	2	-	-	3	2	1	-	-
Torrington Area	3	2	1	-	-	3	2	1	-	-	-	-	-	-	-
Trumbull-Monroe	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
Uncas Regional	6	3	2	-	2	4	2	1	-	1	2	1	1	-	1
W Hrtfd-Bloomfield	4	1	2	-	2	2	1	1	-	1	2	-	1	-	1
Weston-Westport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOWN:															
Andover	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ansonia	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Ashford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avon	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Barkhamsted	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beacon Falls	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Berlin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethany	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethel	2	2	-	-	2	2	2	-	-	2	-	-	-	-	-
Bethlehem	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomfield	3	-	2	-	1	1	-	1	-	-	2	-	1	-	1
Bolton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bozrah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Branford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bridgeport	11	3	8	-	3	5	1	4	-	-	6	2	4	-	3
Bridgewater	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bristol	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brookfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brooklyn	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Burlington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canaan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canterbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chaplin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshire	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clinton	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Colchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colebrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cornwall	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coventry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cromwell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Danbury	7	5	-	-	1	4	3	-	-	1	3	2	-	-	-
Darien	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deep River	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Derby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY				TOTAL DEATHS	NEONATAL'S RACE & ETHNICITY				TOTAL DEATHS	POSTNEONATAL'S RACE & ETHNICITY			
		WHITE	BLACK	OTHER	HIS- PANIC		WHITE	BLACK	OTHER	HIS- PANIC		WHITE	BLACK	OTHER	HIS- PANIC
East Granby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Haddam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Hampton	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
East Hartford	1	1	-	-	1	-	-	-	-	-	1	1	-	1	
East Haven	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Lyme	1	-	-	1	-	-	-	-	-	-	1	-	-	1	
Easton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Windsor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ellington	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
Enfield	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
Essex	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fairfield	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
Farmington	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glastonbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Goshen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Granby	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
Greenwich	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
Griswold	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Groton	4	4	-	-	2	2	2	-	1	2	2	-	-	1	
Guilford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Haddam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hamden	3	1	2	-	-	1	-	1	-	2	1	1	-	-	
Hampton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hartford	11	7	3	1	5	9	7	2	5	2	-	1	1	-	
Hartland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Harwinton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hebron	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
Kent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Killingly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Killingworth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lebanon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ledyard	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lisbon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Litchfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lyme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Madison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Manchester	2	2	-	-	1	1	1	-	1	1	1	-	-	-	
Mansfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Marlborough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meriden	3	2	1	-	2	3	2	1	2	-	-	-	-	-	
Middlebury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Middlefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Middletown	4	4	-	-	-	3	3	-	-	1	1	-	-	-	
Milford	1	1	-	-	1	1	1	-	1	-	-	-	-	-	
Monroe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Montville	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Morris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Naugatuck	6	6	-	-	-	5	5	-	-	1	1	-	-	-	
New Britain	3	2	-	1	1	1	1	-	-	2	1	-	1	1	
New Canaan	1	1	-	-	1	-	-	-	-	1	1	-	-	1	
New Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New Hartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New Haven	14	4	9	-	5	9	3	5	4	5	1	4	-	1	
Newington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New London	4	2	2	-	-	3	1	2	-	1	1	-	-	-	
New Milford	3	3	-	-	1	3	3	-	1	-	-	-	-	-	
Newtown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Norfolk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Branford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Canaan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Haven	2	1	1	-	-	1	-	1	-	1	1	-	-	-	
North Stonington	1	1	-	-	-	-	-	-	-	1	1	-	-	-	
Norwalk	3	2	1	-	2	2	2	-	2	1	-	1	-	-	
Norwich	5	2	2	-	2	3	1	1	1	2	1	1	-	1	
Old Lyme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old Saybrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Orange	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Oxford	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
Plainfield	2	2	-	-	-	2	2	-	-	-	-	-	-	-	
Plainville	2	2	-	-	-	1	1	-	-	1	1	-	-	-	
Plymouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pomfret	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Portland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Preston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Prospect	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
Putnam	2	2	-	-	-	-	-	-	-	2	2	-	-	-	
Redding	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Connecticut Department of Public Health

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
Ridgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Hill	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roxbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salem	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salisbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seymour	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sharon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shelton	2	1	-	-	-	1	-	-	-	-	1	1	-	-	-
Sherman	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simsbury	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Somers	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Windsor	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Sprague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stafford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford	6	3	3	-	3	6	3	3	-	3	-	-	-	-	-
Sterling	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Stonington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford	4	4	-	-	3	3	3	-	-	3	1	1	-	-	-
Suffield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thomaston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thompson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tolland	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-
Torrington	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-
Trumbull	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Voluntown	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Wallingford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warren	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterbury	13	10	3	-	6	10	9	1	-	5	3	1	2	-	1
Waterford	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Watertown	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Westbrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hartford	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
West Haven	3	2	1	-	2	2	2	-	-	2	1	-	1	-	-
Weston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wethersfield	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Willington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Windham	2	2	-	-	2	1	1	-	-	1	1	1	-	-	1
Windsor	4	4	-	-	1	4	4	-	-	1	-	-	-	-	-
Windsor Locks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wolcott	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodbridge	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodstock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. Overall, there are 11 infant deaths with unknown race and 4 with unknown ethnicity.

TABLE 8
CONNECTICUT RESIDENT INFANT, NEONATAL, AND POSTNEONATAL DEATHS, 2013
Cause of Death by Infant's Race and Ethnicity^{a,b}

ICD-10 CODE AND CAUSE OF DEATH	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
ALL CAUSES^c	169	113	42	3	50	117	84	24	-	38	52	29	18	3	12
A00-B99 Certain infectious and parasitic diseases	6	-	6	-	-	-	-	-	-	-	6	-	6	-	-
C00-C97 Malignant neoplasms	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
G00-G98 Diseases of the nervous system	6	3	2	-	1	3	1	1	-	1	3	2	1	-	-
I00-I99 Disease of the circulatory system	3	2	1	-	1	1	1	-	-	-	2	1	1	-	1
J00-J98 Diseases of the respiratory system	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-
Q00-Q99 Congenital malformations	24	17	6	1	8	15	12	3	-	3	9	5	3	1	5
Q00-Q07 Anencephalus,hydrocephalus, spina bifida, other congenital anomalies of nervous system	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Q20-Q28 Congenital malformation of the circulatory system	9	4	4	1	3	3	1	2	-	-	6	3	2	1	3
Q30-Q34 Congenital malformation of respiratory system	2	2	-	-	1	2	2	-	-	1	-	-	-	-	-
Q35-Q45 Congenital malformation of digestive system	1	1	-	-	1	-	-	-	-	-	1	1	-	-	1
Q60-Q64 Congenital malformation of urinary system	3	3	-	-	1	3	3	-	-	1	-	-	-	-	-
Q90-Q91 Down's, Edward's and Patau's syndrome	3	1	2	-	-	2	1	1	-	-	1	-	1	-	-
P00-P96 Certain conditions originating in the perinatal period	94	66	21	-	30	92	65	20	-	30	2	1	1	-	-
P00-P04 Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery	22	17	5	-	8	22	17	5	-	8	-	-	-	-	-
P00 Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
P01 Fetus and newborn affected by maternal complications of pregnancy	13	9	4	-	4	13	9	4	-	4	-	-	-	-	-
P01.0-P01.3 Incompetent cervix; premature rupture of membranes/oligohydramnios/polyhydramnios	13	9	4	-	4	13	9	4	-	4	-	-	-	-	-
P02 Fetus and newborn affected by complications of placenta, cord, membranes	6	5	1	-	2	6	5	1	-	2	-	-	-	-	-
P03 Fetus and newborn affected by other complications of labor and delivery	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
P07 Disorders relating to short gestation and low birth weight, not elsewhere classified	29	20	7	-	13	29	20	7	-	13	-	-	-	-	-
P20-P21 Intrauterine hypoxia and birth asphyxia	4	4	-	-	1	4	4	-	-	1	-	-	-	-	-
P22 Respiratory distress of newborn	7	5	-	-	3	6	4	-	-	3	1	1	-	-	-
P23-P28 Other respiratory conditions in perinatal period	6	3	3	-	-	5	3	2	-	-	1	-	1	-	-
P28.0-P28.1 Atelectasis	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
P36 Bacterial sepsis of newborn	6	3	2	-	2	6	3	2	-	2	-	-	-	-	-
R00-R99 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	23	15	5	1	5	3	3	-	-	1	20	12	5	1	4
R95 Sudden infant death syndrome	18	12	4	1	5	2	2	-	-	1	16	10	4	1	4
V01-X59 Accidents (unintentional injuries)	3	2	-	1	1	-	-	-	-	-	3	2	-	1	1
X85-Y09 Assault (homicide)	4	3	1	-	1	-	-	-	-	-	4	3	1	-	1

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. Overall, there were 11 infant deaths with unknown race and 4 with unknown ethnicity.

^c Cause of death was unknown for 5 infant deaths.

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2013
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																Unknown		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79		80-84	85+
TOTAL, ALL CAUSES^d																				
All Races/Ethnicities	29602	187	13	35	81	182	210	225	210	396	633	1114	1480	1658	2099	2349	2692	4024	12013	1
Male	14217	111	7	19	49	141	152	157	137	250	392	660	927	1030	1180	1275	1370	1966	4394	-
Female	15385	76	6	16	32	41	58	68	73	146	241	454	553	628	919	1074	1322	2058	7619	1
White non-Hisp	25530	77	6	21	45	109	141	132	125	265	435	836	1165	1311	1715	1937	2309	3625	11275	1
Male	12068	46	2	11	26	84	101	100	85	167	271	507	729	816	976	1062	1162	1796	4127	-
Female	13462	31	4	10	19	25	40	32	40	98	164	329	436	495	739	875	1147	1829	7148	1
Black non-Hisp	2143	42	2	7	17	30	33	42	37	60	88	152	181	200	193	213	206	228	412	-
Male	1080	19	2	5	12	23	24	27	21	41	51	74	113	119	95	110	113	96	135	-
Female	1063	23	-	2	5	7	9	15	16	19	37	78	68	81	98	103	93	132	277	-
Other non-Hisp	285	4	2	1	-	4	4	3	6	11	13	13	16	25	27	34	31	35	56	-
Male	169	3	1	-	-	1	3	-	4	8	6	10	12	14	17	21	21	19	29	-
Female	116	1	1	1	-	3	1	3	2	3	7	3	4	11	10	13	10	16	27	-
Hispanic	1364	56	2	5	14	33	27	40	34	55	83	95	107	99	145	144	125	102	198	-
Male	750	36	1	2	8	28	21	24	22	30	56	64	64	64	81	71	64	36	78	-
Female	614	20	1	3	6	5	6	16	12	25	27	31	43	35	64	73	61	66	120	-
A04,A07-A09 Certain other intestinal infections																				
All Races/Ethnicities	123	6	-	-	-	-	-	-	1	1	-	1	1	4	5	7	16	28	53	-
Male	38	3	-	-	-	-	-	-	1	-	-	-	1	1	1	3	5	8	15	-
Female	83	3	-	-	-	-	-	-	-	1	-	1	-	3	4	4	11	20	36	-
White non-Hisp	103	-	-	-	-	-	-	-	1	1	-	1	1	3	4	6	13	26	47	-
Male	33	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	4	7	15	-
Female	70	-	-	-	-	-	-	-	-	1	-	1	-	2	3	3	9	19	32	-
Black non-Hisp	12	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-
Male	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Female	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-
A16-A19 Tuberculosis																				
All Races/Ethnicities	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A16 Respiratory Tuberculosis																				
All Races/Ethnicities	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
A40-A41 Septicemia																				
All Races/Ethnicities	580	-	1	3	-	1	-	2	-	7	20	17	26	34	43	55	59	91	221	-
Male	251	-	-	3	-	1	-	-	-	3	13	8	13	16	17	33	27	38	79	-
Female	321	-	1	-	-	-	-	2	-	4	7	9	13	16	26	22	32	51	138	-
White non-Hisp	487	-	1	1	-	1	-	2	-	3	10	14	17	26	37	40	52	77	206	-
Male	207	-	-	1	-	1	-	-	-	1	5	7	9	13	15	25	23	34	73	-
Female	280	-	1	-	-	-	-	2	-	2	5	7	8	13	22	15	29	43	133	-
Black non-Hisp	49	-	-	2	-	-	-	-	-	4	3	2	4	5	4	7	3	6	9	-
Male	30	-	-	2	-	-	-	-	-	2	3	1	2	3	2	5	2	2	6	-
Female	19	-	-	-	-	-	-	-	-	2	-	1	2	2	2	2	1	4	3	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	1	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-
Hispanic	29	-	-	-	-	-	-	-	-	-	6	1	3	1	1	6	3	6	2	-
Male	12	-	-	-	-	-	-	-	-	-	5	-	1	-	-	2	2	2	-	-
Female	17	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	1	4	2	-
B15-B19 Viral Hepatitis																				
All Races/Ethnicities	68	-	-	-	-	1	-	-	-	1	6	14	15	10	9	3	2	3	4	-
Male	44	-	-	-	-	1	-	-	-	1	4	9	11	8	5	3	1	-	1	-
Female	22	-	-	-	-	-	-	-	-	-	2	3	4	2	4	-	1	3	3	-
White non-Hisp	39	-	-	-	-	1	-	-	-	3	6	11	5	5	4	3	1	2	3	-
Male	28	-	-	-	-	1	-	-	-	3	5	8	4	4	3	3	-	-	1	-
Female	11	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	1	2	2	-
Black non-Hisp	10	-	-	-	-	-	-	-	-	-	3	2	3	-	-	-	1	-	1	-
Male	7	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	17	-	-	-	-	-	-	-	-	1	3	3	2	2	5	-	-	1	-	-
Male	9	-	-	-	-	-	-	-	-	1	1	3	1	1	2	-	-	-	-	-
Female	8	-	-	-	-	-	-	-	-	2	-	1	1	1	3	-	-	1	-	-
B20-B24 Human immunodeficiency virus (HIV) disease																				
All Races/Ethnicities	66	-	-	-	-	-	-	2	2	6	9	19	14	10	4	-	-	-	-	-
Male	49	-	-	-	-	-	-	1	2	5	5	14	12	8	2	-	-	-	-	-
Female	17	-	-	-	-	-	-	1	-	1	4	5	2	2	2	-	-	-	-	-
White non-Hisp	24	-	-	-	-	-	-	-	1	2	3	3	9	5	1	-	-	-	-	-
Male	16	-	-	-	-	-	-	-	1	1	1	2	7	4	-	-	-	-	-	-
Female	8	-	-	-	-	-	-	-	-	1	2	1	2	1	1	-	-	-	-	-
Black non-Hisp	27	-	-	-	-	-	-	1	-	2	4	12	2	5	1	-	-	-	-	-
Male	20	-	-	-	-	-	-	-	-	2	3	8	2	4	1	-	-	-	-	-
Female	7	-	-	-	-	-	-	1	-	-	1	4	-	1	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	15	-	-	-	-	-	-	1	1	2	2	4	3	-	2	-	-	-	-	-
Male	13	-	-	-	-	-	-	1	1	2	1	4	3	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other & unspecified infections & parasitic diseases & sequelae																				
All Races/Ethnicities	87	1	-	-	-	-	2	-	1	1	3	3	3	8	3	11	9	12	30	-
Male	34	-	-	-	-	-	-	-	-	-	2	2	2	3	1	5	5	2	12	-
Female	49	1	-	-	-	-	-	-	1	1	1	1	1	3	2	6	4	10	18	-
White non-Hisp	69	-	-	-	-	-	-	-	1	1	2	2	3	5	2	10	6	12	25	-
Male	29	-	-	-	-	-	-	-	-	-	1	2	2	3	-	4	4	2	11	-
Female	40	-	-	-	-	-	-	-	1	1	1	1	1	2	2	6	2	10	14	-
Black non-Hisp	8	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	-	2	-
Male	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
C00-C97 Malignant neoplasms																				
All Races/Ethnicities	6614	3	3	7	4	7	14	21	29	77	157	356	508	627	782	833	769	960	1457	-
Male	3263	1	2	2	2	6	9	5	12	31	67	156	279	352	409	419	397	467	647	-
Female	3243	2	1	3	2	1	5	16	17	44	78	194	225	267	365	400	360	475	788	-
White non-Hisp	5628	2	2	4	3	5	9	6	21	48	102	290	403	501	653	697	660	865	1357	-
Male	2822	1	1	2	2	5	6	2	12	19	54	129	223	281	347	357	337	436	608	-
Female	2806	1	1	2	1	-	3	4	9	29	48	161	180	220	306	340	323	429	749	-
Black non-Hisp	507	-	-	-	-	1	2	3	4	12	24	36	68	65	68	74	56	44	50	-
Male	250	-	-	-	-	1	1	-	-	7	7	14	40	35	30	39	36	17	23	-
Female	257	-	-	-	-	-	1	3	4	5	17	22	28	30	38	35	20	27	27	-
Other non-Hisp	84	-	1	-	-	-	-	3	1	5	4	1	2	14	10	15	9	11	8	-
Male	51	-	1	-	-	-	-	-	-	4	2	1	1	7	6	10	6	7	6	-
Female	33	-	-	-	-	-	-	3	1	1	2	-	1	7	4	5	3	4	2	-
Hispanic	287	1	-	1	1	1	3	9	3	10	15	23	31	39	43	33	32	22	20	-
Male	140	-	-	-	-	-	2	3	-	1	4	12	15	29	26	13	18	7	10	-
Female	147	1	-	1	1	1	1	6	3	9	11	11	16	10	17	20	14	15	10	-
C00-C14 Lip, oral cavity and pharynx cancer																				
All Races/Ethnicities	93	-	-	-	-	-	-	-	-	2	6	5	4	16	17	10	7	11	15	-
Male	63	-	-	-	-	-	-	-	-	1	3	4	4	14	13	6	6	7	5	-
Female	24	-	-	-	-	-	-	-	-	1	1	1	-	2	2	4	1	4	8	-
White non-Hisp	76	-	-	-	-	-	-	-	-	1	3	5	4	13	12	9	6	10	13	-
Male	54	-	-	-	-	-	-	-	-	3	4	4	11	10	5	5	7	5	5	-
Female	22	-	-	-	-	-	-	-	-	1	-	1	-	2	2	4	1	3	8	-
Black non-Hisp	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-
Male	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15 Oesophagus cancer																				
All Races/Ethnicities	188	-	-	-	-	-	-	-	-	-	5	16	16	27	37	21	20	19	27	-
Male	148	-	-	-	-	-	-	-	-	-	4	13	14	26	35	13	15	11	17	-
Female	40	-	-	-	-	-	-	-	-	-	1	3	2	1	2	8	5	8	10	-
White non-Hisp	173	-	-	-	-	-	-	-	-	-	4	13	14	26	33	20	18	19	26	-
Male	136	-	-	-	-	-	-	-	-	-	4	11	12	25	31	13	13	11	16	-
Female	37	-	-	-	-	-	-	-	-	-	-	2	2	1	2	7	5	8	10	-
Black non-Hisp	8	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	1	-	1	-
Male	7	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	7	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	-	-	-
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
C16 Stomach cancer																				
All Races/Ethnicities	143	-	-	-	-	-	1	4	2	3	5	4	15	12	16	22	12	13	34	-
Male	85	-	-	-	-	-	-	1	-	2	4	4	7	11	9	17	6	10	14	-
Female	58	-	-	-	-	-	1	3	2	1	1	-	8	1	7	5	6	3	20	-
White non-Hisp	105	-	-	-	-	-	-	-	1	2	3	4	11	7	12	16	10	11	28	-
Male	63	-	-	-	-	-	-	-	-	1	3	4	4	6	6	13	5	9	12	-
Female	42	-	-	-	-	-	-	1	1	-	-	-	7	1	6	3	5	2	16	-
Black non-Hisp	18	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	2	1	2	-
Male	12	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	1	-	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-
Other non-Hisp	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Hispanic	16	-	-	-	-	-	1	3	1	1	2	-	1	2	1	1	-	-	3	-
Male	8	-	-	-	-	-	-	1	-	1	1	-	1	2	1	-	-	-	1	-
Female	8	-	-	-	-	-	1	2	1	-	1	-	-	-	-	1	-	-	2	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
C18-C21 Colorectal cancer																				
All Races/Ethnicities	542	-	-	-	-	-	2	-	4	8	16	42	38	53	45	54	62	60	158	-
Male	263	-	-	-	-	-	1	-	3	3	5	21	27	35	27	28	32	26	55	-
Female	267	-	-	-	-	-	1	-	1	5	11	21	11	16	18	24	26	32	101	-
White non-Hisp	445	-	-	-	-	-	2	-	3	4	14	30	29	38	37	43	49	49	147	-
Male	218	-	-	-	-	-	1	-	3	-	5	16	20	26	23	25	27	21	51	-
Female	227	-	-	-	-	-	1	-	-	4	9	14	9	12	14	18	22	28	96	-
Black non-Hisp	51	-	-	-	-	-	-	-	-	3	-	8	6	6	2	7	3	7	9	-
Male	26	-	-	-	-	-	-	-	-	2	-	4	4	4	-	1	2	5	4	-
Female	25	-	-	-	-	-	-	-	-	1	-	4	2	2	2	6	1	2	5	-
Other non-Hisp	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-
Male	3	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-
Hispanic	28	-	-	-	-	-	-	-	1	-	2	4	3	5	4	2	6	1	-	-
Male	16	-	-	-	-	-	-	-	-	-	-	1	3	5	2	2	3	-	-	-
Female	12	-	-	-	-	-	-	-	1	-	2	3	-	-	2	-	3	1	-	-
C22 Liver cancer																				
All Races/Ethnicities	229	-	-	-	-	-	1	1	1	2	5	11	41	36	28	27	28	21	27	-
Male	152	-	-	-	-	-	1	-	1	1	4	6	33	24	18	16	21	11	16	-
Female	77	-	-	-	-	-	-	1	-	1	1	5	8	12	10	11	7	10	11	-
White non-Hisp	168	-	-	-	-	-	1	1	1	-	2	8	30	25	16	20	20	18	26	-
Male	107	-	-	-	-	-	1	-	1	-	2	4	26	15	10	12	13	8	15	-
Female	61	-	-	-	-	-	-	1	-	-	-	4	4	10	6	8	7	10	11	-
Black non-Hisp	33	-	-	-	-	-	-	-	-	1	3	1	8	5	7	2	5	-	1	-
Male	23	-	-	-	-	-	-	-	-	1	2	-	5	4	4	1	5	-	1	-
Female	10	-	-	-	-	-	-	-	-	-	1	1	3	1	3	1	-	-	-	-
Other non-Hisp	11	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	2	2	-	-
Male	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Hispanic	17	-	-	-	-	-	-	-	-	-	2	2	4	4	5	2	1	1	-	-
Male	13	-	-	-	-	-	-	-	-	-	-	2	1	3	4	1	1	1	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
C25 Pancreatic cancer																				
All Races/Ethnicities	462	-	-	-	-	-	-	-	-	3	6	22	42	51	61	63	48	73	93	-
Male	229	-	-	-	-	-	-	-	-	1	5	12	26	26	32	29	27	31	40	-
Female	227	-	-	-	-	-	-	-	-	2	1	10	16	25	27	34	19	42	51	-
White non-Hisp	393	-	-	-	-	-	-	-	-	3	3	19	35	39	48	54	37	67	88	-
Male	200	-	-	-	-	-	-	-	-	1	3	9	23	20	28	26	20	31	39	-
Female	193	-	-	-	-	-	-	-	-	2	-	10	12	19	20	28	17	36	49	-
Black non-Hisp	38	-	-	-	-	-	-	-	-	3	3	5	7	7	4	6	4	4	2	-
Male	20	-	-	-	-	-	-	-	-	2	3	3	3	3	3	3	3	-	-	-
Female	18	-	-	-	-	-	-	-	-	1	-	2	4	4	1	3	1	4	2	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Hispanic	21	-	-	-	-	-	-	-	-	-	-	-	2	4	5	2	5	2	1	-
Male	8	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	4	-	1	-
Female	13	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	1	2	-	-
C32 Larynx cancer																				
All Races/Ethnicities	36	-	-	-	-	-	-	-	-	2	3	2	-	-	3	9	4	6	7	-
Male	29	-	-	-	-	-	-	-	-	1	3	2	-	-	3	6	3	6	5	-
Female	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	-
White non-Hisp	27	-	-	-	-	-	-	-	-	1	3	2	-	-	3	4	3	5	6	-
Male	23	-	-	-	-	-	-	-	-	1	3	2	-	-	3	3	2	5	4	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-
Black non-Hisp	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
C33-C34 Trachea, bronchus & lung cancer																				
All Races/Ethnicities	1664	-	-	-	-	-	-	3	2	8	31	69	130	163	242	251	222	287	256	-
Male	835	-	-	-	-	-	-	1	2	4	15	33	76	103	119	131	111	132	108	-
Female	813	-	-	-	-	-	-	2	-	4	14	36	54	56	123	120	109	149	146	-
White non-Hisp	1452	-	-	-	-	-	-	-	2	6	20	61	106	134	210	217	200	257	239	-
Male	714	-	-	-	-	-	-	-	2	3	12	31	57	86	102	109	95	119	98	-
Female	738	-	-	-	-	-	-	-	-	3	8	30	49	48	108	108	105	138	141	-
Black non-Hisp	118	-	-	-	-	-	-	-	-	5	5	19	15	15	18	21	12	15	8	-
Male	68	-	-	-	-	-	-	-	-	-	1	16	9	9	6	14	10	7	5	-
Female	50	-	-	-	-	-	-	-	-	5	4	3	6	6	12	7	2	8	3	-
Other non-Hisp	20	-	-	-	-	-	-	2	-	1	1	-	-	3	2	3	3	3	2	-
Male	16	-	-	-	-	-	-	-	-	1	1	-	-	3	-	3	3	3	2	-
Female	4	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
Hispanic	58	-	-	-	-	-	-	1	-	1	3	3	5	7	12	10	5	6	5	-
Male	37	-	-	-	-	-	-	1	-	-	2	1	3	5	11	5	3	3	3	-
Female	21	-	-	-	-	-	-	-	-	1	1	2	2	2	1	5	2	3	2	-
C43 Skin cancer																				
All Races/Ethnicities	97	-	-	-	-	-	-	1	3	4	2	8	7	12	11	10	8	12	19	-
Male	58	-	-	-	-	-	-	1	2	2	2	4	3	7	9	7	6	8	7	-
Female	39	-	-	-	-	-	-	-	1	2	-	4	4	5	2	3	2	4	12	-
White non-Hisp	95	-	-	-	-	-	-	1	3	3	2	8	7	12	11	10	8	12	18	-
Male	58	-	-	-	-	-	-	1	2	2	2	4	3	7	9	7	6	8	7	-
Female	37	-	-	-	-	-	-	-	1	1	-	4	4	5	2	3	2	4	11	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
C50 Breast cancer																				
All Races/Ethnicities	461	-	-	-	-	-	2	6	5	15	28	44	47	38	46	44	48	50	88	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Female	447	-	-	-	-	-	2	6	5	13	28	42	47	37	46	41	48	46	86	-
White non-Hisp	380	-	-	-	-	-	1	2	2	9	21	36	33	31	41	39	43	44	78	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Female	378	-	-	-	-	-	1	2	2	9	21	36	33	30	41	38	43	44	78	-
Black non-Hisp	47	-	-	-	-	-	1	2	2	3	3	4	10	6	4	3	3	1	5	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	47	-	-	-	-	-	1	2	2	3	3	4	10	6	4	3	3	1	5	-
Other non-Hisp	4	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-
Hispanic	18	-	-	-	-	-	2	-	-	1	3	2	3	1	1	-	2	1	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	18	-	-	-	-	-	2	-	-	1	3	2	3	1	1	-	2	1	2	-
C53 Cervical cancer																				
All Races/Ethnicities	33	-	-	-	-	-	-	-	1	4	3	4	6	3	3	2	2	1	4	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	31	-	-	-	-	-	-	-	1	4	1	4	6	3	3	2	2	1	4	-
White non-Hisp	21	-	-	-	-	-	-	-	-	-	1	3	4	2	3	2	2	1	3	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	21	-	-	-	-	-	-	-	-	-	1	3	4	2	3	2	2	1	3	-
Black non-Hisp	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hispanic	6	-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
C54-C55 Cancer of corpus uteri & uterus, parts unspecified																				
All Races/Ethnicities	99	-	-	-	-	-	-	-	-	-	3	6	7	16	16	16	13	8	14	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	99	-	-	-	-	-	-	-	-	-	3	6	7	16	16	16	13	8	14	-
White non-Hisp	75	-	-	-	-	-	-	-	-	-	-	5	5	9	13	12	11	8	12	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	75	-	-	-	-	-	-	-	-	-	-	5	5	9	13	12	11	8	12	-
Black non-Hisp	15	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	1	-	2	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	15	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	1	-	2	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Hispanic	7	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	1	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	7	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	1	-	-	-
C56 Ovarian cancer																				
All Races/Ethnicities	176	-	-	-	-	1	-	-	1	1	5	21	13	18	21	32	19	21	23	-
Age-specific Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	170	-	-	-	-	1	-	-	1	1	5	19	13	18	19	30	19	21	23	-
White non-Hisp	147	-	-	-	-	-	-	-	-	1	3	17	13	18	15	25	15	19	21	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	147	-	-	-	-	-	-	-	-	1	3	17	13	18	15	25	15	19	21	-
Black non-Hisp	11	-	-	-	-	-	-	-	1	-	-	2	-	-	2	3	1	-	2	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	11	-	-	-	-	-	-	-	1	-	-	2	-	-	2	3	1	-	2	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Hispanic	10	-	-	-	-	1	-	-	-	-	2	-	-	-	2	2	2	1	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	10	-	-	-	-	1	-	-	-	-	2	-	-	-	2	2	2	1	-	-
C61 Prostate cancer																				
All Races/Ethnicities	321	-	-	-	-	-	-	-	-	-	8	6	13	26	27	46	55	140	-	-
Male	317	-	-	-	-	-	-	-	-	-	8	6	13	24	27	46	55	138	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	277	-	-	-	-	-	-	-	-	-	6	3	7	20	21	40	53	127	-	-
Male	277	-	-	-	-	-	-	-	-	-	6	3	7	20	21	40	53	127	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	27	-	-	-	-	-	-	-	-	-	-	3	3	4	5	4	2	6	-	-
Male	27	-	-	-	-	-	-	-	-	-	-	3	3	4	5	4	2	6	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	11	-	-	-	-	-	-	-	-	-	2	-	3	-	-	2	-	4	-	-
Male	11	-	-	-	-	-	-	-	-	-	2	-	3	-	-	2	-	4	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64,C65 Kidney and renal pelvis cancer																				
All Races/Ethnicities	126	-	-	-	-	-	-	1	1	4	7	12	7	18	20	10	19	27	-	-
Male	80	-	-	-	-	-	-	-	1	2	5	9	5	14	16	6	12	10	-	-
Female	40	-	-	-	-	-	-	1	-	-	2	3	2	4	2	4	5	17	-	-
White non-Hisp	108	-	-	-	-	-	-	-	1	1	5	9	7	17	15	9	17	27	-	-
Male	72	-	-	-	-	-	-	-	1	1	4	7	5	13	14	5	12	10	-	-
Female	36	-	-	-	-	-	-	-	-	-	1	2	2	4	1	4	5	17	-	-
Black non-Hisp	8	-	-	-	-	-	-	-	-	1	2	2	-	-	3	-	-	-	-	-
Male	6	-	-	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
C67 Bladder cancer																				
All Races/Ethnicities	226	-	-	-	-	-	-	-	-	1	1	4	10	17	16	28	34	32	83	-
Male	147	-	-	-	-	-	-	-	-	1	1	3	5	9	13	20	24	22	49	-
Female	73	-	-	-	-	-	-	-	-	-	-	1	3	8	3	8	8	10	32	-
White non-Hisp	206	-	-	-	-	-	-	-	-	1	-	4	6	15	13	25	32	30	80	-
Male	139	-	-	-	-	-	-	-	-	1	-	3	3	8	10	19	24	22	49	-
Female	67	-	-	-	-	-	-	-	-	-	-	1	3	7	3	6	8	8	31	-
Black non-Hisp	8	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	2	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72 Cancer of meninges, brain & other parts of the central nervous system																				
All Races/Ethnicities	152	2	3	-	-	1	3	-	4	7	3	11	12	23	15	25	14	13	16	-
Male	79	1	2	-	-	1	3	-	3	4	1	5	8	16	4	9	8	6	8	-
Female	71	1	1	-	-	-	-	-	1	3	2	6	4	7	11	16	6	7	6	-
White non-Hisp	141	1	2	-	-	1	3	-	4	5	3	11	11	22	14	24	14	12	14	-
Male	75	1	1	-	-	1	3	-	3	3	1	5	8	15	4	8	8	6	8	-
Female	66	-	1	-	-	-	-	-	1	2	2	6	3	7	10	16	6	6	6	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other non-Hisp	3	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Male	3	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	5	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	4	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-
C81 Hodgkin's disease																				
All Races/Ethnicities	9	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	2	4	-
Male	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-
Female	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	3	-
White non-Hisp	9	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	2	4	-
Male	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-
Female	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	3	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85 Non-Hodgkin's lymphoma																				
All Races/Ethnicities	246	-	-	-	-	1	1	1	1	2	5	9	17	14	18	28	30	44	75	-
Male	123	-	-	-	-	1	1	1	-	-	3	6	9	4	9	19	16	24	30	-
Female	119	-	-	-	-	-	-	-	1	2	-	3	6	10	9	9	14	20	45	-
White non-Hisp	210	-	-	-	-	1	-	-	1	1	2	7	13	13	15	23	23	38	73	-
Male	107	-	-	-	-	1	-	-	-	-	2	5	7	4	8	17	13	21	29	-
Female	103	-	-	-	-	-	-	-	1	1	-	2	6	9	7	6	10	17	44	-
Black non-Hisp	15	-	-	-	-	-	1	-	-	-	1	2	2	1	1	1	4	2	-	-
Male	11	-	-	-	-	-	1	-	-	-	1	1	2	-	-	1	3	2	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
Other non-Hisp	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Hispanic	11	-	-	-	-	-	-	1	-	1	-	-	-	-	2	2	2	2	1	-
Male	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	2	1	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
C90 Multiple Myeloma																				
All Races/Ethnicities	139	-	-	-	-	-	-	-	-	1	1	7	10	10	18	17	18	22	35	-
Male	69	-	-	-	-	-	-	-	-	-	-	3	7	6	11	6	11	9	16	-
Female	70	-	-	-	-	-	-	-	1	1	4	3	4	7	11	7	13	19	-	-
White non-Hisp	117	-	-	-	-	-	-	-	1	-	2	9	7	14	14	18	18	34	-	-
Male	61	-	-	-	-	-	-	-	-	-	1	7	5	9	4	11	8	16	-	-
Female	56	-	-	-	-	-	-	-	1	-	1	2	2	5	10	7	10	18	-	-
Black non-Hisp	16	-	-	-	-	-	-	-	-	1	1	1	3	3	2	-	4	1	-	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
Female	12	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	3	1	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	5	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
C91-C95 Leukemia																				
All Races/Ethnicities	272	-	-	4	2	-	1	-	2	3	3	10	17	19	27	31	32	42	79	-
Male	151	-	-	-	1	-	1	-	1	2	1	5	14	13	15	21	17	22	38	-
Female	117	-	-	2	1	-	-	-	1	1	2	5	3	6	12	8	15	20	41	-
White non-Hisp	235	-	-	1	1	-	-	-	2	2	2	6	12	14	24	28	25	39	79	-
Male	137	-	-	-	1	-	-	-	1	2	1	2	10	9	15	21	15	22	38	-
Female	98	-	-	1	-	-	-	-	1	-	1	4	2	5	9	7	10	17	41	-
Black non-Hisp	12	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	6	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
Female	8	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	4	-	-	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Hispanic	18	-	-	1	1	-	1	-	1	-	2	4	4	4	1	-	-	3	-	-
Male	9	-	-	-	-	-	1	-	-	-	-	2	3	3	-	-	-	-	-	-
Female	9	-	-	1	1	-	-	-	1	-	-	1	1	1	1	-	-	3	-	-
D00-D48 In situ neoplasms, benign neoplasms & neoplasms of unknown behavior																				
All Races/Ethnicities	215	-	-	1	-	1	1	-	-	2	4	7	13	11	9	23	21	39	82	1
Male	108	-	-	-	-	1	-	-	-	1	3	4	6	6	4	15	12	22	34	-
Female	105	-	-	1	-	-	1	-	-	1	1	3	5	5	5	8	9	17	48	1
White non-Hisp	195	-	-	1	-	1	1	-	-	2	3	5	8	11	6	20	21	38	77	1
Male	99	-	-	-	-	1	-	-	-	1	3	3	4	6	2	13	12	21	33	-
Female	96	-	-	1	-	-	1	-	-	1	-	2	4	5	4	7	9	17	44	1
Black non-Hisp	11	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	-	-	4	-
Male	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Hispanic	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
D50-D64 Anemias																				
All Races/Ethnicities	80	-	-	-	-	1	1	2	1	2	-	1	2	3	3	6	7	14	37	-
Male	29	-	-	-	-	1	-	1	-	-	-	1	1	1	1	2	1	5	15	-
Female	47	-	-	-	-	-	1	1	1	2	-	-	1	2	2	4	6	9	18	-
White non-Hisp	63	-	-	-	-	1	-	-	-	1	-	1	1	1	3	5	5	14	31	-
Male	25	-	-	-	-	1	-	-	-	-	-	1	1	-	1	2	-	5	14	-
Female	38	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	5	9	17	-
Black non-Hisp	11	-	-	-	-	-	1	2	1	1	-	-	-	2	-	-	2	-	2	-
Male	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-
Female	7	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	1	-	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
E10-E14 Diabetes mellitus																				
All Races/Ethnicities	663	-	-	-	-	2	4	2	4	10	17	24	38	55	59	57	81	102	208	-
Male	333	-	-	-	-	2	4	1	1	9	14	14	22	35	29	29	40	42	91	-
Female	324	-	-	-	-	-	-	1	3	1	3	10	16	20	30	28	37	60	115	-
White non-Hisp	494	-	-	-	-	1	1	1	2	5	11	15	24	36	45	42	49	83	179	-
Male	260	-	-	-	-	1	1	1	1	5	8	11	15	23	23	23	29	37	82	-
Female	234	-	-	-	-	-	-	-	1	-	3	4	9	13	22	19	20	46	97	-
Black non-Hisp	102	-	-	-	-	1	3	1	2	3	4	6	7	12	7	10	16	12	18	-
Male	44	-	-	-	-	1	3	-	-	3	4	2	4	8	3	3	6	2	5	-
Female	58	-	-	-	-	-	-	1	2	-	-	4	3	4	4	7	10	10	13	-
Other non-Hisp	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	1	1
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-
Hispanic	52	-	-	-	-	-	-	-	-	2	2	3	5	6	4	5	11	6	8	-
Male	24	-	-	-	-	-	-	-	-	1	2	1	2	4	1	3	4	2	4	-
Female	28	-	-	-	-	-	-	-	-	1	-	2	3	2	3	2	7	4	4	-
E40-E64 Nutritional deficiencies																				
All Races/Ethnicities	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	5	16
Male	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	5	3
Female	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	13
White non-Hisp	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	16
Male	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	3
Female	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	13
Black non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
F10.2 Alcohol dependence syndrome																				
All Races/Ethnicities	50	-	-	-	-	-	2	1	3	7	6	8	9	7	7	-	-	-	-	-
Male	33	-	-	-	-	-	2	-	1	4	4	5	7	5	5	-	-	-	-	-
Female	17	-	-	-	-	-	-	1	2	3	2	3	2	2	2	-	-	-	-	-
White non-Hisp	44	-	-	-	-	-	1	-	3	7	5	8	8	6	6	-	-	-	-	-
Male	28	-	-	-	-	-	1	-	1	4	3	5	6	4	4	-	-	-	-	-
Female	16	-	-	-	-	-	-	-	2	3	2	3	2	2	2	-	-	-	-	-
Black non-Hisp	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-
Male	4	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G00,G03 Meningitis																				
All Races/Ethnicities	11	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	3	-
Male	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-
Female	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
White non-Hisp	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	-
Male	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Black non-Hisp	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+	
G20-G21 Parkinsons' disease																					
All Races/Ethnicities	277	-	-	-	-	-	-	-	-	-	-	1	2	2	9	24	39	59	141	-	
Male	153	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	14	23	42	66	-
Female	122	-	-	-	-	-	-	-	-	-	-	1	1	1	3	10	16	15	75	-	
White non-Hisp	254	-	-	-	-	-	-	-	-	-	-	1	2	1	8	20	33	54	135	-	
Male	139	-	-	-	-	-	-	-	-	-	-	-	1	-	5	11	19	39	64	-	
Female	115	-	-	-	-	-	-	-	-	-	-	1	1	1	3	9	14	15	71	-	
Black non-Hisp	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	4	-	
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Hispanic	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	2	-	
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
G30 Alzheimer's disease																					
All Races/Ethnicities	821	-	-	-	-	-	-	-	-	-	-	2	1	7	5	15	55	119	617	-	
Male	221	-	-	-	-	-	-	-	-	-	-	1	-	4	3	5	25	35	148	-	
Female	592	-	-	-	-	-	-	-	-	-	-	1	1	3	2	10	28	82	465	-	
White non-Hisp	763	-	-	-	-	-	-	-	-	-	-	1	1	7	5	11	47	111	580	-	
Male	205	-	-	-	-	-	-	-	-	-	-	-	-	4	3	4	24	33	137	-	
Female	558	-	-	-	-	-	-	-	-	-	-	1	1	3	2	7	23	78	443	-	
Black non-Hisp	34	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	6	25	-	
Male	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	9	-	
Female	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	16	-	
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Hispanic	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	6	-	
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
Female	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	6	-	
I00-I78 Major cardiovascular diseases																					
All Races/Ethnicities	9182	3	-	5	7	10	13	24	35	85	133	265	360	404	539	653	774	1264	4608	-	
Male	4320	2	-	2	3	3	7	16	25	53	90	183	245	287	343	397	406	647	1611	-	
Female	4666	1	-	3	4	5	6	6	8	26	35	68	109	99	180	236	352	591	2937	-	
White non-Hisp	7946	1	-	1	3	3	7	15	16	55	82	178	277	314	411	519	649	1120	4295	-	
Male	3785	1	-	-	2	1	6	13	12	37	61	139	194	239	283	333	346	595	1523	-	
Female	4161	-	-	1	1	2	1	2	4	18	21	39	83	75	128	186	303	525	2772	-	
Black non-Hisp	624	1	-	2	1	1	4	3	12	14	23	41	47	50	66	63	62	81	153	-	
Male	307	-	-	1	-	-	1	1	9	11	16	24	28	33	35	36	33	35	44	-	
Female	317	1	-	1	1	1	3	2	3	3	7	17	19	17	31	27	29	46	109	-	
Other non-Hisp	86	-	-	-	-	-	-	-	2	1	4	7	5	6	4	9	9	12	27	-	
Male	56	-	-	-	-	-	-	-	1	-	3	6	5	4	4	5	7	6	15	-	
Female	30	-	-	-	-	-	-	-	1	1	1	1	-	2	-	4	2	6	12	-	
Hispanic	330	1	-	2	3	4	2	4	3	9	16	25	25	16	42	42	38	25	73	-	
Male	172	1	-	1	1	2	-	2	3	5	10	14	18	11	21	23	20	11	29	-	
Female	158	-	-	1	2	2	2	2	-	4	6	11	7	5	21	19	18	14	44	-	
I00-I09,I11,I13,I20-I51 Diseases of heart																					
All Races/Ethnicities	7141	2	-	3	7	8	11	23	26	74	117	223	281	329	441	510	591	939	3556	-	
Male	3483	1	-	2	3	3	5	16	18	46	79	156	197	236	291	316	319	489	1306	-	
Female	3492	1	-	1	4	3	6	5	6	22	30	55	82	79	140	174	258	424	2202	-	
White non-Hisp	6203	1	-	-	3	2	6	15	15	48	73	151	222	265	344	403	500	826	3329	-	
Male	3076	1	-	-	2	1	5	13	12	33	55	119	156	200	242	268	276	452	1241	-	
Female	3127	-	-	-	1	1	1	2	3	15	18	32	66	65	102	135	224	374	2088	-	
Black non-Hisp	463	1	-	2	1	1	3	3	6	12	18	34	34	35	54	45	44	59	111	-	
Male	231	-	-	1	-	-	-	1	4	9	13	21	21	25	30	26	23	22	35	-	
Female	232	1	-	1	1	1	3	2	2	3	5	13	13	10	24	19	21	37	76	-	
Other non-Hisp	64	-	-	-	-	-	-	-	2	1	4	5	5	5	2	6	8	10	16	-	
Male	41	-	-	-	-	-	-	-	1	-	3	4	5	4	2	3	6	5	8	-	
Female	23	-	-	-	-	-	-	-	1	1	1	1	-	1	-	3	2	5	8	-	
Hispanic	245	-	-	1	3	3	2	3	1	7	14	21	18	10	31	36	25	18	52	-	
Male	135	-	-	1	1	2	-	2	1	4	8	12	15	7	17	19	14	10	22	-	
Female	110	-	-	-	2	1	2	1	-	3	6	9	3	3	14	17	11	8	30	-	

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
I00-I09 Acute rheumatic fever & chronic rheumatic heart disease																				
All Races/Ethnicities	32	-	-	-	-	-	1	1	-	-	1	1	3	-	3	-	3	6	13	-
Male	12	-	-	-	-	-	1	1	-	-	-	1	3	-	-	-	-	2	4	-
Female	20	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	3	4	9	-
White non-Hisp	26	-	-	-	-	-	1	1	-	-	-	1	2	-	1	-	3	4	13	-
Male	10	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	1	4	-
Female	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	9	-
Black non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
I11 Hypertensive heart disease																				
All Races/Ethnicities	213	-	-	-	-	2	-	3	-	11	17	24	16	17	11	9	11	21	71	-
Male	102	-	-	-	-	1	-	1	-	7	12	14	6	13	7	5	8	10	18	-
Female	101	-	-	-	-	1	-	2	-	2	3	8	10	2	4	4	3	11	51	-
White non-Hisp	166	-	-	-	-	-	-	2	-	6	9	16	14	11	9	7	9	17	66	-
Male	77	-	-	-	-	-	-	1	-	4	7	11	4	9	5	4	7	8	17	-
Female	89	-	-	-	-	-	-	1	-	2	2	5	10	2	4	3	2	9	49	-
Black non-Hisp	26	-	-	-	-	1	-	-	-	2	5	4	2	3	2	1	1	3	2	-
Male	20	-	-	-	-	-	-	-	-	2	4	2	2	3	2	1	1	2	1	-
Female	6	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	1	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Hispanic	10	-	-	-	-	1	-	1	-	1	1	2	-	1	-	1	-	1	1	-
Male	5	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-
I13 Hypertensive heart and renal disease																				
All Races/Ethnicities	29	-	-	-	-	-	-	-	-	-	-	3	1	1	-	2	2	4	16	-
Male	10	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	4	-
Female	19	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	12	-
White non-Hisp	24	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	4	14	-
Male	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	-
Female	17	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	11	-
Black non-Hisp	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-
Male	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
I20-I25 Ischemic heart disease																				
All Races/Ethnicities	3742	-	-	-	-	1	1	5	9	34	49	112	169	194	261	306	314	490	1797	-
Male	1961	-	-	-	-	1	-	5	7	21	40	82	124	147	180	202	180	277	695	-
Female	1717	-	-	-	-	-	1	-	2	11	9	28	43	43	81	96	128	201	1074	-
White non-Hisp	3280	-	-	-	-	-	-	5	7	26	35	85	128	163	207	250	272	421	1681	-
Male	1739	-	-	-	-	-	-	5	6	19	29	67	94	126	148	172	157	253	663	-
Female	1541	-	-	-	-	-	-	-	1	7	6	18	34	37	59	78	115	168	1018	-
Black non-Hisp	240	-	-	-	-	-	1	-	2	2	5	14	24	19	31	24	20	40	58	-
Male	122	-	-	-	-	-	-	-	1	1	5	8	16	14	18	14	11	16	18	-
Female	118	-	-	-	-	-	1	-	1	1	-	6	8	5	13	10	9	24	40	-
Other non-Hisp	39	-	-	-	-	-	-	-	-	1	2	3	4	4	2	2	6	5	10	-
Male	26	-	-	-	-	-	-	-	-	-	1	3	4	3	2	1	5	2	5	-
Female	13	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	3	5	-
Hispanic	119	-	-	-	-	1	-	-	-	3	7	8	11	4	21	22	10	12	20	-
Male	74	-	-	-	-	1	-	-	-	1	5	4	10	4	12	15	7	6	9	-
Female	45	-	-	-	-	-	-	-	-	2	2	4	1	-	9	7	3	6	11	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																Unknown		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79		80-84	85+
I10,I12 Essential hypertension & hypertensive renal disease																				
All Races/Ethnicities	374	-	-	-	-	-	-	-	1	3	9	13	25	22	24	20	23	49	185	-
Male	155	-	-	-	-	-	-	-	-	2	8	12	18	18	15	12	13	23	34	-
Female	213	-	-	-	-	-	-	-	1	1	1	1	7	4	7	8	10	26	147	-
White non-Hisp	311	-	-	-	-	-	-	-	-	1	4	10	19	17	15	17	18	40	170	-
Male	120	-	-	-	-	-	-	-	-	1	4	10	14	15	10	10	8	16	32	-
Female	191	-	-	-	-	-	-	-	-	-	-	-	5	2	5	7	10	24	138	-
Black non-Hisp	40	-	-	-	-	-	-	-	1	1	4	2	5	4	4	3	3	8	5	-
Male	26	-	-	-	-	-	-	-	-	1	3	2	3	2	3	2	3	6	1	-
Female	14	-	-	-	-	-	-	-	1	-	1	-	2	2	1	1	-	2	4	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	15	-	-	-	-	-	-	-	-	1	1	1	1	1	3	-	2	-	5	-
Male	7	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	-	-	-
Female	8	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	5	-
I46.0 Cardiac arrest																				
All Races/Ethnicities	858	-	-	-	1	3	3	5	4	6	23	35	46	48	66	62	84	109	363	-
Male	390	-	-	-	-	-	2	3	1	5	11	24	34	29	38	32	48	53	110	-
Female	398	-	-	-	1	1	1	-	1	1	6	3	12	13	22	18	32	46	241	-
White non-Hisp	704	-	-	-	-	1	2	3	2	4	11	21	40	37	50	43	67	92	331	-
Male	349	-	-	-	-	-	2	3	1	4	7	19	31	27	33	27	42	51	102	-
Female	355	-	-	-	-	1	-	-	1	-	4	2	9	10	17	16	25	41	229	-
Black non-Hisp	48	-	-	-	-	-	-	-	-	2	2	1	5	3	7	5	8	4	11	-
Male	22	-	-	-	-	-	-	-	-	1	1	1	2	1	3	4	4	-	5	-
Female	26	-	-	-	-	-	-	-	-	1	1	-	3	2	4	1	4	4	6	-
Other non-Hisp	8	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	3	1	-
Male	6	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	2	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Hispanic	28	-	-	-	1	-	1	-	-	-	2	4	-	2	3	2	5	-	8	-
Male	13	-	-	-	-	-	-	-	-	-	1	3	-	1	2	1	2	-	3	-
Female	15	-	-	-	1	-	1	-	-	-	1	1	-	1	1	1	3	-	5	-
I50.0 Congestive heart failure																				
All Races/Ethnicities	743	1	-	-	-	-	1	-	1	1	2	8	7	7	17	30	56	105	507	-
Male	326	-	-	-	-	-	-	-	1	-	1	5	5	5	8	21	26	49	205	-
Female	409	1	-	-	-	-	1	-	-	-	1	3	2	2	9	9	28	54	298	-
White non-Hisp	685	-	-	-	-	-	-	-	1	1	1	5	5	4	14	27	49	100	478	-
Male	305	-	-	-	-	-	-	-	1	-	1	3	4	3	7	19	24	48	195	-
Female	380	-	-	-	-	-	-	-	-	-	2	1	1	1	7	8	25	52	283	-
Black non-Hisp	32	1	-	-	-	-	1	-	-	-	-	1	1	3	2	1	4	3	15	-
Male	11	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	1	3	-
Female	21	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	2	2	12	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	17	-	-	-	-	-	-	-	-	1	2	1	-	-	1	2	1	-	9	-
Male	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	6	-
Female	8	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	3	-
I60-I69 Cerebrovascular disease																				
All Races/Ethnicities	1333	1	-	2	-	2	2	1	5	6	5	22	42	43	58	94	119	213	718	-
Male	521	1	-	-	-	-	2	-	4	4	2	11	25	25	28	53	55	101	210	-
Female	796	-	-	2	-	2	-	1	1	2	3	9	17	14	28	41	64	112	500	-
White non-Hisp	1140	-	-	1	-	1	1	-	1	5	4	12	30	24	41	74	95	194	657	-
Male	444	-	-	-	-	-	1	-	-	3	1	7	20	17	23	42	44	94	192	-
Female	696	-	-	1	-	1	-	-	1	2	3	5	10	7	18	32	51	100	465	-
Black non-Hisp	98	-	-	-	-	-	1	-	4	-	-	4	7	9	7	11	13	13	29	-
Male	40	-	-	-	-	-	1	-	4	-	-	1	3	5	2	5	6	6	7	-
Female	58	-	-	-	-	-	-	-	-	-	-	3	4	4	5	6	7	7	22	-
Other non-Hisp	19	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	1	1	9	-
Male	12	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	1	-	5	-
Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Hispanic	60	1	-	1	-	1	-	1	-	1	1	2	5	5	6	6	10	5	15	-
Male	25	1	-	-	-	-	-	-	-	1	1	1	2	3	1	4	4	1	6	-
Female	35	-	-	1	-	1	-	1	-	-	-	1	3	2	5	2	6	4	9	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown			
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+
I64 Stroke, not specified as infarction																				
All Races/Ethnicities	677	-	-	-	-	-	-	-	1	1	-	7	12	12	18	39	62	99	426	-
Male	247	-	-	-	-	-	-	-	1	1	-	2	8	8	10	23	29	47	118	-
Female	428	-	-	-	-	-	-	-	-	-	-	5	4	4	8	16	33	52	306	-
White non-Hisp	605	-	-	-	-	-	-	-	-	1	-	4	10	6	17	32	48	88	399	-
Male	216	-	-	-	-	-	-	-	-	1	-	2	7	6	9	18	20	44	109	-
Female	389	-	-	-	-	-	-	-	-	-	-	2	3	-	8	14	28	44	290	-
Black non-Hisp	46	-	-	-	-	-	-	-	1	-	-	3	2	4	-	3	10	8	15	-
Male	17	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	5	3	5	-
Female	29	-	-	-	-	-	-	-	-	-	-	3	1	3	-	2	5	5	10	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-
Hispanic	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	7	-
Male	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	3	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-
I70 Atherosclerosis																				
All Races/Ethnicities	72	-	-	-	-	-	-	-	-	1	-	1	1	1	-	5	10	12	42	-
Male	26	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	5	13	-
Female	44	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	5	7	29	-
White non-Hisp	62	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	8	11	39	-
Male	24	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	5	13	-
Female	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	26	-
Black non-Hisp	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	3	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
I71 Aortic aneurysm and dissection																				
All Races/Ethnicities	141	-	-	-	-	-	-	-	3	1	1	3	9	2	6	13	21	34	48	-
Male	88	-	-	-	-	-	-	-	3	1	1	3	4	2	5	8	10	21	30	-
Female	49	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	11	13	18	-
White non-Hisp	123	-	-	-	-	-	-	-	-	-	1	2	4	2	4	13	20	33	44	-
Male	79	-	-	-	-	-	-	-	-	-	1	2	3	2	4	8	9	21	29	-
Female	44	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	11	12	15	-
Black non-Hisp	8	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	3	-
Male	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	6	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	1	1	-
Male	5	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
I72-I78 Other diseases of arteries, arterioles and capillaries																				
All Races/Ethnicities	120	-	-	-	-	-	-	-	-	1	-	3	2	7	10	11	10	17	59	-
Male	47	-	-	-	-	-	-	-	-	-	-	1	-	5	4	5	6	8	18	-
Female	71	-	-	-	-	-	-	-	-	1	-	2	2	2	4	6	4	9	41	-
White non-Hisp	107	-	-	-	-	-	-	-	-	1	-	3	1	5	7	10	8	16	56	-
Male	42	-	-	-	-	-	-	-	-	-	-	1	-	4	4	4	6	7	16	-
Female	65	-	-	-	-	-	-	-	-	1	-	2	1	1	3	6	2	9	40	-
Black non-Hisp	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown			
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+
J10-J18 Influenza and Pneumonia																				
All Races/Ethnicities	603	-	-	-	2	1	-	1	-	1	6	6	12	19	36	22	44	77	376	-
Male	247	-	-	-	1	-	-	1	-	1	4	3	7	10	20	12	21	34	133	
Female	350	-	-	-	1	1	-	-	-	-	2	3	5	9	16	10	23	39	241	
White non-Hisp	531	-	-	-	1	-	-	-	-	-	5	4	10	15	26	19	38	66	347	
Male	219	-	-	-	-	-	-	-	-	-	3	2	6	9	14	11	19	33	122	
Female	312	-	-	-	1	-	-	-	-	-	2	2	4	6	12	8	19	33	225	
Black non-Hisp	30	-	-	-	-	-	-	-	-	-	-	1	-	3	5	1	3	4	13	
Male	11	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	6	
Female	19	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	3	3	7	
Other non-Hisp	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	
Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	
Hispanic	31	-	-	-	1	1	-	1	-	-	1	1	2	1	5	2	3	2	11	
Male	15	-	-	-	1	-	-	1	-	-	1	1	1	-	3	1	2	-	4	
Female	16	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	1	2	7	
J10-J11 Influenza																				
All Races/Ethnicities	48	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	3	3	34	
Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	8	
Female	35	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	2	26	
White non-Hisp	44	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	3	3	30	
Male	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	7	
Female	32	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	2	23	
Black non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
J12-J18 Pneumonia																				
All Races/Ethnicities	555	-	-	-	2	1	-	1	-	1	6	6	10	17	32	22	41	74	342	
Male	234	-	-	-	1	-	-	1	-	1	4	3	7	10	19	12	18	33	125	
Female	315	-	-	-	1	1	-	-	-	-	2	3	3	7	13	10	23	37	215	
White non-Hisp	487	-	-	-	1	-	-	-	-	-	5	4	8	13	22	19	35	63	317	
Male	207	-	-	-	-	-	-	-	-	-	3	2	6	9	13	11	16	32	115	
Female	280	-	-	-	1	-	-	-	-	-	2	2	2	4	9	8	19	31	202	
Black non-Hisp	28	-	-	-	-	-	-	-	-	-	-	1	-	3	5	1	3	4	11	
Male	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	5	
Female	18	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	3	3	6	
Other non-Hisp	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	
Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	
Hispanic	29	-	-	-	1	1	-	1	-	-	1	1	2	1	5	2	3	2	9	
Male	15	-	-	-	1	-	-	1	-	-	1	1	1	-	3	1	2	-	4	
Female	14	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	1	2	5	
J40-J47 Chronic lower respiratory diseases																				
All Races/Ethnicities	1341	-	-	1	1	-	1	1	1	3	7	23	50	66	126	148	193	231	489	
Male	578	-	-	1	1	-	1	1	1	1	3	12	23	34	59	56	84	98	203	
Female	757	-	-	-	-	-	-	-	-	2	4	11	27	32	65	92	109	131	284	
White non-Hisp	1239	-	-	1	-	-	-	1	1	3	4	19	41	60	116	131	181	219	462	
Male	535	-	-	1	-	-	-	1	1	1	2	9	20	33	54	51	75	93	194	
Female	704	-	-	-	-	-	-	-	-	2	2	10	21	27	62	80	106	126	268	
Black non-Hisp	54	-	-	-	1	-	1	-	-	-	2	3	5	2	5	11	6	3	15	
Male	23	-	-	-	1	-	1	-	-	-	2	2	2	1	3	3	5	-	5	
Female	31	-	-	-	-	-	-	-	-	-	2	1	3	1	2	8	1	3	10	
Other non-Hisp	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	
Hispanic	37	-	-	-	-	-	-	-	-	-	1	1	3	4	3	6	5	5	9	
Male	19	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	4	4	4	
Female	18	-	-	-	-	-	-	-	-	-	-	-	2	4	1	4	1	1	5	

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																Unknown		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79		80-84	85+
J43 Emphysema																				
All Races/Ethnicities	74	-	-	-	-	-	-	-	-	-	1	1	4	5	6	13	6	15	23	-
Male	34	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	3	9	8	-
Female	38	-	-	-	-	-	-	-	-	-	1	-	2	2	2	9	3	6	13	-
White non-Hisp	68	-	-	-	-	-	-	-	-	-	1	-	4	5	6	12	6	14	20	-
Male	33	-	-	-	-	-	-	-	-	-	-	-	2	3	4	4	3	9	8	-
Female	35	-	-	-	-	-	-	-	-	-	1	-	2	2	2	8	3	5	12	-
Black non-Hisp	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
J45-J46 Asthma																				
All Races/Ethnicities	34	-	-	1	1	-	1	1	-	2	1	1	3	6	3	4	2	1	7	-
Male	11	-	-	1	1	-	1	1	-	-	-	-	1	4	-	-	1	-	1	-
Female	23	-	-	-	-	-	-	-	-	2	1	1	2	2	3	4	1	1	6	-
White non-Hisp	26	-	-	1	-	-	-	1	-	2	-	1	1	5	3	2	2	1	7	-
Male	8	-	-	1	-	-	-	1	-	-	-	-	4	-	-	-	1	-	1	-
Female	18	-	-	-	-	-	-	-	-	2	-	1	1	1	3	2	1	1	6	-
Black non-Hisp	4	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
Male	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
J69 Pneumonitis due to solids and liquids																				
All Races/Ethnicities	369	1	-	-	1	1	-	1	-	1	4	10	10	12	15	21	28	53	211	-
Male	202	-	-	-	-	1	-	-	-	-	3	6	4	7	8	11	20	32	110	-
Female	167	1	-	-	1	-	1	-	-	1	1	4	6	5	7	10	8	21	101	-
White non-Hisp	338	1	-	-	1	1	-	1	-	-	3	7	6	12	14	18	25	49	200	-
Male	187	-	-	-	-	1	-	-	-	-	2	5	2	7	7	9	18	30	106	-
Female	151	1	-	-	1	-	1	-	-	1	2	4	5	5	7	9	7	19	94	-
Black non-Hisp	17	-	-	-	-	-	-	-	-	-	1	3	-	-	1	1	3	2	6	-
Male	9	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	3	-
Female	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	3	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hispanic	11	-	-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	2	3	-
Male	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-
Female	7	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	3	-
K25-K28 Peptic ulcer																				
All Races/Ethnicities	25	-	-	-	-	-	-	-	-	1	1	2	1	1	2	5	2	2	8	-
Male	11	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	1	1	2	-
Female	12	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	6	-
White non-Hisp	21	-	-	-	-	-	-	-	-	1	-	2	1	1	2	2	2	2	8	-
Male	10	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	2	-
Female	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	6	-
Black non-Hisp	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
K40-K46 Hernia																				
All Races/Ethnicities	25	-	-	-	-	-	-	-	-	-	1	1	3	-	2	1	2	3	12	-
Male	10	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	5	-
Female	15	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	3	7	-
White non-Hisp	22	-	-	-	-	-	-	-	-	-	1	-	3	-	2	1	2	3	10	-
Male	9	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	5	-
Female	13	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	3	5	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
K70,K73-K74 Chronic liver disease and cirrhosis																				
All Races/Ethnicities	333	-	-	-	-	-	2	6	6	14	26	50	42	54	33	31	25	20	24	-
Male	211	-	-	-	-	-	2	5	4	8	18	30	32	32	22	24	16	11	7	-
Female	122	-	-	-	-	-	-	1	2	6	8	20	10	22	11	7	9	9	17	-
White non-Hisp	268	-	-	-	-	-	1	6	3	9	20	36	36	41	28	23	24	19	22	-
Male	168	-	-	-	-	-	1	5	1	5	13	18	28	27	19	18	15	11	7	-
Female	100	-	-	-	-	-	-	1	2	4	7	18	8	14	9	5	9	8	15	-
Black non-Hisp	24	-	-	-	-	-	-	-	-	3	1	3	3	7	3	3	-	-	1	-
Male	14	-	-	-	-	-	-	-	-	2	-	2	2	2	3	3	-	-	-	-
Female	10	-	-	-	-	-	-	-	-	1	1	1	1	5	-	-	-	-	1	-
Other non-Hisp	6	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	1	-	-	-
Male	6	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	35	-	-	-	-	-	1	-	1	2	4	10	3	6	2	4	-	1	1	-
Male	23	-	-	-	-	-	1	-	1	1	4	9	2	3	-	2	-	-	-	-
Female	12	-	-	-	-	-	-	-	-	1	-	1	1	3	2	2	-	1	1	-
K70 Alcoholic liver disease																				
All Races/Ethnicities	143	-	-	-	-	-	2	5	5	9	14	26	20	28	12	11	6	3	2	-
Male	99	-	-	-	-	-	2	4	3	6	11	14	13	18	8	11	6	2	1	-
Female	44	-	-	-	-	-	-	1	2	3	3	12	7	10	4	-	-	1	1	-
White non-Hisp	115	-	-	-	-	-	1	5	2	7	11	21	16	24	10	8	6	2	2	-
Male	77	-	-	-	-	-	1	4	-	4	9	9	11	16	6	8	6	2	1	-
Female	38	-	-	-	-	-	-	1	2	3	2	12	5	8	4	-	-	-	1	-
Black non-Hisp	10	-	-	-	-	-	-	-	-	1	1	1	3	1	2	1	-	-	-	-
Male	8	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-
Male	4	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	14	-	-	-	-	-	1	-	1	1	1	4	1	3	-	1	-	1	-	-
Male	10	-	-	-	-	-	1	-	1	1	1	4	-	1	-	1	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-
N00-N07,N17-N19,N25-N27 Nephritis, nephrotic syndrome, nephrosis																				
All Races/Ethnicities	563	1	-	-	-	-	3	2	-	1	8	9	17	27	32	50	52	87	274	-
Male	307	1	-	-	-	-	1	1	-	-	4	5	13	18	20	29	29	53	133	-
Female	250	-	-	-	-	-	-	1	-	1	4	4	4	9	12	21	21	34	139	-
White non-Hisp	465	1	-	-	-	-	-	1	-	-	4	5	11	18	23	41	42	71	248	-
Male	261	1	-	-	-	-	-	1	-	-	2	4	7	11	16	24	27	46	122	-
Female	204	-	-	-	-	-	-	-	-	-	2	1	4	7	7	17	15	25	126	-
Black non-Hisp	63	-	-	-	-	-	-	-	-	1	1	4	5	7	5	5	5	13	17	-
Male	29	-	-	-	-	-	-	-	-	-	1	1	5	5	1	2	2	5	7	-
Female	34	-	-	-	-	-	-	-	-	1	-	3	-	2	4	3	3	8	10	-
Other non-Hisp	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-
Hispanic	21	-	-	-	-	-	1	1	-	-	3	-	1	2	3	3	2	1	4	-
Male	13	-	-	-	-	-	1	-	-	-	1	-	1	2	3	2	-	-	3	-
Female	8	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	2	1	1	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
N10-N12,N13.6,N15.1 Infections of kidney																				
All Races/Ethnicities	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-
White non-Hisp	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N40 Hyperplasia of prostate																				
All Races/Ethnicities	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q00-Q99 Congenital anomalies																				
All Races/Ethnicities	67	24	3	1	2	2	2	-	1	1	2	2	6	3	3	3	3	4	5	-
Male	31	17	-	-	1	1	1	-	-	1	1	1	1	1	1	1	1	2	1	-
Female	34	7	1	1	1	1	1	-	1	-	1	1	5	2	2	2	2	2	4	-
White non-Hisp	43	9	-	1	2	2	2	-	1	-	2	2	4	3	3	2	1	4	5	-
Male	16	6	-	-	1	1	1	-	-	-	1	1	-	1	1	-	-	2	1	-
Female	27	3	-	1	1	1	1	-	1	-	1	1	4	2	2	2	1	2	4	-
Black non-Hisp	10	6	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-
Male	6	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
Female	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other non-Hisp	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Male	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
V01-X59,Y85-Y86 Accidents (unintentional injuries)																				
All Races/Ethnicities	1565	9	3	7	38	99	100	97	69	91	114	118	113	68	64	55	63	102	355	-
Male	950	2	2	4	18	77	73	72	47	64	76	80	82	47	46	33	33	49	145	-
Female	565	7	1	3	14	18	25	17	16	27	36	32	29	17	16	20	30	51	206	-
White non-Hisp	1245	3	-	4	18	73	76	60	39	67	84	89	88	54	49	45	58	96	342	-
Male	754	-	-	2	10	57	54	50	28	46	57	64	64	40	37	27	29	47	142	-
Female	491	3	-	2	8	16	22	10	11	21	27	25	24	14	12	18	29	49	200	-
Black non-Hisp	117	1	1	3	10	3	9	12	7	6	13	18	9	7	4	3	3	3	5	-
Male	79	-	1	2	7	2	9	8	5	3	8	12	7	5	3	2	2	1	2	-
Female	38	1	-	1	3	1	-	4	2	3	5	6	2	2	1	1	1	2	3	-
Other non-Hisp	19	1	-	-	-	2	3	-	1	2	1	2	1	-	3	-	1	-	2	-
Male	11	-	-	-	-	1	2	-	1	2	-	1	1	-	2	-	1	-	-	-
Female	8	1	-	-	-	1	1	-	-	-	1	1	-	-	1	-	-	-	2	-
Hispanic	134	4	2	-	4	17	10	17	16	16	14	3	13	3	6	5	1	1	2	-
Male	106	2	1	-	1	17	8	14	13	13	11	3	10	2	4	4	1	1	1	-
Female	28	2	1	-	3	-	2	3	3	3	3	-	3	1	2	1	-	-	1	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
Motor vehicle accidents^e																				
All Races/Ethnicities	299	3	2	1	30	50	30	21	23	19	15	22	16	11	13	9	10	11	13	-
Male	203	-	1	1	14	34	20	19	14	15	14	15	15	9	10	4	7	4	7	-
Female	80	3	1	-	10	12	10	2	5	4	1	7	1	2	3	5	3	5	6	-
White non-Hisp	201	1	-	1	13	32	16	12	9	14	13	19	14	10	10	8	8	8	13	-
Male	140	-	-	1	7	22	9	10	6	12	12	13	13	8	8	4	5	3	7	-
Female	61	1	-	-	6	10	7	2	3	2	1	6	1	2	2	4	3	5	6	-
Black non-Hisp	33	-	-	-	8	3	5	4	3	4	2	1	-	1	-	-	1	1	-	-
Male	28	-	-	-	6	2	5	4	3	2	2	1	-	1	-	-	1	1	-	-
Female	5	-	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	6	-	-	-	-	2	1	-	-	-	-	1	-	-	2	-	-	-	-	-
Male	3	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Female	3	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Hispanic	43	2	2	-	3	9	8	5	7	1	-	1	2	-	1	1	1	-	-	-
Male	32	-	1	-	1	9	6	5	5	1	-	1	2	-	-	-	1	-	-	-
Female	11	2	1	-	2	-	2	-	2	-	-	-	-	-	1	1	-	-	-	-
W00-W19 Falls																				
All Races/Ethnicities	377	-	-	-	1	2	-	3	1	2	7	10	20	13	24	19	27	52	196	-
Male	175	-	-	-	-	1	-	3	1	2	2	6	14	5	16	10	14	26	75	-
Female	188	-	-	-	1	1	-	-	-	-	3	2	4	6	8	7	13	26	117	-
White non-Hisp	345	-	-	-	1	2	-	2	1	1	4	8	15	11	20	14	26	50	190	-
Male	165	-	-	-	-	1	-	2	1	1	2	6	12	5	15	8	13	25	74	-
Female	180	-	-	-	1	1	-	-	-	-	2	2	3	6	5	6	13	25	116	-
Black non-Hisp	10	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	1	1	2	-
Male	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hispanic	6	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	-	1	-	-
Male	5	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
W32-W34 Accidental discharge of firearm																				
All Races/Ethnicities	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W65-W74 Accidental drowning and submersion																				
All Races/Ethnicities	43	3	1	2	1	1	5	6	1	1	1	4	3	3	2	2	4	2	1	-
Male	32	2	1	1	1	1	5	3	1	1	-	2	3	3	2	2	2	1	1	-
Female	7	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	2	1	-	-
White non-Hisp	25	-	-	1	-	-	1	2	1	1	1	2	3	2	2	2	4	2	1	-
Male	20	-	-	-	-	-	1	2	1	1	-	2	3	2	2	2	2	1	1	-
Female	5	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-
Black non-Hisp	6	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Male	5	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	5	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Male	5	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
X00 Exposure to uncontrolled fire in building or structure																				
All Races/Ethnicities	18	2	-	-	-	1	2	2	-	-	3	-	-	1	1	1	2	1	2	-
Male	8	-	-	-	-	1	1	1	-	-	2	-	-	-	1	1	-	1	-	-
Female	10	2	-	-	-	-	1	1	-	-	1	-	-	1	-	-	2	-	2	-
White non-Hisp	15	2	-	-	-	1	2	1	-	-	2	-	-	-	1	1	2	1	2	-
Male	7	-	-	-	-	1	1	1	-	-	1	-	-	-	1	1	-	1	-	-
Female	8	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	2	-
Black non-Hisp	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
X40-X49 Accidental poisoning & exposure to noxious substances^f																				
All Races/Ethnicities	527	-	-	-	4	43	58	62	44	67	78	70	56	25	7	6	3	2	2	-
Male	373	-	-	-	2	38	44	44	31	44	51	47	37	20	5	5	1	2	2	-
Female	144	-	-	-	2	5	14	12	11	23	27	21	19	5	2	1	2	-	-	-
White non-Hisp	398	-	-	-	3	36	54	42	28	51	57	50	44	19	5	3	3	2	1	-
Male	282	-	-	-	2	31	40	34	20	32	38	35	26	15	3	2	1	2	1	-
Female	116	-	-	-	1	5	14	8	8	19	19	15	18	4	2	1	2	-	-	-
Black non-Hisp	52	-	-	-	1	-	3	5	4	2	10	16	4	5	1	1	-	-	-	-
Male	34	-	-	-	-	-	3	3	2	1	5	10	4	4	1	1	-	-	-	-
Female	18	-	-	-	1	-	-	2	2	1	5	6	-	1	-	-	-	-	-	-
Other non-Hisp	4	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
Male	4	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	63	-	-	-	-	7	1	9	9	12	11	2	7	1	1	2	-	-	1	-
Male	53	-	-	-	-	7	1	7	8	9	8	2	6	1	1	2	-	-	1	-
Female	10	-	-	-	-	-	-	2	1	3	3	-	1	-	-	-	-	-	-	-
X60-X84,Y87.0,X85-Y09,Y87.1,Y35,Y89.0 Intentional Injuries																				
All Races/Ethnicities	424	10	-	7	18	40	36	31	27	44	40	43	64	19	18	6	10	7	4	-
Male	329	5	-	3	15	32	31	26	20	34	30	34	50	16	11	4	9	5	4	-
Female	89	5	-	4	3	8	5	3	7	10	10	7	12	3	7	2	1	2	-	-
White non-Hisp	307	6	-	4	9	10	20	18	19	33	33	36	59	16	17	6	10	7	4	-
Male	239	5	-	2	7	6	18	15	13	27	24	29	47	14	10	4	9	5	4	-
Female	68	1	-	2	2	4	2	3	6	6	9	7	12	2	7	2	1	2	-	-
Black non-Hisp	64	2	-	-	5	20	10	9	4	6	2	1	2	3	-	-	-	-	-	-
Male	54	-	-	-	4	18	7	9	4	5	2	1	2	2	-	-	-	-	-	-
Female	10	2	-	-	1	2	3	-	-	1	-	-	-	1	-	-	-	-	-	-
Other non-Hisp	5	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Hispanic	42	2	-	2	4	9	6	2	4	3	4	4	1	-	1	-	-	-	-	-
Male	35	-	-	1	4	8	6	2	3	1	4	4	1	-	1	-	-	-	-	-
Female	7	2	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
X60-X84,Y87.0 Suicide																				
All Races/Ethnicities	323	-	-	6	9	15	19	20	21	40	35	41	57	17	17	6	9	7	4	-
Male	248	-	-	2	6	10	17	17	14	31	28	32	45	15	10	4	8	5	4	-
Female	73	-	-	4	3	5	2	3	7	9	7	7	12	2	7	2	1	2	-	-
White non-Hisp	285	-	-	3	8	9	18	18	19	32	30	35	56	15	16	6	9	7	4	-
Male	221	-	-	1	6	5	16	15	13	26	24	28	44	13	9	4	8	5	4	-
Female	64	-	-	2	2	4	2	3	6	6	6	7	12	2	7	2	1	2	-	-
Black non-Hisp	13	-	-	-	1	4	-	1	-	3	1	1	-	2	-	-	-	-	-	-
Male	12	-	-	-	-	4	-	1	-	3	1	1	-	2	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	5	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Hispanic	18	-	-	2	-	1	1	1	2	3	3	3	1	-	1	-	-	-	-	-
Male	14	-	-	1	-	1	1	1	1	1	3	3	1	-	1	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84
X85-Y09,Y87.1,Y35,Y89.0 Homicide & Legal Intervention																			
All Races/Ethnicities	101	10	-	1	9	25	17	11	6	4	5	2	7	2	1	-	1	-	-
Male	81	5	-	1	9	22	14	9	6	3	2	2	5	1	1	-	1	-	-
Female	16	5	-	-	-	3	3	-	-	1	3	-	-	1	-	-	-	-	-
White non-Hisp	22	6	-	1	1	1	2	-	-	1	3	1	3	1	1	-	1	-	-
Male	18	5	-	1	1	1	2	-	-	1	-	1	3	1	1	-	1	-	-
Female	4	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Black non-Hisp	51	2	-	-	4	16	10	8	4	3	1	-	2	1	-	-	-	-	-
Male	42	-	-	-	4	14	7	8	4	2	1	-	2	-	-	-	-	-	-
Female	9	2	-	-	-	2	3	-	-	1	-	-	-	1	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	24	2	-	-	4	8	5	1	2	-	1	1	-	-	-	-	-	-	-
Male	21	-	-	-	4	7	5	1	2	-	1	1	-	-	-	-	-	-	-
Female	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X85-Y09,Y87.1 Homicide																			
All Races/Ethnicities	99	10	-	1	9	24	17	11	6	3	5	2	7	2	1	-	1	-	-
Male	79	5	-	1	9	21	14	9	6	2	2	2	5	1	1	-	1	-	-
Female	16	5	-	-	-	3	3	-	-	1	3	-	-	1	-	-	-	-	-
White non-Hisp	21	6	-	1	1	1	2	-	-	-	3	1	3	1	1	-	1	-	-
Male	17	5	-	1	1	1	2	-	-	-	-	1	3	1	1	-	1	-	-
Female	4	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Black non-Hisp	50	2	-	-	4	15	10	8	4	3	1	-	2	1	-	-	-	-	-
Male	41	-	-	-	4	13	7	8	4	2	1	-	2	-	-	-	-	-	-
Female	9	2	-	-	-	2	3	-	-	1	-	-	-	1	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	24	2	-	-	4	8	5	1	2	-	1	1	-	-	-	-	-	-	-
Male	21	-	-	-	4	7	5	1	2	-	1	1	-	-	-	-	-	-	-
Female	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X93-X95 Homicide by discharge of firearm																			
All Races/Ethnicities	66	2	-	-	7	21	13	9	4	-	1	2	5	-	1	-	1	-	-
Male	60	2	-	-	7	20	11	9	4	-	-	2	3	-	1	-	1	-	-
Female	4	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
White non-Hisp	13	2	-	-	1	1	2	-	-	-	1	1	3	-	1	-	1	-	-
Male	12	2	-	-	1	1	2	-	-	-	-	1	3	-	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Black non-Hisp	37	-	-	-	4	14	8	8	3	-	-	-	-	-	-	-	-	-	-
Male	34	-	-	-	4	13	6	8	3	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	14	-	-	-	2	6	3	1	1	-	-	1	-	-	-	-	-	-	-
Male	14	-	-	-	2	6	3	1	1	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y10-Y34,Y87.2,Y89.9 Events of Undetermined Intent																			
All Races/Ethnicities	13	-	-	1	-	-	-	2	1	1	1	1	2	2	1	-	-	-	1
Male	9	-	-	1	-	-	-	2	1	1	-	1	1	2	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1
White non-Hisp	11	-	-	1	-	-	-	1	1	-	1	1	2	2	1	-	-	-	1
Male	7	-	-	1	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1
Black non-Hisp	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
Y40-Y84, Y88 Complications of medical & surgical care																				
All Races/Ethnicities	22	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	3	2	10	-
Male	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	4	-
Female	14	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	6	-
White non-Hisp	19	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	3	1	9	-
Male	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	4	-
Female	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	5	-
Black non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Firearm deaths^g																				
All Races/Ethnicities	161	2	-	-	8	25	20	18	10	11	10	10	24	3	2	3	9	4	2	-
Male	148	2	-	-	8	24	18	18	9	11	8	8	20	3	2	3	9	3	2	-
Female	9	-	-	-	-	1	2	-	1	-	2	-	2	-	-	-	-	1	-	-
White non-Hisp	101	2	-	-	2	3	9	8	6	9	10	7	22	3	2	3	9	4	2	-
Male	95	2	-	-	2	3	9	8	5	9	8	7	20	3	2	3	9	3	2	-
Female	6	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	1	-	-
Black non-Hisp	41	-	-	-	4	16	8	8	3	2	-	-	-	-	-	-	-	-	-	-
Male	38	-	-	-	4	15	6	8	3	2	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	15	-	-	-	2	6	3	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	15	-	-	-	2	6	3	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol-induced deaths^h																				
All Races/Ethnicities	275	-	-	-	-	1	5	7	13	26	28	45	44	45	25	17	9	6	4	-
Male	191	-	-	-	-	1	5	4	8	17	20	25	30	30	18	16	9	5	3	-
Female	84	-	-	-	-	-	-	3	5	9	8	20	14	15	7	1	-	1	1	-
White non-Hisp	218	-	-	-	-	-	3	6	8	20	23	37	37	36	19	12	8	5	4	-
Male	147	-	-	-	-	-	3	4	4	13	16	18	26	24	12	11	8	5	3	-
Female	71	-	-	-	-	-	-	2	4	7	7	19	11	12	7	1	-	-	1	-
Black non-Hisp	24	-	-	-	-	-	1	1	1	2	1	3	5	5	4	1	-	-	-	-
Male	16	-	-	-	-	-	1	-	-	1	-	2	3	4	4	1	-	-	-	-
Female	8	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-	-	-	-	-
Other non-Hisp	6	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	1	-	-	-
Male	6	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	27	-	-	-	-	1	1	-	2	4	3	4	2	4	2	3	-	1	-	-
Male	22	-	-	-	-	1	1	-	2	3	3	4	1	2	2	3	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-

Connecticut Department of Public Health

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
Drug-induced deathsⁱ																				
All Races/Ethnicities	572	-	-	-	3	43	61	66	43	70	87	74	70	28	14	4	5	2	2	-
Male	387	-	-	-	2	36	45	46	30	46	56	47	44	22	6	1	2	2	2	-
Female	173	-	-	-	1	7	16	14	11	24	29	25	26	6	8	3	3	-	-	-
White non-Hisp	447	-	-	-	3	38	57	46	29	55	61	54	58	20	14	4	5	2	1	-
Male	303	-	-	-	2	32	41	36	20	36	41	35	33	15	6	1	2	2	1	-
Female	144	-	-	-	1	6	16	10	9	19	20	19	25	5	8	3	3	-	-	-
Black non-Hisp	49	-	-	-	-	1	3	5	3	2	11	14	3	7	-	-	-	-	-	-
Male	32	-	-	-	-	-	3	3	2	1	5	9	3	6	-	-	-	-	-	-
Female	17	-	-	-	-	1	-	2	1	1	6	5	-	1	-	-	-	-	-	-
Other non-Hisp	4	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
Male	4	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	60	-	-	-	-	4	1	9	8	11	13	4	8	1	-	-	-	-	-	1
Male	48	-	-	-	-	4	1	7	7	7	10	3	7	1	-	-	-	-	-	1
Female	12	-	-	-	-	-	-	2	1	4	3	1	1	-	-	-	-	-	-	-

NOTES:

^a Totals for age groups and racial/ethnic groups represent total deaths from all causes combined; however, only selected causes of death are itemized in this table. A listing of all Connecticut deaths by ICD-10 code, age, sex, and race/ethnicity is available from the CT DPH, Health Statistics and Surveillance, Statistics Analysis & Reporting unit as Supplement Table B. A dash (-) represents the quantity zero.

^b Beginning with the 2011 report, race and ethnicity are reported here using mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race. For reporting purposes, only "White non-Hisp", "Black non-Hisp", "Other non-Hisp", and "Hispanic" are shown; counts for those of unknown race and ethnicity are omitted. There were 51 records with unknown race, 4 records with unknown ethnicity, and 229 records with both unknown race and unknown ethnicity.

^c There was 1 record where age was unknown and 0 records where sex was unknown.

^d Cause of death was unknown for 232 decedents.

^e The category "Motor vehicle accidents" includes codes V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2.

^f The category "Poisoning" includes deaths resulting from accidental drug/medication overdose, and accidental poisoning by alcohol, cleaning agents, paints, solvents, agricultural/horticultural chemicals (insecticides, herbicides, fungicides, etc.), corrosives and caustics, foodstuffs and plants, metals, and gases (including carbon monoxide and motor vehicle exhaust).

^g The category "Fire arm deaths" includes codes W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0.

^h The category "Alcohol-induced deaths" includes codes F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15.

ⁱ The category "Drug-induced deaths" includes codes F11.0-F11.5,F11.4-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7,F14.9,F15.0-F15.5,F15.7-F15.9, F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14.

TABLE 10
CONNECTICUT RESIDENT DEATHS, 2013
Top Five Leading Causes of Death^a by Age and Sex

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
TOTAL-ALL AGES^a	--	29,602	823.2	100.0	--	14,217	810.5	100.0	--	15,385	835.3	100.0
TOTAL, ALL CAUSES	--	29,602	823.2	100.0	--	14,217	810.5	100.0	--	15,385	835.3	100.0
I00-I09,I11,I13,I20-I51 Diseases of heart	1	7,058	196.3	23.8	1	3,530	201.2	24.8	1	3,528	191.5	22.9
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		32	0.9	0.1		12	0.7	0.1		20	1.1	0.1
... I11 Hypertensive heart disease		208	5.8	0.7		106	6.0	0.7		102	5.5	0.7
... I13 Hypertensive heart and renal disease		29	0.8	0.1		10	0.6	0.1		19	1.0	0.1
... I20-I25 Ischemic heart disease		3,710	103.2	12.5		1,980	112.9	13.9		1,730	93.9	11.2
... I26-I51 Other heart diseases		3,079	85.6	10.4		1,422	81.1	10.0		1,657	90.0	10.8
C00-C97 Malignant neoplasms	2	6,560	182.4	22.2	2	3,287	187.4	23.1	2	3,273	177.7	21.3
... C00-C14 Lip, oral & pharynx cancer		90	2.5	0.3		65	3.7	0.5		25	1.4	0.2
... C18-C21 Colorectal cancer		536	14.9	1.8		264	15.1	1.9		272	14.8	1.8
... C25 Pancreatic cancer		459	12.8	1.6		229	13.1	1.6		230	12.5	1.5
... C33-C34 Trachea, bronchus & lung cancer		1,656	46.1	5.6		840	47.9	5.9		816	44.3	5.3
... C43 Skin cancer		97	2.7	0.3		58	3.3	0.4		39	2.1	0.3
... C50 Breast cancer		455	12.7	1.5		2	0.1	0.0		453	24.6	2.9
... C53 Cervical cancer		32	0.9	0.1						32	1.7	0.2
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		99	2.8	0.3						99	5.4	0.6
... C56 Ovarian cancer		173	4.8	0.6						173	9.4	1.1
... C61 Prostate cancer		319	8.9	1.1		319	18.2	2.2				
... C67 Bladder cancer		223	6.2	0.8		150	8.6	1.1		73	4.0	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		151	4.2	0.5		79	4.5	0.6		72	3.9	0.5
... C91-C95 Leukemia		270	7.5	0.9		153	8.7	1.1		117	6.4	0.8
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	1,540	42.8	5.2	3	968	55.2	6.8				
... Motor vehicle accidents (e)		291	8.1	1.0		210	12.0	1.5				
... W00-W19 Falls		370	10.3	1.2		181	10.3	1.3				
... W32-W34 Accidental discharge of firearms		1	0.0	0.0		1	0.1	0.0				
... W65-W74 Accidental drowning and submersion		41	1.1	0.1		34	1.9	0.2				
... X00-X09 Accidental exposure to smoke, fire & flames		18	0.5	0.1		8	0.5	0.1				
... X40-X49 Accidental poisoning & exposure to noxious substances		522	14.5	1.8		375	21.4	2.6				
J40-J47 Chronic lower respiratory diseases	4	1,338	37.2	4.5	4	578	33.0	4.1	4	760	41.3	4.9
... J45-J46 Asthma		34	0.9	0.1		11	0.6	0.1		23	1.2	0.1
I60-I69 Cerebrovascular disease	5	1,325	36.8	4.5	5	524	29.9	3.7	3	801	43.5	5.2
G30 Alzheimer's disease										595	32.3	3.9
<1 YEAR OLD												
TOTAL, ALL CAUSES	--	169	4.7	100	--	102	5.5	100	--	67	3.8	100
P07 Disorders relating to short gestation and unspecified low birthweight	1	29	0.8	17.2	2	16	0.9	15.7	1	13	0.7	19.4
Q00-Q99 Congenital anomalies	2	24	0.7	14.2	1	17	0.9	16.7	2	7	0.4	10.4
R95 Sudden infant death syndrome	3	18	0.5	10.7	3	12	0.7	11.8	3	6	0.3	9
P01 Fetus/Newborn affected by maternal complications of pregnancy	4	13	0.4	7.7	4	8	0.4	7.8	4	5	0.3	7.5
P22 Respiratory distress syndrome	5	7	0.2	4.1					5	4	0.2	6
P02 Fetus/Newborn Affected by complications of placenta					5	5	0.3	4.9				
1-4 YEARS OLD												
TOTAL, ALL CAUSES	--	18	11.5	100	--	9	11.3	100	--	9	11.8	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	6	3.8	33.3	2	2	2.5	22.2	1	4	5.2	44.4
... Motor vehicle accidents (e)		2	1.3	11.1					2	2	2.6	22.2
... W65-W74 Accidental drowning and submersion		2	1.3	11.1		2	2.5	22.2				
... X00-X09 Accidental exposure to smoke, fire & flames		1	0.6	5.6						1	1.3	11.1
X85-Y09,Y87.1 Homicide	1	6	3.8	33.3	1	3	3.8	33.3	2	3	3.9	33.3
... X93-X95 Homicide by discharge of firearm		1	0.6	5.6		1	1.3	11.1				
C00-C97 Malignant neoplasms	3	2	1.3	11.1	3	1	1.3	11.1	3	1	1.3	11.1
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		1	0.6	5.6		1	1.3	11.1				
5-9 YEARS OLD												
TOTAL, ALL CAUSES	--	13	6	100	--	7	6.4	100	--	6	5.7	100
C00-C97 Malignant neoplasms	1	3	1.4	23.1	1	2	1.8	28.6	1	1	0.9	16.7
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		3	1.4	23.1		2	1.8	28.6		1	0.9	16.7
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	3	1.4	23.1	1	2	1.8	28.6	1	1	0.9	16.7
... Motor vehicle accidents (e)		2	0.9	15.4		1	0.9	14.3		1	0.9	16.7
... W65-W74 Accidental drowning and submersion		1	0.5	7.7		1	0.9	14.3				
Q00-Q99 Congenital anomalies	3	2	0.9	15.4	3	1	0.9	14.3	1	1	0.9	16.7
A40-A41 Septicemia	4	1	0.5	7.7					1	1	0.9	16.7
10-14 YEARS OLD												
TOTAL, ALL CAUSES	--	35	15.1	100	--	19	16	100	--	16	14.1	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	7	3	20	1	4	3.4	21.1	2	3	2.6	18.8
... Motor vehicle accidents (e)		1	0.4	2.9		1	0.8	5.3				
... W65-W74 Accidental drowning and submersion		2	0.9	5.7		1	0.8	5.3		1	0.9	6.3
C00-C97 Malignant neoplasms	2	6	2.6	17.1	2	3	2.5	15.8	2	3	2.6	18.8
... C91-C95 Leukemia		3	1.3	8.6		1	0.8	5.3		2	1.8	12.5
X60-X84,Y87.0 Suicide	2	6	2.6	17.1	4	2	1.7	10.5	1	4	3.5	25
A40-A41 Septicemia	4	3	1.3	8.6	2	3	2.5	15.8				
I00-I09,I11,I13,I20-I51 Diseases of heart	4	3	1.3	8.6	4	2	1.7	10.5				
... I26-I51 Other heart diseases		3	1.3	8.6		2	1.7	10.5				
I60-I69 Cerebrovascular disease									4	2	1.8	12.5
D00-D48 In situ neoplasms benign neoplasms & neoplasms of unknown behavior									5	1	0.9	6.3

Connecticut Department of Public Health

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
15-19 YEARS OLD												
TOTAL, ALL CAUSES	--	81	31.9	100	--	49	37.8	100	--	32	25.8	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	35	13.8	43.2	1	21	16.2	42.9	1	14	11.3	43.8
... Motor vehicle accidents (e)		27	10.6	33.3		17	13.1	34.7		10	8.1	31.3
... W00-W19 Falls		1	0.4	1.2						1	0.8	3.1
... W65-W74 Accidental drowning and submersion		1	0.4	1.2		1	0.8	2				
... X40-X49 Accidental poisoning & exposure to noxious substances		4	1.6	4.9		2	1.5	4.1		2	1.6	6.3
X60-X84,Y87.0 Suicide	2	9	3.5	11.1	3	6	4.6	12.2	3	3	2.4	9.4
X85-Y09,Y87.1 Homicide	2	9	3.5	11.1	2	9	6.9	18.4				
... X93-X95 Homicide by discharge of firearm		7	2.8	8.6		7	5.4	14.3				
I00-I09,I11,I13,I20-I51 Diseases of heart	4	7	2.8	8.6	4	3	2.3	6.1	2	4	3.2	12.5
... I26-I51 Other heart diseases		7	2.8	8.6		3	2.3	6.1		4	3.2	12.5
C00-C97 Malignant neoplasms	5	4	1.6	4.9	5	2	1.5	4.1	4	2	1.6	6.3
... C91-C95 Leukemia		2	0.8	2.5		1	0.8	2		1	0.8	3.1
J10-J18 Influenza and Pneumonia									5	1	0.8	3.1
... J12-J18 Pneumonia									1	1	0.8	3.1
20-24 YEARS OLD												
TOTAL, ALL CAUSES	--	182	77	100	--	141	114.6	100	--	41	36.2	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	97	41	53.3	1	79	64.2	56	1	18	15.9	43.9
... Motor vehicle accidents (e)		48	20.3	26.4		36	29.2	25.5		12	10.6	29.3
... W00-W19 Falls		2	0.8	1.1		1	0.8	0.7		1	0.9	2.4
... W32-W34 Accidental discharge of firearms		1	0.4	0.5		1	0.8	0.7				
... W65-W74 Accidental drowning and submersion		1	0.4	0.5		1	0.8	0.7				
... X00-X09 Accidental exposure to smoke, fire & flames		1	0.4	0.5		1	0.8	0.7				
... X40-X49 Accidental poisoning & exposure to noxious substances		43	18.2	23.6		38	30.9	27		5	4.4	12.2
X85-Y09,Y87.1 Homicide	2	24	10.2	13.2	2	21	17.1	14.9	3	3	2.6	7.3
... X93-X95 Homicide by discharge of firearm		21	8.9	11.5		20	16.2	14.2		1	0.9	2.4
X60-X84,Y87.0 Suicide	3	15	6.3	8.2	3	10	8.1	7.1	2	5	4.4	12.2
C00-C97 Malignant neoplasms	4	7	3	3.8	4	6	4.9	4.3				
... C56 Ovarian cancer		1	0.4	0.5								
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		1	0.4	0.5		1	0.8	0.7				
I00-I09,I11,I13,I20-I51 Diseases of heart	4	7	3	3.8	5	4	3.2	2.8	3	3	2.6	7.3
... I11 Hypertensive heart disease		2	0.8	1.1		1	0.8	0.7		1	0.9	2.4
... I20-I25 Ischemic heart disease		1	0.4	0.5		1	0.8	0.7				
... I26-I51 Other heart diseases		4	1.7	2.2		2	1.6	1.4		2	1.8	4.9
I60-I69 Cerebrovascular disease									5	2	1.8	4.9
25-34 YEARS OLD												
TOTAL, ALL CAUSES	--	435	99	100	--	309	140	100	--	126	57.6	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	192	43.7	44.1	1	147	66.6	47.6	1	45	20.6	35.7
... Motor vehicle accidents (e)		51	11.6	11.7		39	17.7	12.6		12	5.5	9.5
... W00-W19 Falls		3	0.7	0.7		3	1.4	1				
... W65-W74 Accidental drowning and submersion		10	2.3	2.3		9	4.1	2.9		1	0.5	0.8
... X00-X09 Accidental exposure to smoke, fire & flames		4	0.9	0.9		2	0.9	0.6		2	0.9	1.6
... X40-X49 Accidental poisoning & exposure to noxious substances		117	26.6	26.9		89	40.3	28.8		28	12.8	22.2
X60-X84,Y87.0 Suicide	2	39	8.9	9	2	34	15.4	11	4	5	2.3	4
C00-C97 Malignant neoplasms	3	35	8	8	5	14	6.3	4.5	2	21	9.6	16.7
... C18-C21 Colorectal cancer		2	0.5	0.5		1	0.5	0.3		1	0.5	0.8
... C33-C34 Trachea, bronchus & lung cancer		3	0.7	0.7		1	0.5	0.3		2	0.9	1.6
... C43 Skin cancer		1	0.2	0.2		1	0.5	0.3				
... C50 Breast cancer		8	1.8	1.8						8	3.7	6.3
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		3	0.7	0.7		3	1.4	1				
... C91-C95 Leukemia		1	0.2	0.2		1	0.5	0.3				
I00-I09,I11,I13,I20-I51 Diseases of heart	4	33	7.5	7.6	4	22	10	7.1	3	11	5	8.7
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		2	0.5	0.5		2	0.9	0.6				
... I11 Hypertensive heart disease		3	0.7	0.7		1	0.5	0.3		2	0.9	1.6
... I20-I25 Ischemic heart disease		6	1.4	1.4		5	2.3	1.6		1	0.5	0.8
... I26-I51 Other heart diseases		22	5	5.1		14	6.3	4.5		8	3.7	6.3
X85-Y09,Y87.1 Homicide	5	27	6.1	6.2	3	24	10.9	7.8	5	3	1.4	2.4
... X93-X95 Homicide by discharge of firearm		22	5	5.1		20	9.1	6.5		2	0.9	1.6
35-44 YEARS OLD												
TOTAL, ALL CAUSES	--	606	135.4	100	--	387	176.8	100	--	219	95.7	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	157	35.1	25.9	1	113	51.6	29.2	2	44	19.2	20.1
... Motor vehicle accidents (e)		40	8.9	6.6		30	13.7	7.8		10	4.4	4.6
... W00-W19 Falls		3	0.7	0.5		3	1.4	0.8				
... W65-W74 Accidental drowning and submersion		2	0.4	0.3		2	0.9	0.5				
... X40-X49 Accidental poisoning & exposure to noxious substances		110	24.6	18.2		76	34.7	19.6		34	14.9	15.5
C00-C97 Malignant neoplasms	2	105	23.5	17.3	4	43	19.6	11.1	1	62	27.1	28.3
... C00-C14 Lip, oral & pharynx cancer		2	0.4	0.3		1	0.5	0.3		1	0.4	0.5
... C18-C21 Colorectal cancer		12	2.7	2		6	2.7	1.6		6	2.6	2.7
... C25 Pancreatic cancer		3	0.7	0.5		1	0.5	0.3		2	0.9	0.9
... C33-C34 Trachea, bronchus & lung cancer		10	2.2	1.7		6	2.7	1.6		4	1.7	1.8
... C43 Skin cancer		7	1.6	1.2		4	1.8	1		3	1.3	1.4
... C50 Breast cancer		19	4.2	3.1						19	8.3	8.7
... C53 Cervical cancer		5	1.1	0.8						5	2.2	2.3
... C56 Ovarian cancer		2	0.4	0.3						2	0.9	0.9
... C67 Bladder cancer		1	0.2	0.2		1	0.5	0.3				
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		11	2.5	1.8		7	3.2	1.8		4	1.7	1.8
... C91-C95 Leukemia		5	1.1	0.8		3	1.4	0.8		2	0.9	0.9
I00-I09,I11,I13,I20-I51 Diseases of heart	3	96	21.4	15.8	2	67	30.6	17.3	3	29	12.7	13.2
... I11 Hypertensive heart disease		10	2.2	1.7		8	3.7	2.1		2	0.9	0.9
... I20-I25 Ischemic heart disease		42	9.4	6.9		29	13.3	7.5		13	5.7	5.9
... I26-I51 Other heart diseases		44	9.8	7.3		30	13.7	7.8		14	6.1	6.4
X60-X84,Y87.0 Suicide	4	61	13.6	10.1	3	45	20.6	11.6	4	16	7	7.3
K70,K73-K74 Chronic liver disease and cirrhosis	5	20	4.5	3.3	5	12	5.5	3.1	5	8	3.5	3.7
... K70 Alcoholic liver disease		14	3.1	2.3		9	4.1	2.3		5	2.2	2.3

Connecticut Department of Public Health

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
45-54 YEARS OLD												
TOTAL, ALL CAUSES	--	1,747	314	100	--	1,052	389.1	100	--	695	243	100
C00-C97 Malignant neoplasms	1	504	90.6	28.8	2	226	83.6	21.5	1	278	97.2	40
... C00-C14 Lip, oral & pharynx cancer		10	1.8	0.6		7	2.6	0.7		3	1	0.4
... C18-C21 Colorectal cancer		58	10.4	3.3		26	9.6	2.5		32	11.2	4.6
... C25 Pancreatic cancer		28	5	1.6		17	6.3	1.6		11	3.8	1.6
... C33-C34 Trachea, bronchus & lung cancer		99	17.8	5.7		48	17.8	4.6		51	17.8	7.3
... C43 Skin cancer		10	1.8	0.6		6	2.2	0.6		4	1.4	0.6
... C50 Breast cancer		71	12.8	4.1						71	24.8	10.2
... C53 Cervical cancer		6	1.1	0.3						6	2.1	0.9
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		9	1.6	0.5						9	3.1	1.3
... C56 Ovarian cancer		25	4.5	1.4						25	8.7	3.6
... C61 Prostate cancer		8	1.4	0.5		8	3	0.8				
... C67 Bladder cancer		5	0.9	0.3		4	1.5	0.4		1	0.3	0.1
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		14	2.5	0.8		6	2.2	0.6		8	2.8	1.2
... C91-C95 Leukemia		13	2.3	0.7		6	2.2	0.6		7	2.4	1
I00-I09,I11,I13,I20-I51 Diseases of heart	2	330	59.3	18.9	1	239	88.4	22.7	2	91	31.8	13.1
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		2	0.4	0.1		1	0.4	0.1		1	0.3	0.1
... I11 Hypertensive heart disease		39	7	2.2		27	10	2.6		12	4.2	1.7
... I13 Hypertensive heart and renal disease		3	0.5	0.2		3	1.1	0.3				
... I20-I25 Ischemic heart disease		160	28.8	9.2		123	45.5	11.7		37	12.9	5.3
... I26-I51 Other heart diseases		126	22.6	7.2		85	31.4	8.1		41	14.3	5.9
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	228	41	13.1	3	159	58.8	15.1	3	69	24.1	9.9
... Motor vehicle accidents (e)		37	6.7	2.1		29	10.7	2.8		8	2.8	1.2
... W00-W19 Falls		15	2.7	0.9		10	3.7	1		5	1.7	0.7
... W65-W74 Accidental drowning and submersion		4	0.7	0.2		3	1.1	0.3		1	0.3	0.1
... X00-X09 Accidental exposure to smoke, fire & flames		3	0.5	0.2		2	0.7	0.2		1	0.3	0.1
... X40-X49 Accidental poisoning & exposure to noxious substances		147	26.4	8.4		98	36.3	9.3		49	17.1	7.1
K70,K73-K74 Chronic liver disease and cirrhosis	4	76	13.7	4.4	5	48	17.8	4.6	4	28	9.8	4
... K70 Alcoholic liver disease		40	7.2	2.3		25	9.2	2.4		15	5.2	2.2
X60-X84,Y87.0 Suicide	5	75	13.5	4.3	4	61	22.6	5.8				
A40-A41 Septicemia									5	16	5.6	2.3
55-64 YEARS OLD												
TOTAL, ALL CAUSES	--	3,138	657.3	100	--	1,957	847.2	100	--	1,181	479.3	100
C00-C97 Malignant neoplasms	1	1,129	236.5	36	1	636	275.3	32.5	1	493	200.1	41.7
... C00-C14 Lip, oral & pharynx cancer		20	4.2	0.6		18	7.8	0.9		2	0.8	0.2
... C18-C21 Colorectal cancer		90	18.9	2.9		62	26.8	3.2		28	11.4	2.4
... C25 Pancreatic cancer		93	19.5	3		52	22.5	2.7		41	16.6	3.5
... C33-C34 Trachea, bronchus & lung cancer		291	61	9.3		181	78.4	9.2		110	44.6	9.3
... C43 Skin cancer		19	4	0.6		10	4.3	0.5		9	3.7	0.8
... C50 Breast cancer		85	17.8	2.7		1	0.4	0.1		84	34.1	7.1
... C53 Cervical cancer		9	1.9	0.3						9	3.7	0.8
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		23	4.8	0.7						23	9.3	1.9
... C56 Ovarian cancer		31	6.5	1						31	12.6	2.6
... C61 Prostate cancer		19	4	0.6		19	8.2	1				
... C67 Bladder cancer		26	5.4	0.8		15	6.5	0.8		11	4.5	0.9
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		35	7.3	1.1		24	10.4	1.2		11	4.5	0.9
... C91-C95 Leukemia		36	7.5	1.1		27	11.7	1.4		9	3.7	0.8
I00-I09,I11,I13,I20-I51 Diseases of heart	2	602	126.1	19.2	2	440	190.5	22.5	2	162	65.8	13.7
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		3	0.6	0.1		3	1.3	0.2				
... I11 Hypertensive heart disease		32	6.7	1		20	8.7	1		12	4.9	1
... I13 Hypertensive heart and renal disease		2	0.4	0.1						2	0.8	0.2
... I20-I25 Ischemic heart disease		360	75.4	11.5		274	118.6	14		86	34.9	7.3
... I26-I51 Other heart diseases		205	42.9	6.5		143	61.9	7.3		62	25.2	5.2
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	178	37.3	5.7	3	131	56.7	6.7	4	47	19.1	4
... Motor vehicle accidents (e)		27	5.7	0.9		24	10.4	1.2		3	1.2	0.3
... W00-W19 Falls		31	6.5	1		20	8.7	1		11	4.5	0.9
... W65-W74 Accidental drowning and submersion		6	1.3	0.2		6	2.6	0.3				
... X00-X09 Accidental exposure to smoke, fire & flames		1	0.2	0						1	0.4	0.1
... X40-X49 Accidental poisoning & exposure to noxious substances		81	17	2.6		57	24.7	2.9		24	9.7	2
J40-J47 Chronic lower respiratory diseases	4	116	24.3	3.7					3	59	23.9	5
... J45-J46 Asthma		9	1.9	0.3						4	1.6	0.3
K70,K73-K74 Chronic liver disease and cirrhosis	5	96	20.1	3.1	4	64	27.7	3.3				
... K70 Alcoholic liver disease		48	10.1	1.5		31	13.4	1.6				
E10-E14 Diabetes mellitus									5	36	14.6	3
X60-X84,Y87.0 Suicide					5	60	26	3.1				

Connecticut Department of Public Health

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
65-74 YEARS OLD												
TOTAL, ALL CAUSES	--	4,448	1508.8	100	--	2,455	1791.6	100	--	1,993	1263.2	100
C00-C97 Malignant neoplasms	1	1,604	544.1	36.1	1	833	607.9	33.9	1	771	488.7	38.7
... C00-C14 Lip, oral & pharynx cancer		26	8.8	0.6		20	14.6	0.8		6	3.8	0.3
... C18-C21 Colorectal cancer		98	33.2	2.2		56	40.9	2.3		42	26.6	2.1
... C25 Pancreatic cancer		123	41.7	2.8		61	44.5	2.5		62	39.3	3.1
... C33-C34 Trachea, bronchus & lung cancer		493	167.2	11.1		250	182.4	10.2		243	154	12.2
... C43 Skin cancer		21	7.1	0.5		16	11.7	0.7		5	3.2	0.3
... C50 Breast cancer		89	30.2	2		1	0.7	0		88	55.8	4.4
... C53 Cervical cancer		5	1.7	0.1						5	3.2	0.3
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		32	10.9	0.7						32	20.3	1.6
... C56 Ovarian cancer		51	17.3	1.1						51	32.3	2.6
... C61 Prostate cancer		52	17.6	1.2		52	37.9	2.1				
... C67 Bladder cancer		44	14.9	1		33	24.1	1.3		11	7	0.6
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		40	13.6	0.9		13	9.5	0.5		27	17.1	1.4
... C91-C95 Leukemia		57	19.3	1.3		37	27	1.5		20	12.7	1
I00-I09,I11,I13,I20-I51 Diseases of heart	2	936	317.5	21	2	617	450.3	25.1	2	319	202.2	16
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		3	1	0.1						3	1.9	0.2
... I11 Hypertensive heart disease		20	6.8	0.4		12	8.8	0.5		8	5.1	0.4
... I13 Hypertensive heart and renal disease		2	0.7	0		1	0.7	0		1	0.6	0.1
... I20-I25 Ischemic heart disease		563	191	12.7		385	281	15.7		178	112.8	8.9
... I26-I51 Other heart diseases		348	118	7.8		219	159.8	8.9		129	81.8	6.5
J40-J47 Chronic lower respiratory diseases	3	273	92.6	6.1	3	115	83.9	4.7	3	158	100.1	7.9
... J45-J46 Asthma		7	2.4	0.2						7	4.4	0.4
I60-I69 Cerebrovascular disease	4	151	51.2	3.4	4	81	59.1	3.3	4	70	44.4	3.5
V01-X59,Y85-Y86 Accidents (unintentional injuries)	5	117	39.7	2.6	5	80	58.4	3.3				
... Motor vehicle accidents (e)		22	7.5	0.5		14	10.2	0.6				
... W00-W19 Falls		42	14.2	0.9		27	19.7	1.1				
... W65-W74 Accidental drowning and submersion		4	1.4	0.1		4	2.9	0.2				
... X00-X09 Accidental exposure to smoke, fire & flames		2	0.7	0		2	1.5	0.1				
... X40-X49 Accidental poisoning & exposure to noxious substances		13	4.4	0.3		10	7.3	0.4				
E10-E14 Diabetes mellitus									5	58	36.8	2.9
75-84 YEARS OLD												
TOTAL, ALL CAUSES	--	6,716	4158.6	100	--	3,336	4942.4	100	--	3,380	3595.7	100
C00-C97 Malignant neoplasms	1	1,714	1061.3	25.5	1	870	1288.9	26.1	1	844	897.9	25
... C00-C14 Lip, oral & pharynx cancer		18	11.1	0.3		13	19.3	0.4		5	5.3	0.1
... C18-C21 Colorectal cancer		119	73.7	1.8		58	85.9	1.7		61	64.9	1.8
... C25 Pancreatic cancer		120	74.3	1.8		58	85.9	1.7		62	66	1.8
... C33-C34 Trachea, bronchus & lung cancer		505	312.7	7.5		245	363	7.3		260	276.6	7.7
... C43 Skin cancer		20	12.4	0.3		14	20.7	0.4		6	6.4	0.2
... C50 Breast cancer		96	59.4	1.4						96	102.1	2.8
... C53 Cervical cancer		3	1.9	0						3	3.2	0.1
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		21	13	0.3						21	22.3	0.6
... C56 Ovarian cancer		40	24.8	0.6						40	42.6	1.2
... C61 Prostate cancer		101	62.5	1.5		101	149.6	3				
... C67 Bladder cancer		65	40.2	1		47	69.6	1.4		18	19.1	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		27	16.7	0.4		14	20.7	0.4		13	13.8	0.4
... C91-C95 Leukemia		74	45.8	1.1		39	57.8	1.2		35	37.2	1
I00-I09,I11,I13,I20-I51 Diseases of heart	2	1,510	935	22.5	2	821	1216.3	24.6	2	689	733	20.4
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		9	5.6	0.1		2	3	0.1		7	7.4	0.2
... I11 Hypertensive heart disease		32	19.8	0.5		18	26.7	0.5		14	14.9	0.4
... I13 Hypertensive heart and renal disease		6	3.7	0.1		2	3	0.1		4	4.3	0.1
... I20-I25 Ischemic heart disease		795	492.3	11.8		464	687.4	13.9		331	352.1	9.8
... I26-I51 Other heart diseases		668	413.6	9.9		335	496.3	10		333	354.3	9.9
J40-J47 Chronic lower respiratory diseases	3	423	261.9	6.3	3	182	269.6	5.5	3	241	256.4	7.1
... J45-J46 Asthma		3	1.9	0		1	1.5	0		2	2.1	0.1
I60-I69 Cerebrovascular disease	4	332	205.6	4.9	4	156	231.1	4.7	4	176	187.2	5.2
E10-E14 Diabetes mellitus	5	181	112.1	2.7	5	83	123	2.5				
G30 Alzheimer's disease									5	111	118.1	3.3

Connecticut Department of Public Health

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^a	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
85+ YEARS OLD												
TOTAL, ALL CAUSES	--	12,013	13441.9	100	--	4,394	14964.9	100	--	7,619	12696.6	100
I00-I09,I11,I13,I20-I51 Diseases of heart	1	3,532	3952.1	29.4	1	1,314	4475.2	29.9	1	2,218	3696.2	29.1
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		13	14.5	0.1		4	13.6	0.1		9	15	0.1
... I11 Hypertensive heart disease		70	78.3	0.6		19	64.7	0.4		51	85	0.7
... I13 Hypertensive heart and renal disease		16	17.9	0.1		4	13.6	0.1		12	20	0.2
... I20-I25 Ischemic heart disease		1,783	1995.1	14.8		699	2380.6	15.9		1,084	1806.4	14.2
... I26-I51 Other heart diseases		1,650	1846.3	13.7		588	2002.6	13.4		1,062	1769.8	13.9
C00-C97 Malignant neoplasms	2	1,446	1618	12	2	651	2217.2	14.8	2	795	1324.8	10.4
... C00-C14 Lip, oral & pharynx cancer		14	15.7	0.1		6	20.4	0.1		8	13.3	0.1
... C18-C21 Colorectal cancer		157	175.7	1.3		55	187.3	1.3		102	170	1.3
... C25 Pancreatic cancer		92	102.9	0.8		40	136.2	0.9		52	86.7	0.7
... C33-C34 Trachea, bronchus & lung cancer		255	285.3	2.1		109	371.2	2.5		146	243.3	1.9
... C43 Skin cancer		19	21.3	0.2		7	23.8	0.2		12	20	0.2
... C50 Breast cancer		87	97.3	0.7						87	145	1.1
... C53 Cervical cancer		4	4.5	0						4	6.7	0.1
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		14	15.7	0.1						14	23.3	0.2
... C56 Ovarian cancer		23	25.7	0.2						23	38.3	0.3
... C61 Prostate cancer		139	155.5	1.2		139	473.4	3.2				
... C67 Bladder cancer		82	91.8	0.7		50	170.3	1.1		32	53.3	0.4
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		15	16.8	0.1		8	27.2	0.2		7	11.7	0.1
... C91-C95 Leukemia		79	88.4	0.7		38	129.4	0.9		41	68.3	0.5
I60-I69 Cerebrovascular disease	3	714	798.9	5.9	3	211	718.6	4.8	3	503	838.2	6.6
G30 Alzheimer's disease	4	615	688.2	5.1	5	148	504.1	3.4	4	467	778.2	6.1
J40-J47 Chronic lower respiratory diseases	5	488	546	4.1	4	203	691.4	4.6	5	285	474.9	3.7
... J45-J46 Asthma		7	7.8	0.1		1	3.4	0		6	10	0.1
UNKNOWN AGE												
TOTAL, ALL CAUSES	--	1		100					--	1		100
D00-D48 In situ neoplasms benign neoplasms & neoplasms of unknown behavior	--	1		100					--	1		100

NOTES:

^a The leading causes of death are ranked by sex within each age category. When a major cause-of-death group ranks among the top five, counts and rates for selected cause-of-death subgroups also are given. The causes are listed in rank order based on the "Both Sexes Combined" column, followed by the "Male" and "Female" columns. There were 237 death records including 4 infant death records where the cause of death was unknown. There were 3 records where age was unknown and 1 record where sex was unknown.

^b Age-specific death rates and crude death rates were calculated per 100,000 population using 2013 population counts (Table 1) as the denominators. Rates for persons under 1 year of age were the exception; for this group, rates were calculated per 1,000 live births. Denominators for the 1-4 year age group were derived by subtracting 2013 resident births of known sex from the population figure for the 0-4 year age group. Crude death rates were used for persons of all ages combined because this grouping is not age-specific.

^c Within a given age/sex category, causes of death having the same number of deaths were assigned the same rank. As a result, fewer than five numerical ranks may be assigned in a given age/sex group, and/or more than five causes of death may receive ranks. Where a cause of death is not ranked for all three sex categories within a given age group, unranked counts are shown in parenthesis to allow comparisons to be made.

^d For the Total All Ages category, records with unknown sex but known age are included in the calculation of the "Both Sexes" columns.

^e The category "Motor vehicle accidents" includes codes V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.1,V82.0-V82.1,V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0, and V89.2.

TABLE 11
 Statistical Analysis of Birth Outcomes and Their Risk Factors, Infant Mortality and Fetal Mortality
 at the State, Health District, and Town Levels for Connecticut, 2013

GEOGRAPHIC AREA	2013			Significantly Different from Reference Group ^{ab} (p<0.01)	2012 Percent	Significant Change 2012-2013 ^{ab} (p<0.05)
	No. Events	Denominator	Percent			
LOW BIRTHWEIGHT						
<i>Connecticut</i>	2,819	36,062	7.8	n.s.	7.9	n.s.
<i>Health District</i>						
Central Connecticut	44	825	5.3	Lower	6.8	n.s.
<i>Town</i>						
Ansonia	35	201	17.4	Higher	5.5	Increase
Bridgeport	196	2,069	9.5	Higher	8.7	n.s.
Hartford	211	1,902	11.1	Higher	11.1	n.s.
Newington	8	243	3.3	Lower	5.2	n.s.
South Windsor	22	204	10.8	n.s.	4.5	Increase
Waterbury	161	1,595	10.1	Higher	9.4	n.s.
VERY LOW BIRTHWEIGHT						
<i>Connecticut</i>	512	36,062	1.4	n.s.	1.5	n.s.
<i>Health District</i>						
Non Health District	356	21,474	1.7	Higher	1.6	n.s.
Central Connecticut	4	825	0.5	n.s.	1.7	Decrease
<i>Town</i>						
Hartford	53	1,902	2.8	Higher	2.8	n.s.
Windsor	11	275	4	Higher	2.7	n.s.
BIRTHS TO TEENS						
<i>Connecticut</i>	1,626	36,086	4.5	Lower	5.2	Decrease
<i>Health District</i>						
Non Health District	1,192	21,487	5.5	Higher	6.2	Decrease
Central Connecticut	8	825	1	Lower	2	n.s.
Chatham	9	536	1.7	Lower	1.7	n.s.
Farmington Valley	4	721	0.6	Lower	1.1	n.s.
North Central	53	1,593	3.3	n.s.	5.3	Decrease
Northeast	32	836	3.8	n.s.	7.3	Decrease
Plainville-Southington	5	498	1	Lower	2.3	n.s.
Trumbull-Monroe	4	440	0.9	Lower	1.3	n.s.
West Hartford-Bloomfield	17	778	2.2	Lower	4.7	Decrease
Weston-Westport	1	227	0.4	Lower	0.8	n.s.
<i>Town</i>						
Bridgeport	169	2,069	8.2	Higher	8.4	n.s.
East Hartford	45	663	6.8	Higher	8.2	n.s.
Fairfield	5	504	1	Lower	0.4	n.s.
Glastonbury	2	249	0.8	Lower	0.9	n.s.
Greenwich	6	612	1	Lower	0.9	n.s.
Hartford	192	1,903	10.1	Higher	12.7	Decrease
Killingly	10	204	4.9	n.s.	10.9	Decrease
Meriden	69	763	9	Higher	9.7	n.s.
New Britain	94	1,032	9.1	Higher	11.2	n.s.
New Haven	152	1,877	8.1	Higher	10.3	Decrease
Norwich	34	491	6.9	Higher	8.8	n.s.
Southington	0	332	0	Lower	2.2	Decrease
Stamford	57	1,849	3.1	Lower	2.8	n.s.
Waterbury	154	1,596	9.6	Higher	9.1	n.s.
Wethersfield	2	250	0.8	Lower	1.1	n.s.
Windham	24	283	8.5	Higher	10.6	n.s.
Windsor	2	275	0.7	Lower	5	Decrease
LATE OR NO PRENATAL CARE						
<i>Connecticut</i>	4,343	35,514	12.2	n/a ^d	12.6	n.s.
<i>Health District</i>						
Chatham	30	535	5.6	Lower	7.2	n.s.
East Shore	42	583	7.2	Lower	7	n.s.
Farmington Valley	58	713	8.1	Lower	7.4	n.s.

Connecticut Department of Public Health

Northeast	53	817	6.5	Lower	5.7	n.s.
Pomperaug	12	247	4.9	Lower	7.5	n.s.
Trumbull-Monroe	29	433	6.7	Lower	5.3	n.s.
Uncas Regional	78	847	9.2	Lower	12	n.s.
Weston-Westport	13	212	6.1	Lower	4.2	n.s.
<i>Town</i>						
Bridgeport	330	2,047	16.1	Higher	16.1	n.s.
Danbury	174	1,090	16	Higher	13.1	n.s.
Fairfield	29	491	5.9	Lower	4.1	n.s.
Greenwich	29	553	5.2	Lower	5.8	n.s.
Hartford	323	1,879	17.2	Higher	20.1	Decrease
Killingly	12	200	6	Lower	5.9	n.s.
Meriden	103	762	13.5	n.s.	18.1	Decrease
Middletown	38	536	7.1	Lower	9	n.s.
Milford	24	407	5.9	Lower	7.4	n.s.
New Britain	208	1,028	20.2	Higher	18	n.s.
New Haven	319	1,821	17.5	Higher	23.3	Decrease
New Milford	15	251	6	Lower	7.6	n.s.
Norwalk	174	1,119	15.5	Higher	16.3	n.s.
Southington	25	331	7.6	Lower	12.2	Decrease
Stamford	302	1,798	16.8	Higher	12.5	Increase
Trumbull	18	282	6.4	Lower	5.2	n.s.
Wallingford	29	388	7.5	Lower	11	n.s.
Waterbury	410	1,582	25.9	Higher	23	n.s.
NON-ADEQUATE PRENATAL CARE (APNCU Index)						
Connecticut	8,054	35,238	22.9	n/a ^d	23.4	n.s.
<i>Health District</i>						
Non Health District	5,297	20,907	25.3	Higher	25.6	n.s.
Central Connecticut	239	820	29.1	Higher	29.4	n.s.
Chesprocott	57	357	16	Lower	14.5	n.s.
East Shore	101	573	17.6	Lower	22.1	n.s.
Farmington Valley	219	712	30.8	Higher	31.8	n.s.
Ledge Light	221	1,374	16.1	Lower	14.1	n.s.
Naugatuck Valley	223	1,255	17.8	Lower	17.8	n.s.
North Central	302	1,552	19.5	Lower	23.4	Decrease
Northeast	75	795	9.4	Lower	10.3	n.s.
Pomperaug	31	243	12.8	Lower	12	n.s.
Quinnipiac Valley	140	829	16.9	Lower	19.3	n.s.
Torrington Area	173	1,028	16.8	Lower	14.3	n.s.
Uncas Regional	93	841	11.1	Lower	14.7	Decrease
West Hartford-Bloomfield	232	775	29.9	Higher	32.1	n.s.
<i>Town</i>						
Bridgeport	715	2,031	35.2	Higher	33.9	n.s.
Danbury	128	1,086	11.8	Lower	11.5	n.s.
East Hartford	187	648	28.9	Higher	29.5	n.s.
Enfield	66	359	18.4	n.s.	24.5	Decrease
Glastonbury	81	244	33.2	Higher	26.8	n.s.
Groton	104	571	18.2	Lower	14.1	n.s.
Hartford	532	1,874	28.4	Higher	27.3	n.s.
Meriden	293	758	38.7	Higher	23	Increase
Naugatuck	49	358	13.7	Lower	14	n.s.
New Britain	384	1,028	37.4	Higher	39.6	n.s.
New London	62	379	16.4	Lower	16.2	n.s.
New Milford	18	250	7.2	Lower	6.7	n.s.
Norwalk	257	1,116	23	n.s.	27.5	Decrease
Norwich	60	485	12.4	Lower	17.1	Decrease
Stamford	609	1,790	34	Higher	36.9	n.s.
Wallingford	106	383	27.7	n.s.	20.1	Increase
Waterbury	300	1,574	19.1	Lower	17.4	n.s.
West Hartford	176	630	27.9	Higher	28.8	n.s.
Wethersfield	78	250	31.2	Higher	29.9	n.s.
Windham	45	282	16	Lower	21.8	n.s.
Windsor	88	271	32.5	Higher	32.6	n.s.
PREMATURITY^e						
Connecticut	3,807	36,054	10.6	Lower	9.9	Increase
<i>Health District</i>						
Non Health District	2,392	21,473	11.1	n.s.	10.4	Increase

Connecticut Department of Public Health

Central Connecticut	63	824	7.6	Lower	9.6	n.s.
<i>Town</i>						
Groton	40	576	6.9	Lower	6.6	n.s.
Newington	13	243	5.3	Lower	7.2	n.s.
South Windsor	26	204	12.7	n.s.	6.4	Increase
Stamford	242	1,849	13.1	Higher	10.6	Increase
Waterbury	218	1,596	13.7	Higher	11.3	n.s.
SMOKING DURING PREGNANCY						
Connecticut	1,382	36,046	3.8	n/a ^d	4.5	Decrease
<i>Health District</i>						
Non Health District	668	21,469	3.1	Lower	3.7	Decrease
Bristol-Burlington	60	686	8.7	Higher	8.4	n.s.
Central Connecticut	15	825	1.8	Lower	3.1	n.s.
Naugatuck Valley	70	1,280	5.5	Higher	6	n.s.
North Central	86	1,591	5.4	Higher	8.6	Decrease
Northeast	95	830	11.4	Higher	12.9	n.s.
Quinnipiac Valley	17	853	2	Lower	1.8	n.s.
Torrington Area	95	1,045	9.1	Higher	10.5	n.s.
Trumbull-Monroe	2	438	0.5	Lower	0.5	n.s.
Uncas Regional	102	850	12	Higher	12	n.s.
West Hartford-Bloomfield	5	778	0.6	Lower	0.9	n.s.
<i>Town</i>						
Ansonia	16	201	8	Higher	8.6	n.s.
Bridgeport	49	2,069	2.4	Lower	2.5	n.s.
Bristol	58	624	9.3	Higher	9.3	n.s.
Enfield	18	374	4.8	n.s.	8.7	Decrease
Fairfield	3	504	0.6	Lower	0.4	n.s.
Glastonbury	1	249	0.4	Lower	0.4	n.s.
Greenwich	2	610	0.3	Lower	0.1	n.s.
Killingly	23	203	11.3	Higher	15	n.s.
Meriden	46	762	6	Higher	7.4	n.s.
New Britain	78	1,031	7.6	Higher	9.2	n.s.
New Haven	94	1,876	5	Higher	5.9	n.s.
Norwalk	20	1,149	1.7	Lower	1.6	n.s.
Norwich	64	490	13.1	Higher	13.4	n.s.
Stamford	14	1,848	0.8	Lower	0.5	n.s.
Torrington	42	363	11.6	Higher	17.2	Decrease
Trumbull	0	286	0	Lower	0	n.s.
Vernon	22	329	6.7	Higher	9.4	n.s.
Waterbury	89	1,595	5.6	Higher	7.2	n.s.
West Hartford	5	633	0.8	Lower	1	n.s.
Wethersfield	1	250	0.4	Lower	1.5	n.s.
Windham	25	283	8.8	Higher	10.6	n.s.
INFANT MORTALITY (per 1,000 live births)						
Connecticut	169	36,086	4.68	Lower	5.26	n.s.
<i>Health District</i>						
None	-	-	-	-	-	-
<i>Town</i>						
East Hartford	1	663	1.51	n.s.	11.53	Decrease
Naugatuck	6	364	16.48	Higher	0	Increase
FETAL MORTALITY (per 1,000 live births+fetal deaths)						
Connecticut	200	36,286	5.51	n.s.	4.99	n.s.
<i>Health District</i>						
None	-	-	-	-	-	-
<i>Town</i>						
Bridgeport	21	2,090	10.05	Higher	7.94	n.s.
East Hartford	11	674	16.32	Higher	4.3	Increase

NOTES:

^a The reference group used for comparison with Connecticut statistics is the U.S. whenever appropriate national figures are available. The reference group used for comparison with the local sub-state regions (town, health district) is the State of Connecticut.

^b A "n.s." signifies that the difference was not statistically significant at $p < 0.05$. A "n/a" indicates that the comparison was not applicable

^c Starting with 2007 births, the reported birth weight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics.

^d National rates for this indicator are not available.

TABLE 12
 Statistical Analysis of Birth Outcomes and Their Risk Factors
 for Racial and Ethnic Groups for Connecticut, 2013

RACE/ETHNICITY	2013				2012 Percent	Significant Change 2012-2013 ^a (p<0.05)
	No. Events	Denominator	Percent	Significantly Different from White-NH ^a (p<0.01)		
LOW BIRTHWEIGHT						
White, non-Hispanic	1,319	20,259	6.5	n.a.	6.4	n.s.
Black, non-Hispanic	554	4,474	12.4	Higher	12.3	n.s.
Hispanic	663	8,225	8.1	Higher	8.8	n.s.
VERY LOW BIRTHWEIGHT						
White, non-Hispanic	223	20,259	1.1	n.a.	1.1	n.s.
Black, non-Hispanic	109	4,474	2.4	Higher	3.1	n.s.
Hispanic	143	8,225	1.7	Higher	1.6	n.s.
BIRTHS TO TEENS						
White, non-Hispanic	397	20,263	2.0	n.a.	2.5	Decrease
Black, non-Hispanic	322	4,478	7.2	Higher	8.1	n.s.
Hispanic	847	8,228	10.3	Higher	12.1	Decrease
LATE OR NO PRENATAL CARE						
White, non-Hispanic	1,666	19,978	8.3	Lower	8.5	n.s.
Black, non-Hispanic	796	4,396	18.1	Higher	20.3	Decrease
Hispanic	1,528	8,129	18.8	Higher	19.3	n.s.
NON-ADEQUATE PRENATAL CARE (APNCU Index)						
White, non-Hispanic	3,932	19,828	19.8	n.a.	20.8	Decrease
Black, non-Hispanic	1,225	4,365	28.1	Higher	29.7	n.s.
Hispanic	2,196	8,075	27.2	Higher	26.7	n.s.
PREMATURITY^b						
White, non-Hispanic	1,914	20,252	9.5	n.a.	8.6	Increase
Black, non-Hispanic	646	4,475	14.4	Higher	12.8	Increase
Hispanic	947	8,226	11.5	Higher	11.4	n.s.
SMOKING DURING PREGNANCY						
White, non-Hispanic	915	20,243	4.5	n.a.	5.5	Decrease
Black, non-Hispanic	164	4,476	3.7	Lower	4.0	n.s.
Hispanic	247	8,225	3.0	Lower	3.6	Decrease
INFANT MORTALITY (per 1,000 live births)						
White, non-Hispanic	69	20,263	3.41	n.a.	3.58	n.s.
Black, non-Hispanic	39	4,478	8.71	Higher	11.97	n.s.
Hispanic	50	8,228	6.08	Higher	7.17	n.s.
FETAL MORTALITY (per 1,000 live births + fetal deaths)						
White, non-Hispanic	75	20,338	3.69	n.a.	3.18	n.s.
Black, non-Hispanic	41	4,519	9.07	Higher	6.92	n.s.
Hispanic	51	8,279	6.16	Higher	6.75	n.s.

NOTES:

^a A "n.s." signifies that the difference was not statistically significant.

A "n/a" indicates that the comparison was not applicable.

^b Starting with 2007 births, the reported birth weight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics.

TABLE 13
CONNECTICUT TEEN BIRTH RATES, 2009-2013
 Statistical Comparison of State-level Teen Birth Rates (Ages 15-19) by Race/Ethnicity
 and Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	COMPARISON TO STATEWIDE TEEN BIRTH RATE ^d
CONNECTICUT	10,395	616,712	16.9	
White-NH	2,653	405,285	6.5	Lower
Black-NH	2,192	77,497	28.3	Higher
Asian-NH	71	23,376	3.0	Lower
Hispanic	5,173	108,607	47.6	Higher

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
CONNECTICUT	10,395	616,712	16.9		
ANDOVER	1	610	1.6	<i>f</i>	<i>f</i>
ANSONIA	63	3,255	19.4	n.s.	n.s.
ASHFORD	8	700	11.4	<i>f</i>	<i>f</i>
AVON	1	3,035	0.3	Lower	Lower
BARKHAMSTED	1	720	1.4	<i>f</i>	<i>f</i>
BEACON FALLS	8	935	8.6	n.s.	n.s.
BERLIN	16	2,915	5.5	Lower	Lower
BETHANY	2	940	2.1	Lower	n.s.
BETHEL	14	3,115	4.5	Lower	Lower
BETHLEHEM	3	725	4.1	<i>f</i>	<i>f</i>
BLOOMFIELD	57	2,955	19.3	n.s.	n.s.
BOLTON	4	765	5.2	<i>f</i>	<i>f</i>
BOZRAH	3	425	7.1	<i>f</i>	<i>f</i>
BRANFORD	20	3,675	5.4	Lower	Lower
BRIDGEPORT	1,100	27,615	39.8	Higher	Higher
BRIDGEWATER	-	185	0.0	<i>f</i>	<i>f</i>
BRISTOL	157	8,340	18.8	n.s.	n.s.
BROOKFIELD	10	2,895	3.5	Lower	Lower
BROOKLYN	19	1,325	14.3	n.s.	n.s.
BURLINGTON	4	1,485	2.7	Lower	Lower
CANAAN	-	145	0.0	<i>f</i>	<i>f</i>
CANTERBURY	9	875	10.3	<i>f</i>	<i>f</i>
CANTON	4	1,430	2.8	Lower	Lower
CHAPLIN	5	325	15.4	<i>f</i>	<i>f</i>
CHESHIRE	14	4,305	3.3	Lower	Lower
CHESTER	6	525	11.4	<i>f</i>	<i>f</i>
CLINTON	20	1,905	10.5	n.s.	n.s.
COLCHESTER	30	2,830	10.6	Lower	n.s.
COLEBROOK	2	215	9.3	<i>f</i>	<i>f</i>
COLUMBIA	2	1,035	1.9	Lower	Lower
CORNWALL	-	210	0.0	<i>f</i>	<i>f</i>
COVENTRY	13	1,860	7.0	Lower	n.s.
CROMWELL	14	1,980	7.1	Lower	n.s.
DANBURY	263	12,760	20.6	Higher	n.s.
DARIEN	1	3,775	0.3	Lower	Lower
DEEP RIVER	8	595	13.4	<i>f</i>	<i>f</i>
DERBY	47	1,830	25.7	Higher	n.s.
DURHAM	3	1,365	2.2	Lower	Lower
EASTFORD	2	230	8.7	<i>f</i>	<i>f</i>
EAST GRANBY	5	690	7.2	<i>f</i>	<i>f</i>
EAST HADDAM	7	1,395	5.0	Lower	n.s.
EAST HAMPTON	11	1,965	5.6	Lower	Lower
EAST HARTFORD	258	8,145	31.7	Higher	Higher
EAST HAVEN	58	4,075	14.2	n.s.	n.s.

Connecticut Department of Public Health

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
EAST LYME	15	2,785	5.4	Lower	Lower
EASTON	1	1,440	0.7	Lower	Lower
EAST WINDSOR	32	1,530	20.9	n.s.	n.s.
ELLINGTON	10	2,300	4.3	Lower	Lower
ENFIELD	94	6,265	15.0	n.s.	n.s.
ESSEX	2	750	2.7	f	f
FAIRFIELD	22	13,420	1.6	Lower	Lower
FARMINGTON	17	3,755	4.5	Lower	Lower
FRANKLIN	1	305	3.3	f	f
GLASTONBURY	10	5,565	1.8	Lower	Lower
GOSHEN	1	410	2.4	f	f
GRANBY	4	1,890	2.1	Lower	Lower
GREENWICH	25	9,340	2.7	Lower	Lower
GRISWOLD	34	2,120	16.0	n.s.	n.s.
GROTON	127	5,065	25.1	Higher	Higher
GUILFORD	3	3,420	0.9	Lower	Lower
HADDAM	7	1,175	6.0	Lower	n.s.
HAMDEN	127	14,795	8.6	Lower	Lower
HAMPTON	1	255	3.9	f	f
HARTFORD	1,364	29,175	46.8	Higher	Higher
HARTLAND	1	325	3.1	f	f
HARWINTON	1	875	1.1	f	f
HEBRON	6	1,605	3.7	Lower	Lower
KENT	3	425	7.1	f	f
KILLINGLY	72	2,650	27.2	Higher	Higher
KILLINGWORTH	4	1,055	3.8	Lower	n.s.
LEBANON	8	1,225	6.5	Lower	n.s.
LEDYARD	19	2,480	7.7	Lower	Lower
LISBON	12	805	14.9	f	f
LITCHFIELD	6	1,445	4.2	Lower	Lower
LYME	1	265	3.8	f	f
MADISON	3	3,450	0.9	Lower	Lower
MANCHESTER	163	8,155	20.0	n.s.	n.s.
MANSFIELD	18	15,560	1.2	Lower	Lower
MARLBOROUGH	4	850	4.7	f	f
MERIDEN	364	10,025	36.3	Higher	Higher
MIDDLEBURY	-	1,185	0.0	Lower	Lower
MIDDLEFIELD	3	600	5.0	f	f
MIDDLETOWN	117	8,375	14.0	n.s.	n.s.
MILFORD	54	7,040	7.7	Lower	Lower
MONROE	2	3,495	0.6	Lower	Lower
MONTVILLE	42	2,790	15.1	n.s.	n.s.
MORRIS	1	380	2.6	f	f
NAUGATUCK	71	5,140	13.8	n.s.	n.s.
NEW BRITAIN	642	14,660	43.8	Higher	Higher
NEW CANAAN	-	3,885	0.0	Lower	Lower
NEW FAIRFIELD	3	2,645	1.1	Lower	Lower
NEW HARTFORD	7	1,135	6.2	Lower	n.s.
NEW HAVEN	987	29,235	33.8	Higher	Higher
NEWINGTON	36	4,085	8.8	Lower	Lower

Connecticut Department of Public Health

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
NEW LONDON	160	7,045	22.7	Higher	Higher
NEW MILFORD	33	4,460	7.4	Lower	Lower
NEWTOWN	20	4,785	4.2	Lower	Lower
NORFOLK	2	235	8.5	<i>f</i>	<i>f</i>
NORTH BRANFORD	9	2,165	4.2	Lower	Lower
NORTH CANAAN	9	470	19.1	<i>f</i>	<i>f</i>
NORTH HAVEN	14	3,475	4.0	Lower	Lower
NORTH STONINGTON	5	655	7.6	<i>f</i>	<i>f</i>
NORWALK	227	11,090	20.5	Higher	n.s.
NORWICH	236	6,585	35.8	Higher	Higher
OLD LYME	5	1,230	4.1	Lower	n.s.
OLD SAYBROOK	5	1,445	3.5	Lower	Lower
ORANGE	5	2,210	2.3	Lower	Lower
OXFORD	9	1,780	5.1	Lower	Lower
PLAINFIELD	55	2,695	20.4	n.s.	n.s.
PLAINVILLE	30	2,635	11.4	n.s.	n.s.
PLYMOUTH	17	2,040	8.3	Lower	n.s.
POMFRET	4	775	5.2	<i>f</i>	<i>f</i>
PORTLAND	14	1,330	10.5	n.s.	n.s.
PRESTON	4	780	5.1	<i>f</i>	<i>f</i>
PROSPECT	8	1,530	5.2	Lower	n.s.
PUTNAM	35	1,385	25.3	n.s.	n.s.
REDDING	3	1,440	2.1	Lower	Lower
RIDGEFIELD	2	4,525	0.4	Lower	Lower
ROCKY HILL	11	2,325	4.7	Lower	Lower
ROXBURY	1	300	3.3	<i>f</i>	<i>f</i>
SALEM	2	725	2.8	<i>f</i>	<i>f</i>
SALISBURY	1	460	2.2	<i>f</i>	<i>f</i>
SCOTLAND	5	225	22.2	<i>f</i>	<i>f</i>
SEYMOUR	22	2,695	8.2	Lower	n.s.
SHARON	2	380	5.3	<i>f</i>	<i>f</i>
SHELTON	50	5,585	9.0	Lower	Lower
SHERMAN	2	630	3.2	<i>f</i>	<i>f</i>
SIMSBURY	5	4,330	1.2	Lower	Lower
SOMERS	8	1,535	5.2	Lower	Lower
SOUTHBURY	3	2,875	1.0	Lower	Lower
SOUTHINGTON	43	6,330	6.8	Lower	Lower
SOUTH WINDSOR	24	4,250	5.6	Lower	Lower
SPRAGUE	15	560	26.8	n.s.	n.s.
STAFFORD	29	1,785	16.2	n.s.	n.s.
STAMFORD	272	15,635	17.4	n.s.	n.s.
STERLING	9	640	14.1	<i>f</i>	<i>f</i>
STONINGTON	23	2,395	9.6	Lower	n.s.
STRATFORD	156	8,025	19.4	n.s.	n.s.
SUFFIELD	10	2,485	4.0	Lower	Lower
THOMASTON	7	1,320	5.3	Lower	n.s.
THOMPSON	19	1,410	13.5	n.s.	n.s.
TOLLAND	11	2,275	4.8	Lower	Lower
TORRINGTON	134	4,915	27.3	Higher	Higher
TRUMBULL	15	5,700	2.6	Lower	Lower

Connecticut Department of Public Health

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
UNION	-	120	0.0	<i>f</i>	<i>f</i>
VERNON	83	3,995	20.8	n.s.	n.s.
VOLUNTOWN	3	405	7.4	<i>f</i>	<i>f</i>
WALLINGFORD	45	6,665	6.8	Lower	Lower
WARREN	-	190	0.0	<i>f</i>	<i>f</i>
WASHINGTON	-	455	0.0	<i>f</i>	<i>f</i>
WATERBURY	881	20,325	43.3	Higher	Higher
WATERFORD	24	3,115	7.7	Lower	Lower
WATERTOWN	21	3,575	5.9	Lower	Lower
WESTBROOK	8	930	8.6	n.s.	n.s.
WEST HARTFORD	110	11,175	9.8	Lower	Lower
WEST HAVEN	203	11,525	17.6	n.s.	n.s.
WESTON	3	2,210	1.4	Lower	Lower
WESTPORT	3	4,660	0.6	Lower	Lower
WETHERSFIELD	24	3,560	6.7	Lower	Lower
WILLINGTON	9	880	10.2	<i>f</i>	<i>f</i>
WILTON	2	3,210	0.6	Lower	Lower
WINCHESTER	36	1,785	20.2	n.s.	n.s.
WINDHAM	197	7,295	27.0	Higher	Higher
WINDSOR	70	4,585	15.3	n.s.	n.s.
WINDSOR LOCKS	30	1,935	15.5	n.s.	n.s.
WOLCOTT	24	3,065	7.8	Lower	Lower
WOODBIDGE	2	1,680	1.2	Lower	Lower
WOODBURY	2	1,450	1.4	Lower	Lower
WOODSTOCK	5	1,395	3.6	Lower	Lower

NOTES:

^a Births to CT residents aged 15-19 years. These figures includes births that occurred in states other than CT.

^b The population values used for rate denominators are from the 4/1/2010 US Census. The 4/1/2010 Census data are the only available source for town-level population counts by age and sex. Since the 4/1/2010 population counts are not the mid-point of the 2009-2013 series, the 4/1/2010 population count may underrepresent the actual 2009-2013 population and thereby slightly over-estimate the rates. The town-based rates published here may be revised when more accurate denominator counts become available.

^c Birth rates are calculated as births to mothers 15-19 years per 1,000 female population 15-19 years.

^d "Single town-state comparison" results are valid for making a single town-state rate comparison. Comparison results are only displayed where differences are statistically significant at $p < .01$.

^e "Multiple town-state comparison" results are valid for evaluating town-state rate comparisons for all towns that could be evaluated. The statistical adjustment for multiple comparisons reduces the chance of reporting a false-positive result. These town-state comparison results are only displayed where differences are statistically significant at $p < .05$, after adjusting for multiple comparisons.

^f State-town comparisons were not made for towns with fewer than 15 births unless the number of expected births was greater than or equal to 15. These exclusions were made because the rates were considered unreliable. The consideration of "expected counts" in defining this threshold allows us to evaluate stable, low town rates which are based on large denominators and small numerators.

^g Comparison results are only displayed where differences are statistically significant at $p < .01$.

