

Report Parameters:**Report Period:** From 01/01/2015 to 12/31/2015**Selected Coded Field:** Fire: Area of Origin**State:** CT**Version:** All**Status:** All**Released:** All**Report Filters:****NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group2 and Group 3 etc...)**

Report FDIDs*: 05200, 02101, 05201, 05160, 05202, 06020, 08160, 06190, 05060, 02240, 07040, 01240, 08020, 01190, 01050, 07140, 02010, 02100, 08152, 02024, 08153, 05170, 05210, 08150, 08151, 06010, 04090, 08154, 05070, 08155, 04152, 04150, 04151, 02230, 08010, 01180, 01250, 07050, 01040, 07150, 02020, 02021, 02022, 02023, 08180, 05220, 05181, 05041, 05180, 05183, 05182, 05185, 05184, 06170, 05040, 04081, 06040, 04080, 04083, 04082, 01170, 07020, 01260, 02220, 02120, 02031, 02121, 02030, 01070, 05230, 05190, 08170, 08171, 02115, 02114, 02113, 05052, 02112, 05051, 05050, 04070, 06030, 06180, 07030, 01160, 02210, 02110, 01060, 02040, 04060, 01200, 02200, 03060, 05120, 05020, 08120, 02051, 02050, 07080, 08060, 01090, 04050, 01210, 05133, 05134, 05131, 05132, 08111, 05130, 03070, 08110, 03072, 05030, 04051, 01081, 02060, 08056, 08050, 07090, 08053, 08054, 08051, 01080, 08052, 05140, 05141, 06200, 03080, 04040, 04041, 04042, 04043, 04044, 08140, 04045, 02070, 08040, 01220, 07060, 03090, 03092, 04030, 05010, 05011, 05150, 08130, 01230, 02080, 08030, 07070, 01110, 02180, 06110, 04010, 06111, 03030, 06210, 02090, 02170, 04020, 08210, 06120, 03020, 06220, 06221, 01100, 06090, 03050, 03051, 08200, 06230, 08100, 05110, 02291, 02190, 04101, 04100, 02290, 03040, 03041, 06100, 05102, 06240, 05101, 05100, 02140, 01010, 01011, 04110, 07100, 02280, 01150, 03130, 06060, 06252, 06251, 06150, 01013, 08070, 01012, 06250, 07010, 02130, 08090, 01142, 01140, 04121, 01141, 04120, 02270, 07110, 06050, 03120, 06160, 06260, 08081, 08080, 01030, 02161, 02160, 07123, 02260, 07122, 04131, 07121, 04130, 07120, 04133, 04132, 01130, 01131, 04134, 01132, 08190, 05081, 03110, 08193, 05082, 06080, 08192, 08195, 05080, 08194, 06270, 06130, 03010, 01020, 07130, 02150, 04142, 04141, 04140, 02250, 01120, 04143, 06070, 06140, 03100, 05090

*Data from deactivated fire depts within the list was not included in the report.

Tally

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2015 to 12/31/2015

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
00	Other	226	3.06 %	1	0	0.00 %	0	0.00 %	0	0.00 %	1	0.86 %	436,778	0.74 %	161,021	0.66 %	597,799	0.72 %
01	Corridor, mall	14	0.19 %	0	0	0.00 %	1	0.68 %	0	0.00 %	1	0.86 %	20,500	0.03 %	11,500	0.05 %	32,000	0.04 %
02	Exterior stairway, ramp, or fire escape	57	0.77 %	0	0	0.00 %	1	0.68 %	0	0.00 %	6	5.17 %	1,604,191	2.71 %	240,001	0.99 %	1,844,192	2.21 %
03	Interior stairway or ramp	18	0.24 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100,710	0.17 %	15,010	0.06 %	115,720	0.14 %
05	Entrance way, lobby	17	0.23 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	16,000	0.03 %	3,600	0.01 %	19,600	0.02 %
09	Egress/exit, other	23	0.31 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	555,200	0.94 %	126,420	0.52 %	681,620	0.82 %
10	Assembly or sales area, other	3	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	145,000	0.24 %	16,000	0.07 %	161,000	0.19 %
11	Arena, assembly area w/ fixed seats - 100+ persons	3	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	191,300	0.32 %	95,000	0.39 %	286,300	0.34 %
12	Assembly area without fixed seats - 100+ persons	3	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,005	0.00 %	5	0.00 %	2,010	0.00 %
13	Assembly area - less than 100 persons	6	0.08 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	6,020	0.01 %	5,150	0.02 %	11,170	0.01 %
14	Common room, den, family room, living room, lounge	69	0.94 %	0	1	5.26 %	8	5.48 %	0	0.00 %	5	4.31 %	1,552,390	2.62 %	414,071	1.70 %	1,966,461	2.36 %

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2015 to 12/31/2015

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
15	Sales area, showroom (exclude display window)	6	0.08 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	10,100	0.02 %	5,251	0.02 %	15,351	0.02 %
17	Swimming pool	1	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
20	Function area, other	73	0.99 %	1	3	15.79 %	6	4.11 %	0	0.00 %	1	0.86 %	2,537,600	4.29 %	683,770	2.82 %	3,221,370	3.86 %
21	Bedroom - < 5 persons; included are jail or prison	137	1.86 %	2	2	10.53 %	18	12.33 %	0	0.00 %	11	9.48 %	3,302,902	5.58 %	1,062,052	4.37 %	4,364,954	5.23 %
22	Bedroom - 5+ persons; including barrack/dormitory	10	0.14 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	386,000	0.65 %	51,030	0.21 %	437,030	0.52 %
23	Dining room, cafeteria, bar area, beverage service	20	0.27 %	0	0	0.00 %	2	1.37 %	0	0.00 %	0	0.00 %	125,003	0.21 %	71,303	0.29 %	196,306	0.24 %
24	Cooking area, kitchen	546	7.40 %	0	3	15.79 %	45	30.82 %	0	0.00 %	11	9.48 %	6,428,155	10.86 %	2,081,300	8.57 %	8,509,455	10.19 %
25	Bathroom, checkroom, lavatory, locker room	59	0.80 %	0	0	0.00 %	1	0.68 %	0	0.00 %	1	0.86 %	672,605	1.14 %	264,920	1.09 %	937,525	1.12 %
26	Laundry area, wash house (laundry)	95	1.29 %	0	0	0.00 %	5	3.42 %	0	0.00 %	1	0.86 %	918,991	1.55 %	387,805	1.60 %	1,306,796	1.57 %
27	Office	18	0.24 %	0	1	5.26 %	1	0.68 %	0	0.00 %	2	1.72 %	1,460,500	2.47 %	827,650	3.41 %	2,288,150	2.74 %
28	Personal service area, barber/beauty salon area	3	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	10,000	0.02 %	8,000	0.03 %	18,000	0.02 %

Tally

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2015 to 12/31/2015

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
30	Technical processing areas, other	5	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.86 %	64,000	0.11 %	536,000	2.21 %	600,000	0.72 %
31	Laboratory	2	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	50	0.00 %	50	0.00 %
33	Treatment - first aid area, surgery area	1	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	10,000	0.02 %	1,000	0.00 %	11,000	0.01 %
35	Computer room, control room or center	3	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	25,000	0.10 %	26,000	0.03 %
37	Projection room, spotlight area	1	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
38	Processing/manufacturing area, workroom	18	0.24 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,983,750	3.35 %	3,353,500	13.81 %	5,337,250	6.39 %
40	Storage area, other	54	0.73 %	0	0	0.00 %	2	1.37 %	0	0.00 %	0	0.00 %	3,002,450	5.07 %	803,337	3.31 %	3,805,787	4.56 %
41	Storage room, area, tank, or bin	21	0.28 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.86 %	178,100	0.30 %	76,850	0.32 %	254,950	0.31 %
42	Closet	18	0.24 %	0	0	0.00 %	1	0.68 %	0	0.00 %	1	0.86 %	297,150	0.50 %	121,630	0.50 %	418,780	0.50 %
43	Storage: supplies or tools; dead storage	19	0.26 %	0	0	0.00 %	0	0.00 %	0	0.00 %	2	1.72 %	614,500	1.04 %	331,600	1.37 %	946,100	1.13 %
44	Records storage room, storage vault	1	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	1,000	0.00 %	2,000	0.00 %

Tally

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2015 to 12/31/2015

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
45	Shipping/receiving area; loading area, dock or bay	5	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	261,000	0.44 %	1,011,000	4.16 %	1,272,000	1.52 %
46	Chute/container - trash, rubbish, waste	38	0.52 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	27,951	0.05 %	4,510	0.02 %	32,461	0.04 %
47	Vehicle storage area; garage, carport	92	1.25 %	5	0	0.00 %	13	8.90 %	0	0.00 %	10	8.62 %	3,913,922	6.61 %	1,488,152	6.13 %	5,402,074	6.47 %
50	Service facilities, other	10	0.14 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.86 %	116,800	0.20 %	16,600	0.07 %	133,400	0.16 %
51	Dumbwaiter or elevator shaft	1	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
52	Conduit, pipe, utility, or ventilation shaft	12	0.16 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	8,000	0.01 %	31,100	0.13 %	39,100	0.05 %
53	Light shaft	3	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
54	Chute; laundry or mail, excluding trash chutes	5	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,000	0.00 %	1,400	0.01 %	3,400	0.00 %
55	Duct: hvac, cable, exhaust, heating, or AC	17	0.23 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	40,500	0.07 %	5,000	0.02 %	45,500	0.05 %
60	Equipment or service area, other	37	0.50 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	274,100	0.46 %	35,650	0.15 %	309,750	0.37 %
61	Machinery room or area; elevator machinery room	13	0.18 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	27,501	0.05 %	60,221	0.25 %	87,722	0.11 %

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2015 to 12/31/2015

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
62	Heating room or area, water heater area	46	0.62 %	0	0	0.00 %	0	0.00 %	0	0.00 %	2	1.72 %	368,000	0.62 %	88,100	0.36 %	456,100	0.55 %
63	Switchgear area, transformer vault	8	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	4,000	0.01 %	31,000	0.13 %	35,000	0.04 %
64	Incinerator area	1	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
65	Maintenance shop or area, paint shop or area	14	0.19 %	0	0	0.00 %	1	0.68 %	0	0.00 %	0	0.00 %	220,450	0.37 %	42,500	0.17 %	262,950	0.31 %
70	Structural area, other	48	0.65 %	1	0	0.00 %	2	1.37 %	0	0.00 %	4	3.45 %	1,811,653	3.06 %	1,280,553	5.27 %	3,092,206	3.70 %
71	Substructure area or space, crawl space	44	0.60 %	0	0	0.00 %	0	0.00 %	0	0.00 %	4	3.45 %	1,215,510	2.05 %	270,315	1.11 %	1,485,825	1.78 %
72	Exterior balcony, unenclosed porch	122	1.65 %	0	1	5.26 %	1	0.68 %	0	0.00 %	4	3.45 %	1,870,514	3.16 %	441,437	1.82 %	2,311,951	2.77 %
73	Ceiling & floor assembly, crawl space b/t stories	40	0.54 %	0	0	0.00 %	1	0.68 %	0	0.00 %	3	2.59 %	1,590,950	2.69 %	348,400	1.43 %	1,939,350	2.32 %
74	Attic: vacant, crawl space above top story, cupola	21	0.28 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.86 %	730,000	1.23 %	247,500	1.02 %	977,500	1.17 %
75	Wall assembly	67	0.91 %	3	0	0.00 %	1	0.68 %	0	0.00 %	2	1.72 %	1,314,461	2.22 %	325,310	1.34 %	1,639,771	1.96 %
76	Wall surface: exterior	94	1.27 %	14	0	0.00 %	1	0.68 %	0	0.00 %	4	3.45 %	1,374,500	2.32 %	562,250	2.32 %	1,936,750	2.32 %

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2015 to 12/31/2015

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
77	Roof surface: exterior	19	0.26 %	0	0	0.00 %	0	0.00 %	0	0.00 %	3	2.59 %	584,770	0.99 %	261,500	1.08 %	846,270	1.01 %
78	Awning	2	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %
80	Vehicle area, other	142	1.93 %	0	0	0.00 %	1	0.68 %	0	0.00 %	0	0.00 %	428,835	0.72 %	64,150	0.26 %	492,985	0.59 %
81	Operator/passenger area of transportation equip.	175	2.37 %	3	4	21.05 %	4	2.74 %	0	0.00 %	0	0.00 %	804,659	1.36 %	141,886	0.58 %	946,545	1.13 %
82	Cargo/trunk area - all vehicles	73	0.99 %	3	0	0.00 %	1	0.68 %	0	0.00 %	0	0.00 %	285,401	0.48 %	83,075	0.34 %	368,476	0.44 %
83	Engine area, running gear, wheel area	953	12.92 %	9	0	0.00 %	7	4.79 %	0	0.00 %	0	0.00 %	4,197,575	7.09 %	2,971,690	12.24 %	7,169,265	8.59 %
84	Fuel tank, fuel line	26	0.35 %	0	0	0.00 %	2	1.37 %	0	0.00 %	0	0.00 %	324,101	0.55 %	33,701	0.14 %	357,802	0.43 %
85	Separate operator/control area of transportation	8	0.11 %	1	0	0.00 %	0	0.00 %	0	0.00 %	1	0.86 %	508,500	0.86 %	8,001	0.03 %	516,501	0.62 %
86	Exterior, exposed surface	92	1.25 %	14	0	0.00 %	0	0.00 %	0	0.00 %	1	0.86 %	456,567	0.77 %	109,517	0.45 %	566,084	0.68 %
90	Outside area, other	1,246	16.89 %	6	0	0.00 %	8	5.48 %	0	0.00 %	1	0.86 %	1,077,018	1.82 %	415,301	1.71 %	1,492,319	1.79 %
91	Railroad right of way: on or near	36	0.49 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %

Tally

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2015 to 12/31/2015

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
92	Highway, parking lot, street: on or near	622	8.43 %	2	0	0.00 %	2	1.37 %	0	0.00 %	0	0.00 %	99,614	0.17 %	7,321	0.03 %	106,935	0.13 %
93	Courtyard, patio, porch, terrace	153	2.07 %	1	0	0.00 %	1	0.68 %	0	0.00 %	4	3.45 %	1,458,869	2.46 %	427,987	1.76 %	1,886,856	2.26 %
94	Open area - outside; included are farmland, field	420	5.69 %	2	0	0.00 %	2	1.37 %	0	0.00 %	1	0.86 %	35,324	0.06 %	2,769	0.01 %	38,093	0.05 %
95	Wildland, woods	277	3.76 %	0	0	0.00 %	1	0.68 %	0	0.00 %	6	5.17 %	101,203	0.17 %	503	0.00 %	101,706	0.12 %
96	Construction/renovation area	8	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,500	0.00 %	0	0.00 %	1,500	0.00 %
97	Multiple areas	7	0.09 %	0	0	0.00 %	0	0.00 %	0	0.00 %	3	2.59 %	107,000	0.18 %	12,000	0.05 %	119,000	0.14 %
98	Vacant structural area	14	0.19 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	101	0.00 %	1,011	0.00 %	1,112	0.00 %
UU	Undetermined	814	11.04 %	7	4	21.05 %	6	4.11 %	0	0.00 %	16	13.79 %	6,930,268	11.70 %	1,673,733	6.89 %	8,604,001	10.30 %
Totals		7,375	100 %	75	19	100 %	146	100 %	0	0 %	116	100 %	59,209,017	100 %	24,285,969	100 %	83,494,986	100 %
Mutual Aid Given Incidents		5																