



CONNECTICUT
Office of Health Strategy

Connecticut All Payer Claims Database

Data Release Dictionary V5.0

CT APCD Consolidated Data Set

Version 12.27.0

Safe Harbor Version

Issued: April 2022

Last Updated September/30/2022

CT APCD Data Release - Field Classification Matrix

Count of Variables By Table and Classification

Table Name	Field Classifications											Grand Total
	Administrative	Enrollee Coverage Information	Enrollee Demographics	Claim Information	Diagnosis Information	Procedure Coding & Detail	Financial Information	Provider Information	Payer Information	Safe Harbor Variable	Service Line Flag	
Eligibility	3	24	10				5	1	1	4		48
Medical	2	3	0	23	54	37	13	7	1	7		147
Medical Service Line Flag	2										26	28
Medical Claim Header	4			6	3		11		2	6		32
Pharmacy	4	3	2	16	0	2	13	2	1	4		47
Provider	3							29	1			33
Grand Total	18	30	12	45	57	39	42	39	6	21		309

CT APCD Data Release - Table & Field Requests Selection Criteria

Table Name	1) Indicate Which Tables Will Be Needed	Reason
Eligibility		
Medical		
Medical Service Line Flag		
Medical Claim Header		
Pharmacy		
Provider		

Variable Classes	2) Indicate Which Variable Classes Will Be Needed	Reason
Administrative		
Enrollee Coverage Information		
Enrollee Demographics		
Claim Information		
Diagnosis Information		
Procedure Coding & Detail		
Financial Information		
Provider Information		
Payer Information		
Safe Harbor Variable		
Medical Service Line Flag		

Datasets	3) Indicate Which Data Set Will Be Needed, if applicable	Reason
Eligibility		
Medical Claims		
Pharmacy Claims		
Inpatient Discharge Data		
ED Data		
Outpatient Facility Data		
Professional Data		

Filters	4) Please Indicate Record Filter, if applicable	Reason
Eligibility Dates		
Member Zip codes (masked)		
Provider Zip codes		
Member age (masked)		
Service Dates (masked)		
Prescription Fill Dates (masked)		
Diagnose codes (ICD)		
Procedure codes (ICD)		
Procedure codes (HCPC/CPT)		
Inpatient Admissions		
Medication (National Drug Code)		

ELIGIBILITY TABLE

Classification	ID	Warehouse Name	Common Name	Type	Length	Description	Origin	Notes
Administrative	EL-CORE001	eligibility_id	Eligibility Record ID	Number	38,0	This field contains an ID that identifies a unique eligibility record.	This is a value-added field created by Onpoint.	
Administrative	EL-CORE002	extract_id	Extract ID	Number	38,0	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
Enrollee Coverage Information	EL-CORE004	coverage_class	Coverage Class	Varchar2	10	This field identifies the type of coverage for the member during the reported period.	This field is supplied as reported to Onpoint by the submitter.	
Enrollee Coverage Information	EL-CORE006	internal_member_id	Internal Member ID	Number	38,0	This field contains an ID that represents a unique member.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a member.
Enrollee Coverage Information	EL-CORE008	subscriber_relationship_code	Member's Relationship Code	Varchar2	10	This field contains a code that indicates the member's relationship to the subscriber or the insured.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
Payer Information	EL-CORE003	submitter_id	Submitter ID	Number	38,0	This field contains an ID that uniquely identifies a submitter.	This is a value-added field created by Onpoint.	
Enrollee Coverage Information	EL-CORE010	product_code	Insurance Type / Product Code	Varchar2	20	This field contains a code that identifies the member's type of insurance or insurance product.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC). Client-defined codes and descriptions, if submitted, are supplied to Onpoint for supplementary reporting.
Enrollee Coverage Information	EL-CORE011	primary_insurance_ind_code	Primary Insurance Indicator Code	Varchar2	20	This field contains a code that indicates if the member has primary coverage or instead has secondary/tertiary coverage.	This field is supplied as reported to Onpoint by the submitter.	
Enrollee Coverage Information	EL-CORE013	gender_code	Member Gender Code	Varchar2	2	This field contains a code that indicates the member's gender. Valid values are: F = Female M = Male U = Unknown	This field is supplied as reported to Onpoint by the submitter.	
Enrollee Coverage Information	EL-CORE014	out_of_state_flag	Out-of-State Flag	Varchar2	1	This field identifies whether the member was domiciled within the state. Valid values are: N = No Y = Yes	This is a value-added field created by Onpoint.	
Safe Harbor Variable	EL-CORE015	eligibility_start_dt	Member Coverage Start Date	Date	8	This field identifies the first date of the member's insurance coverage within this reporting period.	This is a value-added field created by Onpoint.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	EL-CORE016	eligibility_end_dt	Member Coverage End Date	Date	8	This field identifies the last date of the member's insurance coverage.	This is a value-added field created by Onpoint.	Masking applied to prevent disclosure of actual date.
Enrollee Coverage Information	EL-CORE025	dual_eligibility_code	Dual-Eligibility Code	Varchar2	10	This field contains a code that identifies the member's dual coverage based on eligibility date.	This field is supplied as reported to Onpoint by the submitter.	This field is currently null; however, with the collection of Medicare it will be populated.
Enrollee Coverage Information	EL-CORE029	coverage_level_code	Coverage Level Code	Varchar2	20	This field contains a code that identifies the member's coverage level based on eligibility date.	This field is supplied as reported to Onpoint by the submitter.	
Enrollee Coverage Information	EL-CORE031	coverage_type_code	Coverage Type Code	Varchar2	20	This field contains a code that identifies the member's coverage type based on eligibility date.	This field is supplied as reported to Onpoint by the submitter.	

Financial Information	EL-CORE032	member_deductible_amt	Member Deductible Amount	Number	38,2	This field contains the member's annual deductible amount.	This field is supplied as reported to Onpoint by the submitter.	
Safe Harbor Variable	MEM-CORE006	zip	Member ZIP/Postal Code	Varchar2	20	This field identifies the ZIP/postal code associated with the member's residence.	This field is supplied as reported to Onpoint by the submitter.	First three digits of zip codes only if the geographic area covered by all zip codes beginning with those three digits has a population greater than 20,000 or the zip codes for those areas are changed to 000 in the data set.
Safe Harbor Variable	MEM-CORE007	birth_dt	Member's Date of Birth	Number	6	This field contains the member's date of birth in 'YYYY' format.	This field is supplied as reported to Onpoint by the submitter.	Month and day of birthdate not available. Any birth dates less than 1 year or greater than 89 years will be assigned a default year.
Enrollee Demographics	EL-CORE008	gender_code	Gender Code	Varchar2	1	This field contains a code that indicates the member's gender.	This field is supplied as reported to Onpoint by the submitter.	
Enrollee Coverage Information	MEM-CORE011	subscriber_internal_member_id	Subscriber Internal Member ID	Number	38,0	This field contains an ID that represents a unique subscriber.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a subscriber.
Provider Information	EL-CORE090	pcp_internal_provider_id	Provider Information	Number	38,0	This field can be used to aggregate all records associated with a provider.	This is a value-added field created by Onpoint.	When using this field to link between tables, your query must set pcp_internal_provider_id equal to internal_provider_id.
Administrative	EL-CORE001	eligibility_id	Eligibility Record ID	Number	38,0	This field contains an ID that identifies a unique eligibility record.	This is a value-added field created by Onpoint.	
Enrollee Coverage Information	EL-CORE041	health_care_home_assigned_flag	PCMH Assigned Flag	Varchar2	10	This field contains a code that indicates whether or not the member had an approved medical home for the reported coverage period. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter using collection field ME035 (Medical Home Indicator).	
Enrollee Coverage Information	EL-CORE042	purchased_through_exchange	Purchased Through Exchange Indicator Description	Varchar2	100	This field indicate whether or not the member's product was purchased through the state's health insurance exchange. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter using collection field ME045 (Purchased Through Access Health CT Indicator).	
Enrollee Coverage Information	EL-CORE044	exchange_metallic_tier_code	Exchange Metallic Tier Code	Varchar2	20	This field contains a code that indicates the level of the member's Exchange product.	This field is supplied as reported to Onpoint by the submitter using collection field ME121 (Metal Level).	

Enrollee Coverage Information	EL-CORE046	market_category_code	Market Category Code	Varchar2	4	This field contains a code that indicates the type of policy sold by the insurer.	This field is supplied as reported to Onpoint by the submitter using collection field ME030 (Market Category Code).	
Financial Information	EL-CORE048	dental_deductible_amt	Dental Deductible Amount	Decimal	10,2	This field identifies the maximum amount of the member's deductible that is applied to dental services before dental services are covered	This field is supplied as reported to Onpoint using collection field ME115 (Dental Deductible).	
Financial Information	EL-CORE049	vision_deductible_amt	Vision Deductible Amount	Decimal	10,2	This field identifies the maximum amount of the member's deductible that is applied to vision services before vision services are covered	This field is supplied as reported to Onpoint using collection field ME116 (Vision Deductible).	
Financial Information	EL-CORE050	total_monthly_premium_amt	Total Monthly Premium Amount	Decimal	10,2	This field identifies the total monthly premium at the subscriber level.	This field is supplied as reported to Onpoint using collection field ME132 (Total Monthly Premium).	
Enrollee Coverage Information	EL-CORE052	disease_management_ind_code	Disease Management Indicator Code	Varchar2	10	This field contains a code that indicates whether or not the member was enrolled in a disease management program. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint using collection field ME053 (Disease Management Enrollee Indicator).	
Enrollee Coverage Information	EL-CORE054	business_type_code	Business Type Code	Varchar2	10	This field contains a code that defines the submitter's line of business for this line of eligibility.	This field is supplied as reported to Onpoint using collection field ME055 (Business Type Code).	
Enrollee Demographics	EL-CORE055	disability_indicator_code	Disability Indicator Code	Varchar2	10	This field contains a code that indicates whether or not disability applied to this record. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint using collection field ME059 (Disability Indicator).	
Enrollee Demographics	EL-CORE057	employment_status_code	Employment Status Code	Varchar2	10	This field contains a code that defines the employment status of the subscriber.	This field is supplied as reported to Onpoint using collection field ME060 (Employment Status).	

Enrollee Demographics	EL-CORE058	student_status_ind_code	Student Status Indicator Code	Varchar2	10	<p>This field contains a code that indicates whether or not the member was a student.</p> <p>Valid codes include:</p> <ul style="list-style-type: none"> 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable 	This field is supplied as reported to Onpoint using collection field ME061 (Student Status Flag).
Enrollee Demographics	EL-CORE059	marital_status_code	Marital Status Code	Varchar2	10	This field contains a code that indicates the member's marital status.	This field is supplied as reported to Onpoint using collection field ME062 (Marital Status).
Enrollee Coverage Information	EL-CORE062	benefit_status_code	Benefit Status Code	Varchar2	10	This field contains a code that indicates the status of the benefits for the member.	This field is supplied as reported to Onpoint using collection field ME063 (Benefit Status).
Enrollee Demographics	EL-CORE064	employee_type_code	Employee Type Code	Varchar2	10	This field contains a code that defines the subscriber's type of employment.	This field is supplied as reported to Onpoint using collection field ME064 (Employee Type).
Enrollee Coverage Information	EL-CORE065	cobra_status_ind_code	COBRA Status Indicator Code	Varchar2	10	<p>This field contains a code that indicates whether or not the member was covered using COBRA benefits.</p> <p>Valid codes include:</p> <ul style="list-style-type: none"> 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable 	This field is supplied as reported to Onpoint using collection field ME066 (COBRA Status Indicator).
Enrollee Demographics	EL-CORE067	pool_indicator_code	Pool Indicator Code	Varchar2	10	This field contains a code that defines an employee attribute.	This field is supplied as reported to Onpoint using collection field ME071 (Pool Indicator Code).
Enrollee Coverage Information	EL-CORE068	full_coverage_code	Full Coverage Code	Varchar2	10	<p>This field contains a code that indicates whether or not the member was fully insured.</p> <p>Valid codes include:</p> <ul style="list-style-type: none"> 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable 	This field is supplied as reported to Onpoint using collection field ME073 (Fully Insured Member Indicator).

Enrollee Demographics	EL-CORE069	interpreter_indicator_code	Interpreter Indicator Code	Varchar2	10	<p>This field contains a code that indicates whether or not the member required the assistance of an interpreter.</p> <p>Valid codes include:</p> <p>1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable</p>	This field is supplied as reported to Onpoint using collection field ME074 (Interpreter Indicator).
Enrollee Coverage Information	EL-CORE071	medicare_plan_code	Medicare Plan Code	Varchar2	10	<p>This field contains a code that indicates what type of Medicare coverage applied to this line of eligibility (if applicable).</p>	This field is supplied as reported to Onpoint using collection field ME001 (Medicare Code).
Enrollee Coverage Information	EL-CORE072	actuarial_value	Actuarial Value	Varchar2	10	<p>This field identifies the actuarial value for the member's coverage for the time period indicated by enrollment start and end dates. Note that this field contains a number with a decimal point, but is stored as a Varchar2 to preserve any leading zeros.</p>	This field is supplied as reported to Onpoint using collection field ME120 (Actuarial Value).
Enrollee Coverage Information	EL-CORE073	vision_benefit_ind_code	Vision Benefit Indicator Code	Varchar2	10	<p>This field contains a code that indicates whether or not the member's plan included vision coverage.</p> <p>Valid codes include:</p> <p>1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable</p>	This field is supplied as reported to Onpoint using collection field ME118 (Vision Benefit Indicator).
Enrollee Coverage Information	EL-CORE074	risk_adjustment_plan_ind_code	Risk-Adjustment Plan Indicator Code	Varchar2	10	<p>This field contains a code that indicates whether or not the subscriber was enrolled with a non-grandfathered individual or small group plan underwritten and filed in the State of Connecticut as of the 15th of the month. Note that large group plans, self-insured plans, and plans underwritten and filed in states other than Connecticut are not subject to risk-adjustment algorithms.</p> <p>Valid codes include:</p> <p>1 = Yes 2 = No</p>	This field is supplied as reported to Onpoint using collection field ME126 (Risk-Adjustment Covered Plan (RACP)).

Financial Information	EL-CORE075	billable_member_ind_code	Billable Member Indicator Code	Varchar2	10	<p>This field contains a code that indicates whether or not the member was billable.</p> <p>Valid codes include:</p> <p>1 = Yes 2 = No</p>	This field is supplied as reported to Onpoint using collection field ME127 (Billable Member Flag).	
Enrollee Demographics	EL-CORE077	apcd_id_code	APCD ID Code	Varchar2	10	<p>This field contains a code that describes the subscriber's/member's enrollment as one of multiple predefined categories, aligning enrollment to appropriate validations and thresholds.</p>	This field is supplied as reported to Onpoint using collection field ME134 (APCD ID Code).	
Enrollee Demographics	EL-CORE078	naics_code	Member NAICS Code	Varchar2	6	<p>This field contains the North American Industry Classification System (NAICS) code that describes the industry of the subscriber and/or member.</p>	This field is supplied as reported to Onpoint using collection field ME077 (NAICS Code).	

MEDICAL CLAIMS TABLE

Classification	ID	Warehouse Name	Common Name	Type	Length	Description	Origin	Notes
Administrative	MC-CORE001	medical_claim_service_line_id	Medical Claim Service-Line Record ID	Number	38,0	This field contains an ID that identifies a unique service line of a submitted claim record.	This is a value-added field created by Onpoint.	
Administrative	MC-CORE002	extract_id	Extract ID	Number	38,0	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
Payer Information	MC-CORE003	submitter_id	Submitter ID	Number	38,0	This field contains an ID that uniquely identifies a submitter.	This is a value-added field created by Onpoint.	
Enrollee Coverage Information	MC-CORE005	product_code	Insurance Type / Product Code	Varchar2	20	This field contains a code that identifies the member's type of insurance or insurance product.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC). Client-defined codes and descriptions, if submitted, are supplied to Onpoint for supplementary reporting.
Claim Information	MC-CORE007	line_counter	Line Counter	Number	38,0	This field contains the line number for this service.	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	MC-CORE009	internal_member_id	Internal Member ID	Number	38,0	This field contains an ID that represents a unique member.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a member.
Enrollee Coverage Information	MC-CORE011	subscriber_relationship_code	Member's Relationship Code	Varchar2	10	This field contains a code that indicates the member's relationship to the subscriber or the insured.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
Safe Harbor Variable	MH-CORE006	age	Member Age (90+ Aggregate)	Number	2,0	This field identifies the member's age in years based on the first date of service.	This is a value-added field created by Onpoint.	This field's source is the Member Date of Birth element reported by the submitter in the medical claims data. For children under the age of 1, this value will be 0. If no date of birth is available, this value will be -1. In observance of HIPAA regulations, individuals who are 90 years of age or older will be aggregated and coded as 90.
Safe Harbor Variable	MC-CORE016	first_paid_dt	First Paid Date	Date	8	This field identifies the first payment date for the rendered service.	This is a value-added field created by Onpoint.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	MC-CORE017	last_paid_dt	Last Paid Date	Date	8	This field identifies the last payment date for the rendered service.	This is a value-added field created by Onpoint.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	MC-CORE018	first_service_dt	Date of Service (From)	Date	8	This field identifies the first date of service for this service line.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	MC-CORE019	last_service_dt	Date of Service (Through)	Date	8	This field identifies the last date of service for this service line.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	MC-CORE020	admission_dt	Admission Date	Date	8	This field provides the date of the inpatient admission.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	MC-CORE021	discharge_dt	Discharge Date	Date	8	This field identifies the discharge date of the patient from inpatient care.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.
Claim Information	MC-CORE023	place_of_service_code	Place of Service Code	Varchar2	2	This field contains a code that indicates the type of site where the service was performed.	This field is supplied as reported to Onpoint by the submitter.	This field is required for professional claims but set to null for institutional claims.

Claim Information	MC-CORE025	type_of_bill_code	Type of Bill Code	Varchar2	4	This field contains a code that identifies the reported type of bill.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC). This field is required for institutional claims but set to null for professional claims.
Claim Information	MC-CORE026	claim_type_id	Claim Type ID	Number	38,0	This field identifies an ID for the type of claim (e.g., facility, professional, etc.) used to report this service line.	This is a value-added field created by Onpoint.	See Reference Tables
Claim Information	MC-CORE027	type_of_setting_id	Type of Setting ID	Number	38,0	This field provides additional granularity regarding the type of claim (e.g., inpatient, outpatient, provider, lab, etc.).	This is a value-added field created by Onpoint.	See Reference Tables
Claim Information	MC-CORE028	place_of_setting_id	Place of Setting ID	Number	38,0	This field identifies the setting in which the care was rendered (e.g., hospital, swing bed, skilled nursing facility, etc.).	This is a value-added field created by Onpoint.	This field is based on the reported Type of Bill Code (type_of_bill_code) in the medical claims data. This field is applicable only to facility claims. See Reference Tables.
Financial Information	MC-CORE029	quantity	Quantity	Decimal	38,2	This field contains a count of performed services.	This field is supplied as reported to Onpoint by the submitter.	This field may be negative. This field must be used with caution because the type of units may vary based upon the service performed. For example, one anesthesia unit may equal 10 minutes, while one ambulance transportation unit may equal one mile.
Financial Information	MC-CORE030	charge_amt	Charge Amount	Decimal	38,2	This field identifies the total charges for the service.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MC-CORE031	paid_amt	Paid Amount	Decimal	38,2	This field identifies the total dollar amount paid to the provider, including all health plan payments and excluding all member payments and withholds from providers.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MC-CORE032	copay_amt	Copay Amount	Decimal	38,2	This field identifies the preset, fixed dollar amount payable by a member, often on a per visit/service basis.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MC-CORE033	coinsurance_amt	Coinsurance Amount	Decimal	38,2	This field identifies the dollar amount that a member must pay toward the cost of a covered service, which is often a percentage of total cost.	This field is supplied as reported to Onpoint by the submitter.	
Financial Information	MC-CORE034	deductible_amt	Deductible Amount	Decimal	38,2	This field identifies the dollar amount that a member must pay before the health plan benefits will begin to reimburse for services.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MC-CORE035	payment_arrangement_ind_code	Payment Arrangement Indicator Code	Varchar2	20	This field contains a code that identifies the payment arrangement under which this service line was processed.	This field is supplied as reported to Onpoint by the submitter.	
Financial Information	MC-CORE036	prepaid_amt	Prepaid Amount	Decimal	38,2	This field identifies the fee-for-service equivalent that would have been paid by the healthcare claims processor for a specific service if the service had not been capitated.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Claim Information	MC-CORE038	claim_status_code	Claim Status Code	Varchar2	20	This field contains a code that identifies the status of the claim line — whether paid as primary, paid as secondary, denied, etc.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).

Procedure Coding & Detail	MC-CORE040	procedure_code	Procedure Code	Varchar2	20	This field contains the reported CPT/HCPC procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE042	procedure_modifier_code_1	Procedure Modifier Code (1)	Varchar2	20	This field identifies a CPT procedure modifier, which is used to indicate that a service or procedure has been altered by some specific circumstance but has not changed in its definition or code.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE044	procedure_modifier_code_2	Procedure Modifier Code (2)	Varchar2	20	This field identifies a CPT procedure modifier, which is used to indicate that a service or procedure has been altered by some specific circumstance but has not changed in its definition or code.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE046	procedure_modifier_code_3	Procedure Modifier Code (3)	Varchar2	20	This field identifies a CPT procedure modifier, which is used to indicate that a service or procedure has been altered by some specific circumstance but has not changed in its definition or code.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE048	procedure_modifier_code_4	Procedure Modifier Code (4)	Varchar2	20	This field identifies a CPT procedure modifier, which is used to indicate that a service or procedure has been altered by some specific circumstance but has not changed in its definition or code.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE050	revenue_code	Revenue Code	Varchar2	20	This field contains a code that identifies the revenue category for the rendered service.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC). This field is required for institutional claims but reported as null for professional claims.
Diagnosis Information	MC-CORE068	icd_version_ind	ICD Version Indicator	Varchar2	2	This field contains a code that identifies the version of ICD used to report this service line.	This field is supplied as reported to Onpoint by the submitter.	
Diagnosis Information	MC-CORE056	diagnosis_code	Diagnosis Code	Varchar2	20	This field contains a code that identifies a distinct diagnosis.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE058	icd_procedure_code	ICD Procedure Code	Varchar2	10	This field contains the principal ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.	
Enrollee Coverage Information	MC-CORE060	aid_category_code	Aid Category Code	Varchar2	20	This field contains a code that identifies the member's Medicaid aid category based on service date.	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	MC-CORE062	discharge_status_code	Discharge Status Code	Varchar2	20	This field contains a code that indicates the status for the patient discharged from an inpatient stay.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC).
Claim Information	MC-CORE063	orphaned_adjustment_flag	Orphaned Adjustment Flag	Varchar2	1	This field contains a flag that identifies a reported adjustment record for which the original claim was not submitted. Valid values are: N = No Y = Yes	This is a value-added field created by Onpoint.	
Claim Information	MC-CORE064	denied_claim_flag	Denied Claim Flag	Varchar2	1	This field contains a flag that identifies a claim that was denied. Valid values are: N = No Y = Yes	This is a value-added field created by Onpoint.	

Claim Information	MC-CORE065	emergency_room_flag	Emergency Room Flag	Varchar2	1	This field contains a code that is used to identify specific emergency room (ER) revenue or procedure codes within a claim. Valid values are: N = No Y = Yes	This is a value-added field created by Onpoint.	This field is set only on the specific claim line where an ER-related revenue, procedure code, or place of service code was found. To find true outpatient ER visits, select claim lines where this field is Y.
Claim Information	MC-XWLK004	medical_claim_header_id	Medical Claim Header Record ID	Number	38,0	This field contains an ID that identifies a unique claim.	This is a value-added field created by Onpoint.	
Provider Information	MC-CORE052	rendering_internal_provider_id	Rendering Provider Internal Provider ID	Number	38,0	This field contains an ID that identifies a unique combination of a rendering provider's reported information.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider. When using this field to link between tables, your query must set rendering_provider_id equal to provider_id.
Provider Information	MC-CORE054	billing_internal_provider_id	Billing Provider Internal Provider ID	Number	38,0	This field contains an ID that represents a unique provider.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider. When using this field to link between tables, your query must set billing_provider_id equal to provider_id.
Provider Information	MC-CORE056	attending_internal_provider_id	Attending Provider Internal Provider ID	Number	38,0	This field contains an ID that represents a unique provider.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider. When using this field to link between tables, your query must set attending_provider_id equal to provider_id.
Provider Information	MC-CORE060	referring_internal_provider_id	Referring Provider Internal Provider ID	Number	38,0	This field contains an ID that represents a unique provider.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider. When using this field to link between tables, your query must set referring_provider_id equal to provider_id.
Provider Information	MC-CORE058	operating_internal_provider_id	Operating Provider Internal Provider ID	Number	38	This field contains an ID that represents a unique provider.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider. When using this field to the provider master, your query must set operating_internal_provider_id equal to internal_provider_id.
Provider Information	MC-CORE062	other_internal_provider_id	Other Provider Internal ID	Number	38	This field contains an ID that represents a unique provider.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider. When using this field to the provider master, your query must set other_internal_provider_id equal to internal_provider_id.
Claim Information	MC-CORE147	admission_point_of_origin_code	Admission Point of Origin Code	Varchar2	2	This field contains a code that indicates the source of admission.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC).
Claim Information	MC-CORE148	admission_type	Admission Type Code	Varchar2	2	This field contains a code that indicates the type of admission for the inpatient hospital claim.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC).
Procedure Coding & Detail	MC-CORE152	national_drug_code	National Drug Code	Varchar2	11	This field contains the National Drug Code (NDC) reported for this service line.	This field is supplied as reported to Onpoint by the submitter.	
Financial Information	MC-CORE155	patient_total_out_pocket_amt	Patient Total Out-of-Pocket Amount	Decimal	38,2	This field identifies the total dollar amount for which the patient is responsible for the reported service.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.

Financial Information	MC-CORE157	other_ins_paid_amt	Other Insurance Paid Amount	Decimal	38,2	This field identifies the amount that a prior payer paid for this claim line. Indicates the submitting payer is secondary to the prior payer.	This field is supplied as reported to Onpoint by the submitter.
Financial Information	MC-CORE158	medicare_paid_amt	Medicare Paid Amount	Decimal	38,2	This field identifies the amount for which another payer is liable after the submitting payer has processed this claim line.	This field is supplied as reported to Onpoint by the submitter.
Financial Information	MC-CORE159	noncovered_charge_amt	Noncovered Charge Amount	Number	38,2	This field identifies the amount that was charged on a claim line that was not reimbursable due to eligibility limitations or unmet provider requirements.	This field is supplied as reported to Onpoint by the submitter.
Financial Information	MC-CORE160	excluded_expenses	Excluded Expenses	Decimal	38,2	This field identifies the amount that the member incurred toward covered but over-utilized services.	This field is supplied as reported to Onpoint by the submitter.
Claim Information	MC-CORE163	denied_claim_line_ind_code	Denied Claim Line Indicator Code	Varchar2	10	This field contains a code that indicates whether or not the claim line was denied. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.
Claim Information	MC-CORE167	capitated_encounter_flag	Capitated Encounter Indicator	Varchar2	10	This field contains a code that indicates whether or not the service was covered under a capitated arrangement. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.
Claim Information	MC-CORE168	global_payment_ind_code	Global Payment Indicator Code	Varchar2	10	This field contains a code that indicates whether or not the claim line was paid under a global payment arrangement. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.
Claim Information	MC-CORE169	medicare_indicator_code	Medicare Indicator Code	Varchar2	10	This field contains a code that indicates whether or not Medicare paid for part or all of the services. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.

Claim Information	MC-CORE170	authorization_needed_code	Authorization Needed Code	Varchar2	10	This field contains a code that indicates whether or not the service required a pre-authorization. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	MC-CORE171	referral_indicator_code	Referral Indicator Code	Varchar2	10	This field contains a code that indicates whether or not the service was preceded by a referral. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	MC-CORE175	network_indicator_code	Network Indicator Code	Varchar2	10	This field contains a code that indicates whether or not the claim line was paid at an in-network rate. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	
Provider Information	MC-CORE176	pcp_indicator_code	PCP Indicator Code	Varchar2	10	This field contains a code that indicates whether or not the rendering provider is the member's PCP. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	MC-CORE180	apcd_id_code	APCD ID Code	Varchar2	10	This field contains a code that describes the subscriber's/member's enrollment as one of multiple predefined categories, aligning enrollment to appropriate validations and thresholds.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE184	apc	APC	Varchar2	5	This field identifies the Ambulatory Payment Classification (APC) when reported.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE185	apc_version	APC Version	Varchar2	2	This field identifies the version of the Ambulatory Payment Classification (APC) reported in the APC field (apc; MC073).	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE186	drg_payer_submitted	DRG	Varchar2	10	This field identifies the Diagnosis Related Group (DRG) when reported.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	MC-CORE187	drg_payer_submitted_version	DRG Version	Varchar2	10	This field identifies the version of the Diagnosis Related Group (DRG) reported in the DRG field (drg_payer_submitted; MC071).	This field is supplied as reported to Onpoint by the submitter.	

Diagnosis Information	MC-CORE068	icd_version_ind	ICD Version Indicator	Varchar2	2	This field contains a code that identifies the version of ICD used to report this service line. Valid values are: 9 = ICD-9 0 = ICD-10	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE069	admitting_diagnosis_code	Diagnosis Code - Admitting	Varchar2	7	This field contains the admitting diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE070	principal_diagnosis_code	Diagnosis Code - Principal	Varchar2	7	This field contains the principal diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE071	diagnosis_code_other_1	Diagnosis Code - Other (1)	Varchar2	7	This field contains the first other diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE072	diagnosis_code_other_2	Diagnosis Code - Other (2)	Varchar2	7	This field contains the second other diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE073	diagnosis_code_other_3	Diagnosis Code - Other (3)	Varchar2	7	This field contains the third diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE074	diagnosis_code_other_4	Diagnosis Code - Other (4)	Varchar2	7	This field contains the fourth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE075	diagnosis_code_other_5	Diagnosis Code - Other (5)	Varchar2	7	This field contains the fifth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE076	diagnosis_code_other_6	Diagnosis Code - Other (6)	Varchar2	7	This field contains the sixth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE077	diagnosis_code_other_7	Diagnosis Code - Other (7)	Varchar2	7	This field contains the seventh diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE078	diagnosis_code_other_8	Diagnosis Code - Other (8)	Varchar2	7	This field contains the eighth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE079	diagnosis_code_other_9	Diagnosis Code - Other (9)	Varchar2	7	This field contains the ninth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE080	diagnosis_code_other_10	Diagnosis Code - Other (10)	Varchar2	7	This field contains the tenth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE081	diagnosis_code_other_11	Diagnosis Code - Other (11)	Varchar2	7	This field contains the eleventh diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE082	diagnosis_code_other_12	Diagnosis Code - Other (12)	Varchar2	7	This field contains the twelfth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE083	diagnosis_code_other_13	Diagnosis Code - Other (13)	Varchar2	7	This field contains the thirteenth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE084	diagnosis_code_other_14	Diagnosis Code - Other (14)	Varchar2	7	This field contains the fourteenth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE085	diagnosis_code_other_15	Diagnosis Code - Other (15)	Varchar2	7	This field contains the fifteenth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE086	diagnosis_code_other_16	Diagnosis Code - Other (16)	Varchar2	7	This field contains the sixteenth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		

Diagnosis Information	MC-CORE087	diagnosis_code_other_17	Diagnosis Code - Other (17)	Varchar2	7	This field contains the seventeenth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE088	diagnosis_code_other_18	Diagnosis Code - Other (18)	Varchar2	7	This field contains the eighteenth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE089	diagnosis_code_other_19	Diagnosis Code - Other (19)	Varchar2	7	This field contains the nineteenth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE090	diagnosis_code_other_20	Diagnosis Code - Other (20)	Varchar2	7	This field contains the twentieth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE091	diagnosis_code_other_21	Diagnosis Code - Other (21)	Varchar2	7	This field contains the twenty-first diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE092	diagnosis_code_other_22	Diagnosis Code - Other (22)	Varchar2	7	This field contains the twenty-second diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE093	diagnosis_code_other_23	Diagnosis Code - Other (23)	Varchar2	7	This field contains the twenty-third diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE094	diagnosis_code_other_24	Diagnosis Code - Other (24)	Varchar2	7	This field contains the twenty-fourth diagnosis code.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE096	principal_icd_procedure_code	ICD Procedure Code - Principal	Varchar2	7	This field contains the principal ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE097	icd_procedure_code_1	ICD Procedure Code - Other (1)	Varchar2	7	This field contains the first other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE098	icd_procedure_code_2	ICD Procedure Code - Other (2)	Varchar2	7	This field contains the second other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE099	icd_procedure_code_3	ICD Procedure Code - Other (3)	Varchar2	7	This field contains the third other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE100	icd_procedure_code_4	ICD Procedure Code - Other (4)	Varchar2	7	This field contains the fourth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE101	icd_procedure_code_5	ICD Procedure Code - Other (5)	Varchar2	7	This field contains the fifth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE102	icd_procedure_code_6	ICD Procedure Code - Other (6)	Varchar2	7	This field contains the sixth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE103	icd_procedure_code_7	ICD Procedure Code - Other (7)	Varchar2	7	This field contains the seventh other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE104	icd_procedure_code_8	ICD Procedure Code - Other (8)	Varchar2	7	This field contains the eighth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE105	icd_procedure_code_9	ICD Procedure Code - Other (9)	Varchar2	7	This field contains the ninth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE106	icd_procedure_code_10	ICD Procedure Code - Other (10)	Varchar2	7	This field contains the tenth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE107	icd_procedure_code_11	ICD Procedure Code - Other (11)	Varchar2	7	This field contains the eleventh other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		

Procedure Coding & Detail	MC-CORE108	icd_procedure_code_12	ICD Procedure Code - Other (12)	Varchar2	7	This field contains the twelfth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE109	icd_procedure_code_13	ICD Procedure Code - Other (13)	Varchar2	7	This field contains the thirteenth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE110	icd_procedure_code_14	ICD Procedure Code - Other (14)	Varchar2	7	This field contains the fourteenth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE111	icd_procedure_code_15	ICD Procedure Code - Other (15)	Varchar2	7	This field contains the fifteenth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE112	icd_procedure_code_16	ICD Procedure Code - Other (16)	Varchar2	7	This field contains the sixteenth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE113	icd_procedure_code_17	ICD Procedure Code - Other (17)	Varchar2	7	This field contains the seventeenth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE114	icd_procedure_code_18	ICD Procedure Code - Other (18)	Varchar2	7	This field contains the eighteenth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE115	icd_procedure_code_19	ICD Procedure Code - Other (19)	Varchar2	7	This field contains the nineteenth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE116	icd_procedure_code_20	ICD Procedure Code - Other (20)	Varchar2	7	This field contains the twentieth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE117	icd_procedure_code_21	ICD Procedure Code - Other (21)	Varchar2	7	This field contains the twenty-first other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE118	icd_procedure_code_22	ICD Procedure Code - Other (22)	Varchar2	7	This field contains the twenty-second other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE119	icd_procedure_code_23	ICD Procedure Code - Other (23)	Varchar2	7	This field contains the twenty-third other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Procedure Coding & Detail	MC-CORE120	icd_procedure_code_24	ICD Procedure Code - Other (24)	Varchar2	7	This field contains the twenty-fourth other ICD procedure code for the service rendered.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE121	poa_diagnosis_code_principal	POA Diagnosis Code - Principal	Varchar2	10	This field contains the present on admission (POA) code for the Principal Diagnosis.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE122	poa_diagnosis_code_other_1	POA Diagnosis Code - Other (1)	Varchar2	10	This field contains the present on admission (POA) code for an additional diagnosis.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE123	poa_diagnosis_code_other_2	POA Diagnosis Code - Other (2)	Varchar2	10	This field contains the present on admission (POA) code for an additional diagnosis.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE124	poa_diagnosis_code_other_3	POA Diagnosis Code - Other (3)	Varchar2	10	This field contains the present on admission (POA) code for an additional diagnosis.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE125	poa_diagnosis_code_other_4	POA Diagnosis Code - Other (4)	Varchar2	10	This field contains the present on admission (POA) code for an additional diagnosis.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE126	poa_diagnosis_code_other_5	POA Diagnosis Code - Other (5)	Varchar2	10	This field contains the present on admission (POA) code for an additional diagnosis.	This field is supplied as reported to Onpoint by the submitter.		
Diagnosis Information	MC-CORE127	poa_diagnosis_code_other_6	POA Diagnosis Code - Other (6)	Varchar2	10	This field contains the present on admission (POA) code for an additional diagnosis.	This field is supplied as reported to Onpoint by the submitter.		

MEDICAL SERVICE LINE FLAGS TABLE

Classification	ID	Warehouse Name	Common Name	Type	Length	Description	Origin	Notes
Administrative	MCSLF001	medical_claim_service_line_id	Medical Claim Service-Line Record ID	Number	38	This field contains an ID that identifies a unique service line of a submitted claim record.	This is a value-added field created by Onpoint.	
Administrative	MCSLF002	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique data set.	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF003	inpatient_acute_flag	Inpatient Acute Flag	Varchar2	5	This field contains a flag that can be used to identify records for inpatient acute services. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF004	inpatient_nonacute_flag	Inpatient Non-Acute Flag	Varchar2	5	This field contains a flag that can be used to identify records for inpatient non-acute services. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF005	hospice_utilization_flag	Hospice Utilization Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to hospice utilization. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF006	health_home_utilization_flag	Home Health Utilization Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to health home utilization. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF007	operating_room_flag	Operating Room Flag	Varchar2	5	This field contains a code that can be used to identify records for services provided in an operating room. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF008	emergency_room_flag	Emergency Department Visits Flag	Varchar2	5	This field contains a code that can be used to identify records for services provided in an emergency room. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF009	preventive_screenings_flag	Preventive Screenings Flag	Varchar2	5	This field contains a flag that can be used to identify records for preventive screenings. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF010	preventive_vaccinations_flag	Preventive Vaccinations Flag	Varchar2	5	This field contains a flag that can be used to identify records for preventive vaccinations. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF011	preventive_visits_flag	Preventive Visits Flag	Varchar2	5	This field contains a flag that can be used to identify records for preventive visits. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF012	consultations_flag	Consultations Flag	Varchar2	5	This field contains a flag that can be used to identify records for consultations. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF013	evaluation_and_management_flag	Evaluation & Management Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to Evaluation & Management. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF014	psychiatric_vists_flag	Psychiatric Visits Flag	Varchar2	5	This field contains a flag that can be used to identify records for psychiatric visits. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF015	physical_therapy_rehab_flag	Physical Therapy & Rehabilitation Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to physical therapy and rehabilitation. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF016	surgery_and_anesthesia_flag	Surgery & Anesthesia Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to surgery and anesthesia. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF017	endoscopic_procedure_flag	Endoscopic Procedures Flag	Varchar2	5	This field contains a flag that can be used to identify records for endoscopic procedures. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF018	imaging_advanced_flag	Advanced Imaging Flag	Varchar2	5	This field contains a flag that can be used to identify records for advanced imaging services. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF019	cardiac_imaging_and_tests_flag	Cardiac Imaging & Tests Flag	Varchar2	5	This field contains a flag that can be used to identify records for cardiac imaging and tests. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF020	echography_flag	Echography Flag	Varchar2	5	This field contains a flag that can be used to identify records for echography services. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF021	imaging_standard_flag	Standard Imaging Flag	Varchar2	5	This field contains a flag that can be used to identify records for standard imaging services. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	

Medical Service Line Flag	MCSLF022	lab_and_pathology_flag	Lab & Pathology Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to lab and pathology services. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF023	oncology_and_chemotherapy_flag	Oncology & Chemotherapy Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to oncology and chemotherapy. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF024	dialysis_flag	Dialysis Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to dialysis. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF025	chiropractic_flag	Chiropractic Treatments Flag	Varchar2	5	This field contains a flag that can be used to identify records for chiropractic treatments. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF026	durable_medical equip_flag	Durable Medical Equipment Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to DME. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF027	telehealth_flag	Telehealth Encounter Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to providing telehealth services. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	
Medical Service Line Flag	MCSLF028	covid19_flag	COVID-19 Flag	Varchar2	5	This field contains a flag that can be used to identify records specific to providing services related to COVID-19 testing and treatment. The only valid values are: Y = Yes N = No	This is a value-added field created by Onpoint.	

MEDICAL CLAIM HEADER TABLE

Classification	ID	Warehouse Name	Common Name	Type	Length	Description	Origin	Notes
Administrative	MH-CORE001	medical_claim_header_id	Medical Claim Header Record ID	Number	38,0	This field contains an ID that identifies a unique claim.	This is a value-added field created by Onpoint.	
Administrative	MH-CORE002	extract_id	Extract ID	Number	38,0	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
Payer Information	MH-CORE003	submitter_id	Submitter ID	Number	38,0	This field contains an ID that uniquely identifies a submitter.	This is a value-added field created by Onpoint.	
Payer Information	MH-CORE032	product_code	Insurance Type / Product Code	Varchar2	20	This field contains a code that identifies the member's type of insurance or insurance product (e.g., Health Maintenance Organization (HMO), Medicaid, Medicare, Point Of Service (POS), etc.).	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC). Client-defined codes and descriptions, if submitted, are supplied to Onpoint for supplementary reporting.
Administrative	MH-CORE004	internal_member_id	Internal Member ID	Number	38,0	This field contains an ID that represents a unique member.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a member.
Safe Harbor Variable	MH-CORE007	first_service_dt	Date of Service (From)	Date	8	This field identifies the first date of service for this service line.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	MH-CORE008	last_service_dt	Date of Service (Through)	Date	8	This field identifies the last date of service for this service line.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	MH-CORE009	first_paid_dt	First Paid Date	Date	8	This field identifies the first payment date for the rendered service.	This is a value-added field created by Onpoint.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	MH-CORE010	last_paid_dt	Last Paid Date	Date	8	This field identifies the last payment date for the rendered service.	This is a value-added field created by Onpoint.	Masking applied to prevent disclosure of actual date.
Financial Information	MH-CORE011	charge_amt	Charge Amount	Decimal	38,2	This field identifies the total charges for the service.	This is a value-added field created by Onpoint.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MH-CORE012	paid_amt	Paid Amount	Decimal	38,2	This field identifies the total dollar amount paid to the provider, including all health plan payments and excluding all member payments and withholds from providers.	This is a value-added field created by Onpoint.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MH-CORE013	prepaid_amt	Prepaid Amount	Decimal	38,2	This field identifies the fee-for-service equivalent that would have been paid by the healthcare claims processor for a specific service if the service had not been capitated.	This is a value-added field created by Onpoint.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MH-CORE014	copay_amt	Copay Amount	Decimal	38,2	This field identifies the preset, fixed dollar amount payable by a member, often on a per visit/service basis.	This is a value-added field created by Onpoint.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MH-CORE015	coinsurance_amt	Coinsurance Amount	Decimal	38,2	This field identifies the dollar amount that a member must pay toward the cost of a covered service, which is often a percentage of total cost.	This is a value-added field created by Onpoint.	This is a money field containing dollars and cents. This field may contain a negative value.

Financial Information	MH-CORE016	deductible_amt	Deductible Amount	Decimal	38,2	This field identifies the dollar amount that a member must pay before the health plan benefits will begin to reimburse for services.	This is a value-added field created by Onpoint.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MH-CORE017	allowed_amt	Allowed Amount	Decimal	38,2	This field identifies the sum of the insurer and member paid dollar amounts	This is a value-added field created by Onpoint.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	MH-CORE018	insurer_paid_amt	Insurer Paid Amount	Decimal	38,2	This field identifies the sum of the insurer paid dollar amounts	This is a value-added field created by Onpoint.	This is a money field containing dollars and cents. This field may contain a negative value.
Diagnosis Information	MH-CORE020	diagnosis_code	ICD Diagnosis Code	Varchar2	20	This field contains a code that identifies the principal diagnosis.	This field is supplied as reported to Onpoint by the submitter.	
Diagnosis Information	MH-CORE021	icd_version_ind	ICD Version Indicator	Varchar2	2	This field contains a code that identifies the version of ICD used to report this service line.	This field is supplied as reported to Onpoint by the submitter using collection field (Principal Diagnosis ICD Version Indicator).	
Financial Information	MH-CORE022	header_status	Claim Status Code	Varchar2	2	This field contains a code that identifies the status of the claim line - whether paid as primary, paid as secondary, denied, etc.	This is a value-added field created by Onpoint.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
Financial Information	MH-CORE023	denied_header_flag	Denied Claim Flag	Varchar2	1	This field contains a flag that identifies a claim that was denied.	This is a value-added field created by Onpoint.	
Financial Information	MH-CORE024	orphaned_header_flag	Orphaned Adjustment Flag	Varchar2	1	This field contains a flag that identifies a reported adjustment record for which the original claim was not submitted.	This is a value-added field created by Onpoint.	
Claim Information	MH-CORE025	claim_type_id	Claim Type ID	Number	38,0	This field identifies an ID that identifies the type of claim (e.g., facility, professional, etc.) used to report this service line.	This is a value-added field created by Onpoint.	See Reference Tables
Claim Information	MH-CORE026	type_of_setting_id	Type of Setting ID	Number	38,0	This field provides additional granularity regarding the type of claim (e.g., inpatient, outpatient, provider, lab, etc.).	This is a value-added field created by Onpoint.	See Reference Tables
Claim Information	MH-CORE027	place_of_setting_id	Place of Setting ID	Number	38,0	This field identifies the setting in which the care was rendered (e.g., hospital, swing bed, skilled nursing facility, etc.).	This is a value-added field created by Onpoint.	This field is based on the reported Type of Bill Code (type_of_bill_code) in the medical claims data. This field is applicable only to facility claims. See Reference Tables.
Claim Information	MH-CORE028	type_of_bill_code	Type of Bill Code	Varchar2	4	This field contains a code that identifies the reported type of bill.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC). This field is required for institutional claims but set to null for professional claims.
Administrative	IPDIS001	inpatient_discharge_id	Inpatient Discharge Record ID	Number	38,0	This field contains an ID that identifies a unique inpatient discharge record.	This is a value-added field created by Onpoint.	
Safe Harbor Variable	IPDIS007	admit_dt	Admission Date	Date	8	This field identifies the date of the inpatient admission.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.
Safe Harbor Variable	IPDIS008	discharge_dt	Discharge Date	Date	8	This field identifies the discharge date of the patient from inpatient care.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.

Claim Information	IPDIS010	discharge_status_code	Discharge Status Code	Varchar2	20	This field contains a code that identifies the status of the patient discharged from an inpatient stay.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC).
Claim Information	IPDIS011	length_of_stay	Length of Stay	Number	10,0	This field identifies the length of stay (in days) for an inpatient claim.	This is a value-added field created by Onpoint.	This field is calculated based on the reported Admission Date (admission_dt) and Discharge Date (discharge_dt). A one-day length of stay is reported if the patient was admitted and discharged on the same day or if the patient was admitted on one day and discharged on the following day.
Diagnosis Information	IPDIS814	admit_diagnosis_ID	ICD Diagnosis Code ID Number – Admitting	Varchar2	20	This field contains an ID number that identifies a unique combination of information designating an ICD diagnosis code used to report the member's diagnosis at the time of admission.	This is a value-added field created by Onpoint.	

PHARMACY CLAIM TABLE

Classification	ID	Warehouse Name	Common Name	Type	Length	Description	Origin	Notes
Administrative	PC-CORE001	pharmacy_claim_service_line_id	Pharmacy Claim Record ID	Number	38,0	This field contains an ID that identifies a unique pharmacy claim record.	This is a value-added field created by Onpoint.	
Administrative	PC-CORE002	extract_id	Extract ID	Number	38,0	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
Administrative	PC-CORE004	submitter_clm_control_num	Submitter Claim Control Number (Encrypted)	Varchar2	272	This field contains an encrypted version of the claim number used by the data submitter to internally track the claim.	This field is supplied as reported to Onpoint by the submitter.	This field was encrypted upon release for additional security.
Claim Information	PC-CORE005	line_counter	Line Counter	Number	38,0	This field contains the line number for this service.	This field is supplied as reported to Onpoint by the submitter.	
Administrative	PC-CORE007	internal_member_id	Internal Member ID	Number	38,0	This field contains an ID that represents a unique member.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a member.
Payer Information	PC-CORE003	submitter_id	Submitter ID	Number	38,0	This field contains an ID that uniquely identifies a submitter.	This is a value-added field created by Onpoint.	
Enrollee Coverage Information	PC-CORE009	product_code	Insurance Type / Product Code	Varchar2	20	This field contains a code that identifies the member's type of insurance or insurance product.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
Enrollee Demographics	PC-CORE010	gender_code	Member Gender Code	Varchar2	2	This field contains a code that indicates the member's gender. Valid values are: F = Female M = Male U = Unknown	This field is supplied as reported to Onpoint by the submitter.	
Enrollee Demographics	PC-CORE011	age	Member Age (90+ Aggregate)	Number	2,0	This field identifies the member's age in years based on the prescription fill date.	This is a value-added field created by Onpoint.	This field's source is the Member Date of Birth element reported by the submitter in the pharmacy claims data. For children under the age of 1, this value will be 0. If no date of birth is available, this value will be -1. In observance of HIPAA regulations, individuals who are 90 years of age or older will be aggregated and coded as 90.
Enrollee Coverage Information	PC-CORE013	out_of_state_flag	Out-of-State Flag	Varchar2	1	This field identifies whether the member was domiciled within the state. Valid values are: N = No Y = Yes	This is a value-added field created by Onpoint.	This field is based on the Member ZIP/Postal Code reported by the submitter in the eligibility data.
Enrollee Coverage Information	PC-CORE015	subscriber_relationship_code	Member's Relationship Code	Varchar2	10	This field contains a code that indicates the member's relationship to the subscriber or the insured. Among the potential values reported for this field: - Spouse - Self - Child - Employee - Life partner - Other relationship	This field is supplied as reported to Onpoint by the submitter.	
Safe Harbor Variable	PC-CORE018	prescription_filled_dt	Date Prescription Filled	Date	8	This field identifies the date on which the prescription was filled.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.

Safe Harbor Variable	PC-CORE019	first_paid_dt	First Paid Date	Date	8	This field contains the first paid date associated with the claim.	This is a value-added field created by Onpoint.	Masking applied to prevent disclosure of actual date. This field is based on the reported Date Prescription Filled field. While multiple paid dates may occur for the same claim as part of the adjudication process, this field contains the first paid date associated with the claim. For claims that were not adjusted, this is the actual paid date.
Safe Harbor Variable	PC-CORE020	last_paid_dt	Last Paid Date	Date	8	This field contains the last paid date associated with the claim.	This is a value-added field created by Onpoint.	Masking applied to prevent disclosure of actual date.
Procedure Coding & Detail	PC-CORE021	national_drug_code	National Drug Code	Varchar2	11	This field contains the National Drug Code (NDC) reported for this claim.	This field is supplied as reported to Onpoint by the submitter.	
Procedure Coding & Detail	PC-CORE022	drug_name	Drug Name	Varchar2	80	This field contains the text name of the dispensed drug.	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	PC-CORE023	refill_number	New Prescription or Refill	Number	38,0	This field contains a code that identifies whether this was a new prescription or a refill.	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	PC-CORE024	quantity	Quantity Dispensed	Decimal	38,2	This field identifies the total unit dosage in metric units.	This field is supplied as reported to Onpoint by the submitter.	This field may contain a negative value.
Claim Information	PC-CORE025	days_supply	Days' Supply	Decimal	38,0	This field identifies the days' supply for the prescription based on the metric quantity dispensed.	This field is supplied as reported to Onpoint by the submitter.	This field may contain a negative value.
Claim Information	PC-CORE026	thirty_day_equivalent	Thirty-Day Equivalency	Decimal	38,0	This field reports the number of thirty-day equivalencies associated with this prescription.	This is a value-added field created by Onpoint.	This field is based on the reported Days' Supply.
Financial Information	PC-CORE027	charge_amt	Charge Amount	Decimal	38,2	This field identifies the total charges for the service.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	PC-CORE028	paid_amt	Paid Amount	Decimal	38,2	This field identifies the total dollar amount paid to the provider, including all health plan payments and excluding all member payments and withholds from providers.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	PC-CORE029	copay_amt	Copay Amount	Decimal	38,2	This field identifies the preset, fixed dollar amount payable by a member, often on a per visit/service basis.	This field is supplied as reported to Onpoint by the submitter.	Not all carriers can distinguish between the mutually exclusive fields of Copay Amount and Coinsurance Amount. This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	PC-CORE030	coinsurance_amt	Coinsurance Amount	Decimal	38,2	This field identifies the dollar amount that a member must pay toward the cost of a covered service, which is often a percentage of total cost.	This field is supplied as reported to Onpoint by the submitter.	Not all carriers can distinguish between the mutually exclusive fields of Copay Amount and Coinsurance Amount. This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	PC-CORE031	deductible_amt	Deductible Amount	Decimal	38,2	This field identifies the dollar amount that a member must pay before the health plan benefits will begin to reimburse for services.	This field is supplied as reported to Onpoint by the submitter.	To determine the total out-of-pocket/member responsibility for this service, you must sum this field with both Copay Amount and Coinsurance Amount. This is a money field containing dollars and cents. This field may contain a negative value.

Financial Information	PC-CORE032	dispensing_fee	Dispensing Fee	Decimal	38,2	This field reports the amount charged for dispensing the prescription.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	PC-CORE033	ingredient_cost	Ingredient Cost / List Price	Decimal	38,2	This field reports the cost of the drug that was dispensed.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	PC-CORE034	postage_cost	Postage Amount Claimed	Decimal	38,2	This field reports the cost of postage included in the Paid Amount field.	This field is supplied as reported to Onpoint by the submitter.	
Financial Information	PC-CORE036	claim_status_code	Claim Status Code	Varchar2	20	This field contains a code that identifies the status of the claim — whether paid as primary, paid as secondary, denied, etc.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
Claim Information	PC-CORE037	denied_claim_flag	Denied Claim Flag	Varchar2	1	This field contains a flag that identifies a claim that was denied. Valid values are: N = No Y = Yes	This is a value-added field created by Onpoint.	
Claim Information	PC-CORE038	generic_drug_ind_code	Generic Drug Indicator Code	Varchar2	10	This field contains a code that identifies whether the dispensed drug was a branded drug or a generic drug. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	PC-CORE039	compound_drug_code	Compound Drug Indicator Code	Varchar2	10	This field contains a code that indicates whether or not the dispensed drug was a compound drug. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Council for Prescription Drug Programs (NCPDP).
Claim Information	PC-CORE040	dispense_as_written_code	Dispense as Written Code	Varchar2	20	This field contains a code that identifies the instructions given to the pharmacist for filling the prescription.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Council for Prescription Drug Programs (NCPDP).
Claim Information	PC-CORE044	orphaned_adjustment_flag	Orphaned Adjustment Flag	Varchar2	1	This field contains a flag that identifies a reported adjustment record for which the original claim was not submitted.	This is a value-added field created by Onpoint.	
Provider Information	PC-CORE042	pharmacy_internal_provider_id	Pharmacy Internal Provider ID	Number	38	This field contains an ID that identifies a unique combination of a pharmacy's reported information.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider. When using this field to link between tables, your query must set pharmacy_provider_id equal to provider_id.
Provider Information	PC-CORE044	prscribing_internal_provider_id	Prescribing Internal Provider ID	Number	38	This field contains an ID that represents a unique provider.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider. When using this field to link between tables, your query must set prscribing_internal_provider_id equal to internal_provider_id.

Claim Information	PC-CORE051	drug_source_ind_code	Drug Source Indicator Code	Varchar2	10	This field contains a code that defines the availability of the pharmaceutical.	This field is supplied as reported to Onpoint by the submitter.	
Safe Harbor Variable	PC-CORE052	prescription_written_dt	Prescription Written Date	Date	8	This field identifies the date that was written on the prescription or called in by the prescribing physician's office.	This field is supplied as reported to Onpoint by the submitter.	Masking applied to prevent disclosure of actual date.
Financial Information	PC-CORE055	medicare_paid_amt	Medicare Paid Amount	Decimal	38,2	This field identifies the amount for which another payer is liable after the submitting payer has processed this claim line.	This field is supplied as reported to Onpoint by the submitter.	
Financial Information	PC-CORE056	patient_pay_amt	Patient Pay Amount	Decimal	38,2	This field identifies the dollar amount for which the patient is responsible.	This field is supplied as reported to Onpoint by the submitter.	This is a money field containing dollars and cents. This field may contain a negative value.
Financial Information	PC-CORE058	state_sales_tax	State Sales Tax	Decimal	38,2	This field identifies the amount of state sales tax applied to this claim line.	This field is supplied as reported to Onpoint by the submitter.	
Financial Information	PC-CORE059	rebate_indicator_code	Rebate Indicator Code	Varchar2	10	This field contains a code that indicates whether or not the prescribed drug was eligible for rebate. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	PC-CORE060	formulary_code	Formulary Code	Varchar2	10	This field contains a code that indicates whether or not the prescribed drug was on the carrier's formulary list. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	PC-CORE062	drug_administration_route_code	Drug Administration Route Code	Varchar2	10	This field identifies the pharmaceutical route of administration that defines the method of drug administration.	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	PC-CORE064	drug_unit_of_measure	Drug Unit of Measurement	Varchar2	10	This field contains a code that defines the unit of measure for the drug dispensed.	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	PC-CORE068	medicare_pmt_applied_ind_code	Medicare Payment Applied Indicator Code	Varchar2	10	This field contains a code that indicates whether or not Medicare paid for part or all of the services. Valid codes include: 1 = Yes 2 = No 3 = Unknown 4 = Other 5 = Not Applicable	This field is supplied as reported to Onpoint by the submitter.	
Claim Information	PC-CORE074	pharmacy_mail_order_code	Mail-Order Pharmacy Code	Varchar2	20	This field contains a code that indicates whether or not the dispensing pharmacy was a mail-order pharmacy.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are supplied in specifications provided to submitters.

Classification	ID	Warehouse Name	Common Name	Type	Length	Description	Origin	Notes
Administrative	PRV-CORE001	provider_id	Provider ID	Number	38,0	This field contains an ID that identifies a unique combination of a provider's reported information.	This is a value-added field created by Onpoint.	This field can be used to link all records associated with a provider.
Administrative	PRV-CORE004	internal_provider_id	Internal Provider ID	Number	38,0	This field contains an ID that represents a unique provider.	This is a value-added field created by Onpoint.	This field can be used to aggregate all records associated with a provider.
Payer Information	PRV-CORE003	submitter_id	Submitter ID	Number	38,0	This field contains an ID that uniquely identifies a submitter.	This is a value-added field created by Onpoint.	
Administrative	PRV-CORE002	extract_id	Extract ID	Number	38,0	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
Provider Information	PRV-CORE014	orig_npi	Provider NPI	Number	10	This field contains the provider's National Provider Identification Number used by the U.S. Centers for Medicare & Medicaid Services (CMS).	This field is supplied based on a crosswalk between submitter-supplied information and external sources (e.g., NPPES).	
Provider Information	PRV-MAST017	npi	Provider NPI	Number	10	This field contains the provider's National Provider Identification Number used by the U.S. Centers for Medicare & Medicaid Services (CMS).	This field is supplied based on a crosswalk between submitter-supplied information and external sources (e.g., NPPES).	

REFERENCE TABLE

Reference Table Name	ID	Warehouse Name	Common Name	Type	Length	Description	Origin	Notes
admission_point_of_origin	REF_ADMSRC801	admission_point_of_origin_id	Admission Source Code ID	Number	38	This field contains an ID that identifies a unique Admission Source Code.	This is a value-added field created by Onpoint.	
admission_point_of_origin	REF_ADMSRC802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
admission_point_of_origin	REF_ADMSRC803	admission_point_of_origin_code	Admission Source Code	Varchar2	2	This field contains a code that indicates the source of admission.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC).
admission_point_of_origin	REF_ADMSRC804	admission_point_of_origin_desc	Admission Source Code Description	Varchar2	600	This field contains a description of the Admission Source Code.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC). This is a field released under license.
admission_point_of_origin	REF_ADMSRC805	begin_dt	Effective Date	Date	8	This field identifies the first date of validity for the Admission Source Code.	This is a value-added field created by Onpoint.	
admission_point_of_origin	REF_ADMSRC806	end_dt	Expiration Date	Date	8	This field identifies the last valid date for the Admission Source Code.	This is a value-added field created by Onpoint.	
admission_type	REF_ADMTYE801	admission_type_id	Admission Type Code ID	Number	38	This field contains an ID that identifies a unique Admission Type Code.	This is a value-added field created by Onpoint.	
admission_type	REF_ADMTYE802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
admission_type	REF_ADMTYE803	admission_type	Admission Type Code	Varchar2	2	This field contains a code that indicates the type of admission for the inpatient hospital claim.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC).
admission_type	REF_ADMTYE804	admission_type_desc	Admission Type Code Description	Varchar2	100	This field contains a description of the Admission Type Code.	This field is supplied based on the code and supporting look-up table.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC). This is a field released under license. Redistribution may require additional license and accordant fees.
claim_line_type	REF_CLAIMLINE801	claim_line_type_id	Claim Line Type Code ID	Number	38	This field contains an ID that identifies a unique Claim Line Type Code.	This is a value-added field created by Onpoint.	
claim_line_type	REF_CLAIMLINE802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
claim_line_type	REF_CLAIMLINE803	claim_line_type_code	Claim Line Type Code	Varchar2	10	This field contains a code that identifies the Claim Line Type Code.	This field is supplied as reported to Onpoint by the submitter.	
claim_line_type	REF_CLAIMLINE804	claim_line_type_desc	Claim Line Type Description	Varchar2	100	This field contains a description of the Claim Line Type Code.	This field is supplied based on the code and supporting look-up table.	
claim_status	REF_CLMSTAT801	claim_status_id	Claim Status Code ID	Number	38	This field contains an ID that identifies a unique claim status code.	This is a value-added field created by Onpoint.	
claim_status	REF_CLMSTAT802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
claim_status	REF_CLMSTAT803	claim_status_code	Claim Status Code	Varchar2	20	This field contains a code that identifies the status of the claim line - whether paid as primary, paid as secondary, denied, etc.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).	
claim_status	REF_CLMSTAT804	claim_status_desc	Claim Status Description	Varchar2	100	This field contains the description of the claim status code.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).	
claim_status	REF_CLMSTAT805	begin_dt	Effective Date	Date	8	This field identifies the first date of validity for the claim status code.	This is a value-added field created by Onpoint.	
claim_status	REF_CLMSTAT806	end_dt	Expiration Date	Date	8	This field identifies the last valid date for the claim status code.	This is a value-added field created by Onpoint.	
claim_type	REF_CLMTPYE801	claim_type_id	Claim Type ID	Number	38	This field contains an ID that identifies a unique Claim Type.	This is a value-added field created by Onpoint.	
claim_type	REF_CLMTPYE802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
claim_type	REF_CLMTPYE803	claim_type_desc	Claim Type Description	Varchar2	100	This field contains a description of the Claim Type.	This field is supplied as reported to Onpoint by the submitter.	
coverage_level	REF_COVL801	coverage_level_id	Coverage Level Code ID	Number	38	This field contains an ID that identifies a unique coverage level code.	This is a value-added field created by Onpoint.	
coverage_level	REF_COVL802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique data set.	This is a value-added field created by Onpoint.	
coverage_level	REF_COVL803	coverage_level_code	Coverage Level Code	Varchar2	20	This field contains a code that identifies the member's benefit level of coverage.	This field is supplied based on a reference look-up table.	
coverage_level	REF_COVL804	coverage_level_desc	Coverage Level Code Description	Varchar2	100	This field contains the description for the reported Coverage Level Code.	This field is supplied based on the reported code and supporting look-up table.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
coverage_type	REF_COVT801	coverage_type_id	Coverage Type Code ID	Number	38	This field contains an ID that identifies a unique coverage type code.	This is a value-added field created by Onpoint.	
coverage_type	REF_COVT802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique data set.	This is a value-added field created by Onpoint.	
coverage_type	REF_COVT803	coverage_type_code	Coverage Type Code	Varchar2	20	This field contains a code that identifies the member's type of coverage.	This field is supplied based on a reference look-up table.	
coverage_type	REF_COVT804	coverage_type_desc	Coverage Type Code Description	Varchar2	600	This field contains a code that identifies the member's type of coverage.	This field is supplied based on the reported code and supporting look-up table.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
discharge_status	REF_DISCHSTAT801	discharge_status_id	Discharge Status Code ID	Number	38	This field contains an ID that identifies a unique Discharge Status Code.	This is a value-added field created by Onpoint.	
discharge_status	REF_DISCHSTAT802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
discharge_status	REF_DISCHSTAT803	discharge_status_code	Discharge Status Code	Varchar2	20	This field contains a code that identifies the status or disposition of the patient as of the discharge date.	This field is supplied based on a reference look-up table.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC).
discharge_status	REF_DISCHSTAT804	discharge_status_desc	Discharge Status Code Description	Varchar2	600	This field contains a description of the Discharge Status Code.	This field is supplied based on the code and supporting look-up table.	This is a field released under license. Redistribution may require additional licenses and accordant fees.
discharge_status	REF_DISCHSTAT805	begin_dt	Effective Date	Date	8	This field identifies the first date of validity for the discharge status code.	This is a value-added field created by Onpoint.	
discharge_status	REF_DISCHSTAT806	end_dt	Expiration Date	Date	8	This field identifies the last valid date for the discharge status code.	This is a value-added field created by Onpoint.	
dispense_as_written	REF_DISPENSE801	dispense_as_written_id	Dispense as Written Code ID	Number	38	This field contains an ID that identifies a unique Dispense as Written Code.	This is a value-added field created by Onpoint.	
dispense_as_written	REF_DISPENSE802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique data set.	This is a value-added field created by Onpoint.	
dispense_as_written	REF_DISPENSE803	dispense_as_written_code	Dispense as Written Code	Varchar2	2	This field contains a code that identifies the instructions given to the pharmacist for filling the prescription.	This field is supplied based on the reported code and supporting look-up table.	Valid codes and descriptions are maintained by the National Council for Prescription Drug Programs (NCPDP).

dispense_as_written	REF-DISPENSE804	dispense_as_written_code_desc	Dispense as Written Code Description	Varchar2	100	This field contains the description for the reported Dispense as Written Code.	This field is supplied based on the reported code and supporting look-up table.	Valid codes and descriptions are maintained by the National Council for Prescription Drug Programs (NCPDP). This is a field released under license. Redistribution may require additional licenses and accordant fees.
dispense_as_written	REF-DISPENSE805	dispense_as_written_code_flag	Dispense as Written Flag	Varchar2	2	This field contains a flag that identifies whether the prescription was dispensed as written. The only valid values for this field are: Y = Yes N = No U = Unknown	This is a value-added field created by Onpoint.	Valid codes and descriptions are maintained by the National Council for Prescription Drug Programs (NCPDP). This is a field released under license. Redistribution may require additional licenses and accordant fees.
drug_ref	REF-DRG001	drug_label_id	DRG Label ID	Number	38	This field contains an ID that identifies a unique DRG label record.	This is a value-added field created by Onpoint.	
drug_ref	REF-DRG002	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
drug_ref	REF-DRG003	drug_code	DRG Code	Varchar2	10	This field contains the diagnosis-related group (DRG) code assigned to the inpatient stay based on the appropriate weight file.	This is a value-added field created by Onpoint.	This field is assigned for the inpatient stay through the CMS grouper software.
drug_ref	REF-DRG004	drug_label_desc	DRG Label Description	Varchar2	600	This field contains the description of the DRG Code element (drug_code).	This field is supplied based on a lookup from the corresponding reference table.	This field is assigned for the inpatient stay through the CMS grouper software.
drug_ref	REF-DRG005	begin_dt	Effective Date	Date	8	This field identifies the first date of validity for the ICD diagnosis code identified by this ICD Diagnosis Code ID.	This is a value-added field created by Onpoint.	
drug_ref	REF-DRG006	end_dt	Expiration Date	Date	8	This field identifies the last valid date for the ICD diagnosis code identified by this ICD Diagnosis Code ID.	This is a value-added field created by Onpoint.	
drug_ref	REF-DRG007	drug_version_code	DRG Version Code	Varchar2	20	This field contains a code that identifies the version of DRG being used to group the inpatient stay.	This field is supplied as reported to Onpoint by the submitter.	
drug_ref	REF-DRG008	drug_version_desc	DRG Version Description	Varchar2	100	This field contains the description for the DRG Version Code (drug_version_code).	This field is supplied as reported to Onpoint by the submitter.	
drug_ref	REF-DRG009	drug_type	DRG Type Code	Varchar2	10	This field contains a code that identifies whether the type of DRG used was a CMS Medicare Severity (MS) DRG.	This field is supplied as reported to Onpoint by the submitter.	The only valid codes for this field are: CMS's MS-DRG
drug_administration_route	REF-DAR801	drug_administration_route_id	Drug Administration Route Code ID	Number	38	This field contains an ID that identifies a unique Drug Administration Route Code.	This is a value-added field created by Onpoint.	
drug_administration_route	REF-DAR802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
drug_administration_route	REF-DAR803	drug_administration_route_code	Drug Administration Route Code	Varchar2	10	This field contains a code that identifies the Drug Administration Route Code.	This field is supplied as reported to Onpoint by the submitter.	
drug_administration_route	REF-DAR804	drug_administration_route_desc	Drug Administration Route Description	Varchar2	100	This field contains a description of the Drug Administration Route Code.	This field is supplied based on the code and supporting look-up table.	
drug_source_ind	REF-DRUGSRC801	drug_source_ind_id	Drug Source Indicator ID	Number	38	This field contains an ID that identifies a unique Drug Source Indicator.	This is a value-added field created by Onpoint.	
drug_source_ind	REF-DRUGSRC802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
drug_source_ind	REF-DRUGSRC803	drug_source_ind_code	Drug Source Indicator Code	Varchar2	10	This field contains a code that identifies the Drug Source Indicator.	This is a value-added field created by Onpoint.	
drug_source_ind	REF-DRUGSRC804	drug_source_ind_desc	Drug Source Indicator Description	Varchar2	100	This field contains a description of the Drug Source Indicator.	This is a value-added field created by Onpoint.	
drug_unit_of_measure	REF-DUM801	drug_unit_of_measure_id	Drug Unit of Measure Code ID	Number	38	This field contains an ID that identifies a unique Drug Unit of Measure Code.	This is a value-added field created by Onpoint.	
drug_unit_of_measure	REF-DUM802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
drug_unit_of_measure	REF-DUM803	drug_unit_of_measure_code	Drug Unit of Measure Code	Varchar2	10	This field contains a code that identifies the Drug Unit of Measure Code.	This is a value-added field created by Onpoint.	
drug_unit_of_measure	REF-DUM804	drug_unit_of_measure_desc	Drug Unit of Measure Description	Varchar2	100	This field contains a description of the Drug Unit of Measure Code.	This field is supplied based on the code and supporting look-up table.	
dual_eligibility_code	REF-DUAL001	dual_eligibility_code_id	Dual-Eligibility Type ID	Number	38	This field contains an ID that identifies the dual eligibility designation.	This is a value-added field created by Onpoint.	
dual_eligibility_code	REF-DUAL002	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
dual_eligibility_code	REF-DUAL003	dual_eligibility_code	Dual-Eligibility Code	Varchar2	10	For Medicaid and Medicare members only, this field indicates whether or not a member had both Medicaid and Medicare coverage (i.e., dual coverage) for the reported membership month.		
dual_eligibility_code	REF-DUAL004	dual_eligibility_code_desc	Dual-Eligibility Code Description	Varchar2	100	This field contains the description of the Dual-Eligibility Code field.		
dual_eligibility_code	REF-DUAL005	dual_eligibility_indicator	Dual-Eligibility Indicator	Varchar2	30	This field contains a description of whether Dual-Eligibility Code field.	This is a value-added field created by Onpoint.	
dual_eligibility_code	REF-DUAL006	plan_type	Plan Type	Varchar2	10	This field identifies the type of plan (All, Commercial, Medicaid, or Medicare)	This is a value-added field created by Onpoint.	
dual_eligibility_code	REF-DUAL007	begin_dt	Effective Date	Date	8	This field identifies the first date of validity for this record.	This is a value-added field created by Onpoint.	
dual_eligibility_code	REF-DUAL008	end_dt	Expiration Date	Date	8	This field identifies the last valid date for this record.	This is a value-added field created by Onpoint.	
exchange_metallic_tier	REF-METALLIC801	exchange_metallic_tier_id	Exchange Metallic Tier Code ID	Number	38	This field contains an ID that identifies a unique Exchange Metallic Tier Code.	This is a value-added field created by Onpoint.	
exchange_metallic_tier	REF-METALLIC802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
exchange_metallic_tier	REF-METALLIC803	exchange_metallic_tier_code	Exchange Metallic Tier Code	Varchar2	20	This field contains a code that indicates the level of the member's Exchange product.	This field is supplied based on a reference look-up table.	
exchange_metallic_tier	REF-METALLIC804	exchange_metallic_tier_desc	Exchange Metallic Tier Code Description	Varchar2	100	This field contains the description for the reported Exchange Metallic Tier Code.	This field is supplied based on a reference look-up table.	
market_category	REF-MKTCAT801	market_category_id	Market Category Code ID	Number	38	This field contains an ID that identifies a unique Market Category Code.	This is a value-added field created by Onpoint.	
market_category	REF-MKTCAT802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
market_category	REF-MKTCAT803	market_category_code	Market Category Code	Varchar2	2	This field contains a code that indicates the Market Category Code.	This field is supplied as reported to Onpoint by the submitter.	
market_category	REF-MKTCAT804	market_category_desc	Market Category Code Description	Varchar2	600	This field contains a description of the Market Category Code.	This field is supplied as reported to Onpoint by the submitter.	
payment_arrangement_ind	REF-PAI801	payment_arrangement_ind_id	Payment Arrangement Indicator ID	Number	38	This field contains an ID that identifies a unique Payment Arrangement Indicator.	This is a value-added field created by Onpoint.	

payment_arrangement_ind	REF_PA1802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
payment_arrangement_ind	REF_PA1803	payment_arrangement_ind_code	Payment Arrangement Indicator Code	Varchar2	20	This field contains a code that identifies the Payment Arrangement Indicator.	This field is supplied as reported to Onpoint by the submitter.	
payment_arrangement_ind	REF_PA1804	payment_arrangement_ind_desc	Payment Arrangement Indicator Description	Varchar2	100	This field contains a description of the Payment Arrangement Indicator.	This field is supplied based on the code and supporting look-up table.	
place_of_service	REF_POS801	place_of_service_id	Place of Service Code ID	Number	38	This field contains an ID that identifies a unique Place of Service Code.	This is a value-added field created by Onpoint.	
place_of_service	REF_POS802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
place_of_service	REF_POS803	place_of_service_code	Place of Service Code	Varchar2	2	This field contains a code that indicates the type of site where the service was performed.	This field is supplied as reported to Onpoint by the submitter.	This field is required for professional claims but set to null for institutional claims.
place_of_service	REF_POS804	place_of_service_desc	Place of Service Description	Varchar2	100	This field contains a description of the Place of Service Code.	This field is supplied based on the code and supporting look-up table.	This is a field released under license. Redistribution may require additional licenses and accordant fees.
place_of_service	REF_POS805	begin_dt	Effective Date	Date	8	This field identifies the first date of validity for the Place of Service code.	This is a value-added field created by Onpoint.	
place_of_service	REF_POS806	end_dt	Expiration Date	Date	8	This field identifies the last valid date for the Place of Service code.	This is a value-added field created by Onpoint.	
place_of_setting	REF_POSETTING801	place_of_setting_id	Place of Setting ID	Number	38	This field contains an ID that identifies a unique Place of Setting.	This is a value-added field created by Onpoint.	
place_of_setting	REF_POSETTING802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
place_of_setting	REF_POSETTING803	place_of_setting_desc	Place of Setting Description	Varchar2	100	This field contains a description of the Place of Setting.	This field is supplied as reported to Onpoint by the submitter.	
poa_diagnosis_ind	REF_POADX801	poa_diagnosis_ind_id	Present on Admission (POA) Indicator Code ID	Number	38	This field contains an ID that identifies a unique Present on Admission (POA) Diagnosis Code.	This is a value-added field created by Onpoint.	
poa_diagnosis_ind	REF_POADX802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique data set.	This is a value-added field created by Onpoint.	
poa_diagnosis_ind	REF_POADX803	poa_diagnosis_ind_code	Present on Admission (POA) Indicator Code	Varchar2	10	This field contains a code that identifies whether or not the diagnosis was present on admission (POA).	This is a value-added field created by Onpoint.	
poa_diagnosis_ind	REF_POADX804	poa_diagnosis_ind_desc	Present on Admission (POA) Indicator Code Description	Varchar2	100	This field contains the description for the reported POA Diagnosis Code.	This field is supplied based on a reference look-up table.	
primary_insurance_indicator	REF_PRIMINS801	primary_insurance_indicator_id	Primary Insurance Indicator ID	Number	38	This field contains an ID that identifies a unique primary insurance indicator code.	This is a value-added field created by Onpoint.	
primary_insurance_indicator	REF_PRIMINS802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
primary_insurance_indicator	REF_PRIMINS803	primary_insurance_ind_code	Primary Insurance Indicator Code	Varchar2	20	This field contains a code that indicates if the member has primary coverage or instead has secondary/tertiary coverage.	This field is supplied based on a reference look-up table.	
primary_insurance_indicator	REF_PRIMINS804	primary_insurance_ind_desc	Primary Insurance Indicator Description	Varchar2	100	This field contains the description for the member's reported Primary Insurance Indicator Code.	This field is supplied based on a look-up table.	
product_code	REF-PROD001	product_code_id	Insurance Type / Product Code ID	Number	38	This field contains an ID that identifies a unique type of insurance or insurance product.	This is a value-added field created by Onpoint.	
product_code	REF-PROD002	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique data set.	This is a value-added field created by Onpoint.	
product_code	REF-PROD003	product_code	Insurance Type / Product Code	Varchar2	20	This field contains a code that identifies the member's type of insurance or insurance product.	This is a value-added field created by Onpoint.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC). Client-defined codes and descriptions, if submitted, are supplied to Onpoint for supplementary reporting.
product_code	REF-PROD004	product_desc	Insurance Type / Product Code - Description	Varchar2	100	This field contains the description for the reported Insurance Type / Product Code (product_code).	This field is supplied based on the reported code and supporting look-up table.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC). Client-defined codes and descriptions, if submitted, are supplied to Onpoint for supplementary reporting.
product_code	REF-PROD005	product_type	Insurance Type / Product Code Type	Varchar2	10	This field identifies the type of Insurance Type / Product Code (e.g., commercial, Medicaid, Medicare).	This is a value-added field created by Onpoint.	
product_code	REF-PROD006	product_subtype	Insurance Type / Product Code Subtype	Varchar2	20	This field identifies the subtype of the Insurance Type / Product Code (e.g., Medicaid FFS, Medicaid Managed Care, Medicare FFS, Medicare Advantage).	This is a value-added field created by Onpoint.	
product_code	REF-PROD007	code_set_type	Code Set Type	Varchar2	15	This field identifies the code set (e.g., standard, nonstandard, etc.) used when reporting this Insurance Type / Product Code.	This is a value-added field created by Onpoint.	
professional_credential	REF_PROFCRED801	professional_credential_id	Provider Credential Code ID	Number	38	This field contains an ID that identifies a unique Provider Credential Code.	This is a value-added field created by Onpoint.	
professional_credential	REF_PROFCRED802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
professional_credential	REF_PROFCRED803	professional_credential_code	Provider Credential Code	Varchar2	20	This field contains a code that identifies the provider's credential.	This field is supplied as reported to Onpoint by the submitter.	
professional_credential	REF_PROFCRED804	professional_credential_desc	Provider Credential Code Description	Varchar2	100	This field contains the description for the Provider Credential Code.	This field is supplied based on the code and supporting look-up table.	
specialty	REF-SPEC001	specialty_id	Provider Specialty ID	Number	38	This field contains an ID that identifies a unique specialty/taxonomy.	This is a value-added field created by Onpoint.	
specialty	REF-SPEC002	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
specialty	REF-SPEC003	specialty_code	Provider Specialty Code	Varchar2	50	This field contains a code that identifies the service provider's specialty/taxonomy.	Standard codes and descriptions are maintained by the American Medical Association (AMA), which holds the copyright for the Health Care Provider Taxonomy code set on behalf of the National Uniform Claim Committee. Submitter-defined codes and descriptions, if submitted, are supplied to Onpoint for supplementary reporting.	

specialty	REF-SPEC004	specialty_desc	Provider Specialty Code Description	Varchar2	600	This field contains the description for the reported Provider Specialty Code (specialty_code).	This field is supplied based on a lookup from the corresponding reference table.	Standard codes and descriptions are maintained by the American Medical Association (AMA), which holds the copyright for the Health Care Provider Taxonomy code set on behalf of the National Uniform Claim Committee. Submitter-defined codes and descriptions, if submitted, are supplied to Onpoint for supplementary reporting.
specialty	REF-SPEC005	taxonomy_general_type	Taxonomy General Type	Varchar2	50	This field contains the general classification of the taxonomy code.	This is a value-added field created by Onpoint.	
specialty	REF-SPEC006	taxonomy_provider_type	Taxonomy Provider Type	Varchar2	100	This field contains the type of provider as designated by the taxonomy code.	This is a value-added field created by Onpoint.	
specialty	REF-SPEC007	taxonomy_specialization_area	Taxonomy Specialization Area	Varchar2	100	This field contains the area of specialization as designated by the taxonomy code.	This is a value-added field created by Onpoint.	
specialty	REF-SPEC008	specialty_type_desc	Provider Specialty Code Type	Varchar2	100	This field identifies the type of specialty code (e.g., taxonomy, submitter supplied, etc.) used to report the provider's specialty.	This field is supplied as reported to Onpoint by the submitter.	The role type reported here is based solely on the field used to report the provider information in the submitted eligibility data.
submitted_claim_type	REF_SCT001	submitted_claim_type_id	Submitter-Supplied Claim Type Code ID	Number	38	This field contains a description of the reported Submitter-Supplied Claim Type Code (submitted_claim_type).	This is a value-added field created by Onpoint.	Need to join to submitted_claim_type reference table using both the submitted_claim_type_id and the submitter_id
submitted_claim_type	REF_SCT002	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
submitted_claim_type	REF_SCT003	submitted_claim_type	Submitter-Supplied Claim Type Code	Varchar2	20	This field contains a code that indicates the type of claim using the payer's classification system.	This field is supplied as reported to Onpoint by the submitter.	
submitted_claim_type	REF_SCT004	submitted_claim_type_desc	Submitter-Supplied Claim Type Description	Varchar2	100	This field contains the description of the type of claim using the payer's classification system.	This field is supplied as reported to Onpoint by the submitter.	
submitted_claim_type	REF_SCT005	plan_type	Plan Type	Varchar2	10	This field identifies the type of plan (All, Commercial, Medicaid, or Medicare)	This is a value-added field created by Onpoint.	
subscriber_relationship	REF-REL001	subscriber_relationship_id	Member's Relationship Code ID	Number	38	This field contains an ID that identifies a unique combination of information designating a member's relationship to the subscriber or the insured.	This is a value-added field created by Onpoint.	
subscriber_relationship	REF-REL002	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
subscriber_relationship	REF-REL003	subscriber_relationship_code	Member's Relationship Code	Varchar2	10	This field contains a code that indicates the member's relationship to the subscriber or the insured.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
subscriber_relationship	REF-REL004	subscriber_relationship_desc	Member's Relationship Code Description	Varchar2	100	This field contains the description for the reported Member Relationship Code.	This field is supplied based on a lookup from the corresponding reference table.	Valid codes and descriptions are maintained by the Accredited Standards Committee (ASC).
subscriber_relationship	REF-REL005	code_set_type	Member's Relationship Code Set Type	Varchar2	15	This field identifies the code set used when reporting this member relationship code (e.g., standard, nonstandard, etc.).	This is a value-added field created by Onpoint.	
subscriber_relationship	REF-REL006	begin_dt	Effective Date	Date	8	This field identifies the first date of validity for the member relationship code identified by this Member Relationship ID.	This is a value-added field created by Onpoint.	
subscriber_relationship	REF-REL007	end_dt	Expiration Date	Date	8	This field identifies the last valid date for the member relationship code identified by this Member Relationship ID.	This is a value-added field created by Onpoint.	
type_of_bill	REF_BILLTYPE801	type_of_bill_id	Type of Bill Code ID	Number	38	This field contains an ID that identifies a unique Type of Bill Code.	This is a value-added field created by Onpoint.	
type_of_bill	REF_BILLTYPE802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
type_of_bill	REF_BILLTYPE803	type_of_bill_code	Type of Bill Code	Varchar2	4	This field contains a code that identifies the type of bill.	This field is supplied as reported to Onpoint by the submitter.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC). This field is required for institutional claims but set to null for professional claims.
type_of_bill	REF_BILLTYPE804	type_of_bill_desc	Type of Bill Description	Varchar2	600	This field contains a description of the Type of Bill Code.	This field is supplied based on the code and supporting look-up table.	Valid codes and descriptions are maintained by the National Uniform Billing Committee (NUBC). This is a field released under license. Redistribution may require additional licenses and accordant fees.
type_of_service	REF_TOS801	type_of_service_id	Type of Service ID	Number	38	This field contains an ID that uniquely identifies the member's type of service.	This is a value-added field created by Onpoint.	
type_of_service	REF_TOS802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
type_of_service	REF_TOS803	type_of_service_code	Type of Service Code	Varchar2	20	This field identifies the code for the member's type of service.	This field is supplied as reported to Onpoint by the submitter.	
type_of_service	REF_TOS804	type_of_service_desc	Type of Service Description	Varchar2	100	This field contains the description for the member's type of service.	This field is supplied as reported to Onpoint by the submitter.	
type_of_service	REF_TOS805	code_set_type	Code Set Type Code	Varchar2	15	This field identifies the type of code set used when reporting this diagnosis code.	This is a value-added field created by Onpoint.	
type_of_service	REF_TOS807	begin_dt	Effective Date	Date	8	This field identifies the type of service begin date.	This is a value-added field created by Onpoint.	
type_of_service	REF_TOS808	end_dt	Expiration Date	Date	8	This field identifies the type of service end date.	This is a value-added field created by Onpoint.	
type_of_setting	REF_TOS801	type_of_setting_id	Type of Setting ID	Number	38	This field contains an ID that identifies a unique Type of Setting.	This is a value-added field created by Onpoint.	
type_of_setting	REF_TOS802	extract_id	Extract ID	Number	38	This field contains an ID that identifies the unique consolidated data set.	This is a value-added field created by Onpoint.	
type_of_setting	REF_TOS803	type_of_setting_desc	Type of Setting Description	Varchar2	100	This field contains a description of the Type of Setting.	This field is supplied as reported to Onpoint by the submitter.	

CLAIM TYPE DETAIL

claim_type_id	claim_type_desc	type_of_setting_id	type_of_setting_desc	place_of_setting_id	place_of_setting_desc	Notes
1	Facility	1	Inpatient	1	Acute Inpatient or Hospital	First 2 characters of bill type are in (11, 41)
				14	Acute Inpatient or Hospital (Part B)	First 2 characters of bill type are in (12)
				2	Swing Bed	First 2 characters of bill type are in (18, 28, 48, 58)
				3	SNF	First 2 characters of bill type are in (21, 25, 26, 27, 51, 52)
				15	SNF (Part B)	First 2 characters of bill type are in (22)
				4	ICF	First 2 characters of bill type are in (16, 17, 65, 66, 67, 45, 46, 47, 55, 56, 57)
				5	Residential	First 2 characters of bill type are in (86)
		6	Other	Inpatient subcategory that does not fit into one of the above subcategories		
		2	Outpatient	7	Hospital	First 2 characters of bill type are in (13, 14, 43, 44, 85)
				8	Free-Standing Ambulatory Surgery	First 2 characters of bill type are in (63)
				9	FGHC	First 2 characters of bill type are in (77)
				10	Rural Health Clinic	First 2 characters of bill type are in (71)
				11	Mental Health Clinic	First 2 characters of bill type are in (76)
				3	SNF	First 2 characters of bill type are in (23, 24)
4	ICF			First 2 characters of bill type are in (15)		
2	Professional	3	Provider	6	Other	First 2 characters of bill type are in (53, 54, 63, 64, 72, 73, 74, 75, 78, 79, 80, 84, 89) (revenue code not between 550 and 609 and not between 100 and 219 and not between 1000 and 1005)
				1	Acute Inpatient or Hospital	Place of service = 21
				3	SNF	Place of service = 31
				4	ICF	Place of service in (32, 33, 54)
				5	Residential	Place of service in (13, 14, 55, 56)
				7	Hospital	Place of service in (19, 22, 23)
				8	Free-Standing Ambulatory Surgery	Place of service = 24
				9	FGHC	Place of service = 50
				10	Rural Health Clinic	Place of service = 72
				11	Mental Health Clinic	Place of service = 53
				13	Office	Place of service = 11
				6	Other	Other not listed above
				2	Professional	4
2	Professional	5	Ambulance	12	Not Applicable	Based on place of service and HCPCS codes specific to ambulance services
2	Professional	6	Dental	12	Not Applicable	Based on CDT codes
3	Other services	7	Pharmacy	12	Not Applicable	Based on place of service
3	Other services	8	DME (Durable Medical Equipment)	12	Not Applicable	Based on place of service and HCPCS codes for DME services
3	Other services	9	Home Health	12	Not Applicable	Based on type of bill and home health revenue codes - Facility claims only
3	Other services	10	Unclassified/Other	12	Not Applicable	Services that cannot be classified elsewhere
3	Other services	12	Hospice	12	Not Applicable	Based on type of bill - Facility claims only (Hospice professional claims included in Professional/Provider/Other)