

STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

IN RE:

ARX WIRELESS INFRASTRUCTURE, LLC
APPLICATION FOR A CERTIFICATE OF
ENVIRONMENTAL COMPATIBILITY AND
PUBLIC NEED FOR THE
CONSTRUCTION, MAINTENANCE AND
OPERATION OF A WIRELESS
TELECOMMUNICATIONS FACILITY
LOCATED AT 1061-1063 BOSTON POST
ROAD, MILFORD, CONNECTICUT

DOCKET NO. 500

June 8, 2021

**ARX WIRELESS INFRASTRUCTURE, LLC RESPONSES TO
CONNECTICUT SITING COUNCIL PRE-HEARING INTERROGATORIES – SET ONE**

General

1. Of the letters sent to abutting property owners, how many certified mail receipts were received? If any receipts were not returned, which owners did not receive their notice? Were any additional attempts made to contact those property owners?

Response:

See summary of all notices sent and received to abutting property owners attached as Exhibit 1.

Both certified letters sent to Daniel Brassell, 38 Home Acres Avenue, Milford, CT 06460, were returned to sender. On June 8, 2021, a copy of the March 29, 2021 letter to Mr. Brassell was hand-delivered at that address.

2. Referring to Application p. 32, how will ARX Wireless Infrastructure, LLC recover the construction cost of the facility?

Response:

ARX recovers its construction costs through its leases with the telecommunications carriers.

Site/tower

3. How many residences are located within a 1,000-foot radius of the proposed site?

Response:

There are 68 homes within a 1,000-foot radius of the proposed site, and there is a condominium complex on Forest Avenue, 49 units of which are within that radius.

4. What is the distance and direction from the proposed site to the nearest residence outside of the host property?

Response:

The distance from the proposed site to the nearest residence is approximately 120 feet.

5. Would the site be accessed from Home Acres Avenue during construction?

Response:

During construction the site would be accessed from Boston Post Road. The utilities will be connected from Home Acres Avenue, but all service equipment will be accessed from Boston Post Road.

6. Would the parking area adjacent to the proposed equipment compound still be used for parking during and after construction?

Response:

Yes. The parking area adjacent to the proposed equipment compound would still be used for parking during and after construction.

7. How would the site be secured during construction to ensure the public safety?

Response:

During construction, ARX would place a temporary fence around the leased area to ensure public safety. After the tower is erected ARX would install a permanent 8 foot fence around the leased area with a locked gate.

8. What would be the height of the fence?

Response:

The height of the fence would be 8 feet.

9. Would there be any landscaping around the equipment compound? If so, would the applicant maintain the landscaping for the life of the facility?

Response:

Yes. ARX would screen the compound and maintain landscaping around the compound for the life of the facility.

10. Sheet TR-1 of the project plans indicates a proposed 25-foot wide utility easement from an existing utility pole on Home Acres Avenue, however page 2 of the wetlands inspection report shows a “proposed 25-foot wide access and utility easement” from Cherry Street/Boston Post Road. Please clarify.

Response:

Access to the site will be from Cherry Street/Boston Post Road. The proposed utility access will be underground from utilities on Home Acres Avenue.

11. Application p. 19 of the narrative states that the proposed facility “can accommodate AT&T, Verizon and two other wireless carriers” and the site plans dated July 6, 2020 and included in the technical report shows four carrier spaces at different heights. This is inconsistent with sheet TR-2 of the project plans dated August 10, 2020, which shows one additional carrier space at the 88-foot level of the tower. Please clarify.

Response:

On June 7, 2021, ARX submitted a revised Exhibit G to the Application consisting of updated plans clarifying that the proposed facility will be able to accommodate AT&T, Verizon and two other wireless carriers, consistent with the Application narrative.

12. Could the tower be designed with a yield point to ensure that the tower setback radius remains within the boundaries of the subject property? What would be the cost of installing the yield point?

Response:

Yes. The tower could be designed with a yield point to ensure that the tower setback radius remains within the boundaries of the subject property. The cost of designing a yield point would be part of the overall design criteria for the proposed tower, and therefore designed into the structure of the tower, and not separately installed with a separate cost.

13. Quantify the amounts of cut and fill that would be required to develop the proposed facility.

Response:

The development of the compound area would require the removal of approximately 8 CY of material and approximately 12-16 CY of borrowed material. The foundation for the tower, if a pad and pier would require the removal of approximately 120 CY of material from the site, to be replaced with concrete. If the geotechnical investigation shows unsuitable below grade materials or a high-water table and a caisson foundation is required, approximately an additional 36 CY of material would be removed and replaced with concrete.

14. Would any blasting be required to develop the site?

Response:

No. ARX does not anticipate that any blasting will be required to develop the site.

15. Would the tower be designed for EIA/TIA-222 structural standards version G, H, or both?

Response:

The Structural Design of the tower would be under TIA-222H as well as the requirements of the Connecticut State Building Code.

16. Would the tower and foundation be designed to accommodate an increase in tower height?

Response:

Yes. ARX would design the foundation so that it could accommodate increases in tower height and future uses such as changes in wind loading.

17. What measures are proposed for the site to ensure security and deter vandalism? (Including alarms, gates, locks, anti-climb fence design, etc.)

Response:

ARX would install a permanent 8 foot fence around the leased area with a locked gate. ARX would also install anti-climb fence material as part of the approval.

18. Pursuant to CGS §16-50p(a)(3)(G), identify the safety standards and/or codes by which equipment, machinery or technology that would be used or operated at the proposed facility.

Response:

The tower and site will be designed and constructed in accordance with the updated Connecticut State Building Code.

19. Has the host municipality or any other entity expressed an interest in co-locating emergency services antennas?

Response:

The City of Milford has not indicated whether they would need the tower for this purpose. ARX will, however, provide space to the City in the future (if space is available) at no cost to the City for its emergency services.

20. Does the proposed site contain any Farmland Soils? If so, what acreage of farmland soils would the facility and associated equipment be located on?

Response:

The proposed site does not contain any Farmland Soils.

Backup Power

21. Page 24 of the application references that provisions have been made for a permanent, self-contained, on-site diesel backup generator. What would be the capacity (kW) of the proposed generator? Would this generator be shared by Cellco, AT&T and other entities that may locate at the proposed facility?

Response:

The generator shown on the plans will be owned and operated by AT&T for the use of AT&T. It is a 105 gallon 15kw diesel generator.

22. What preventive and containment measures would be taken to protect against leaks and spills of fuel or/and generator fluids?

Response:

Yes. The emergency back-up generator's fuel tank is double-walled and includes leak detection alarms. The alarms are monitored 24 hours a day / 7 days a week. The generator is also equipped with a secondary containment for engine oil and coolant within the generator's weather enclosure.

23. Please provide the estimated runtime for the backup generator before refueling is required.

Response:

AT&T would utilize a Polar 15kW, 8220-100-D-15-03, Diesel generator which holds 54 gallons of fuel and could run for approximately 90 hours before refueling.

24. Would the backup generator run periodically for maintenance purposes? If so, at what frequency and duration? Would this be scheduled for daytime hours?

Response:

Yes. The emergency back-up generator would run once a week for approximately 20 minutes. The day and time for this maintenance can be scheduled.

Environment

25. Referring to Application Attachment H - Visibility Assessment, revise Table 1 on pp. 5-6 to include a column that estimates how much of the tower is visible in each photograph (in feet).

Response:

See attached Exhibit 25. The attached table includes a column with the estimated height above the treeline that the proposed tower could be visible on a year-round or seasonal basis. These heights represent a range of potential visibility that characterize the estimated heights above the treeline from locations within the vicinity of the photographs, and not just the static point from which the photo was taken.

26. What, if any, stealth tower design options would be feasible to employ at this site? Please provide costs related to each stealth tower design.

Response:

A stealth tree would be the best design option at this site as the proposed site has trees to the East, South and West. The estimated cost for a stealth tower design is approximately \$80,000.

27. Please characterize visibility of the proposed facility from the cemetery.

Response:

The proposed facility will be visible on both a year-round and seasonal basis throughout the Kings Highway Cemetery. Year-round views will be similar to the one shown in Photo 7 of the Visibility Analysis (Attachment H of the Application). The carrier arrays will be visible above the treeline where year-round views are anticipated. The proposed facility will be screened by the intervening foliage as you approach the treeline.

28. Compare the visibility of the proposed facility with the visibility of the ballast mounted temporary monopole located at 1052 Boston Post Road and approved by the Council in Petition No. 1375.

Response:

As of May 28, 2021, the ballast mounted temporary monopole has not been installed at 1052 Boston Post Road.

29. Describe the comparative visibility of the proposed facility with the visibility of a facility at the following sites:

- a) Existing building at 1052 Boston Post Road

Response:

The overall visibility footprint of the proposed facility will be similar to that of the existing building and flagpoles at 1052 Boston Post Road. The proposed facility is approximately 25 feet taller than the existing flagpoles when measured from the ground. However, the ground elevation at the proposed facility is approximately 20 feet lower than ground elevation of the building at 1052 Boston Post Road. The existing building and flagpoles, however, do not have any natural vegetative screening which the proposed facility will take advantage of.

- b) Proposed building at 1052 Boston Post Road;

Response:

The Applicant does not have a mock-up of the proposed building at 1052 Boston Post Road. The existing building and flagpoles at that property remain erect at this time. See “Photo of 1052 Boston Post Road” attached as Exhibit 29.

- c) Tower facility at 1052 Boston Post Road;

Response:

As of May 28, 2021, the ballast mounted temporary tower facility has not been installed at 1052 Boston Post Road. See “Photo of 1052 Boston Post Road” attached as Exhibit 29.

- d) Tower facility at 345 North Street;

Response:

The facility at 345 North Street is a close-contact antenna array affixed to an Eversource Energy transmission structure (approximate height 94' AGL). Similar to the proposed facility, when leaves are on the deciduous trees, the majority of views from residential properties are substantially screened. When leaves are off the deciduous trees, views extend to a

handful of additional properties. Perhaps a more appropriate comparison would be that of the facility located at 298 Ridge Road in Orange, approximately 500 meters northeast of the facility at 345 North Street. The facility at 298 Ridge Road includes a full antenna array at a similar height and design as the Applicant's. This facility is substantially more visible to surrounding homes than the Applicant's proposed facility. The facility at 345 North Street has 4 residences within 250'. The facility at 298 Ridge Road has 5 residences within 250'. The proposed facility has one residence within 250'.

- e) Tower facility at 1052 Boston Post Road; and

Response:

As of May 28, 2021, the ballast mounted temporary tower facility has not been installed at 1052 Boston Post Road. See "Photo of 1052 Boston Post Road" attached as Exhibit 29.

- f) Facility at 1201 Boston Post Road Connecticut Post Mall.

Response:

There are two mast pipes with three (3) antennas per pipe located on the rooftop of the Connecticut Post Mall above the Dave & Busters entrance. These antennas are on a large commercial property with no residences within the immediate vicinity.

- 30. Would the proposed facility comply with Department of Energy and Environmental Protection noise control standards at the property boundaries?

Response:

While AT&T's proposed backup generator would be exempt from DEEP Noise Control Standards, AT&T anticipates that the emergency back-up generator will comply with the DEEP Noise Control Standards at the property boundaries. A noise analysis is being conducted and will be submitted when complete.

31. Is the proposed facility within a Department of Energy and Environmental Protection-designated Aquifer Protection Area?

Response:

No, the proposed facility is not within a DEEP-designated Aquifer Protection Area. There are no Aquifer Protection Areas within the Milford municipal boundaries.

32. Please submit photographic site documentation with notations linked to the site plans or a detailed aerial image that identifies locations of site-specific and representative site features. The submission should include photographs of the site from public road(s) or publicly accessible area(s) as well as Site-specific locations depicting site features including, but not necessarily limited to, the following locations as applicable:

For each photo, please indicate the photo viewpoint direction and stake or flag the locations of site-specific and representative site features. Site-specific and representative site features include, but are not limited to, as applicable:

1. wetlands, watercourses and vernal pools;
2. forest/forest edge areas;
3. agricultural soil areas;
4. sloping terrain;
5. proposed stormwater control features;
6. nearest residences;
7. Site access and interior access road(s);
8. utility pads/electrical interconnection(s);
9. clearing limits/property lines;
10. mitigation areas; and
11. any other noteworthy features relative to the Project.

A photolog graphic must accompany the submission, using a site plan or a detailed aerial image, depicting each numbered photograph for reference. For each photo, indicate the photo location number and viewpoint direction, and clearly identify the locations of site specific and representative site features shown (e.g., physical staking/flagging or other means of marking the subject area).

The submission shall be delivered electronically in a legible portable document format (PDF) with a maximum file size of <20MB. If necessary, multiple files may be submitted and clearly marked in terms of sequence.

Response:

See attached Exhibit 32.

RESPECTFULLY SUBMITTED,

ARX WIRELESS INFRASTRUCTURE, LLC,

By: 

David A. Ball, Esq.

Philip C. Pires, Esq.

Cohen and Wolf, P.C.

1115 Broad Street

Bridgeport, CT 06604

Tel. No. (203) 368-0211

E-Mail: dball@cohenandwolf.com

E-Mail: ppires@cohenandwolf.com

Juris No. 010032

EXHIBIT #1

ABUTTING PROPERTY OWNERS – CERTIFIED MAIL RECEIPTS

First letter sent to abutters on March 24, 2021. Corrected letter sent March 29, 2021.

1. Milford Cemetery Association, P.O. Box 227, Milford, CT 06460

- First letter certified with delivery on March 29, 2021 at 10:24 am
- Second letter certified with delivery on March 31, 2021 at 11:01 am

2. Lee Partners LLP, 70 Lyon Street, New Haven, CT 06511

- First letter certified with delivery on March 27, 2021 at 12:58 pm
- Second letter certified with delivery on April 1, 2021 at 12:46 pm

3. Atsaline L. & Sonny T. Sunthorn, 32 Home Acres Avenue, Milford, CT 06460

- First letter certified with delivery on March 26, 2021 at 3:25 pm
- Second letter certified with delivery on March 31, 2021 at 3:37 pm

4. Ajab & Seyal Alia J. Khan & Survivors, 43 Home Acres Avenue, Milford, CT 06460

- First letter certified with delivery on March 26, 2021 at 2:52 pm
- Second letter certified with delivery on March 31, 2021 at 2:52 pm

5. John K. Richards & Vincenza S. Richards, 28 Home Acres Avenue, Milford, CT 06460

- First letter certified with delivery on April 13, 2021 at 3:28 pm
- Second letter certified with delivery on March 31, 2021 at 3:38 pm

6. Daniel Brassell, 38 Home Acres Avenue, Milford, CT 06460

- First letter returned to sender May 3, 2021
- Second letter returned to sender May 10, 2021
- Third letter hand-delivered to house on June 8, 2021 at 1:15 pm

7. MIL LLC, 124-19 Metropolitan Avenue, Kew Gardens, NY 11415

- First letter certified with delivery on March 26, 2021 at 11:35 am
- Second letter certified with delivery on April 2, 2021 at 11:04 am

8. PSOME LLC, 1064 Boston Post Road, Milford, CT 06460

- First letter certified with delivery on March 26, 2021 at 2:51 pm
- Second letter certified with delivery on March 31, 2021 at 1:18 pm



Date Produced: 04/05/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0035 6579 02. Our records indicate that this item was delivered on 03/29/2021 at 10:24 a.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient :

A handwritten signature in black ink, appearing to read "Ron Scholli".

A handwritten signature in black ink, appearing to read "Ron Scholli".

Address of Recipient :

PO BOX 227

MILFORD, CT 06460-0227

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2593164.14945414



Date Produced: 04/05/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0036 0060 82. Our records indicate that this item was delivered on 03/31/2021 at 11:01 a.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient :



A handwritten signature in black ink, appearing to read 'Anne Schol'.

Address of Recipient :

PO BOX 227

MILFORD, CT 06460-0227

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2601903.14993048



Date Produced: 03/29/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0035 6581 14. Our records indicate that this item was delivered on 03/27/2021 at 12:58 p.m. in NEW HAVEN, CT 06511. The scanned image of the recipient information is provided below.

Signature of Recipient:

A handwritten signature consisting of the letters "C" and "9" stacked vertically, with a horizontal line underneath.

Address of Recipient:

A handwritten address: "70 Lyon St".

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2593164.14945419



**UNITED STATES
POSTAL SERVICE**

Date Produced: 04/05/2021

ConnectSuite Inc.

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0036 0064 02. Our records indicate that this item was delivered on 04/01/2021 at 12:46 p.m. in NEW HAVEN, CT 06511. The scanned image of the recipient information is provided below.

Signature of Recipient :

C-19

Address of Recipient :

70 Lyon St

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2601903.14993053




Date Produced: 03/29/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0035 6580 15. Our records indicate that this item was delivered on 03/26/2021 at 03:25 p.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient :

A handwritten signature consisting of two parts. The top part is a stylized "L" followed by "609" and "15". The bottom part is a cursive "Sun" followed by a wavy line.

Address of Recipient :

**32 HOME ACRES AVE
MILFORD, CT 06460**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2593164.14945416




Date Produced: 04/05/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0036 0062 80. Our records indicate that this item was delivered on 03/31/2021 at 03:37 p.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient:

A handwritten signature consisting of two lines of cursive script. The top line appears to read "Whalen, J." and the bottom line appears to read "Sunbeam".

Address of Recipient:

**32 HOME ACRES AVE
MILFORD, CT 06460**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2601903.14993050




Date Produced: 03/29/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0035 6579 40. Our records indicate that this item was delivered on 03/26/2021 at 02:52 p.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient:

A handwritten signature consisting of two lines of cursive script. The top line appears to read "John C. H." and the bottom line appears to read "Horn".

Address of Recipient:

**43 HOME ACRES AVE
MILFORD, CT 06460**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2593164.14945415




Date Produced: 04/05/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0036 0062 04. Our records indicate that this item was delivered on 03/31/2021 at 02:53 p.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient:

A handwritten signature in black ink, appearing to read "Urban" on the top line and "Khr" on the bottom line, with a small mark resembling a checkmark to the right.

Address of Recipient:

**43 HOME ACRES AVE
MILFORD, CT 06460**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2601903.14993049




Date Produced: 04/19/2021


ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0035 6580 77. Our records indicate that this item was delivered on 04/13/2021 at 03:28 p.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient:

A handwritten signature in black ink, appearing to read 'John H. Homery'.

Address of Recipient:

A handwritten address in black ink, appearing to read '28 Homery'.

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2593164.14945418



Date Produced: 04/05/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0036 0063 89. Our records indicate that this item was delivered on 03/31/2021 at 03:38 p.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient :

A handwritten signature in black ink, appearing to read "Wilson NY" on the top line and "Richard S." on the bottom line.

Address of Recipient :

**28 HOME ACRES AVE
MILFORD, CT 06460**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2601903.14993052



DATE PRODUCED: 5/3/2021 8:26 AM

COHEN AND WOLF, PC:

The following is information for Certified Mail™/RRE item number:

9214 8901 9403 8300 0035 6580 60

Our records indicate that this item was RETURNED TO SENDER.

ORIGINAL INTENDED RECIPIENT:

DANIEL BRASSELL
38 HOME ACRES AVENUE
MILFORD, CT 06460

The above information represents information provided by the United States Postal Service.

Return Reference Number:



DATE PRODUCED: 5/10/2021 7:54 AM

COHEN AND WOLF, PC:

The following is information for Certified Mail™/RRE item number:

9214 8901 9403 8300 0036 0063 03

Our records indicate that this item was RETURNED TO SENDER.

ORIGINAL INTENDED RECIPIENT:

DANIEL BRASSEL
38 HOME ACRES AVENUE
MILFORD, CT 06460

The above information represents information provided by the United States Postal Service.

Return Reference Number:




Date Produced: 03/29/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0035 6578 41. Our records indicate that this item was delivered on 03/26/2021 at 11:35 a.m. in KEW GARDENS, NY 11415. The scanned image of the recipient information is provided below.

Signature of Recipient :

A handwritten signature in black ink, appearing to read "Lynne".

Address of Recipient :

**12419 METROPOLITAN AVE
KEW GARDENS, NY 11415**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2593164.14945413



Date Produced: 04/05/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0036 0060 20. Our records indicate that this item was delivered on 04/02/2021 at 11:04 a.m. in KEW GARDENS, NY 11415. The scanned image of the recipient information is provided below.

Signature of Recipient :

A handwritten signature consisting of a stylized 'A' at the top, followed by a 'C' and a 'Y' on the middle line, and a '4' on the bottom line.

Address of Recipient :

A handwritten address: '1415' on the top line, 'W' on the middle line, and 'metro' on the bottom line.

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2601903.14993047



Date Produced: 03/29/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0035 6581 45. Our records indicate that this item was delivered on 03/26/2021 at 02:51 p.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient :

S h u s s 911 a m
C a m h + 1 115

Address of Recipient :

**1064 BOSTON POST RD
MILFORD, CT 06460**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2593164.14945420



Date Produced: 04/05/2021

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8300 0036 0064 57. Our records indicate that this item was delivered on 03/31/2021 at 01:18 p.m. in MILFORD, CT 06460. The scanned image of the recipient information is provided below.

Signature of Recipient:

E 5A0475
CM RT / C19

Address of Recipient :

**1064 BOSTON POST RD
MILFORD, CT 06460**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

Customer Reference Number: C2601903.14993054

EXHIBIT #25

CSC Docket No. 500 - Interrogatory #25

Photo	Location	Orientation	Distance to Site	Visibility	Height Visible above Trees*
1	Home Acres Avenue	Northwest	±0.35 Mile	Seasonal	1'-20'
2	Home Acres Avenue	Northwest	±0.23 Mile	Year Round	1'-20'
3	Home Acres Avenue	Northwest	±0.12 Mile	Year Round	20'-40'
4	Leighton Road	Southwest	±0.20 Mile	Year Round	20'-40'
5	Home Acres Avenue	South	±380 Feet	Year Round	40'-60'
6	Athenian Diner III Parking Lot - 1064 Boston Post Road	Southeast	±0.10 Mile	Year Round	60'-80'
7	King's Highway Cemetery	Northeast	±0.11 Mile	Year Round	20'-40'
8	Corona Drive	North	±0.23 Mile	Year Round	40'-60'
9	Corona Drive	Northeast	±0.24 Mile	Seasonal	20'-40'
10	Corona Drive	Northeast	±0.33 Mile	Year Round	20'-40'
11	Boston Post Road	East	±0.53 Mile	Year Round	20'-40'
12	Forest Road	Southeast	±0.20 Mile	Year Round	40'-60'
13	Forest Road	Southeast	±0.27 Mile	Year Round	20'-40'
14	Forest Road	Southeast	±0.33 Mile	Seasonal	20'-40'
18	Boston Post Road	Southwest	±0.38 Mile	Year Round	20'-40'
19	Boston Post Road	Southwest	±0.53 Mile	Year Round	20'-40'
20	Connecticut Post Mall	Southwest	±0.61 Mile	Year Round	1'-20'
24	Entrance to Hilton Garden Inn - 291 Old Gate Lane	West	±0.93 Mile	Year Round	20'-40'
25	The Edge Fitness Club Parking Lot - 125 Old Gate Lane	West	±0.68 Mile	Seasonal	20'-40'
29	Buckingham Avenue	Northwest	±1.03 Miles	Year Round	20'-40'
37	Gulf Street	Southeast	±0.54 Mile	Year Round	1'-20'

* A range of potential visibility is provided to characterize the estimated height in the vicinity of the photograph.

EXHIBIT #29



EXHIBIT #32

REMOTE FIELD REVIEW



CT SITING COUNCIL DOCKET NO. 500
RESPONSE TO INTERROGATORY 32
CT0030 MILFORD
1063 BOSTON POST ROAD
MILFORD, CT

PREPARED FOR:

ARX
WIRELESS


PREPARED BY:
ALL-POINTS TECHNOLOGY CORPORATION, P.C.
567 Vauxhall Street Extension – Suite 311
Waterford, CT 06385





PHOTO LOG

- Photo Locations
- Proposd Monopole
- Photo Markers
- Proposed Lease Area
- Proposed Fenced Compound Area
- Proposed Access and Utility Easement
- Subject Property



Proposed Wireless Telecommunications Facility - CT0033
1063 Boston Post Road
Milford, Connecticut



PHOTO

1

DESCRIPTION

VIEW FROM BOSTON POST ROAD LOOKING SOUTH

PROPOSED ACCESS EASEMENT




PHOTO

2

DESCRIPTION

VIEW FROM BOSTON POST ROAD LOOKING EAST





PHOTO

3

VIEW FROM START OF PROPOSED ACCESS EASEMENT - FOUR CARDINAL POINTS

DESCRIPTION

PROPOSED ACCESS EASEMENT




PHOTO

4

DESCRIPTION

VIEW FROM PROPOSED ACCESS EASEMENT LOOKING NORTHEAST



PHOTO


5

DESCRIPTION

VIEW FROM PROPOSED ACCESS EASEMENT LOOKING SOUTHEAST



DESCRIPTION
VIEW FROM PROPOSED ACCESS EASEMENT LOOKING WEST



PHOTO

5B

DESCRIPTION

VIEW FROM PROPOSED ACCESS EASEMENT LOOKING NORTHEAST

PHOTOGRAPHED ON 6/22/2021





PHOTO

6A

DESCRIPTION

VIEW FROM PROPOSED ACCESS EASEMENT LOOKING NORTHWEST TOWARDS BOSTON POST ROAD





PHOTO

8

DESCRIPTION

VIEW LOOKING SOUTHEAST TOWARDS PROPOSED LEASE AREA





9A



PHOTO

10

DESCRIPTION

VIEW FROM EASTERN CORNER OF PROPOSED LEASE AREA LOOKING NORTHWEST



PHOTO

11

DESCRIPTION

VIEW FROM NORTHERN EDGE OF PROPOSED LEASE AREA LOOKING SOUTH



PHOTO

12

DESCRIPTION

VIEW FROM CENTER OF PROPOSED TOWER LOOKING NORTH



PHOTO

12A

DESCRIPTION

VIEW FROM CENTER OF PROPOSED TOWER LOOKING SOUTH



PHOTO

12B

DESCRIPTION

VIEW FROM CENTER OF PROPOSED TOWER LOOKING WEST

