

**STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL**

BNE Energy, Inc. Petition For a Declaratory Ruling That No Certificate of Environmental Compatibility and Public Need Is Required for the Construction, Maintenance, and Operation of A 4.8 MW Wind Renewable Generating Facility Located On Winsted-Norfolk Road (Route 44), Colebrook, Connecticut.

Petition 984

February 24, 2011

**PETITION 984: BNE ENERGY
COLEBROOK, CONNECTICUT
PRE-HEARING INTERROGATORIES, SET ONE**

Q1. What were the results of BNE's mailing of notices to abutting property owners? How many return receipts did BNE receive? If some receipts were not returned, did BNE make additional efforts to notify abutters?

A1. As the Council is aware, BNE was not legally required to send out an abutters mailing. However, as indicated in BNE's petition, BNE undertook an abutters mailing for the benefit of the public. BNE received return receipts from all but two abutting property owners, one of whom has requested and been granted party status in this proceeding. Since this abutting property owner clearly has notice of the pendency of this petition, BNE sent a second and final mailing to the remaining abutting property via U.S. Mail. A copy of the return receipts are attached hereto as Exhibit 1.

Q2. On what date was BNE's legal notice in the Litchfield County Times published?

A2. Again, while not legally required, BNE undertook publication of a legal notice in the Litchfield County Times on December 3, 2010. A copy of the affidavit of publication is attached hereto as Exhibit 2.

Q3. Who owns the property on which BNE's proposed Wind Colebrook North project would be located?

A3. The property is owned by Rock Hall Associates, LLC. BNE has a long-term lease on the property for wind energy generation.

Q4. How many properties were investigated and rejected in the search for the Wind Colebrook North project's site in this area?

A4. BNE spent more than a year looking for appropriate sites in Connecticut conducive to commercial wind production. BNE explored various locations by the shore, and on high elevation properties in Prospect, Colebrook and throughout the northwest corner of the state. BNE was aware of the wind resources in Colebrook, and focused its search on the higher elevation properties in the town with enough land to support multiple turbines and

with minimal impacts. We reviewed several properties in Colebrook, but did not pursue them due to a number of factors including available land, proximity to the electrical grid, and the proximity to the center of town and residences. We initially met with the former owner of the Colebrook South property, but were unable to agree on terms of a lease on the property. We also reviewed multiple properties in Norfolk, Canaan, Falls Village, Lakeville, Kent, Cornwall, and Sharon, but did not pursue them for a variety of reasons including expected wind resources, available land, cost of land, proximity to the electrical grid, and the proximity to the center of town and residences. During our property reviews, the site now known as Colebrook South became available in a foreclosure sale. BNE attended the auction and purchased the property in November 2007. In the spring of 2010, we were contacted by the property owner of Colebrook North, which is in close proximity to the Colebrook South property and has similar topographical characteristics, has sufficient land for the production of commercial wind energy on the site while ensuring proper setbacks and mitigating environmental impacts, and is in close proximity to the electrical grid. We entered into a long-term lease agreement on July 15, 2010 with Rock Hall Associates, LLC for wind energy generation on the property. After reviewing locations in Colebrook and across the state that may be conducive to commercial wind, BNE believes that Wind Colebrook North is one of the best locations in the state for commercial wind. The site is located on high elevation property on a ridge at the top of one of the highest points in the town and has sufficient wind resources to provide fuel for commercial wind generation. Additionally, the three wind turbines proposed by BNE will be located on 125 acres. While there are a few homes near the project, BNE has provided for appropriate setbacks from residential properties to ensure safe and reliable operations. It is also important that the turbine locations are close to the grid to minimize interconnection costs, which can be substantial, and also to minimize environmental impact in connecting to the grid. In addition, the site is located on Route 44, which is the main road in Colebrook, in a mixed use area of residents and businesses. Next to the site is a golf driving range, a gun club, and a private park with outdoor recreational facilities. Wind turbines are being built in communities throughout New England near schools, churches and homes. BNE believes that Wind Colebrook North is an excellent location for one of the first commercial wind farms in Connecticut.


Q5. How many residences are located within 2,000 feet of the property on which Wind Colebrook North would be located?

A5. There are a total of eighteen (18) residences located within 2,000 feet of the boundary of the Property. There are a total of nine (9) residences within 2,000 feet of the proposed turbine locations.

Q6. Provide a cost estimate for the proposed project; total cost and itemized by different component costs.

A6. The total cost of the project is estimated to be approximately \$12,000,000 based on an installed cost of \$2,500 per kW of installed capacity, which is a reasonable estimate for wind projects in New England. The cost of the wind turbines generally range between sixty-five to seventy percent of the total installed costs. Other major cost categories

include development and permitting, balance of plant, interconnection costs and construction costs. Below is a figure of cost estimates by category for wind power development.¹ BNE believes that the cost categories for Wind Colebrook North will be similar to those in the figure below.



Q7. Provide the addresses of the residential properties identified as R1 through R13 in the Sound Level Calculations included as part of the Noise Evaluation (Volume 3, Exhibit M).

A7. The addresses of the residential properties identified as R1 through R13 in the Sound Level Calculations included as part of the Noise Evaluation (Volume 3, Exhibit M) are included in the table below:

<i>Colebrook North Receptors</i>	<i>Address</i>	<i>Town</i>	<i>Map/Block/Lot</i>
R1	112 Rock Hall Road	Colebrook	7-3
R2	Winsted-Norfolk Road	Colebrook	7-4
R3	160 Winsted-Norfolk Road	Colebrook	7-5
R4	12A Greenwoods Turnpike	Colebrook	7-10
R5	12B Greenwoods Turnpike	Colebrook	7-11
R6	32 Greenwoods Turnpike	Colebrook	7-12
R7	52 Winsted-Norfolk Road	Colebrook	2-1
R8	117 Pinney Street	Colebrook	8-1
R9	95 Pinney Street	Colebrook	8-6
R10	49 Pinney Street	Colebrook	14-1
R11	147 Stillman Hill Road	Colebrook	14-47
R12	19 Rock Hall Road	Colebrook	13-27
R13	44 Rock Hall Road	Colebrook	13-4

¹ “Fundamentals of Wind Energy,” S. Butterfield, NREL, American Wind Energy Association Pre-Conference Seminar, May 15, 2005.

Q8. What is the difference between the “horizontal distance to receptor” and the “distance to receptor” included in the Sound Level Calculations of the Noise Evaluation (Volume 3, Exhibit M)?

A8. The “horizontal distance to receptor” represents the distance from the base of a wind turbine to a receptor location. The “distance to receptor” represents the distance from the actual wind turbine to a receptor location. If you think of the geometry as a triangle, the “horizontal distance to receptor” is the base and the “distance to receptor” is the hypotenuse.

Q9. Why did BNE consider the host property to be in a Class C noise zone for its Noise Evaluation since the property is zoned residential and land use in the area is predominantly residential?

A9. While the Property is zoned residential, its proposed use as a wind generation facility is best characterized as utility service within a Class C Land Use Category as provided by the Regulations of Connecticut State Agencies Sec. 22a-69-2.5. The Property is located in a mixed land use area and is next to several businesses including a golf driving range, a private park with recreational facilities, and a gun club. See Class C Land Use Categories below.

Sec. 22a-69-2.5.

Class C Land Use Category. The land uses in this category shall include, but not be limited to, manufacturing activities, transportation facilities, warehousing, military bases, mining, and other lands intended for such uses.

The specific SLUCONN categories in Class C shall include:

2. Manufacturing – Secondary Raw Materials
3. Manufacturing – Primary Raw Materials
4. Transportation, **Communications and Utilities** - Except 46 and 47
6. Services
- 637 Warehousing and Storage Services
- 66 Contract Construction Services
- 672 Protective Functions and Related Activities
- 675 Military Bases and Reservations
8. Agriculture
- 83 Forestry Activities and Related Services
- 84 Commercial Fishing Activities and Related Services
- 85 Mining Activities and Related Services
- 89 Other Resource Production and Extraction, N.E.C. *

*Not Elsewhere Classified

(Effective June 15, 1978)

Emphasis added

Q10. Did BNE take any existing noise level measurements on the host property or near the immediately surrounding properties identified in its noise evaluation for the Wind Colebrook North project? If so, what were the results?

A10. The existing sound levels in the vicinity of the Project site were established using the same monitoring data as Colebrook South (Petition 983), because the sound levels of those residential areas were similar to those for Colebrook North. These measured sound levels ranged from 37 dB (A) to 38 dB(A).


Q11. Provide any noise specifications for the GE turbines BNE has selected for the Wind Colebrook North project.

A11. See the Noise Emission Characteristics for the GE 1.6 MW wind turbines; this document is confidential and is being filed subject to protective order.

Q12. On page 7 of Exhibit M, the Noise Evaluation, it is stated that the project generated sound levels are based on an assumed daytime wind speed of 9 m/s and a nighttime wind speed of 8 m/s. Please explain the basis for selecting these wind speeds.

A12. The highest sound levels that the wind turbines could generate will occur at a wind speed of 9 m/s, or greater. The noise analysis assumed a wind speed of 9 m/s for the daytime period as a worst case condition. The noise analysis used a wind speed of 8 m/s for the nighttime based upon average actual wind data at the site. Wind data was collected at the site covering nearly 14 months, ranging from December 12, 2008 to January 24, 2010. Although the data indicates that there could be maximum wind speeds at night exceeding 8 m/s on occasions, the average nighttime annual wind speeds are in the range of 6.9 to 7.6 m/s at 100 meters. Therefore, using 8 m/s for the nighttime noise analysis predicts what we feel would be typical sound levels that could occur during nighttime conditions.

The wind data is presented below in a graph showing the **one day average** of the 13.4 month measured wind data at a height of 100 meters.



Q13. Is there an industry-adopted engineering standard to which wind turbines are normally built? If so, what is this standard?

- A13.** GE has over 15,000 turbines in operation; they operate safely and reliably with an availability expected to exceed 98%. The proposed unit is one of the world's most widely-used wind turbines in its class with operation in 19 countries, 170+ million operating hours and 100,000+ gigawatt-hours (GWh) produced. GE's design includes a reinforced tower design to enable reliable and safe operation that meets product and regulatory compliance expectations. See the technical specifications of the GE 1.6 MW turbine; this document is being filed separately pursuant to a motion for protective order.
- Q14.** **Table 3 of the Wind Assessment in Exhibit M includes a statement, "This turbine does not meet fall zone requirements from the project boundary, and further investigation is necessary to mitigate this requirement." Does this statement pertain to the particular wind turbine model chosen by BNE for this project? If not, what are the normal fall zone requirements for the wind turbine model chosen by BNE? Provide a map showing the fall zone radius for each of the turbines to be located on the host property.**
- A14.** Table 3 was completed by our consultant EPE prior to the final determination of the proposed turbine locations on the site. BNE is following GE's recommended setbacks for the wind turbines while working to mitigate environmental impacts. BNE also worked closely with GE to identify proper locations of the turbines taking into account various factors referenced above and numerous other factors that affect the wind resources on the site. GE conducted a Mechanical Loads Assessment using site-specific wind data that measures numerous factors including wind shear, air density and turbulence intensity to ensure that the turbines will operate safely and reliably on the site.
- Q15.** **Are there any industry-accepted guidelines for the minimum amount of acreage required per wind turbine? If so, what are these guidelines?**
- A15.** Individual wind turbines do not take up much land and the footprint can comprise less than one acre post construction. As a result, turbines can and have been located in very close proximity to schools, churches and homes throughout New England, and elsewhere. However, when there is more than a single turbine at a particular location, they must be appropriately spaced to avoid turbulence. Groups or rows of wind turbines should be positioned for optimum exposure to the prevailing winds while accounting for the topographical characteristics of the site. Sufficient spacing is necessary to maximize electricity production while minimizing exposure to damaging the turbines caused by turbulence from the rotors. Appropriate spacing varies as a function of the turbine size, rotor diameter and the wind resource characteristics on the site. A general rule of thumb in the industry is one turbine per sixty acres to provide adequate spacing for the turbines. The general rule is applied in areas with vast amounts of open land, such as in Texas or on farms in the mid-west. The actual amount of land occupied by each turbine, often referred to as its "footprint," is much smaller and often less than one acre per turbine. The rule of thumb is only a general rule. Numerous factors must be analyzed for the specific placement of turbines on a site. As indicated in the response to Q4 above, BNE spent considerable time and resources to determine the optimal location of the turbines on the site. In addition, GE conducted an extensive Mechanical Loads Assessment that

analyzed numerous factors such as wind speed, air density and turbulence intensity to determine if the locations of the turbines are suitable for the site. Other factors such as appropriate setbacks and wetland impacts were also considered. As a result, BNE has determined, with considerable input from GE, that three GE 1.6 MW wind turbines with 82 meter diameter blades may be sited on the Property as proposed.

Q16. Describe the normal maintenance schedule for the turbines selected by BNE.

A16. BNE expects to enter into an operations and maintenance agreement with GE, and plans to implement standard routine maintenance as recommended by the turbine manufacturer to ensure safe and reliable service. Wind turbine availability for the GE 1.6-82.5 MW wind turbine is expected to exceed 98 percent.

Q17. At what wind speed would the 82.5 meter blades begin producing electricity? The 100 meter blades?

A17. The cut in speed, or the speed at which the blades would begin to produce electricity, for the GE 1.6-82.5 model is 3.5 m/s. Similarly, the cut in speed for the GE 1.6-100 model is also 3.5 m/s. However, the power curve of the GE 1.6-100 is greater than that of the GE 1.6-82.5 turbine model and would therefore result in a greater annual production of electricity on the site. See the power curves for the two GE 1.6 MW wind turbine models; this information is being filed separately pursuant to a motion for protective order.

Q18. Provide a shadow flicker analysis that estimates the number of hours per year this condition may occur, and the extent to which the effects may be discerned.

A18. See Shadow Flicker Report attached hereto as Exhibit 3.

Q19. Provide an estimate of the total area to be cleared for the project, including turbine sites, laydown areas, access roads, and electrical collector yard.

A19. The total area to be cleared for the project, including turbine sites, laydown areas, access roads, and electrical collector yard is estimated to be 9.45 acres.

Q20. Estimate the number of trees with diameters at breast height of six inches or more that would be cleared for the project.

A20. VHB has been unable to complete a tree survey within the proposed clearing limits due to snow depth on the Property. It is anticipated that this survey will be completed prior to the scheduled hearing dates of March 22 and 23, 2011.

Q21. Would the laydown areas be allowed to revegetate after the turbines are installed?

A21. The laydown areas will be planted with New England Conservation/Wildlife seed mixture supplied by New England Wetland Plants, Inc., as shown on plan sheets C-313, C-314, and C-315. This seed mixture will provide a permanent cover of native grasses,

wildflowers and legumes designed to provide good erosion control and wildlife habitat value.

Q22. Approximately how many megawatt hours in a year would the proposed project have to generate in order to be commercially viable? How many hours of operation does this number represent?

A22. Commercial viability of a wind project is dependent on many factors including, but not limited to, wind turbine costs, regulatory requirements, construction costs, the price of electricity and related components, and the amount of electricity generated by the wind turbines. BNE is targeting a capacity factor of 30 percent for Wind Colebrook North, and believes the Project as proposed is commercially viable. The wind turbines are expected to be available greater than 98 percent of the time for the production of electricity. A 30 percent capacity factor will result in an annual energy yield of 12,614 MWh² of electricity production by the Project.

Q23. Volume 1, page 11 of the Petition discusses emissions offsets. Please provide the basis for the estimates of emissions reductions of air pollutants compared to fossil-fueled generation, including assumptions regarding fuel mix, emission factors, and capacity.

A23. The environmental value to the Colebrook community is significant and will be long lasting. Based on the output from three 1.6 MW facilities at a capacity factor of 30 percent, approximately 12,614 MWh of Class I renewable energy would be generated annually. The generation would provide the following reduction of air pollutants by offsetting the need for conventional fossil fueled generation:

3,532 (lbs/yr) total nitrogen oxides reduction

7,190 (lbs/yr) total sulfur oxides reduction

6,332 tons or 12,664,858 (lbs/yr) total carbon dioxide (greenhouse gas)

The renewable energy without carbon emissions would be equivalent to the following:

1,731 cars taken off the road

21,069 barrels of oil not combusted for electric generation

232,299 tree seedlings grown for 10 years

1,932 acres of pine or fir forest

² 12,614 MWh is calculated as follows: 4.8 MW of installed capacity x 8,760 hours per year x 30% capacity factor. The capacity factor takes into account wind turbine availability.

Calculations:

The project is expected to produce 12,614 MWh, annually. The calculation for the productivity of BNE Wind Colebrook North is as follows:

$$\text{MWh produced} = 4.8 \text{ MW} * 8,760 \text{ hours/year} * 30\% \text{ capacity factor (C.F.)} = 12,614.$$

Emissions Benefits Analysis

Emission estimates were calculated and based on ISO-New England’s 2007 Marginal Emissions Rate Analysis,³ summarized below, with the “...weighted average emission rates of generating units that would typically increase their output if regional energy demands were higher...”⁴ For the purposes of this analysis, the annual average of all hours was used:

NOx	0.28	lbs/MWh
SO2	0.57	lbs/MWh
CO2	1004	lbs/MWh

Given the 12,614 MWh of projected output, the emissions calculations are as follows:

$$\text{Total Avoided NOx Emissions} = .28 \text{ lbs/MWh} * 12,614 \text{ MWh} = 3,532 \text{ lbs}$$

$$\text{Total Avoided SO2 Emissions} = .57 \text{ lbs/MWh} * 12,614 \text{ MWh} = 7,190 \text{ lbs}$$

$$\text{Total Avoided CO2 Emissions} = 1,004 \text{ lbs/MWh} * 12,614 \text{ MWh} = 12,664,456 \text{ lbs or } 6,332 \text{ tons}$$

CO2 equivalencies (listed below) are based on the US Environmental Protection Agency Greenhouse Gas Equivalencies Calculator:⁵

³ http://www.iso-ne.com/genrtion_resrcs/reports/emission/2007_mea_report.pdf.

⁴ Calculations subject to rounding.

⁵ **Notes:** This calculation does not include any greenhouse gases other than CO2 and does not include line losses. Individual subregion non-baseload emissions rates are also available on the [eGRID Web site](#). To estimate indirect greenhouse gas emissions from electricity use, please use [Power Profiler](#) or use eGRID subregion annual output

- cars taken off the road - 1,731
- barrels of oil not combusted for electric generation – 21,069
- number of tree seedlings grown for 10 years – 232,299
- acres for carbon sequestered annually by pine or fir forests – 1,932

Calculations and references from this calculator are as follows:

Electricity use (kilowatt-hours)

The Greenhouse Gas Equivalencies Calculator uses the Emissions & Generation Resource Integrated Database (eGRID) U.S. annual non-baseload CO₂ output emission rate to convert reductions of kilowatt-hours into avoided units of carbon dioxide emissions. Most users of the Equivalencies Calculator who seek equivalencies for electricity-related emissions want to know equivalencies for emissions **reductions** from energy efficiency or renewable energy programs. These programs are not generally assumed to affect baseload emissions (the emissions from power plants that run all the time), but rather non-baseload generation (power plants that are brought online as necessary to meet demand).

Emission Factor

7.18×10^{-4} metric tons CO₂ / kWh
 (eGRID2007 Version 1.1, U.S. annual non-baseload
 CO₂ output emission rate, year 2005 data)

Passenger vehicles per year

Passenger vehicles are defined as 2-axle 4-tire vehicles, including passenger cars, vans, pickup trucks, and sport/utility vehicles.

In 2007, the weighted average combined fuel economy of cars and light trucks combined was 20.4 miles per gallon (FHWA 2008). The average vehicle miles traveled in 2007 was 11,720 miles per year.

In 2007, the ratio of carbon dioxide emissions to total emissions (including carbon dioxide, methane, and nitrous oxide, all expressed as carbon dioxide equivalents) for passenger vehicles was 0.977 (EPA 2009).

emission rates as a default emission factor (see [eGRID2007 Version 1.1 Year 2005 GHG Annual Output Emission Rates \(PDF\)](#)). **Sources:** (EPA 2009) [eGRID2007 Version 1.1](#), U.S. annual non-baseload CO₂ output emission rate, year 2005 data U.S. Environmental Protection Agency, Washington, DC.

The amount of carbon dioxide emitted per gallon of motor gasoline burned is 8.89×10^{-3} metric tons, as calculated in the "Gallons of gasoline consumed" section.

To determine annual greenhouse gas emissions per passenger vehicle, the following methodology was used: vehicle miles traveled (VMT) was divided by average gas mileage to determine gallons of gasoline consumed per vehicle per year. Gallons of gasoline consumed was multiplied by carbon dioxide per gallon of gasoline to determine carbon dioxide emitted per vehicle per year. Carbon dioxide emissions were then divided by the ratio of carbon dioxide emissions to total vehicle greenhouse gas emissions to account for vehicle methane and nitrous oxide emissions.

Calculation⁶

$$8.89 \times 10^{-3} \text{ metric tons CO}_2/\text{gallon gasoline} * 11,720 \text{ VMT} \\ \text{car/truck average} * 1/20.4 \text{ miles per gallon car/truck average} * 1 \text{ CO}_2, \\ \text{CH}_4, \text{ and N}_2\text{O}/0.977 \text{ CO}_2 = \mathbf{5.23 \text{ metric tons CO}_2\text{E}} \\ \mathbf{/\text{vehicle}/\text{year}}$$

Barrels of oil consumed

Average heat content of crude oil is 5.80 million btu per barrel (EPA 2007). Average carbon coefficient of crude oil is 20.33 kg carbon per million btu (EPA 2007). Fraction oxidized is 100 percent (IPCC 2006).

Carbon dioxide emissions per barrel of crude oil were determined by multiplying heat content times the carbon coefficient times the fraction oxidized times the ratio of the molecular weight of carbon dioxide to that of carbon (44/12).

Calculation⁷

⁶ **Note:** Due to rounding, performing the calculations given in the equations below may not return the exact results shown. **Sources:** EPA (2009). [Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2007. Chapter 3 \(Energy\), Tables 3-12, 3-13, and 3-14. U.S. Environmental Protection Agency, Washington, DC. U.S. EPA #430-R-09-004 \(PDF\)](#); FHWA (2008). [Highway Statistics 2007. Office of Highway Policy Information, Federal Highway Administration. Table VM-1.](#)

⁷ **Note:** Due to rounding, performing the calculations given in the equations below may not return the exact results shown. **Sources:** EPA (2007). [Inventory of U.S. Greenhouse Gas Emissions and Sinks: Fast Facts 1990-2005. Conversion Factors to Energy Units \(Heat Equivalents\) Heat Contents and Carbon Content Coefficients of Various Fuel Types. U.S. Environmental Protection Agency, Washington, DC. USEPA #430-R-07-002 \(PDF\)](#); IPCC (2006).

$$5.80 \text{ mmbtu/barrel} * 20.33 \text{ kg C/mmbtu} * 44 \text{ g CO}_2/12 \text{ g C} * \\ 1 \text{ metric ton}/1000 \text{ kg} = \mathbf{0.43 \text{ metric tons CO}_2/\text{barrel}}$$

Number of tree seedlings grown for 10 years

A medium growth coniferous tree, planted in an urban setting and allowed to grow for 10 years, sequesters 23.2 lbs of carbon. This estimate is based on the following assumptions:

The medium growth coniferous trees are raised in a nursery for one year until they become 1 inch in diameter at 4.5 feet above the ground (the size of tree purchased in a 15-gallon container).

The nursery-grown trees are then planted in a suburban/urban setting; the trees are not densely planted.

The calculation takes into account "survival factors" developed by U.S. DOE (1998). For example, after 5 years (one year in the nursery and 4 in the urban setting), the probability of survival is 68 percent; after 10 years, the probability declines to 59 percent. For each year, the sequestration rate (in lb per tree) is multiplied by the survival factor to yield a probability-weighted sequestration rate. These values are summed for the 10-year period, beginning from the time of planting, to derive the estimate of 23.2 lbs of carbon per tree.

Please note the following caveats to these assumptions:

While most trees take 1 year in a nursery to reach the seedling stage, trees grown under different conditions and trees of certain species may take longer – up to 6 years.

Average survival rates in urban areas are based on broad assumptions, and the rates will vary significantly depending upon site conditions.

Carbon sequestration is dependent on growth rate, which varies by location and other conditions.

This method estimates only direct sequestration of carbon, and does not include the energy savings that result from buildings being shaded by urban tree cover.

To convert to units of metric tons CO₂ per tree, we multiplied by the ratio of the molecular weight of carbon dioxide to that of carbon (44/12) and the ratio of metric tons per pound (1/2204.6).

Calculation⁸

$$23.2 \text{ lbs C/tree} * (44 \text{ units CO}_2 / 12 \text{ units C}) * 1 \text{ metric ton} / 2204.6 \\ \text{lbs} = \mathbf{0.039 \text{ metric ton CO}_2 \text{ per urban tree planted}}$$

Acres of pine or fir forests storing carbon for one year⁹

Growing forests store carbon. Through the process of photosynthesis, trees remove CO₂ from the atmosphere and store it as cellulose, lignin, and other compounds. The rate of accumulation is equal to growth minus removals (i.e., harvest for the production of paper and wood) minus decomposition. In most U.S. forests, growth exceeds removals and decomposition, so there has been an overall increase in the amount of carbon stored nationally.

The estimate of the annual average rate of carbon accumulation is based on two studies, one on Douglas fir in the Pacific Northwest (Nabuurs and Mohren, 1995), and the other on slash pine in Florida (Shan et al., 2001). These two studies represent commercially important species from different regions and with different rotation periods (i.e., time between planting and harvesting). The calculations below include both above-ground and below-ground carbon stored in these two species of plantation trees. They do not include litter or soil carbon.

⁸ **Note:** Due to rounding, performing the calculations given in the equations below may not return the exact results shown. **Sources:** U.S. DOE (1998). [Method for Calculating Carbon Sequestration by Trees in Urban and Suburban Settings. Voluntary Reporting of Greenhouse Gases. U.S. Department of Energy, Energy Information Administration.](#)

⁹ **Sources:**

Nabuurs, G.J., and G.M.J. Mohren. 1995. Modelling analysis of potential carbon sequestration in selected forest types. *Canadian Journal of Forest Research* 25(7):1157-1172.

Shan, J.P., L.A. Morris, and R.L. Hendrick. 2001. The effects of management on soil and plant carbon sequestration in slash pine plantations. *Journal of Applied Ecology* 38(5):932-941.

IPCC 2006, 2006 IPCC Guidelines for National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme, Eggleston H.S., Buendia L., Miwa K., Ngara T. and Tanabe K. (eds). Published: IGES, Japan. Volume 4. Available at <http://www.ipcc-nggip.iges.or.jp/public/2006gl/index.html>.

Calculation for Slash Pine

The calculation uses the Gain Loss method, as outlined in the 2006 IPCC Guidelines, in order to estimate carbon stored annually per hectare in the slash pine plantation system described in the Shan et al. paper. The general equation for this method is shown below. Here, carbon losses due to harvested wood products, firewood foraging, and other sources of wood removals are assumed to be zero.

$$\Delta CB = \Delta CG - \Delta CL$$

Where:

ΔCB = annual change in carbon stocks in biomass for each land sub-category, considering the total area, metric tons of carbon per year

ΔCG = annual increase in carbon stocks due to biomass growth for each land sub-category, considering

the total area, metric tons of carbon per year

ΔCL = annual decrease in carbon stocks due to biomass loss for each land sub-category, considering the

total area, metric tons of carbon per year (Here assumed to be 0).

Gains:

$$\Delta CG = \Sigma(A_{i,j} * G_{total,i,j} * CF_{i,j})$$

Where:

$$G_{total} = \Sigma (G_w * (1+R))$$

A = area of land remaining in the same land-use category, here assumed to be 1

G_{total} = mean annual biomass growth

i = ecological zone

j = climate domain

CF = carbon fraction of dry matter

G_w = average annual above-ground biomass growth for a specific woody vegetation type

R = ratio of below-ground biomass to above ground biomass for a specific vegetation type.

Since this paper measured growth in a plantation of trees harvested at age 17, the value is for relatively young trees that are growing more quickly than older trees would. The paper included several options in terms of management. The value used in the calculations below is the “control” – meaning that there was

no fertilization (which had a big impact on growth) and no trimming of the understory for these trees. The calculation below uses the IPCC assumption that the carbon fraction is 47 percent of dry biomass.

The final result (3.052 MT C/ha/yr) * 0.4048 hectares/acre = **1.24 MT C/acre/year.**

Reference	Aboveground biomass growth rate (MT/ha/yr) (averaged over 17 years)	Root:Shoot ratio (R)	Total Biomass Growth Rate (MT/ha/yr)	Carbon Fraction (MT C per MT dry matter)	Net Sequestration Rate (MT C/ha/yr)
Slash Pine, age 17 Shan et al 2001	5.209	0.2912	6.493	0.47	3.052

Calculation for Douglas Fir

This calculation is based on results found in a 1995 paper by Nabuurs et al. The paper uses a model to calculate the amount of carbon sequestered in plots of various tree types across the world. The model uses turnover rates in order to calculate carbon stored in forests over time during different types of logging intervals. Parameters included in the model include basic wood density, allocation of net primary production, turnover rates of tree organs, resident times of litter and humus, current volume increment, and allocation of harvested wood. The parameters are specific for each of the six sites chosen for the study. Within each site, three areas of fertility and production are measured, although the study uses sample data from the “moderate” site during the discussion and results sections. The numbers presented below are also from the “moderate” site.

Since this paper is concerned with carbon sequestered in forests undergoing selective logging, the designers of this calculator had to choose at what point during the harvesting cycle to measure the carbon sequestered. We decided to use the total carbon stock stored (including biomass and forest products, not including soil carbon) after 100 years of accumulation. The model in this paper assumes that the carbon fraction is 50 percent.

		Total C Stock After 100 Years (Mg C per ha)	Net Sequestration Rate (MT C/ha/yr)
Douglas-Fir, age 100	Nabuurs et al 1995	327	3.27

The final result (3.27 MT C/ha/yr) * 0.4048 hectares/acre = **1.32 MT C/acre/year**. One reason why this value is higher than the slash pine plantation number is because the Douglas fir trees had 100 years to accumulate biomass – including more years at a relatively fast-growing maturity than the slash-pine trees.

The average of these two values is 1.28 metric tons of C per acre per year, which corresponds to **4.69 metric tons of CO₂ per acre of pine or fir forests**.

Q24. What is the maximum distance that ice could be thrown from the proposed wind turbines? How many homes are located within this distance?

A24. BNE has retained Garrad Hassan American Inc. to conduct a detailed ice throw study to accurately respond to this interrogatory. The study will be filed as soon as it is completed on or before the March 15, 2011 pre-filing deadline.

Q25. How does BNE intend to monitor the facility for ice build up on the blades and potential ice throw? What could be done if ice does begin to build up on the blades?

A25. The proposed 1.6-82.5 GE turbine has controls that monitor multiple inputs and outputs. If ice builds up on the blades, the turbine monitors the actual output compared to the expected output. If the actual output falls below where it should be based on wind speed, the turbine will alarm to notify the operator that icing may be occurring. There are also vibration monitors which can detect uneven accumulation of ice, and safely shut down the turbine. There is also an optional feature called Winter Ice Operation Mode which could be used to automatically reduce turbine output during icing conditions, to increase output. The wind turbines will also be remotely monitored by GE and will be monitored by BNE onsite during icing conditions to ensure safe operations.

Q26. What is the approximate distance that parts of the blades could be thrown from a turbine? How many residences are located within this distance?

A26. GE has over 15,000 turbines in operation; they operate safely and reliably. The proposed unit is one of the world's most widely-used wind turbines in its class with operation in 19 countries, 170+ million operating hours and 100,000+ gigawatt-hours (GWh) produced. Variable speed control and independent blade pitch will be used for aerodynamic braking to reduce blade speed during high winds. The reinforced tower design will enable reliable and safe operation that meets product and regulatory compliance expectations up to operational maximum extreme gusts for a three second period of 56 m/s (over 125 mph) and for ten minutes of 40 m/s (over 89 mph) according to IEC standards. The wind turbine machine can be controlled automatically or manually from either an interface located inside the nacelle or from a control box at the bottom of the tower. Control signals can also be sent from a remote computer via a SCADA. BNE expects to enter into an operations and maintenance agreement with GE to remotely monitor and maintain

the turbines. BNE operations and maintenance personnel will also be located on-site to supplement the services provided by GE. Service switches at the tower top prevent service personnel at the bottom of the tower from operating certain systems of the turbine while service personnel are in the nacelle. To override any machine operation, emergency stop buttons located in the tower base and in the nacelle can be activated to stop the turbine in the event of an emergency. The rotor blades are also equipped with lightning receptors mounted in the blade and the turbines are grounded and shielded to protect against lightning. The turbines are also specially built to handle seismic loads. In the rare instance that a blade is damaged, the setbacks proposed by BNE would provide more than an adequate safety zone for any type of malfunctions of the turbines.

Q27. Did BNE make any attempts to determine the presence of raptors in the vicinity of the project area? If so, what were the results of these attempts?

A27. No bird surveys were completed in Colebrook North. Identification of raptors was attempted as part of the Breeding Bird Survey at Colebrook South; however, survey methodology was not designed to maximize detection of raptors. No raptors were observed during formal Breeding Bird Surveys. Surveyors completing Breeding Bird Surveys and Acoustic Bat Monitoring at Colebrook South recorded any raptors seen incidentally while on site. A total of 2 red-shouldered hawks and 2 broad-winged hawks were recorded incidentally.

Q28. Is the Wind Colebrook North project located near any Important Bird Areas designated by the Connecticut Audubon Society?

A28. A total of 27 IBAs have been identified in Connecticut (Audubon Connecticut 2010). There are currently no IBAs in the Northwest Highlands Region of the state. There are three IBAs in the Southwest Hills area of Litchfield County: Topsmead State Forest in Litchfield, White Memorial Foundation in Litchfield and Morris, and Good Hill Farm Sanctuary in Woodbury and Roxbury.

Q29. Provide a comparison between the wind data collected from the property on which the Wind Colebrook North project would be located and the data collected from the Wind Colebrook South project location. How was the data for the Wind Colebrook North property collected?

A29. BNE has installed a Met tower on Wind Colebrook South and has been measuring the wind resources on the site for more than two years. Given the close proximity to the Wind Colebrook North site and the similar topographical characteristics of the two sites, BNE is using the same wind data estimates for Wind Colebrook North. However, BNE has supplemented the wind data information that has been recorded by the Met tower with a Sodar unit that measures wind speeds by using sound waves. The advantage of the Sodar unit is that it is portable and can be moved around the property. It also measures wind speeds more accurately at higher elevations up to 120 meters. BNE has installed the Sodar unit at both the Wind Colebrook South and Wind Colebrook North locations to obtain additional wind resource information. The Sodar unit is currently installed at the

Wind Colebrook North location. The data from the Sodar unit at Wind Colebrook North will be compared to data obtained from both the Met tower and Sodar unit on Wind Colebrook South to validate estimated wind resources on the site. BNE expects the wind resources to be in line with the current estimates for Wind Colebrook South.

Q30. The application states, “The CWRA is not in the vicinity of any known bat colonies or features likely to attract large numbers of bats.” What is the basis for this statement?

A30. A review of publically available information, a habitat assessment and results of acoustic surveys were evaluated to reach this conclusion.

Overwintering habitat: There is no suitable habitat on the Project site to support overwintering bats – no caves or mines are present which could serve as hibernaculum. The closest known hibernaculum to the Project site is located in Winsted. Other known hibernacula in Litchfield County are located in Morris, New Milford, Roxbury, and Terryville. Hibernacula are also located in Fairfield County and in Hartford County. In February and March 2005, CTDEP conducted winter bat surveys at Winsted and the other known hibernacula listed above (Krukar 2005). This survey was part of an ongoing, biennial survey conducted by CTDEP staff. Of the six hibernacula surveyed by CTDEP in 2005, Winsted had the second highest number of bats (780) after Roxbury Mine (refer to Table 5) (Krukar 2005). Four bat species were detected during the 2005 survey of the Winsted hibernacula: little brown (*Myotis lucifugus*), northern long-eared (*Myotis septentrionalis*), big brown (*Eptesicus fuscus*), and tri-colored bat (*Perimyotis subflavus*), previously known as eastern pipistrelle (Krukar 2005). In the Northeast, big brown bats also commonly overwinter in buildings and attics, as they are able to tolerate colder temperatures than other hibernating bats (Tuttle 1988).

Breeding Habitat: The project contains forestlands and some forested wetlands which likely support tree-roosting bat species common to the region. It is not unreasonable to expect that one or more species of tree bats could use the Project site during the summer, but it is not believed that habitat is sufficient to support a large colony. These habitat types are not unique to the project; nor do they occur in greater abundance or quality relative to the surrounding region, based on landcover imagery and the results of the habitat analysis. Tree-roosting bat species which are likely to occur within the region are largely solitary roosting and do not generally occur in large aggregations (Harvey 1999, BCI 2010, DeGraaf and Yamaski 2001). The two most common bats in Connecticut are little brown bat and big brown bat (CTDEP 1999f). These species are both widely distributed across the U.S. Although both species are considered forest bats for their primary roosting habitat, both are also known to form large maternity colonies in buildings and other man-made structures (Bat Conservation International 2010b, 2010c), which are absent from the Project Area. Maternity colonies are also located beneath loose bark, and in tree cavities and hollows (Bat Conservation International 2010b, 2010c). Several large-diameter trees and snags with cavities, hollows, or peeling bark occur within the Project site that could support individuals or colonies of either little

brown bat or big brown bat. Residential development to the east of the Project site could also conceivably support individuals or colonies of either species.

All three species of migratory tree bat known to occur in Connecticut are not thought to be abundant (CTDEP 1999d). Silver-haired bats seem to prefer to roost in old growth coniferous forest and may exhibit a preference for higher elevations than occur on the Project site. Hoary bat also prefers to roost coniferous forests, but will use regenerating deciduous forests, including maple, cherry, and hemlock (Godin 1983, Shump and Shump 1982). Hoary bats will roost in the dense foliage in tree crowns, and individuals will travel up to 24 miles round-trip on the first foraging flight of the night (Bat Conservation International 2010). Hoary bats do not aggregate in large breeding colonies. Eastern red bat, perhaps the most abundant migratory tree bat in North America, prefers to roost in more exposed positions than other bats, usually on a tree branch or the stem of a leaf. This species will roost in both deciduous or evergreen trees, and generally roosts solitarily, with the exception of mothers and their young. Roost sites must be open underneath to allow easy exit and entry (Majer and Nelson 2001). The majority of the site contains a thick understory of vegetation.

Q31. On page 21 of Volume 1 of BNE’s application and on page 6 of Exhibit I, the application states that there are six major different habitat types on the Wind Colebrook North property. Attachment C of Exhibit I (page 2) refers to four major habitat types. Explain this discrepancy.

A31. Attachment C of Exhibit I is a Smooth Green Snake Habitat Survey, which was provided to CTDEP. The “Habitat Survey” section of this document describes four major habitat types as follows: second growth upland forest (Northern Hardwood Forest types), forested wetlands (which include Mill Brook, a perennial watercourse), maintained lawn (golf driving range) and a shrub swamp. The Northern Hardwood Forest types (three) that comprise the second growth upland forest are described within the “Second Growth Upland Forest” section also on page 2 of this document. Smooth green snake does not inhabit forestland and as such it was not deemed necessary to identify the components of second growth upland forest as major habitat types.

Six major habitat types were identified within the Terrestrial Wildlife Habitat and Wetland Impact Analysis report (Exhibit I). This discrepancy is the result of identifying the Northern Hardwood Forest types that comprise the second growth upland forest as major habitat types. VHB environmental scientists used DeGraaf and Yamasaki’s *New England Wildlife: Habitat, Natural History, and Distribution* (2001) as a reference and general predictive tool to identify potential fauna that may be occupying the Property. This reference provides a set of matrices based on dominant cover type that determine which avian, amphibian, reptile, and mammal species may occupy an area based on general and specific habitat requirements. The habitat types found on the Property were correlated with cover types used in the matrices, and a list of potential species was identified. Based on this method for identifying potential fauna, it was determined that identifying the components of the second growth upland forest would result in a more accurate assessment.

Q32. In its request for party status, FairwindCT implies that the Smooth Green Snake could occur within the Northern Hardwoods Forest habitat that contains species characteristic of transitional, lightly forested habitats favored by the snake. Is this correct?

A32. No. Smooth green snake (*Ophedryx vernalis*) favors *open, unforested habitats including meadows, pastures, fens, coastal grasslands, mountaintop “balds”, but is also found in transitional and lightly forested habitats such as grassy old fields with scattered shrubs and trees, as well as oak-pitchpine woodland.*¹⁰ In its request for party status, FairwindCT contends that the early successional forest habitat located east of the golf driving range is dominated by [tree] species indicative of transitional, lightly forested habitats which could provide smooth green snake habitat. It goes on to say that this area can “clearly be seen in aerial photographs as a meadow or grassy old field.” This depiction by FairwindCT is incorrect. This area is dominated by dense tree growth characteristic of areas that are colonized by early successional tree species and includes an equally dense shrub layer. This area is not characterized as *lightly forested* nor does it contain *scattered shrubs and trees*. Representative photographs of this area are provided in the Photographic Documentation attached hereto as Exhibit 4. The CTDEP concurs with the findings that that smooth green snake habitat does not occur within the Project site. A CTDEP concurrence letter, dated January 20, 2011 is attached hereto as Exhibit 5.

Q33. Does DEP have any indications that the Northern Spring Salamander occurs on the Wind Colebrook North property?

A33. No. VHB personnel reviewed the CTDEP’s Natural Diversity Database (NDDB) which identifies general areas of concern with regards to state and federally listed Endangered, Threatened, and Special Concern species and significant natural communities. A NDDB area of concern with regard to threatened or endangered species and/or significant natural communities was identified approximately 150 feet south of the southern Property boundary as shown on Figure 3, *Environmental Resources Screen*, in Exhibit I of the Petition. As such, VHB completed and submitted a NDDB Review Request Form and supporting materials to the CTDEP for confirmation. CTDEP responded in a letter dated September 3, 2010 (included in Attachment C, Exhibit I) that smooth green snake (*Liochlorophis [Opheodryx] vernalis*), a state species of special concern, occurs in the vicinity of the Property. CTDEP did not indicate that northern spring salamander occurs on, or in proximity to the Wind Colebrook North property.

Respectfully Submitted,

By: /s/ Carrie L. Larson
Attorney For BNE Energy Inc.
Carrie L. Larson, Esq.

¹⁰ Klemens, M. W. (1993). Amphibians and Reptiles of Connecticut and Adjacent Regions. State Geological and Natural History Survey of Connecticut, Bulletin 112.

clarson@pullcom.com
Pullman & Comley, LLC
90 State House Square
Hartford, CT 06103-3702
Ph. (860) 424-4312
Fax (860) 424-4370

Certification

This is to certify that a copy of the foregoing has been sent via Federal Express on this date to all parties and intervenors of record.

Nicholas J. Harding
Emily A. Gianquinto
Reid and Riege, P.C.
One Financial Plaza
Hartford, CT 06103

John R. Morissette
Manager-Transmission Siting and Permitting
The Connecticut Light & Power Company
P.O. Box 270
Hartford, CT 06141-0270

Christopher R. Bernard
Manager-Regulatory Policy (Transmission)
The Connecticut Light & Power Company
P.O. Box 270
Hartford, CT 06141-0270

Joaquina Borges King
Senior Counsel
The Connecticut Light & Power Company
P.O. Box 270
Hartford, CT 06141-0270

Thomas D. McKeon
First Selectman
Town of Colebrook
P.O. Box 5
Colebrook, CT 06021

David M. Cusick
Howd, Lavieri & Finch, LLP
682 Main Street
Winsted, CT 06098

Jeffrey and Mary Stauffer
21 Brightwood Drive
Woodbridge, CT 06525

Kristin Mow
12A Greenwoods Turnpike
Colebrook, CT 06021

David R. Lawrence MD
Jeannie Lemelin LPN
30 Flagg Hill Road
Colebrook, CT 06021

Walter M. Zima
12B Greenwood Turnpike
Colebrook, CT 06021

/s/ Carrie L. Larson
Carrie L. Larson

ACTIVE/72955.6/CLARSON/2385855v2

EXHIBIT 1

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> <input checked="" type="checkbox"/> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. <input checked="" type="checkbox"/> Print your name and address on the reverse so that we can return the card to you. <input checked="" type="checkbox"/> Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature <input checked="" type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee	
1. Article Addressed to: <p style="text-align: center;">Jeffrey W. Stauffer Mary E. Hubbard 21 Brightwood Drive Woodbridge, CT 06525</p>	B. Received by (Printed Name)	C. Date of Delivery 12-1
	D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No	
3. Service-Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.		
4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes		
2. Article Number (Transfer from servk) 7009 2820 0002 1698 1131		
PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540		

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> <input checked="" type="checkbox"/> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. <input checked="" type="checkbox"/> Print your name and address on the reverse so that we can return the card to you. <input checked="" type="checkbox"/> Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee	
1. Article Addressed to: <p style="text-align: center;">Christine L. Stauffer 21 Brightwood Drive Woodbridge, CT 06525</p>	B. Received by (Printed Name)	C. Date of Delivery 12-10
	D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input checked="" type="checkbox"/> No	
3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.		
4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes		
2. Article Number (Transfer from service lab) 7009 2820 0002 1698 1377		
PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540		

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> <input checked="" type="checkbox"/> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. <input checked="" type="checkbox"/> Print your name and address on the reverse so that we can return the card to you. <input checked="" type="checkbox"/> Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature <input type="checkbox"/> Agent <input type="checkbox"/> Addressee	
1. Article Addressed to: <p style="text-align: center;">Maasser Annual Reunion Association c/o Richard Noujaim 395 Hayden Hill Road Torrington, CT 06790</p>	B. Received by (Printed Name) Richard T. Noujaim	C. Date of Delivery 12/1/06
	D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No	
3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.		
4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes		
2. Article Number (Transfer from servk) 7009 2820 0002 1698 1322		
PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540		

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

William & Muriel T. Meeker
 32 Greenwoods Turnpike
 Winsted, CT 06098

2. Article Number 7009 2820 0002 1698 1292
 (Transfer from service number)

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 X *William Meeker* Agent
 Addressee

B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Susan N. Wagner
 PO Box 118
 Norfolk, CT 06058-0118

2. Article Number 7009 2820 0002 1698 1254
 (Transfer from service number)

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 X *Stephen A. Christ* Agent
 Addressee

B. Received by (Printed Name) C. Date of Delivery
Stephen Christ *11/30/10*

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Walter M. Zima, Jr.
 12B Greenwoods Turnpike
 Winsted, CT 06098

2. Article Number 7009 2820 0002 1698 1230
 (Transfer from service number)

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 X *Walter Zima* Agent
 Addressee

B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.


1. Article Addressed to:

Julianne & Jeffery Lepkowicz
 150 Winsted-Norfolk Road
 Winsted, CT 06098

2. Article Number 7009 2820 0002 1698 1186
 (Transfer from s

COMPLETE THIS SECTION ON DELIVERY

A. Signature [Signature] Agent Addressee
 B. Received by (Printed Name) Julianne Lepkowicz C. Date of Delivery 12/2/10
 D. Is delivery address different from item 1? Yes No
 If YES, enter delivery address below:



3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

James F. & Judith A. Tierney
 160 Winsted-Norfolk Road
 Winsted, CT 06098

2. Article Number 7009 2820 0002 1698 1193
 (Transfer from service

COMPLETE THIS SECTION ON DELIVERY

A. Signature [Signature] Agent Addressee
 B. Received by (Printed Name) Judith Tierney C. Date of Delivery 12-04-10
 D. Is delivery address different from item 1? Yes No
 If YES, enter delivery address below:



3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.


1. Article Addressed to:

Helen L. Plager - In Trust
 78 Pinney Street
 Winsted, CT 06098

2. Article Number 7009 2820 0002 1698 1216
 (Transfer from service

COMPLETE THIS SECTION ON DELIVERY

A. Signature [Signature] Agent Addressee
 B. Received by (Printed Name) Helen Louise Plager C. Date of Delivery 12/2/10
 D. Is delivery address different from item 1? Yes No
 If YES, enter delivery address below:



3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:


Helen L. Plager
 78 Pinney Street
 Winsted, CT 06098

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 X *Helen Louise Plager* Agent Addressee

B. Received by (Printed Name) *Helen Louise Plager* C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No



3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Transfer from) 7009 2820 0002 1698 1223

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:


The Northwestern Connecticut
 Sportsman Association, Inc.
 P.O. Box 618
 Winsted, CT 06098

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 X *John J. Kelly* Agent Addressee

B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No



3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Transfer from) 7009 2820 0002 1698 1155

EXHIBIT 2

THE LITCHFIELD COUNTY TIMES

65 Main St. New Milford, CT 06776
(860) 354-2261 • Fax (860) 210-2150

Affidavit of Publication

State of Connecticut County of Litchfield

LEGAL NOTICE NOTICE

Notice is hereby given of a petition for declaratory ruling to be submitted to the Connecticut Siting Council ("Siting Council") on or about December 3, 2010 by BNE Energy Inc. ("Petitioner"). The Petitioner will file a petition for declaratory ruling that no certificate of environmental compatibility and public use is needed from the Siting Council for the construction, maintenance and operation of a 4.8 MW wind electric generating project in Colebrook, Connecticut. The Petitioner is proposing to construct three wind turbines at Winsted-Norfolk Road (Route 44) at the intersection of Rock Hill Road in Colebrook. The location, height and other features of the proposed facility are subject to review and potential change by the Connecticut Siting Council pursuant to Connecticut General Statutes § 16-50g et seq.

Interested parties and residents of the Town of Colebrook are invited to review the Application during normal business hours at any of the following offices:

Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

Town of Colebrook
Town Hall
562 Colebrook Road
Colebrook, CT 06021

or the offices of the undersigned. All inquiries should be addressed to the Connecticut Siting Council or to the undersigned.

Carrie L. Larson
Pullman & Comley, LLC
90 State House Square
Hartford, CT 06103-3702
Attorneys for the Petitioner
P-12/3

Sabina Paszkowski being duly sworn and says that he/she is an employee of **The Litchfield County Times**, a weekly newspaper, published in the Town of **New Milford**, County of **Litchfield**, in the State of **Connecticut**, and that a notice, a printed copy of which is hereunto annexed, has been published in said newspaper, on the 3rd day of December, 2010.

Sabina Paszkowski

Sworn and subscribed to before me on this 22nd day of February, 2011.

[Signature]
State of Connecticut Notary Public or other official authorized to administer oaths.

HEIDI J. HAUG

Date commission expires July 31, 2013

EXHIBIT 3

Exhibit 3 contains a photographic file that was too large to e-mail. A copy has been provided to the Siting Council on disk with the physical filing.

EXHIBIT 4

Vanasse Hangen Brustlin, Inc.
PHOTOGRAPHIC DOCUMENTATION
Wind Colebrook North, Proposed Wind Energy Development
Interrogatory Response to Question 32



Photo 1: View of early successional habitat type looking southeast from the golf driving range.



Photo 2: View of early successional habitat type looking southeast from Rock Hall Road.

EXHIBIT 5



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION
FRANKLIN WILDLIFE
391 ROUTE 32
N FRANKLIN CT 06254
860-642-7239



January 20, 2011

Mr. Matthew Davison
Vanasse Hangen Brustlin, Inc.
54 Tuttle Place
Middletown, CT 06457-1847

re: proposed wind energy facility, Winsted-Norfolk Road, Colebrook

Dear Mr. Davison:

Your Habitat Survey report and additional materials were received on 11/18/10 regarding the state species of special concern, Smooth Green Snake (*Liochlorophis vernalis*). Again since you do not yet have your permits, the DEP Wildlife Division recommends that you review the recommendations provided at the following link:

http://www.fws.gov/habitatconservation/windpower/wind_turbine_advisory_committee.html

and consider conducting additional field surveys to address non-listed species that may occur at this site or fly over it and be impacted by a turbine.

Again, the Smooth Green Snake favors meadows and moist grassy fields along the forest edge where their coloration can camouflage them. Your report indicates that this proposed development, and the proposed staging areas, will not impact these preferred habitats. With this information, the DEP Wildlife Division concurs that the Smooth Green Snake will not be impacted.

The Wildlife Division also recommends that standard protocols for protection of wetlands should be followed and maintained during the course of the project. Additionally, all silt fencing should be removed after soils are stable so that reptile and amphibian movement between uplands and wetlands is not restricted. And all precautions should be taken to avoid degradation to wetland habitats including any wet meadows and seasonal pools. Please be advised that the Wildlife Division has not made a field inspection of the project nor have we seen detailed timetables for work to be done. Consultation with the Wildlife Division should not be substituted for site-specific surveys that may be required for environmental assessments. Please be advised that should state permits be required or should state involvement occur in some other fashion, specific restrictions or conditions relating to the species discussed above may apply. In this situation, additional evaluation of the proposal by the DEP Wildlife Division should be requested. If the proposed project has not been initiated within 12 months of this review, contact the NDDB for an updated review. If you have any additional questions, please feel free to contact me at Julie.Victoria@ct.gov, please reference the NDDB # at the bottom of this letter when you e-mail or write. Thank you for the opportunity to comment.

Sincerely,

Julie Victoria
Wildlife Biologist

cc: NDDB – 17983