



# STATE OF CONNECTICUT

## CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@po.state.ct.us](mailto:siting.council@po.state.ct.us)

Web Site: [www.state.ct.us/csc/index.htm](http://www.state.ct.us/csc/index.htm)

February 20, 2004

Michele G. Briggs  
Manager of Real Estate  
Southwestern Bell Mobile Systems, LLC  
500 Enterprise Drive  
Rocky Hill, CT 06067-3900

RE: **EM-CING-013-040210** - Southwestern Bell Mobile Systems, LLC notice of intent to modify an existing telecommunications facility located at 133 Gifford Lane, Bozrah, Connecticut.

Dear Ms. Briggs:


At a public meeting held on February 18, 2004, the Connecticut Siting Council (Council) acknowledged your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated February 9, 2004. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.


Thank you for your attention and cooperation.

Very truly yours,

  
Pamela B. Katz, P.E.  
Chairman

PBK/laf

- c: Honorable Keith J. Robbins, First Selectman, Town of Bozrah
- Seymour Adelman, Planning and Zoning Chairman, Town of Bozrah
- Bryan Wilson, SBA, Inc.
- Sandy M. Carter, Verizon Wireless
- Christopher B. Fisher, Esq., Cuddy & Feder LLP
- Thomas J. Regan, Esq., Brown, Rudnick, Berlack Israels, LLP
- Stephen J. Humes, Esq., LeBoeuf, Lamb, Greene & MacRae LLP



# STATE OF CONNECTICUT

## CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@po.state.ct.us](mailto:siting.council@po.state.ct.us)

Web Site: [www.ct.gov/csc](http://www.ct.gov/csc)

February 10, 2004

Honorable Keith J. Robbins  
First Selectman  
Town of Bozrah  
1 River Road  
Bozrah, CT 06334-0158

RE: **EM-CING-013-040210** - Southwestern Bell Mobile Systems, LLC notice of intent to modify an existing telecommunications facility located at 133 Gifford Lane, Bozrah, Connecticut.

Dear Mr. Robbins:

The Connecticut Siting Council (Council) received this request to modify an existing telecommunications facility, pursuant to Regulations of Connecticut State Agencies Section 16-50j-72.

The Council will consider this item at the next meeting scheduled for February 18, 2004 at 1:30 p.m. in Hearing Room One, Ten Franklin Square, New Britain, Connecticut.

Please call me or inform the Council if you have any questions or comments regarding this proposal.

Thank you for your cooperation and consideration.

Very truly yours,

S. Derek Phelps  
Executive Director

Hope yours well!

SDP/cm

Enclosure: Notice of Intent


cc: Seymour Adelman, Planning & Zoning Chairman, Town of Bozrah



EM-CING-013-040210

Michele G. Briggs  
Manager of Real Estate

February 9, 2004



Ms. Pam Katz, Chairman  
Connecticut Siting Council  
10 Franklin Square  
New Britain, Connecticut 06051

**Re: Notice of Exempt Modification – Existing SBA Telecommunications Tower Facility at 133 Gifford Lane, Bozrah, Connecticut**

Dear Chairman Katz:

Southwestern Bell Mobile Systems, LLC (“SBMS”) intends to install telecommunications antennas and associated equipment at an existing multicarrier telecommunications tower off Gifford Lane in Bozrah, Connecticut.

The Bozrah facility is located at 133 Gifford Lane, about 4,000 feet south of CT Route 2. Tower coordinates (NAD 83) are N 41° 33’ 9” and W 72° 09’ 05”. The facility is owned and operated by SBA Properties, Inc. (“SBA”), 5900 Broken Sound Parkway NW, Boca Raton, FL 33487. SBA leases the land from John and Betty Orr.

Please accept this letter as notification to the Council, pursuant to R.C.S.A. Section 16-50j-73, of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2). In compliance with R.C.S.A. Section 16-50j-73, a copy of this letter is being sent to the 1st Selectman of Bozrah.

SBMS, the local component of the nationwide Cingular Wireless network, is licensed by the Federal Communications Commission (“FCC”) to provide cellular mobile telephone service in the New London, CT Metropolitan Statistical Area, which includes the area to be served by SBMS’ proposed installation. The public need for cellular service has been predetermined by the FCC.

SBA has agreed to plans put forth by SBMS pursuant to mutually acceptable terms and conditions and has also authorized SBMS to obtain necessary government approvals. Attached to this Notice are a site location map, a proposed site plan, the proposed tower profile, and a structural analysis report that shows the tower is structurally capable of supporting the proposed SBMS telecommunications equipment.

The SBA facility was approved by local zoning in 1999, which was prior to the November

2000 Covello decision concerning Council and Town jurisdiction for tower siting. The tower came under Council jurisdiction with Verizon's application to co-locate in TS-VER-115-012307, which was approved on January 3, 2002.

The Gifford Lane facility consists of a 193-foot self-supported lattice tower within a roughly 60' x 76' rectangular compound surrounded by a 6-ft high chain link fence topped by barbed wire. T-Mobile, Sprint, Verizon, and AT&T operate antennas and associated equipment at the facility.

As shown on the attached drawings and as further described below, SBMS proposes to install up to twelve CSS DUO-1417-8686 panel antennas, approximately 48 inches in height, with the center of radiation approximately 182 feet above ground level. Associated equipment to be installed on the tower are up to six dual-band tower top amplifiers ("TTA's"; small metal boxes approximately 26 pounds apiece) immediately behind the antennas, and up to three very small (5 pounds apiece) CSS dual-band "combiners." SBMS also proposes to place a 12' x 20' prefabricated concrete equipment building at the base of the tower. All work will be done inside the existing fenced compound.

With the "GSM-only" configuration, SBMS will broadcast up to:

- 2 channels, 296 Watts ERP, 880 – 894 MHz; and
- 2 channels, 427 Watts ERP, 1930 – 1935 MHz.

### **Statutory Considerations**

The changes to the Bozrah tower facility do not constitute a modification as defined in Connecticut General Statutes ("C.G.S.") Section 16-50i(d) because the general physical characteristics of the facility will not be significantly changed or altered. Rather, the planned changes to the facility fall squarely within those activities explicitly provided for in R.C.S.A. Section 16-50j-72(b)(2) because they will not result in any substantial adverse environmental effect.

1. The height of the overall structure will be unaffected.
2. The proposed changes will not affect the property boundaries. All new construction will take place on property leased by SBA and within the existing fenced compound.
3. The proposed additions will not increase the noise level at the existing facility by six decibels or more.
4. Operation of the additional antennas will not increase the total radio frequency electromagnetic radiation power density, measured at the tower base, to or above the standard adopted by the State of Connecticut and the FCC. The "worst-case" exposure calculation in accordance with FCC OET Bulletin No. 65 (1997) for a point of interest at the base of the tower in relation to the operation of the currently proposed antenna array is as follows:

Company	Centerline Height (feet)	Frequency (MHz)	Number of Channels	Power Per Channel (Watts)	Power Density <sup>†</sup> (mW/cm <sup>2</sup> )	Standard Limits (mW/cm <sup>2</sup> )	Percent of Limit
T-Mobile *	193	1945	2	388	0.0075	1.0000	0.75
Cingular	182	880 - 894	2	296	0.0064	0.5867	1.10
Cingular	182	1930 - 1935	2	427	0.0093	1.0000	0.93
Sprint *	175	1945	12	100	0.0141	1.0000	1.41
Verizon *	162	875	19	100	0.0260	0.5833	4.46
AT&T *	152	D: 1945 E: 1985	16	250	0.0623	1.0000	6.23
<b>Total</b>							<b>14.87%</b>

\* Power density parameters taken from applications to the Council: TS-OCI-013-990719, TS-VER-013-001117, and EM-AT&T-013-020326.


† Please note that the standard power density equation provided by the Council in its memo of January 22, 2001 incorporates a ground reflection factor of 2.56 (i.e., the square of 1.6) as described in FCC OET Bulletin No. 65.

As the table demonstrates, the cumulative "worst-case" exposure would be approximately 15% of the ANSI/IEEE standard, as calculated for mixed frequency sites. Total power density levels resulting from SBMS' use of the tower facility would thus be within applicable standards.

For the foregoing reasons, SBMS respectfully submits that proposed changes to implement expanded shared use at the Bozrah site constitute an exempt modification under R.C.S.A. Section 16-50j-72(b)(2).

Please feel free to call me at (860) 513-7700 or Steve Levine at (860) 513-7636 with questions concerning this application. Thank you for your consideration in this matter.

Respectfully yours,




Michele G. Briggs  
Manager of Real Estate

Enclosures

cc: Honorable Keith Robbins, 1st Selectman, Town of Bozrah

# Bozrah - SBA - Gifford Lane




Mag 14.00  
 Mon Feb 09 13:04 2004


Scale 1:31,250 (at center)

2000 Feet


1000 Meters

-  Local Road
-  Major Connector
-  State Route
-  Primary State Route
-  Interstate/Limited Access





**LEASE PLAN**





**NOTE 1:**  
 DRAWING IS SCHEMATIC.  
 FINAL EQUIPMENT LOCATIONS,  
 ANTENNA TYPES, AND ANTENNA  
 AZIMUTHS WILL BE FINALIZED  
 UPON COMPLETION OF DESIGN.

**NOTE 2:**  
 THIS DOCUMENT WAS DEVELOPED TO  
 REFLECT A SPECIFIC SITE AND ITS SITE  
 CONDITIONS AND IS NOT TO BE USED  
 FOR ANOTHER SITE OR WHEN OTHER  
 CONDITIONS PERTAIN. REUSE OF THIS  
 DOCUMENT IS AT THE SOLE RISK OF THE  
 USER.


**STRUCTURAL NOTE:**  
 NEW CONSTRUCTION REPRESENTED ON  
 THESE PLANS IS PROPOSED PREDICATED  
 ON THE REQUIREMENT THAT A  
 STRUCTURAL ANALYSIS BE PERFORMED BY  
 A LICENSED CONNECTICUT PROFESSIONAL  
 STRUCTURAL ENGINEER AND CERTIFICATION  
 IS GIVEN BY THE ENGINEER THAT THE  
 EXISTING TOWER AND ALL EXISTING AND  
 PROPOSED ANTENNAS AND  
 APPURTENANCES SUPPORTED BY THE  
 TOWER AND ANY REQUIRED IMPROVEMENTS  
 AND REINFORCEMENTS HAVE SUFFICIENT  
 STRUCTURAL CAPACITY AND COMPLY WITH  
 THE CONNECTICUT BUILDING CODE AND  
 ALL APPLICABLE EIA/TIA CRITERIA. NO  
 WORK PROPOSED HEREON SHALL BE  
 PROGRESSED WITHOUT CONFIRMATION OF  
 THIS CERTIFICATION.

<p><b>Dewberry-Goodkind, Inc.</b>          A Dewberry Company          59 Elm Street, Suite 101          New Haven, CT 06510          P. (203) 776-2277          F. (203) 776-2288</p>		<p><b>LEASING PLAN</b></p>			SHEET NO. <b>LE1</b>
SCALE: <b>AS SHOWN</b>	DESIGNED BY: <b>CKD</b>	SITE NAME <b>BOZRAH</b> 133 GIFFORD LANE BOZRAH, CONNECTICUT			
		DATE: <b>02/04/04</b>			




**TOP VIEW**  
NOT TO SCALE

- 192.2± ABOVE FOUNDATION EXISTING OMNIPPOINT ANTENNAS
- 182±' AGL CINGULAR ANTENNAS
- 175.4± ABOVE FOUNDATION EXISTING SPRINT PCS ANTENNAS
- 162.2± ABOVE FOUNDATION EXISTING VERIZON ANTENNAS
- 152± ABOVE FOUNDATION EXISTING AT&T ANTENNAS



**SOUTHWEST ELEVATION**



**NOTES:**  
ANTENNA AZIMUTHS AND MOUNTING DETAILS SHALL BE FINALIZED UPON COMPLETION OF SITE DESIGN

C:\3666\06-Bozrah\cadd\cell\lease\L2.dwg  
 Wed, Feb 04 2004 - 4:07:29pm  
 Plot: msmith  
 By: MJS  
 Layer: State: Xref:

**Dewberry-Goodkind, Inc.**  
 A Dewberry Company  
 59 Elm Street, Suite 101  
 New Haven, CT 06510  
 p. (203) 776-2277  
 f. (203) 776-2288

Engineers  
Planners  
Surveyors

SCALE: AS SHOWN
DESIGNED BY: CKD
DATE: 02/04/04

LEASING ELEVATION
SITE NAME <b>BOZRAH</b> 133 GIFFORD LANE BOZRAH, CONNECTICUT



SHEET NO. <b>LE2</b>
-------------------------



NEW



Date 02/02/04

Mr. Tim Rosa  
SBA Network Services  
2490 Bruen Lane  
Easton, PA 18040

**Sterling Engineering & Design Group, Ltd.**  
7171 Hwy 6 N, Ste 130, Houston, Texas 77095  
(P) 281/583-7088 (F) 281/583-5495  
Email: [Dbrick@sedg.net](mailto:Dbrick@sedg.net)

Subject: Structural Analysis Report -- Our Project Number: 061-282

Carrier Identification

Cingular Wireless

SBA Site Name: Bozrah

SBA Site I.D. Number: CT01105-S

Site Data

131 Gifford Lane, Bozrah, CT 06334  
Latitude 41°-33'-9", Longitude 72°-9'-2"  
195 Foot -- Lattice / Self-Support Tower


Dear Tim:

Sterling Engineering is pleased to submit this "Structural Analysis Report" to determine the structural integrity of the aforementioned tower. This analysis has been performed in accordance with the SBA Network Services request for an analysis and associated proposal. The purpose of the analysis is to determine the suitability of the tower for the addition of proposed equipment when combined with the existing equipment on the structure. This analysis has been performed in accordance with the TIA/EIA 222-F standard and local code requirement wind speed. Based on our analysis we have determined that the **Tower Structure and Foundation are Adequate** for the proposed loading. We at Sterling Engineering appreciate the opportunity of providing our continuing professional services to you and SBA Network Services. If you have any questions or need further assistance on this or any other projects please give us a call.

Respectfully submitted,  
Sterling Engineering and Design Group, Ltd.

Sandeep N. Patel, P.E., S.E.

Attachments:  
Elevation Drawing  
Feedline Distribution Diagram  
Stress Distribution Diagram  
Tower Details



2.2.09

## TABLE OF CONTENTS

<b>INTRODUCTION</b> .....	3
<b>ANALYSIS CRITERIA</b> .....	3
Table 1 – Proposed Antenna and Cable Information.....	3
Table 2 – Existing Antennas and Cable Information.....	3
Table 3 – Future Antenna and Cable Information.....	3
<b>ANALYSIS PROCEDURE</b>	
Analysis Method.....	4
Assumptions.....	4
<b>ANALYSIS RESULTS</b>	
Tower Component Stresses vs. Capacity.....	5
Foundation analysis.....	6
Conclusion and Recommendations.....	6
<b>APPENDIX A</b> .....	7
Elevation Drawings	
Feedline Distribution Diagram	
Stress Distribution Diagram	
<b>APPENDIX B</b> .....	8
Tower details	

## INTRODUCTION

The 195-Ft Self Support Tower was manufactured by PiRod in April 1999. The structural design information of this tower was obtained from manufacturer's drawings, PiRod drawing number 204669-B, provided to us by SBA. The structural loading information was obtained from SBA. The tower is located in New London County, CT. The tower stress analysis includes loads for existing, future and proposed appurtenances with wind speed of 85 mph.

## ANALYSIS CRITERIA

Specific code: TIA/EIA-222-F

Specific environmental conditions: 85 mph + 0" ice.

74 mph + 1/2" ice.

Table 1 – Proposed Antenna and Cable Information

Center Line Elevation	Carrier Name	No. of Antenna / Dish	Antenna Manufacturer	Antenna Model	Mount Type	Feed Lines (No.)	Feed Line Size (In.)
182	Cingular Wireless	9	CSS	DUO-1417-8686-40	Low Profile Platform	9	1-5/8"
182	Cingular wireless	6	ADC Clear gain	Dual band 800/1900 TTA'S	-	-	-
182	Cingular Wireless	3	CSS	Dual Band Combiner	-	-	-

Table 2 – Existing Antenna and Cable Information

Center Line Elevation	Carrier Name	No. of Antenna / Dish	Antenna Manufacturer	Antenna Model	Mount Type	Feed Lines (No.)	Feed Line Size (In.)
192	Omnipoint	12	EMS	RR90-17-02DP	Low Profile Platform	12 & 1	(12) 1-5/8" & (1) 1/2" for GPS
175	Sprint	6	Decibel	DB930DD65E-M	Low Profile Platform	6 & 1	(6) 1-5/8" with (1) 1/2" for GPS
162	Verizon	12	Decibel	DB844H90E-XY	Low Profile Platform	12	1-5/8"
152	AT&T	12	EMS	RR90-17-02DP	Low Profile Platform	12	1-5/8"
152	AT&T	2	Nokia	Amplifiers	-	-	-

Table 3 – Future Antenna and Cable Information

Center Line Elevation	Carrier Name	No. of Antenna / Dish	Antenna Manufacturer	Antenna Model	Mount Type	Feed Lines (No.)	Feed Line Size (In.)
182	Cingular Wireless	3	CSS	DUO-1417-8686-40	Low Profile Platform	3	1-5/8"

## **ANALYSIS PROCEDURE**

### **Analysis Methods**

ERI Tower (Version 2.00), a commercially available software program, was used to create a three dimensional model of the tower and calculate member stresses for various dead, live, wind, and ice load cases. All loads were computed in accordance with the ANSI/EIA/TIA 222-F or the local building code requirements. Selected output from the analysis is included in Appendix A.

### **Assumptions**

1. Tower and structures were built in accordance with the manufacturer's specifications.
2. The tower and structures have been maintained in accordance with manufacturer's specifications.
3. The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings
4. When applicable, transmission cables are considered to be structural components for calculating wind loads, as allowed by TIA/EIA-222F.
5. Some assumptions are made regarding mount sizes and their projected areas based on best interpretation of data supplied and of best knowledge of antenna type and industry practice.
6. The existing coax cables are assumed to be distributed equally on all the three faces of the tower if existing coax cables layout plan is not available to us.
7. Stress ratios for a structural member less than 100% indicates that it meets all design requirements set forth by TIA/EIA Standard. In addition, member stress ratios between 100% and 105% are acceptable.

If any of these assumptions are not valid or have been made in error, this analysis may be affected, and Sterling Engineering should be allowed to review any new information to determine its effect on the structural integrity of the tower.

## ANALYSIS RESULTS

### Tower Component Stresses vs. Capacity

Section Capacity Table								
Section No.	Elevation ft	Component Type	Size	Critical Element	P lb	SF*P <sub>allow</sub> lb	% Capacity	Pass Fail
T1	193 - 185	Leg	2	1	-4077.26	92226.93	4.4	Pass
		Diagonal	1	9	-927.99	9045.66	10.3	Pass
T2	185 - 170	Top Girt	L3x3x1/4	5	-152.25	25400.58	0.6	Pass
		Leg	2	25	-28594.10	95135.01	30.1	Pass
		Diagonal	1	31	-3623.12	9294.92	39.0	Pass
T3	170 - 160	Bottom Girt	L3x3x1/4	28	-579.24	25400.58	2.3	Pass
		Leg	Pirod 105244	67	-37553.00	122940.05	30.5	Pass
T4	160 - 140	Diagonal	L2 1/2x2 1/2x3/16	72	-5420.53	11339.12	47.8	Pass
		Leg	Pirod 105217	77	-78044.60	184672.48	42.3	Pass
T5	140 - 120	Diagonal	L3x3x3/16	81	-7210.27	15329.50	47.0	Pass
		Leg	Pirod 105217	91	-116391.00	184672.48	63.0	Pass
T6	120 - 100	Diagonal	L3x3x3/16	95	-6828.19	12531.43	54.5	Pass
		Leg	Pirod 105218	106	-151092.00	258238.08	58.5	Pass
T7	100 - 80	Diagonal	L3x3x5/16	109	-6894.48	16062.12	42.9	Pass
		Leg	Pirod 105219	121	-183533.00	343622.06	53.4	Pass
T8	80 - 60	Diagonal	L3x3x5/16	124	-7007.28	13041.66	53.7	Pass
		Leg	Pirod 105219	136	-214193.00	343622.06	62.3	Pass
T9	60 - 40	Diagonal	L3 1/2x3 1/2x5/16	142	-7391.47	17261.95	42.8	Pass
		Leg	Pirod 105220	151	-243669.00	440811.08	55.3	Pass
T10	40 - 20	Diagonal	L3 1/2x3 1/2x5/16	154	-7841.71	14348.68	54.7	Pass
		Leg	Pirod 105220	166	-272439.00	440811.08	61.8	Pass
T11	20 - 0	Diagonal	L3 1/2x3 1/2x5/16	170	-9475.38	12065.29	78.5	Pass
		Leg	Pirod 112738	181	-292135.00	526594.96	55.5	Pass
		Diagonal	2L3 1/2x3 1/2x5/16	184	-14388.90	33623.33	42.8	Pass
							Summary	
							Leg (T5)	63.0 Pass
							Diagonal (T10)	78.5 Pass
							Top Girt (T1)	0.6 Pass
							Bottom Girt (T2)	2.3 Pass
							<b>RATING =</b>	<b>78.5 Pass</b>

## **Foundation (Comparing design loads to actual loads)**

### **Tower Design Base Reactions:**

Total Shear	:	71.7 kips
Maximum Uplift	:	414.1 kips / Leg
Maximum Compression	:	462.3 kips / Leg
Total Overturning Moment	:	8347.9 kips-ft

### **Analysis Base Reactions:**

Total Shear	:	46.4 kips
Maximum Uplift	:	247.0 kips / Leg
Maximum Compression	:	307.6 kips / Leg
Total Overturning Moment	:	5281.5 kips-ft

By comparing the design base reactions with the actual base reactions, we find that the actual reactions are less than the design reactions. Hence the tower foundation is adequate to support the existing and proposed appurtenances.

### **Conclusion and recommendations:**

The tower structure and foundation meets TIA/EIA-222-F standards with existing, future and proposed loadings as listed in this report.



**Southwestern Bell Mobile Systems, LLC**  
500 Enterprise Drive  
Rocky Hill, Connecticut 06067-3900  
Phone: (860) 513-7700  
Fax: (860) 513-7190

**Michele G. Briggs**  
*Manager of Real Estate*

February 9, 2004

Honorable Keith Robbins  
1st Selectman, Town of Bozrah  
Town Hall 1 River Road  
Bozrah, Connecticut 06334

**Re: Notice of Exempt Modification – Existing SBA Telecommunications Tower Facility at 133 Gifford Lane, Bozrah, Connecticut**

Dear Mr. Johnson:

Southwestern Bell Mobile Systems, LLC (“SBMS”) intends to install telecommunications antennas and associated equipment at an existing multicarrier telecommunications tower at 133 Gifford Lane in Bozrah, Connecticut.

The facility is owned and operated by SBA Properties, Inc. (“SBA”), 5900 Broken Sound Parkway NW, Boca Raton, FL 33487. SBA leases the land from John and Betty Orr.

A Notice of Exempt Modification has been filed with the Connecticut Siting Council as required by Regulations of Connecticut State Agencies (“R.C.S.A.”) Section 16-50j-73. Please accept this letter as notification to the Town of Bozrah under Section 16-50j-73 of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2).

The attached letter fully sets forth the SBMS proposal. However, if you have any questions or require any further information on the plans for the site or the Siting Council’s procedures, please contact the undersigned or Mr. Derek Phelps, Executive Director of the Connecticut Siting Council, at (860) 827-2935.

Sincerely,

Michele G. Briggs  
Manager of Real Estate

Enclosure