



October 30, 2015

Members of the Siting Council
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06051

RE: Notice of Work Complete
275 North Street
Easton, CT 06612
Sprint Site #: NV2.5_CT03XC361
EM-SPRINT-046-140528

Members of the Siting Council:

On behalf of Sprint Spectrum, SBA Communications is hereby notifying the Connecticut Siting Council that work has been completed at the aforementioned telecommunications facility.

Pursuant to the Council's letter of acknowledgement dated June 16, 2014, please find the enclosed Statement of Special Inspections confirming that the installation meets with the recommendations made in the structural analysis report.

Thank you,

A handwritten signature in black ink, appearing to read "Kri Pelletier". The signature is fluid and cursive, with a long horizontal stroke at the end.

Kri Pelletier
Property Specialist
SBA Communications Corporation
33 Boston Post Road West, Suite 320
Marlborough, MA 01752
508-251-0720 x 3804 + T
508-251-1755 + F
kpelletier@sbsite.com



Final Report of Special Inspections

Project: CT03XC361-A *Aspeth / Easton N. - SPRINT (NV2.5 PROJECT)*

Location: 275 North Street, Easton, CT 06612

Owner: SBA Communications Corp.

Owner's Address: 33 Boston Post Road West, Suite 320
Marlborough, MA 01752

Engineer of Record: *Derek J. Creaser, P.E.*
Hudson Design Group, LLC.

To the best of my information, knowledge and belief, the Special Inspections required for this project have been performed and all discovered discrepancies have been reported and resolved.

Comments: Based on my knowledge, information and belief the completed construction substantially conforms to the approved plans, Connecticut State Building Code, Structural Standards for Steel Antenna Towers and Antenna Supporting Structures (ANSI/TIA/EIA-222-F), the equipment manufacturer's installation guidelines, and the following:

1. Final Construction Drawings Rev1 dated 06-09-2014, prepared by Hudson Design Group, LLC.
2. Structural Analysis Report dated 04-08-2014, prepared by FDH Engineering

All deviations from the approved plans do not endanger the intended occupancy of the facility and equipment substitutions are approved as equivalent to the original specifications. Construction has been satisfactorily completed. Specifically, as required by the Acknowledgment Letter, the work complied with the following structural conditions imposed by the CT Siting Council: The coax lines and accessory equipment was installed in accordance with the recommendations made in the above reference structural analysis report.

Interim reports submitted prior to this final report form a basis for and are to be considered an integral part of this final report.

Respectfully submitted,
Special Inspector

Derek J. Creaser, P.E.

(Type or print name)

Signature

10-28-15

Date





10-28-2015

Mr. Peter Nute
SBA Communications Corp.
33 Boston Post Road West, Suite 320
Marlborough, MA 01752

RE: PE Close Out Letter
SBA Sprint NV2.5, Site ID #CT03XC361A
Aspetha/Easton N., 275 North St., Easton, CT
EM-Sprint-046-140528

Dear Mr. Nute:

Hudson Design Group LLC (HDG) has completed its post-construction review of the above-referenced site to determine whether Sprint complied with conditions imposed by the Connecticut Siting Council's (the "Council") acknowledgment letter, dated 6-16-14 ("the Acknowledgment Letter"). Our compliance review included the following: the Acknowledgment Letter, the approved tower structural analysis report and recommendations by FDH Engineering dated 4-08-14 (the "Structural Analysis"), and the approved design plans by HDG dated 6-09-14.

On behalf of SBA Communications Corp, based on my review of the information, I, Derek J. Creaser, licensed professional engineer number 28551, certify that to the best of my knowledge, Sprint's work complied with the recommendations of the approved Structural Analysis.

Specifically, as required by the Acknowledgment Letter, Sprint's work complied with the following structural conditions imposed by the Council: The coax lines and accessory equipment was installed in accordance with the recommendations made in the above reference structural analysis report, and the structure and foundation do not exceed 100 percent of the post-construction structural rating.

Should you have any questions regarding the foregoing review, please contact me directly at 978-557-5553.

Sincerely,



Derek J. Creaser, P.E.
Sr. Project Manager
Hudson Design Group LLC



Field Inspection Report No. 1: Sprint PCS Wireless Communication Facility Equipment

Building Permit No: No BP filed, just Electrical Permit
Inspection Date: October 23, 2015
Special Inspector: Doug Roberts, Hudson Design Group, LLC.
Carrier Project: Sprint NV2.5 - CT03XC361A, Aspeth/Easton N.
SBA Project: SBA Towers, LLC, SBA CT00707
Address: 275 North Street, Easton, CT 06612
Construction Documents: Permit Drawings Sprint NV2.5 Aspeth/Easton N.; CT03XC0361A; Hudson Design Group, LLC.; Rev. 1, 06/09/14
Structural Analysis, SBA Site ID CT00707, FDH Engineering; 04/08/14
General Contractor: Westower Communications Inc.
GC Personnel On-Site: None

Field Inspection Notes

Final Inspection (construction complete) requested 10/07/15 by Peter Nute, T-Mobile Property Specialist.

Critical Deficiencies

No Building Code Critical Deficiencies observed.

Construction Document Deviations

General Contractor has not provided As-Built Construction Drawings or As-Built Photos. Proposed 2.5 antennas were installed cantilevered up over the horizontal support frame (CDs called for them to be vertically centered). Proposed 2.5 RRHs were installed on pipe mast above horizontal support frame (CDs called for them to be installed below).

Equipment and Materials

No Building Code reportable deficiencies observed.

Quality and Workmanship

No Building Code reportable deficiencies observed.

Shop Drawing Review/Approval

Not required.

Laboratory Sampling and Test Results Review/Approval

Not required.

Inspection Follow-Up

Not required.

General Contractor Special Instructions

None.

Photo Log



The attached Photo Log documents inspection details.

Special Inspector/Professional Engineer Approval

Sincerely,

A circular professional seal for Derek J. Creaser, a Licensed Professional Engineer in the State of Connecticut. The seal contains the text "STATE OF CONNECTICUT", "DEREK J. CREASER", "No. 28551", and "LICENSED PROFESSIONAL ENGINEER". To the right of the seal is a handwritten signature in blue ink.

Derek J. Creaser, P.E.

Description, Notes, Comments	Photo
Sprint Feedlines	
Sprint Antenna Platform	

Description, Notes, Comments	Photo
Sprint Equipment Area	



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

June 16, 2014

Kri Pelletier
SBA Communications Corporation
33 Boston Post Road West Suite 320
Marlborough, MA 01752

RE: **EM-SPRINT-046-140528** – Sprint Spectrum notice of intent to modify an existing telecommunications facility located at 275 North Street, Easton, Connecticut.

Dear Ms. Pelletier:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

- The proposed coax shall be installed in accordance with the recommendations made in the Structural Analysis Report prepared by FDH Engineering dated April 8, 2014 and stamped by Bradley Newman;
- Not more than 45 days following completion of the antenna installation, Sprint shall provide documentation certifying that its installation complied with the engineer's recommendation;
- Any deviation from the proposed modification as specified in this notice and supporting materials with the Council shall render this acknowledgement invalid;
- Any material changes to this modification as proposed shall require the filing of a new notice with the Council;
- Within 45 days after completion of construction, the Council shall be notified in writing that construction has been completed;
- Any nonfunctioning antenna and associated antenna mounting equipment on this facility owned and operated by Sprint shall be removed within 60 days of the date the antenna ceased to function;
- The validity of this action shall expire one year from the date of this letter; and
- The applicant may file a request for an extension of time beyond the one year deadline provided that such request is submitted to the Council not less than 60 days prior to the expiration.

The proposed modifications including the placement of all necessary equipment and shelters within the tower compound are to be implemented as specified here and in your notice dated May 27, 2014. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent

with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Thank you for your attention and cooperation.

Very truly yours,



Melanie A. Bachman
Acting Executive Director

MAB/RDM/cm

- c: The Honorable Adam W. Dunsby, First Selectman, Town of Easton
Phillip Doremus, Zoning Enforcement Officer, Town of Easton

ORIGIN ID:BBFA (508) 799-2460
RICK WOODS
S&B NETWORK SERVICES INC
33 BOSTON POST ROAD WEST
SUITE 320
MARLBOROUGH, MA 01752
UNITED STATES US

SHIP DATE: 30OCT15
ACTWGT: 1.00 LB
CAD: 105843304IN/ET3670
BILL SENDER

TO

CONNECTICUT SITING COUNCIL
TEN FRANKLIN SQUARE


NEW BRITAIN CT 06051

(508) 251-0720 X 302

REF: 1056920096089

PO:

DEPT:



539J3401A31D0

TRK# 7748 6479 4176
0201

MON - 02 NOV 3:00P
STANDARD OVERNIGHT

SEMP EA


06051
CT-US BDL



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
/templates/components/dotcom_label_contents/TnCDom/us/en/TC_dom.html loading...



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

June 16, 2014

Kri Pelletier
SBA Communications Corporation
33 Boston Post Road West Suite 320
Marlborough, MA 01752

RE: **EM-SPRINT-046-140528** – Sprint Spectrum notice of intent to modify an existing telecommunications facility located at 275 North Street, Easton, Connecticut.

Dear Ms. Pelletier:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

- The proposed coax shall be installed in accordance with the recommendations made in the Structural Analysis Report prepared by FDH Engineering dated April 8, 2014 and stamped by Bradley Newman;
- Not more than 45 days following completion of the antenna installation, Sprint shall provide documentation certifying that its installation complied with the engineer's recommendation;
- Any deviation from the proposed modification as specified in this notice and supporting materials with the Council shall render this acknowledgement invalid;
- Any material changes to this modification as proposed shall require the filing of a new notice with the Council;
- Within 45 days after completion of construction, the Council shall be notified in writing that construction has been completed;
- Any nonfunctioning antenna and associated antenna mounting equipment on this facility owned and operated by Sprint shall be removed within 60 days of the date the antenna ceased to function;
- The validity of this action shall expire one year from the date of this letter; and
- The applicant may file a request for an extension of time beyond the one year deadline provided that such request is submitted to the Council not less than 60 days prior to the expiration.

The proposed modifications including the placement of all necessary equipment and shelters within the tower compound are to be implemented as specified here and in your notice dated May 27, 2014. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent

with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Thank you for your attention and cooperation.

Very truly yours,



Melanie A. Bachman
Acting Executive Director

MAB/RDM/cm

c: The Honorable Adam W. Dunsby, First Selectman, Town of Easton
Phillip Doremus, Zoning Enforcement Officer, Town of Easton