



Crown Castle
3530 Toringdon Way, Suite 300
Charlotte, NC 28277

June 26, 2014

Melanie A. Bachman
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

RE: Sprint PCS-Exempt Modification - Crown Site BU: 881364
Sprint PCS Site ID: CT23XC555
Located at: 123 Costelo Road, Newington, CT 06111

Dear Ms. Bachman:

This letter and exhibits are submitted on behalf of Sprint PCS (Sprint). Sprint is making modifications to certain existing sites in its Connecticut system in order to implement their 2.5GHz LTE technology. Please accept this letter and exhibits as notification, pursuant to § 16-50j-73 of the Regulations of Connecticut State Agencies (“R.C.S.A.”), of construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In compliance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Mr. John Salomone, Manager for Town of Newington.

Sprint plans to modify the existing wireless communications facility owned by Crown Castle and located at **123 Costelo Road, Newington, CT 06111**. Attached are a compound plan and elevation depicting the planned changes (Exhibit-1), and documentation of the structural sufficiency of the structure to accommodate the revised antenna configuration (Exhibit-2). Also included is a power density table report reflecting the modification to Sprint’s operations at the site (Exhibit-3).

The changes to the facility do not constitute a modification as defined in Connecticut General Statutes (“C.G.S.”) § 16-50i(d) because the general physical characteristics of the facility will not be significantly changed. Rather, the planned changes to the facility fall squarely within those activities explicitly provided for in the R.C.S.A. § 16-50j-72(b)(2).

1. The proposed modifications will not result in an increase in the height of the existing tower. Sprint’s additional antennas will be located at the same elevation on the existing tower.
2. There will be no proposed modifications to the ground and no extension of boundaries.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more.

Melanie A. Bachman

June 26, 2014

Page 2

4. A Structural Modification Report confirming that the tower and foundation can support Sprint's proposed modifications is included as Exhibit-2.
5. The operation of the additional antennas will not increase radio frequency (RF) emissions at the facility to a level at or above the Federal Communications Commission (FCC) adopted safety standard. A cumulative General Power Density table report for Sprint's modified facility is included as Exhibit-3.

For the foregoing reasons, Sprint respectfully submits the proposed modifications to the above-reference telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2). Please send approval/rejection letter to Attn: Donna Neal.

Sincerely,



Jeff Barbadora
Real Estate Specialist

Enclosures

Tab 1: Exhibit-1: Compound plan and elevation depicting the planned changes

Tab 2: Exhibit-2: Structural Modification Report

Tab 3: Exhibit-3: General Power Density Table Report (RF Emissions Analysis Report)

cc: Mr. John Salomone, Manager
Town of Newington
131 Cedar Street
Newington, CT 06111-2644



PROJECT: 2.5 EQUIPMENT DEPLOYMENT
 SITE NAME: NEWINGTON
 SITE CASCADE: CT23XC555
 SITE NUMBER: 881364
 SITE ADDRESS: 123 COSTELO RD
 NEWINGTON, CT 06111
 SITE TYPE: MONOPOLE TOWER
 MARKET: NORTHERN CONNECTICUT

PLANS PREPARED FOR:
Sprint
 6580 Sprint Parkway
 Overland Park, Kansas 66251

PLANS PREPARED BY:
INFINIGY Design. Build. Deliver.
 1033 Watervliet Shaker Rd
 Albany, NY 12205
 Office # (518) 690-0790
 Fax # (518) 690-0793
 JOB NUMBER 353-000

MLA PARTNER:
CROWN CASTLE

ENGINEERING LICENSE:

DRAWING NOTICE:
 THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:	DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW		5/13/14	JDV	A

SITE NAME:
NEWINGTON

SITE CASCADE:
CT23XC555

SITE ADDRESS:
 123 COSTELO RD
 NEWINGTON, CT 06111

SHEET DESCRIPTION:
TITLE SHEET & PROJECT DATA

SHEET NUMBER:
T-1

SITE INFORMATION	AREA MAP	PROJECT DESCRIPTION	DRAWING INDEX																																										
<p>TOWER OWNER: CROWN ATLANTIC COMPANY LLC 2000 CORPORATE DRIVE CANONSBURG, PA 15317 (704) 405-6555</p> <p>LATITUDE (NAD83): 41° 39' 18.72" N 41.6552°</p> <p>LONGITUDE (NAD83): 72° 43' 17.19" W -72.721442°</p> <p>COUNTY: HARTFORD</p> <p>ZONING JURISDICTION: CONNECTICUT SITING COUNCIL</p> <p>ZONING DISTRICT: RESIDENTIAL</p> <p>POWER COMPANY: CONNECTICUT LIGHT & POWER (860) 947-2000</p> <p>SPRINT PM: PETER GIARD (508) 801-0074 PETER.GIARD@SPRINT.COM</p> <p>SPRINT CM: PETER CULBERT (803) 203-6446 (803) 969-0686 peter.culbert@sprint.com</p> <p>CROWN CASTLE CM: JASON D'AMICO (860) 209-0104 JASON.D'AMICO@CROWNCastle.COM</p>		<p>SPRINT PROPOSES TO MODIFY AN EXISTING UNMANNED TELECOMMUNICATIONS FACILITY.</p> <ul style="list-style-type: none"> INSTALL 2.5 EQUIPMENT IN EXISTING N.V. MMBS CABINET INSTALL (3) PANEL ANTENNAS INSTALL (3) RRU'S TO TOWER INSTALL (27) JUMPER CABLES INSTALL (1) FIBER CABLE INSTALL (4) BATTERIES IN EXISTING BBU CABINET <p>THESE PLANS HAVE BEEN DEVELOPED FOR THE MODIFICATION OF AN EXISTING UNMANNED TELECOMMUNICATIONS FACILITY OWNED OR LEASED BY SPRINT IN ACCORDANCE WITH THE SCOPE OF WORK PROVIDED BY SPRINT. INFINIGY HAS INCORPORATED THIS SCOPE OF WORK IN THE PLANS. THESE PLANS ARE NOT FOR CONSTRUCTION UNLESS ACCOMPANIED BY A PASSING STRUCTURAL STABILITY ANALYSIS PREPARED BY A LICENSED STRUCTURAL ENGINEER. STRUCTURAL ANALYSIS MUST INCLUDE BOTH TOWER AND MOUNT.</p>	<table border="1"> <thead> <tr> <th>SHEET NO:</th> <th>SHEET TITLE</th> <th>REV</th> </tr> </thead> <tbody> <tr> <td>T-1</td> <td>TITLE SHEET & PROJECT DATA</td> <td>0</td> </tr> <tr> <td>SP-1</td> <td>SPRINT SPECIFICATIONS</td> <td>0</td> </tr> <tr> <td>SP-2</td> <td>SPRINT SPECIFICATIONS</td> <td>0</td> </tr> <tr> <td>SP-3</td> <td>SPRINT SPECIFICATIONS</td> <td>0</td> </tr> <tr> <td>A-1</td> <td>SITE PLAN</td> <td>0</td> </tr> <tr> <td>A-2</td> <td>TOWER ELEVATION & CABLE PLAN</td> <td>0</td> </tr> <tr> <td>A-3</td> <td>ANTENNA LAYOUT & MOUNTING DETAILS</td> <td>0</td> </tr> <tr> <td>A-4</td> <td>COLOR CODING & NOTES</td> <td>0</td> </tr> <tr> <td>A-5</td> <td>EQUIPMENT & MOUNTING DETAILS</td> <td>0</td> </tr> <tr> <td>A-6</td> <td>CIVIL DETAILS</td> <td>0</td> </tr> <tr> <td>A-7</td> <td>PLUMBING DIAGRAM</td> <td>0</td> </tr> <tr> <td>E-1</td> <td>ELECTRICAL & GROUNDING PLAN</td> <td>0</td> </tr> <tr> <td>E-2</td> <td>ELECTRICAL & GROUNDING DETAILS</td> <td>0</td> </tr> </tbody> </table>	SHEET NO:	SHEET TITLE	REV	T-1	TITLE SHEET & PROJECT DATA	0	SP-1	SPRINT SPECIFICATIONS	0	SP-2	SPRINT SPECIFICATIONS	0	SP-3	SPRINT SPECIFICATIONS	0	A-1	SITE PLAN	0	A-2	TOWER ELEVATION & CABLE PLAN	0	A-3	ANTENNA LAYOUT & MOUNTING DETAILS	0	A-4	COLOR CODING & NOTES	0	A-5	EQUIPMENT & MOUNTING DETAILS	0	A-6	CIVIL DETAILS	0	A-7	PLUMBING DIAGRAM	0	E-1	ELECTRICAL & GROUNDING PLAN	0	E-2	ELECTRICAL & GROUNDING DETAILS	0
SHEET NO:	SHEET TITLE	REV																																											
T-1	TITLE SHEET & PROJECT DATA	0																																											
SP-1	SPRINT SPECIFICATIONS	0																																											
SP-2	SPRINT SPECIFICATIONS	0																																											
SP-3	SPRINT SPECIFICATIONS	0																																											
A-1	SITE PLAN	0																																											
A-2	TOWER ELEVATION & CABLE PLAN	0																																											
A-3	ANTENNA LAYOUT & MOUNTING DETAILS	0																																											
A-4	COLOR CODING & NOTES	0																																											
A-5	EQUIPMENT & MOUNTING DETAILS	0																																											
A-6	CIVIL DETAILS	0																																											
A-7	PLUMBING DIAGRAM	0																																											
E-1	ELECTRICAL & GROUNDING PLAN	0																																											
E-2	ELECTRICAL & GROUNDING DETAILS	0																																											
	<p>LOCATION MAP</p>	<p>APPLICABLE CODES</p> <p>ALL WORK SHALL BE PERFORMED AND MATERIALS INSTALL IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES.</p> <ol style="list-style-type: none"> INTERNATIONAL BUILDING CODE (2012 IBC) TIA-EIA-222-G OR LATEST EDITION NFPA 780 - LIGHTNING PROTECTION CODE 2011 NATIONAL ELECTRIC CODE OR LATEST EDITION ANY OTHER NATIONAL OR LOCAL APPLICABLE CODES, MOST RECENT EDITIONS CT BUILDING CODE LOCAL BUILDING CODE CITY/COUNTY ORDINANCES 																																											



THESE OUTLINE SPECIFICATIONS IN CONJUNCTION WITH THE SPRINT STANDARD CONSTRUCTION SPECIFICATIONS, INCLUDING CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.

SECTION 01 100 – SCOPE OF WORK

PART 1 – GENERAL

- 1.1 THE WORK: THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE SPRINT CONSTRUCTION STANDARDS FOR WIRELESS SITES, CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.
- 1.2 RELATED DOCUMENTS:
 - A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
 - B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HEREWITH.
- 1.3 PRECEDENCE: SHOULD CONFLICTS OCCUR BETWEEN THE STANDARD CONSTRUCTION SPECIFICATIONS FOR WIRELESS SITES INCLUDING THE STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES AND THE CONSTRUCTION DRAWINGS, INFORMATION ON THE CONSTRUCTION DRAWINGS SHALL TAKE PRECEDENCE. NOTIFY SPRINT CONSTRUCTION MANAGER IF THIS OCCURS.
- 1.4 NATIONALLY RECOGNIZED CODES AND STANDARDS:
 - A. THE WORK SHALL COMPLY WITH APPLICABLE NATIONAL AND LOCAL CODES AND STANDARDS, LATEST EDITION, AND PORTIONS THEREOF, INCLUDED BUT NOT LIMITED TO THE FOLLOWING:
 - 1. GR-63-CORE NEBS REQUIREMENTS: PHYSICAL PROTECTION
 - 5. GR-78-CORE GENERIC REQUIREMENTS FOR THE PHYSICAL DESIGN AND MANUFACTURE OF TELECOMMUNICATIONS EQUIPMENT.
 - 3. GR-1089 CORE, ELECTROMAGNETIC COMPATIBILITY AND ELECTRICAL SAFETY -GENERIC CRITERIA FOR NETWORK TELECOMMUNICATIONS EQUIPMENT.
 - 4. NATIONAL FIRE PROTECTION ASSOCIATION CODES AND STANDARDS (NFPA) INCLUDING NFPA 70 (NATIONAL ELECTRICAL CODE – "NEC") AND NFPA 101 (LIFE SAFETY CODE).
 - 5. AMERICAN SOCIETY FOR TESTING OF MATERIALS (ASTM)
 - 6. INSTITUTE OF ELECTRONIC AND ELECTRICAL ENGINEERS (IEEE)
 - 7. AMERICAN CONCRETE INSTITUTE (ACI)
 - 8. AMERICAN WIRE PRODUCERS ASSOCIATION (AWPA)
 - 9. CONCRETE REINFORCING STEEL INSTITUTE (CRSI)
 - 10. AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS (AASHTO)
 - 11. PORTLAND CEMENT ASSOCIATION (PCA)
 - 12. NATIONAL CONCRETE MASONRY ASSOCIATION (NCMA)
 - 13. BRICK INDUSTRY ASSOCIATION (BIA)
 - 14. AMERICAN WELDING SOCIETY (AWS)
 - 15. NATIONAL ROOFING CONTRACTORS ASSOCIATION (NRCA)
 - 16. SHEET METAL AND AIR CONDITIONING CONTRACTORS' NATIONAL ASSOCIATION (SMACNA)
 - 17. DOOR AND HARDWARE INSTITUTE (DHI)
 - 18. OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA)
 - 19. APPLICABLE BUILDING CODES INCLUDING UNIFORM BUILDING CODE, SOUTHERN BUILDING CODE, BOCA, AND THE INTERNATIONAL BUILDING CODE.
- 1.5 DEFINITIONS:
 - A. WORK: THE SUM OF TASKS AND RESPONSIBILITIES IDENTIFIED IN THE CONTRACT DOCUMENTS.
 - B. COMPANY: SPRINT CORPORATION
 - C. ENGINEER: SYNONYMOUS WITH ARCHITECT & ENGINEER AND "A&E". THE DESIGN PROFESSIONAL HAVING PROFESSIONAL RESPONSIBILITY FOR DESIGN OF THE PROJECT.
 - D. CONTRACTOR: CONSTRUCTION CONTRACTOR; CONSTRUCTION VENDOR; INDIVIDUAL OR ENTITY WHO AFTER EXECUTION OF A CONTRACT IS BOUND TO ACCOMPLISH THE WORK.
 - E. THIRD PARTY VENDOR OR AGENCY: A VENDOR OR AGENCY ENGAGED SEPARATELY BY THE COMPANY, A&E, OR CONTRACTOR TO PROVIDE MATERIALS OR TO ACCOMPLISH SPECIFIC TASKS RELATED TO BUT NOT INCLUDED IN THE WORK.
 - F. OFCI: OWNER FURNISHED, CONTRACTOR INSTALLED EQUIPMENT.
 - G. CONSTRUCTION MANAGER – ALL PROJECTS RELATED COMMUNICATION TO FLOW THROUGH SPRINT REPRESENTATIVE IN CHARGE OF PROJECT...

- 1.6 SITE FAMILIARITY: CONTRACTOR SHALL BE RESPONSIBLE FOR FAMILIARIZING HIMSELF WITH ALL CONTRACT DOCUMENTS, FIELD CONDITIONS AND DIMENSIONS PRIOR TO PROCEEDING WITH CONSTRUCTION. ANY DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE SPRINT CONSTRUCTION MANAGER PRIOR TO THE COMMENCEMENT OF WORK. NO COMPENSATION WILL BE AWARDED BASED ON CLAIM OF LACK OF KNOWLEDGE OR FIELD CONDITIONS.
- 1.7 POINT OF CONTACT: COMMUNICATION BETWEEN SPRINT AND THE CONTRACTOR SHALL FLOW THROUGH THE SINGLE SPRINT CONSTRUCTION MANAGER APPOINTED TO MANAGE THE PROJECT FOR SPRINT.
- 1.8 ON-SITE SUPERVISION: THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK AND SHALL BE RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES IN ACCORDANCE WITH THE CONTRACT DOCUMENTS. THE CONTRACTOR SHALL EMPLOY A COMPETENT SUPERINTENDENT WHO SHALL BE IN ATTENDANCE AT THE SITE AT ALL TIMES DURING PERFORMANCE OF THE WORK.
- 1.9 DRAWINGS, SPECIFICATIONS AND DETAILS REQUIRED AT JOBSITE: THE CONSTRUCTION CONTRACTOR SHALL MAINTAIN A FULL SET OF THE CONSTRUCTION DRAWINGS, STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES AND THE STANDARD CONSTRUCTION SPECIFICATIONS FOR WIRELESS SITES AT THE JOBSITE FROM MOBILIZATION THROUGH CONSTRUCTION COMPLETION.
 - A. THE JOBSITE DRAWINGS, SPECIFICATIONS AND DETAILS SHALL BE CLEARLY MARKED DAILY IN RED PENCIL WITH ANY CHANGES IN CONSTRUCTION OVER WHAT IS DEPICTED IN THE DOCUMENTS. AT CONSTRUCTION COMPLETION, THIS JOBSITE MARKUP SET SHALL BE DELIVERED TO THE COMPANY OR COMPANY'S DESIGNATED REPRESENTATIVE TO BE FORWARDED TO THE COMPANY'S A&E VENDOR FOR PRODUCTION OF "AS-BUILT" DRAWINGS.
 - B. DETAILS ARE INTENDED TO SHOW DESIGN INTENT. MODIFICATIONS MAY BE REQUIRED TO SUIT JOB DIMENSIONS OR CONDITIONS, AND SUCH MODIFICATIONS SHALL BE INCLUDED AS PART OF THE WORK. CONTRACTOR SHALL NOTIFY SPRINT CONSTRUCTION MANAGER OF ANY VARIATIONS PRIOR TO PROCEEDING WITH THE WORK.
 - C. DIMENSIONS SHOWN ARE TO FINISH SURFACES UNLESS NOTED OTHERWISE. SPACING BETWEEN EQUIPMENT IS THE REQUIRED CLEARANCE. SHOULD THERE BE ANY QUESTIONS REGARDING THE CONTRACT DOCUMENTS, EXISTING CONDITIONS AND/OR DESIGN INTENT, THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING A CLARIFICATION FROM THE SPRINT CONSTRUCTION MANAGER PRIOR TO PROCEEDING WITH THE WORK.
- 1.10 USE OF JOB SITE: THE CONTRACTOR SHALL CONFINE ALL CONSTRUCTION AND RELATED OPERATIONS INCLUDING STAGING AND STORAGE OF MATERIALS AND EQUIPMENT, PARKING, TEMPORARY FACILITIES, AND WASTE STORAGE TO THE LEASE PARCEL UNLESS OTHERWISE PERMITTED BY THE CONTRACT DOCUMENTS.
- 1.11 UTILITIES SERVICES: WHERE NECESSARY TO CUT EXISTING PIPES, ELECTRICAL WIRES, CONDUITS, CABLES, ETC., OF UTILITY SERVICES, OR OF FIRE PROTECTION OR COMMUNICATIONS SYSTEMS, THEY SHALL BE CUT AND CAPPED AT SUITABLE PLACES OR WHERE SHOWN. ALL SUCH ACTIONS SHALL BE COORDINATED WITH THE UTILITY COMPANY INVOLVED.
- 1.12 PERMITS / FEES: WHEN REQUIRED THAT A PERMIT OR CONNECTION FEE BE PAID TO A PUBLIC UTILITY PROVIDER FOR NEW SERVICE TO THE CONSTRUCTION PROJECT, PAYMENT OF SUCH FEE SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- 1.13 CONTRACTOR SHALL TAKE ALL MEASURES AND PROVIDE ALL MATERIAL NECESSARY FOR PROTECTING EXISTING EQUIPMENT AND PROPERTY.
- 1.14 METHODS OF PROCEDURE (MOPS) FOR CONSTRUCTION: CONTRACTOR SHALL PERFORM WORK AS DESCRIBED IN THE FOLLOWING INSTALLATION AND COMMISSIONING MOPS.

NOTE: IN SHORT-FORM SPECIFICATIONS ON THE DRAWINGS, A/E TO INSERT LIST OF APPLICABLE MOPS INCLUDING EN-2012-001, EN-2013-002, EL-0568, AND TS-0193
- 1.15 USE OF ELECTRONIC PROJECT MANAGEMENT SYSTEMS:

PART 2 – PRODUCTS (NOT USED)

PART 3 – EXECUTION

- 3.1 TEMPORARY UTILITIES AND FACILITIES: THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL TEMPORARY UTILITIES AND FACILITIES NECESSARY EXCEPT AS OTHERWISE INDICATED IN THE CONSTRUCTION DOCUMENTS. TEMPORARY UTILITIES AND FACILITIES INCLUDE POTABLE WATER, HEAT, HVAC, ELECTRICITY, SANITARY FACILITIES, WASTE DISPOSAL FACILITIES, AND TELEPHONE/COMMUNICATION SERVICES. PROVIDE TEMPORARY UTILITIES AND FACILITIES IN ACCORDANCE WITH OSHA AND THE AUTHORITY HAVING JURISDICTION. CONTRACTOR MAY UTILIZE THE COMPANY ELECTRICAL SERVICE IN THE COMPLETION OF THE WORK WHEN IT BECOMES AVAILABLE. USE OF THE LESSORS OR SITE OWNER'S UTILITIES OR FACILITIES IS EXPRESSLY FORBIDDEN EXCEPT AS OTHERWISE ALLOWED IN THE CONTRACT DOCUMENTS.
- 3.2 ACCESS TO WORK: THE CONTRACTOR SHALL PROVIDE ACCESS TO THE JOB SITE FOR AUTHORIZED COMPANY PERSONNEL AND AUTHORIZED REPRESENTATIVES OF THE ARCHITECT/ENGINEER DURING ALL PHASES OF THE WORK.
- 3.3 TESTING: REQUIREMENTS FOR TESTING BY THIS CONTRACTOR SHALL BE AS INDICATED HEREWITH, ON THE CONSTRUCTION DRAWINGS, AND IN THE INDIVIDUAL SECTIONS OF THESE SPECIFICATIONS. SHOULD COMPANY CHOOSE TO ENGAGE ANY THIRD-PARTY TO CONDUCT ADDITIONAL TESTING, THE CONTRACTOR SHALL COOPERATE WITH AND PROVIDE A WORK AREA FOR COMPANY'S TEST AGENCY.
- 3.4 DIMENSIONS: VERIFY DIMENSIONS INDICATED ON DRAWINGS WITH FIELD DIMENSIONS BEFORE FABRICATION OR ORDERING OF MATERIALS. DO NOT SCALE DRAWINGS.

3.5 EXISTING CONDITIONS: NOTIFY THE SPRINT CONSTRUCTION MANAGER OF EXISTING CONDITIONS DIFFERING FROM THOSE INDICATED ON THE DRAWINGS. DO NOT REMOVE OR ALTER STRUCTURAL COMPONENTS WITHOUT PRIOR WRITTEN APPROVAL FROM THE ARCHITECT AND ENGINEER.

SECTION 01 200 – COMPANY FURNISHED MATERIAL AND EQUIPMENT

PART 1 – GENERAL

- 1.1 THE WORK: THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE OTHER CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.
- 1.2 RELATED DOCUMENTS:
 - A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
 - B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HEREWITH.
- PART 2 – PRODUCTS (NOT USED)**
- PART 3 – EXECUTION**
- 3.1 RECEIPT OF MATERIAL AND EQUIPMENT:
 - A. A COMPANY FURNISHED MATERIAL AND EQUIPMENT IS IDENTIFIED ON THE RF DATA SHEET IN THE CONSTRUCTION DOCUMENTS.
 - B. THE CONTRACTOR IS RESPONSIBLE FOR SPRINT PROVIDED MATERIAL AND EQUIPMENT AND UPON RECEIPT SHALL:
 - 1. ACCEPT DELIVERIES AS SHIPPED AND TAKE RECEIPT.
 - 2. VERIFY COMPLETENESS AND CONDITION OF ALL DELIVERIES.
 - 3. TAKE RESPONSIBILITY FOR EQUIPMENT AND PROVIDE INSURANCE PROTECTION AS REQUIRED IN AGREEMENT.
 - 4. RECORD ANY DEFECTS OR DAMAGES AND WITHIN TWENTY-FOUR HOURS AFTER RECEIPT, REPORT TO SPRINT OR ITS DESIGNATED PROJECT REPRESENTATIVE OF SUCH.
 - 5. PROVIDE SECURE AND NECESSARY WEATHER PROTECTED WAREHOUSING.
 - 6. COORDINATE SAFE AND SECURE TRANSPORTATION OF MATERIAL AND EQUIPMENT, DELIVERING AND OFF-LOADING FROM CONTRACTOR'S WAREHOUSE TO SITE.
- 3.2 DELIVERABLES:
 - A. COMPLETE SHIPPING AND RECEIPT DOCUMENTATION IN ACCORDANCE WITH COMPANY PRACTICE.
 - B. IF APPLICABLE, COMPLETE LOST/STOLEN/DAMAGED DOCUMENTATION REPORT AS NECESSARY IN ACCORDANCE WITH COMPANY PRACTICE, AND AS DIRECTED BY COMPANY.
 - C. UPLOAD DOCUMENTATION INTO SPRINT SITE MANAGEMENT SYSTEM (SMS) AND/OR PROVIDE HARD COPY DOCUMENTATION AS REQUESTED.

SECTION 01 300 – CELL SITE CONSTRUCTION CO.

PART 1 – GENERAL

- 1.1 THE WORK: THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE OTHER CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.
- 1.2 RELATED DOCUMENTS:
 - A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
 - B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HEREWITH.
- 1.3 NOTICE TO PROCEED
 - A. NO WORK SHALL COMMENCE PRIOR TO COMPANY'S WRITTEN NOTICE TO PROCEED AND THE ISSUANCE OF THE WORK ORDER.
 - B. UPON RECEIVING NOTICE TO PROCEED, CONTRACTOR SHALL FULLY PERFORM ALL WORK NECESSARY TO PROVIDE SPRINT WITH AN OPERATIONAL WIRELESS FACILITY.

TOWER OWNER NOTIFICATION
 ONCE THE CONTRACTOR HAS RECEIVED AND ACCEPTED THE NOTICE TO PROCEED, CONTRACTOR WILL CONTACT THE CROWN CASTLE CONSTRUCTION MANAGER OF RECORD (NOTED ON THE FIRST PAGE ON THIS CONSTRUCTION DRAWING) A MINIMUM OF 48 HOURS PRIOR TO WORK START. UPON ARRIVAL TO THE JOB SITE, CONTRACTOR CREW IS REQUIRED CALL 1-800-788-7011 TO NOTIFY THE CROWN CASTLE NOC WORK HAS BEGUN.

PART 2 – PRODUCTS (NOT USED)

PART 3 – EXECUTION

- 3.1 FUNCTIONAL REQUIREMENTS:
 - A. THE ACTIVITIES DESCRIBED IN THIS PARAGRAPH REPRESENT MINIMUM ACTIONS AND PROCESSES REQUIRED TO SUCCESSFULLY COMPLETE THE WORK. THE ACTIVITIES DESCRIBED ARE NOT EXHAUSTIVE, AND CONTRACTOR SHALL TAKE ANY AND ALL ACTIONS AS NECESSARY TO SUCCESSFULLY COMPLETE THE CONSTRUCTION OF A FULLY FUNCTIONING WIRELESS FACILITY AT THE SITE IN ACCORDANCE WITH COMPANY PROCESSES.
 - B. SUBMIT SPECIFIC DOCUMENTATION AS INDICATED HEREIN, AND OBTAIN REQUIRED APPROVALS WHILE THE WORK IS BEING PERFORMED.
 - C. MANAGE AND CONDUCT ALL FIELD CONSTRUCTION SERVICE RELATED ACTIVITIES
 - D. PROVIDE CONSTRUCTION ACTIVITIES TO THE EXTENT REQUIRED BY THE CONTRACT DOCUMENTS, INCLUDING BUT NOT LIMITED TO THE FOLLOWING:

PLANS PREPARED FOR:



6580 Sprint Parkway
Overland Park, Kansas 66251

PLANS PREPARED BY:



1033 Watervliet Shaker Rd
Albany, NY 12205
Office # (518) 690-0790
Fax # (518) 690-0793

JOB NUMBER 353-000

MLA PARTNER:



ENGINEERING LICENSE:



DRAWING NOTICE:
 THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JOV	A

SITE NAME:
NEWINGTON

SITE CASCADE:
CT23XC555

SITE ADDRESS:
 123 COSTELO RD
 NEWINGTON, CT 06111

SHEET DESCRIPTION:
SPRINT SPECIFICATIONS

SHEET NUMBER:
SP-1

CONTINUE FROM SP-1

1. PERFORM ANY REQUIRED SITE ENVIRONMENTAL MITIGATION.
2. PREPARE GROUND SITES; PROVIDE DE-GRUBBING; AND ROUGH AND FINAL GRADING, AND COMPOUND SURFACE TREATMENTS.
3. MANAGE AND CONDUCT ALL ACTIVITIES FOR INSTALLATION OF UTILITIES INCLUDING ELECTRICAL AND TELCO BACKHAUL.
4. INSTALL UNDERGROUND FACILITIES INCLUDING UNDERGROUND POWER AND COMMUNICATIONS CONDUITS, AND UNDERGROUND GROUNDING SYSTEM.
5. INSTALL ABOVE GROUND GROUNDING SYSTEMS.
6. PROVIDE NEW HVAC INSTALLATIONS AND MODIFICATIONS.
7. INSTALL "H-FRAMES", CABINETS AND SHELTERS AS INDICATED.
8. INSTALL ROADS, ACCESS WAYS, CURBS AND DRAINS AS INDICATED.
9. ACCOMPLISH REQUIRED MODIFICATION OF EXISTING FACILITIES.
10. PROVIDE ANTENNA SUPPORT STRUCTURE FOUNDATIONS.
11. PROVIDE SLABS AND EQUIPMENT PLATFORMS.
12. INSTALL COMPOUND FENCING, SIGHT SHIELDING, LANDSCAPING AND ACCESS BARRIERS.
13. PERFORM INSPECTION AND MATERIAL TESTING AS REQUIRED HEREINAFTER.
14. CONDUCT SITE RESISTANCE TO EARTH TESTING AS REQUIRED HEREINAFTER
15. INSTALL FIXED GENERATOR SETS AND OTHER STANDBY POWER SOLUTIONS.
16. INSTALL TOWERS, ANTENNA SUPPORT STRUCTURES AND PLATFORMS ON EXISTING TOWERS AS REQUIRED.
17. INSTALL CELL SITE RADIOS, MICROWAVE, GPS, COAXIAL MAINLINE, ANTENNAS, CROSS BAND COUPLERS, TOWER TOP AMPLIFIERS, LOW NOISE AMPLIFIERS AND RELATED EQUIPMENT.
18. PERFORM, DOCUMENT, AND CLOSE OUT ANY CONSTRUCTION CONTROL DOCUMENTS THAT MAY BE REQUIRED BY GOVERNMENT AGENCIES AND LANDLORDS.
19. PERFORM ANTENNA AND COAX SWEEP TESTING AND MAKE ANY AND ALL NECESSARY CORRECTIONS.
20. REMAIN ON SITE MOBILIZED THROUGHOUT HAND-OFF AND INTEGRATION TO ASSIST AS NEEDED UNTIL SITE IS DEEMED SUBSTANTIALLY COMPLETE AND PLACED "ON AIR."

3.2 GENERAL REQUIREMENTS FOR CIVL CONSTRUCTION:

- A. CONTRACTOR SHALL KEEP THE SITE FREE FROM ACCUMULATING WASTE MATERIAL, DEBRIS, AND TRASH. AT THE COMPLETION OF THE WORK, CONTRACTOR SHALL REMOVE FROM THE SITE ALL REMAINING RUBBISH, IMPLEMENTS, TEMPORARY FACILITIES, AND SURPLUS MATERIALS.
- B. EQUIPMENT ROOMS SHALL AT ALL TIMES BE MAINTAINED "BROOM CLEAN" AND CLEAR OF DEBRIS.
- C. CONTRACTOR SHALL TAKE ALL REASONABLE PRECAUTIONS TO DISCOVER AND LOCATE ANY HAZARDOUS CONDITION.
 1. IN THE EVENT CONTRACTOR ENCOUNTERS ANY HAZARDOUS CONDITION WHICH HAS NOT BEEN ABATED OR OTHERWISE MITIGATED, CONTRACTOR AND ALL OTHER PERSONS SHALL IMMEDIATELY STOP WORK IN THE AFFECTED AREA AND NOTIFY COMPANY IN WRITING. THE WORK IN THE AFFECTED AREA SHALL NOT BE RESUMED EXCEPT BY WRITTEN NOTIFICATION BY COMPANY.
 2. CONTRACTOR AGREES TO USE CARE WHILE ON THE SITE AND SHALL NOT TAKE ANY ACTION THAT WILL OR MAY RESULT IN OR CAUSE THE HAZARDOUS CONDITION TO BE FURTHER RELEASED IN THE ENVIRONMENT, OR TO FURTHER EXPOSE INDIVIDUALS TO THE HAZARD.
- D. CONTRACTOR'S ACTIVITIES SHALL BE RESTRICTED TO THE PROJECT LIMITS. SHOULD AREAS OUTSIDE THE PROJECT LIMITS BE AFFECTED BY CONTRACTOR'S ACTIVITIES, CONTRACTOR SHALL IMMEDIATELY RETURN THEM TO ORIGINAL CONDITION
- E. CONDUCT TESTING AS REQUIRED HEREIN.

3.3 DELIVERABLES:

- A. CONTRACTOR SHALL REVIEW, APPROVE, AND SUBMIT TO SPRINT SHOP DRAWINGS, PRODUCT DATA, SAMPLES, AND SIMILAR SUBMITTALS AS REQUIRED HEREINAFTER
- B. PROVIDE DOCUMENTATION INCLUDING, BUT NOT LIMITED TO, THE FOLLOWING. DOCUMENTATION SHALL BE FORWARDED IN ORIGINAL FORMAT AND/OR UPLOADED INTO SMS.
 1. ALL CORRESPONDENCE AND PRELIMINARY CONSTRUCTION REPORTS.
 2. PROJECT PROGRESS REPORTS.
 3. CIVL CONSTRUCTION START DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
 4. ELECTRICAL SERVICE COMPLETION DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).

5. LINES AND ANTENNA INSTALL DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
6. POWER INSTALL DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
7. TELCO READY DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
8. PPC (OR SHELTER) INSTALL DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
9. TOWER CONSTRUCTION START DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
10. TOWER CONSTRUCTION COMPLETE DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
11. BTS AND RADIO EQUIPMENT DELIVERED AT SITE DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
12. NETWORK OPERATIONS HANDOFF CHECKLIST (HOC WALK) COMPLETE (UPLOAD FORM IN SMS)
13. CIVL CONSTRUCTION COMPLETE DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
14. SITE CONSTRUCTION PROGRESS PHOTOS UNLOADED INTO SMS.

SECTION 01 400 - SUBMITTALS & TESTS

PART 1 - GENERAL

- 1.1 THE WORK: THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE OTHER CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.
- 1.2 RELATED DOCUMENTS:
 - A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
 - B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HEREWITH.
- 1.3 SUBMITTALS:
 - A. THE WORK IN ALL ASPECTS SHALL COMPLY WITH THE CONSTRUCTION DRAWINGS AND THESE SPECIFICATIONS.
 - B. SUBMIT THE FOLLOWING TO COMPANY REPRESENTATIVE FOR APPROVAL.
 1. CONCRETE MIX-DESIGNS FOR TOWER FOUNDATIONS, ANCHORS PIERS, AND CONCRETE PAVING.
 2. CONCRETE BREAK TESTS AS SPECIFIED HEREIN.
 3. SPECIAL FINISHES FOR INTERIOR SPACES, IF ANY.
 4. ALL EQUIPMENT AND MATERIALS SO IDENTIFIED ON THE CONSTRUCTION DRAWINGS.
 5. CHEMICAL GROUNDING DESIGN
 - D. ALTERNATES: AT THE COMPANY'S REQUEST, ANY ALTERNATIVES TO THE MATERIALS OR METHODS SPECIFIED SHALL BE SUBMITTED TO SPRINT'S CONSTRUCTION MANAGER FOR APPROVAL PRIOR TO BEING SHIPPED TO SITE. SPRINT WILL REVIEW AND APPROVE ONLY THOSE REQUESTS MADE IN WRITING. NO VERBAL APPROVALS WILL BE CONSIDERED. SUBMITTAL FOR APPROVAL SHALL INCLUDE A STATEMENT OF COST REDUCTION PROPOSED FOR USE OF ALTERNATE PRODUCT.

1.4 TESTS AND INSPECTIONS:

- A. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL CONSTRUCTION TESTS, INSPECTIONS AND PROJECT DOCUMENTATION.
- B. CONTRACTOR SHALL ACCOMPLISH TESTING INCLUDING BUT NOT LIMITED TO THE FOLLOWING:
 1. COAX SWEEPS AND FIBER TESTS PER TS-0200 REV 4 ANTENNA LINE ACCEPTANCE STANDARDS.
 2. AZIMUTH, DOWN TILT, AGL - UPLOADED REPORT FROM ANTENNA ALIGNMENT TOOL TO SITERRA TASK 465. INSTALLED AZIMUTH, DOWN TILT, AND AGL MUST CONFORM TO THE RF DATA SHEETS. SWEEP AND FIBER TESTS
 3. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL CORRECTIONS TO ANY WORK IDENTIFIED AS UNACCEPTABLE IN SITE INSPECTION ACTIVITIES AND/OR AS A RESULT OF TESTING.
- C. REQUIRED CLOSEOUT DOCUMENTATION INCLUDES, BUT IS NOT LIMITED TO THE FOLLOWING:
 1. AZIMUTH, DOWN TILT, AGL - UPLOADED REPORT FROM ANTENNA ALIGNMENT TOOL TO SITERRA TASK 465. INSTALLED AZIMUTH, DOWN TILT, AND AGL MUST CONFORM TO THE RF DATA SHEETS. SWEEP AND FIBER TESTS
 2. SCANABLE BARCODE PHOTOGRAPHS OF TOWER TOP AND INACCESSIBLE SERIALIZED EQUIPMENT
 3. ALL AVAILABLE JURISDICTIONAL INFORMATION
 4. PDF SCAN OF REDLINES PRODUCED IN FIELD

5. ELECTRONIC AS-BUILT DRAWINGS IN AUTOCAD AND PDF FORMATS. ANY FIELD CHANGE MUST BE REFLECTED BY MODIFYING THE PLANS, ELEVATIONS, AND DETAILS IN THE DRAWING SETS. GENERAL NOTES INDICATING MODIFICATIONS WILL NOT BE ACCEPTED. CHANGES SHALL BE HIGHLIGHTED AS "CLOUDS" IDENTIFIED AS THE "AS-BUILT" CONDITION.
6. LIEN WAIVERS
7. FINAL PAYMENT APPLICATION
8. REQUIRED FINAL CONSTRUCTION PHOTOS
9. CONSTRUCTION AND COMMISSIONING CHECKLIST COMPLETE WITH NO DEFICIENT ITEMS
10. ALL POST NTP TASKS INCLUDING DOCUMENT UPLOADS COMPLETED IN SITERRA (SPRINTS DOCUMENT REPOSITORY OF RECORD).

1.5 COMMISSIONING: PERFORM ALL COMMISSIONING AS REQUIRED BY APPLICABLE MOPs

1.6 INTEGRATION: PERFORM ALL INTEGRATION ACTIVITIES AS REQUIRED BY APPLICABLE MOPs

PART 2 - PRODUCTS (NOT USED)

PART 3 - EXECUTION

3.1 REQUIREMENTS FOR TESTING:

A. THIRD PARTY TESTING AGENCY:

1. WHEN THE USE OF A THIRD PARTY INDEPENDENT TESTING AGENCY IS REQUIRED, THE AGENCY THAT IS SELECTED MUST PERFORM SUCH WORK ON A REGULAR BASIS IN THE STATE WHERE THE PROJECT IS LOCATED AND HAVE A THOROUGH UNDERSTANDING OF LOCAL AVAILABLE MATERIALS, INCLUDING THE SOIL, ROCK, AND GROUNDWATER CONDITIONS.
2. THE THIRD PARTY TESTING AGENCY IS TO BE FAMILIAR WITH THE APPLICABLE REQUIREMENTS FOR THE TESTS TO BE DONE, EQUIPMENT TO BE USED, AND ASSOCIATED HEALTH AND SAFETY ISSUES.
3. EXPERIENCE IN SOILS, CONCRETE, MASONRY, AGGREGATE, AND ASPHALT TESTING USING ASTM, AASJTO, AND OTHER METHODS IS NEEDED.
4. EXPERIENCE IN SOILS, CONCRETE, MASONRY, AGGREGATE, AND ASPHALT TESTING USING ASTM, AASJTO, AND OTHER METHODS IS NEEDED.

3.2 REQUIRED TESTS:

A. CONTRACTOR SHALL ACCOMPLISH TESTING INCLUDING BUT NOT LIMITED TO THE FOLLOWING:

1. CONCRETE CYLINDER BREAK TESTS FOR THE TOWER AND ANCHOR FOUNDATIONS AS SPECIFIED IN SECTION: PORTLAND CEMENT CONCRETE PAVING.
2. ASPHALT ROADWAY COMPACTED THICKNESS, SURFACE SMOOTHNESS, AND COMPACTED DENSITY TESTING AS SPECIFIED IN SECTION: HOT MIX ASPHALT PAVING.
3. FIELD QUALITY CONTROL TESTING AS SPECIFIED IN SECTION: PORTLAND CEMENT CONCRETE PAVING.
4. TESTING REQUIRED UNDER SECTION: AGGREGATE BASE FOR ACCESS ROADS, PADS AND ANCHOR LOCATIONS
5. STRUCTURAL BACKFILL COMPACTION TESTS FOR THE TOWER FOUNDATION.
6. SITE RESISTANCE TO EARTH TESTING PER EXHIBIT: CELL SITE GROUNDING SYSTEM DESIGN.
7. ANTENNA AND COAX SWEEP TESTS PER EXHIBIT: ANTENNA TRANSMISSION LINE ACCEPTANCE STANDARDS.
8. GROUNDING AT ANTENNA MASTS FOR GPS AND ANTENNAS
9. ALL OTHER TESTS REQUIRED BY COMPANY OR JURISDICTION.

3.3 REQUIRED INSPECTIONS

A. SCHEDULE INSPECTIONS WITH COMPANY REPRESENTATIVE.

B. CONDUCT INSPECTIONS INCLUDING BUT NOT LIMITED TO THE FOLLOWING:

1. GROUNDING SYSTEM INSTALLATION PRIOR TO EARTH CONCEALMENT DOCUMENTED WITH DIGITAL PHOTOGRAPHS BY CONTRACTOR, APPROVED BY A&E OR SPRINT REPRESENTATIVE.
2. FORMING FOR CONCRETE AND REBAR PLACEMENT PRIOR TO POUR DOCUMENTED WITH DIGITAL PHOTOGRAPHS BY CONTRACTOR, APPROVED BY A&E OR SPRINT REPRESENTATIVE.
3. COMPACTION OF BACKFILL MATERIALS; AGGREGATE BASE FOR ROADS, PADS, AND ANCHORS; ASPHALT PAVING; AND SHAFT BACKFILL FOR CONCRETE AND WOOD POLES, BY INDEPENDENT THIRD PARTY AGENCY.
4. PRE- AND POST-CONSTRUCTION ROOFTOP AND STRUCTURAL INSPECTIONS ON EXISTING FACILITIES.
5. TOWER ERECTION SECTION STACKING AND PLATFORM ATTACHMENT DOCUMENTED BY DIGITAL PHOTOGRAPHS BY THIRD PARTY AGENCY.
6. ANTENNA AZIMUTH, DOWN TILT AND PER SUNLIGHT TOOL SUNSIGHT INSTRUMENTS - ANTENNALIGN ALIGNMENT TOOL (AAT)

PLANS PREPARED FOR:



PLANS PREPARED BY:



MLA PARTNER:



ENGINEERING LICENSE:



DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JDV	A

SITE NAME:

NEWINGTON

SITE CASCADE:

CT23XC555

SITE ADDRESS:

123 COSTELO RD
NEWINGTON, CT 06111

SHEET DESCRIPTION:

SPRINT SPECIFICATIONS

SHEET NUMBER:

SP-2

CONTINUE FROM SP-2

- 7. VERIFICATION DOCUMENTED WITH THE ANTENNA CHECKLIST REPORT, BY A&E, SITE DEVELOPMENT REP, OR RF REP.
 - 8. FINAL INSPECTION CHECKLIST AND HANDOFF WALK (HOC). SIGNED FORM SHOWING ACCEPTANCE BY FIELD OPS IS TO BE UPLOADED INTO SMS.
 - 9. COAX SWEEP AND FIBER TESTING DOCUMENTS SUBMITTED VIA SMS FOR RF APPROVAL.
 - 10. SCAN-ABLE BARCODE PHOTOGRAPHS OF TOWER TOP AND INACCESSIBLE SERIALIZED EQUIPMENT
 - 11. ALL AVAILABLE JURISDICTIONAL INFORMATION
 - 12. PDF SCAN OF REDLINES PRODUCED IN FIELD
- C. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL CORRECTIONS TO ANY WORK IDENTIFIED AS UNACCEPTABLE IN SITE INSPECTION ACTIVITIES AND/OR AS A RESULT OF TESTING.
- D. CONSTRUCTION INSPECTIONS AND CORRECTIVE MEASURES SHALL BE DOCUMENTED BY THE CONTRACTOR WITH WRITTEN REPORTS AND PHOTOGRAPHS. PHOTOGRAPHS MUST BE DIGITAL AND OF SUFFICIENT QUALITY TO CLEARLY SHOW THE SITE CONSTRUCTION. PHOTOGRAPHS MUST CLEARLY IDENTIFY THE PHOTOGRAPHED ITEM AND BE LABELED WITH THE SITE CASCADE NUMBER, SITE NAME, DESCRIPTION, AND DATE.
- 3.4 DELIVERABLES: TEST AND INSPECTION REPORTS AND CLOSEOUT DOCUMENTATION SHALL BE UPLOADED TO THE SMS AND/OR FORWARDED TO SPRINT FOR INCLUSION INTO THE PERMANENT SITE FILES.
- A. THE FOLLOWING TEST AND INSPECTION REPORTS SHALL BE PROVIDED AS APPLICABLE.
- 1. CONCRETE MIX AND CYLINDER BREAK REPORTS.
 - 2. STRUCTURAL BACKFILL COMPACTION REPORTS.
 - 3. SITE RESISTANCE TO EARTH TEST.
 - 4. ANTENNA AZIMUTH AND DOWN TILT VERIFICATION
 - 5. TOWER ERECTION INSPECTIONS AND MEASUREMENTS DOCUMENTING TOWER INSTALLED PER SUPPLIER'S REQUIREMENTS AND THE APPLICABLE SECTIONS HEREIN.
 - 6. COAX CABLE SWEEP TESTS PER COMPANY'S "ANTENNA LINE ACCEPTANCE STANDARDS".
- B. REQUIRED CLOSEOUT DOCUMENTATION INCLUDES THE FOLLOWING;
- 1. TEST WELLS AND TRENCHES: PHOTOGRAPHS OF ALL TEST WELLS; PHOTOGRAPHS SHOWING ALL OPEN EXCAVATIONS AND TRENCHING PRIOR TO BACKFILLING SHOWING A TAPE MEASURE VISIBLE IN THE EXCAVATIONS INDICATING DEPTH.
 - 2. CONDUITS, CONDUCTORS AND GROUNDING: PHOTOGRAPHS SHOWING TYPICAL INSTALLATION OF CONDUCTORS AND CONNECTORS; PHOTOGRAPHS SHOWING TYPICAL BEND RADIUS OF INSTALLED GROUND WIRES AND GROUND ROD SPACING;
 - 3. CONCRETE FORMS AND REINFORCING: CONCRETE FORMING AT TOWER AND EQUIPMENT/SHELTER PAD/FOUNDATIONS - PHOTOGRAPHS SHOWING ALL REINFORCING STEEL, UTILITY AND CONDUIT STUB OUTS; PHOTOGRAPHS SHOWING CONCRETE POUR OF SHELTER SLAB/FOUNDATION, TOWER FOUNDATION AND GUY ANCHORS WITH VIBRATOR IN USE; PHOTOGRAPHS SHOWING EACH ANCHOR ON GUYED TOWERS, BEFORE CONCRETE POUR.
 - 4. TOWER, ANTENNAS AND MAINLINE: INSPECTION AND PHOTOGRAPHS OF SECTION STACKING; INSPECTION AND PHOTOGRAPHS OF PLATFORM COMPONENT ATTACHMENT POINTS; PHOTOGRAPHS OF TOWER TOP GROUNDING; PHOTOS OF TOWER COAX LINE COLOR CODING AT THE TOP AND AT GROUND LEVEL; INSPECTION AND PHOTOGRAPHS OF OPERATIONAL OF TOWER LIGHTING, AND PLACEMENT OF FAA REGISTRATION SIGN; PHOTOGRAPHS SHOWING ADDITIONAL GROUNDING POINTS FOR TOWERS GREATER THAN 200 FEET.; PHOTOS OF ANTENNA GROUND BAR, EQUIPMENT GROUND BAR, AND MASTER GROUND BAR; PHOTOS OF GPS ANTENNA(S); PHOTOS OF EACH SECTOR OF ANTENNAS; ONE PHOTOGRAPH LOOKING AT THE SECTOR AND ONE FROM BEHIND SHOWING THE PROJECTED COVERAGE AREA; PHOTOS OF COAX WEATHERPROOFING - TOP AND BOTTOM; PHOTOS OF COAX GROUNDING--TOP AND BOTTOM; PHOTOS OF ANTENNA AND MAST GROUNDING; PHOTOS OF COAX CABLE ENTRY INTO SHELTER; PHOTOS OF PLATFORM MECHANICAL CONNECTIONS TO TOWER/MONOPOLE.
 - 5. ROOF TOPS: PRE-CONSTRUCTION AND POST-CONSTRUCTION VISUAL INSPECTION AND PHOTOGRAPHS OF THE ROOF AND INTERIOR TO DETERMINE AND DOCUMENT CONDITIONS; ROOF TOP CONSTRUCTION INSPECTIONS AS REQUIRED BY THE JURISDICTION; PHOTOGRAPHS OF CABLE TRAY AND/OR ICE BRIDGE; PHOTOGRAPHS OF DOGHOUSE/CABLE EXIT FROM ROOF;
 - 6. SITE LAYOUT - PHOTOGRAPHS OF THE OVERALL COMPOUND, INCLUDING EQUIPMENT PLATFORM FROM ALL FOUR CORNERS.
 - 7. FINISHED UTILITIES: CLOSE-UP PHOTOGRAPHS OF THE PPC BREAKER PANEL; CLOSE-UP PHOTOGRAPH OF THE INSIDE OF THE TELCO PANEL AND NIU; CLOSE-UP PHOTOGRAPH OF THE POWER METER AND DISCONNECT; PHOTOS OF POWER AND TELCO ENTRANCE TO COMPANY ENCLOSURE; PHOTOGRAPHS AT METER BOX AND/OR FACILITY DISTRIBUTION PANEL.
 - 8. REQUIRED MATERIALS CERTIFICATIONS: CONCRETE MIX DESIGNS; MILL CERTIFICATION FOR ALL REINFORCING AND STRUCTURAL STEEL; AND ASPHALT PAVING MIX DESIGN.
 - 9. ANY AND ALL SUBMITTALS BY THE JURISDICTION OR COMPANY.

SECTION 01 400 - SUBMITTALS & TESTS

PART 1 - GENERAL

1.1 THE WORK: THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE OTHER CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.

1.2 RELATED DOCUMENTS:

- A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
- B. SPRINT 'STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES' ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HERewith.

PART 2 - PRODUCTS (NOT USED)

PART 3 - EXECUTION

3.1 WEEKLY REPORTS:

- A. CONTRACTOR SHALL PROVIDE SPRINT WITH WEEKLY REPORTS SHOWING PROJECT STATUS. THIS STATUS REPORT FORMAT WILL BE PROVIDED TO THE CONTRACTOR BY SPRINT. THE REPORT WILL CONTAIN SITE ID NUMBER, THE MILESTONES FOR EACH SITE, INCLUDING THE BASELINE DATE, ESTIMATED COMPLETION DATE AND ACTUAL COMPLETION DATE.
- B. REPORT INFORMATION WILL BE TRANSMITTED TO SPRINT VIA ELECTRONIC MEANS AS REQUIRED. THIS INFORMATION WILL PROVIDE A BASIS FOR PROGRESS MONITORING AND PAYMENT.

3.2 PROJECT CONFERENCE CALLS:

- A. SPRINT MAY HOLD WEEKLY PROJECT CONFERENCE CALLS. CONTRACTOR WILL BE REQUIRED TO COMMUNICATE SITE STATUS, MILESTONE COMPLETIONS AND UPCOMING MILESTONE PROJECTIONS, AND ANSWER ANY OTHER SITE STATUS QUESTIONS AS NECESSARY.

3.3 PROJECT TRACKING IN SMS:

- A. CONTRACTOR SHALL PROVIDE SCHEDULE UPDATES AND PROJECTIONS IN THE SMS SYSTEM ON A WEEKLY BASIS.

3.4 ADDITIONAL REPORTING:

- A. ADDITIONAL OR ALTERNATE REPORTING REQUIREMENTS MAY BE ADDED TO THE REPORT AS DETERMINED TO BE REASONABLY NECESSARY BY COMPANY.

3.5 PROJECT PHOTOGRAPHS:

- A. FILE DIGITAL PHOTOGRAPHS OF COMPLETED SITE IN JPEG FORMAT IN THE SMS PHOTO LIBRARY FOR THE RESPECTIVE SITE. PHOTOGRAPHS SHALL BE CLEARLY LABELED WITH SITE NUMBER, NAME AND DESCRIPTION, AND SHALL INCLUDE AT A MINIMUM THE FOLLOWING AS APPLICABLE:

- 1. SHELTER AND TOWER OVERVIEW.
- 2. TOWER FOUNDATION(S) - FORMS AND STEEL BEFORE POUR (EACH ANCHOR ON GUYED TOWERS).
- 3. TOWER FOUNDATION(S) POUR WITH VIBRATOR IN USE (EACH ANCHOR ON GUYED TOWERS).
- 4. TOWER STEEL AS BEING INSTALLED INTO HOLE (SHOW ANCHOR STEEL ON GUYED TOWERS).
- 5. PHOTOS OF TOWER SECTION STACKING.
- 6. CONCRETE TESTING / SAMPLES.
- 7. PLACING OF ANCHOR BOLTS IN TOWER FOUNDATION.
- 8. BUILDING/WATER TANK FROM ROAD FOR TENANT IMPROVEMENTS OR COMMENTS.
- 9. SHELTER FOUNDATION--FORMS AND STEEL BEFORE POURING.
- 10. SHELTER FOUNDATION POUR WITH VIBRATOR IN USE.
- 11. COAX CABLE ENTRY INTO SHELTER.
- 12. PLATFORM MECHANICAL CONNECTIONS TO TOWER/MONOPOLE.
- 13. ROOFTOP PRE AND POST CONSTRUCTION PHOTOS TO INCLUDE PENETRATIONS AND INTERIOR CEILING.
- 14. PHOTOS OF TOWER TOP COAX LINE COLOR CODING AND COLOR CODING AT GROUND LEVEL.
- 15. PHOTOS OF ALL APPROPRIATE COMPANY OR REGULATORY SIGNAGE.
- 16. PHOTOS OF EQUIPMENT BOLT DOWN INSIDE SHELTER.
- 17. POWER AND TELCO ENTRANCE TO COMPANY ENCLOSURE AND POWER AND TELCO SUPPLY LOCATIONS INCLUDING METER/DISCONNECT.
- 18. ELECTRICAL TRENCH(S) WITH ELECTRICAL / CONDUIT BEFORE BACKFILL.
- 19. ELECTRICAL TRENCH(S) WITH FOIL-BACKED TAPE BEFORE FURTHER BACKFILL.
- 20. TELCO TRENCH WITH TELEPHONE / CONDUIT BEFORE BACKFILL.
- 21. TELCO TRENCH WITH FOIL-BACKED TAPE BEFORE FURTHER BACKFILL.
- 22. SHELTER GROUND-RING TRENCH WITH GROUND-WIRE BEFORE BACKFILL (SHOW ALL CAD WELDS AND BEND RADII).
- 23. TOWER GROUND-RING TRENCH WITH GROUND-WIRE BEFORE BACKFILL (SHOW ALL CAD WELDS AND BEND RADII).

- 24. FENCE GROUND-RING TRENCH WITH GROUND-WIRE BEFORE BACKFILL (SHOW ALL CAD WELDS AND BEND RADII).
 - 25. ALL BTS GROUND CONNECTIONS.
 - 26. ALL GROUND TEST WELLS.
 - 27. ANTENNA GROUND BAR AND EQUIPMENT GROUND BAR.
 - 28. ADDITIONAL GROUNDING POINTS ON TOWERS ABOVE 200'.
 - 29. HVAC UNITS INCLUDING CONDENSERS ON SPLIT SYSTEMS.
 - 30. GPS ANTENNAS.
 - 31. CABLE TRAY AND/OR WAVEGUIDE BRIDGE.
 - 32. DOGHOUSE/CABLE EXIT FROM ROOF.
 - 33. EACH SECTOR OF ANTENNAS; ONE PHOTOGRAPH LOOKING AT THE SECTOR AND ONE FROM BEHIND SHOWING THE PROJECTED COVERAGE AREA.
 - 34. MASTER BUS BAR.
 - 35. TELCO BOARD AND NIU.
 - 36. ELECTRICAL DISTRIBUTION WALL.
 - 37. CABLE ENTRY WITH SURGE SUPPRESSION.
 - 38. ENTRANCE TO EQUIPMENT ROOM.
 - 39. COAX WEATHERPROOFING--TOP AND BOTTOM OF TOWER.
 - 40. COAX GROUNDING -TOP AND BOTTOM OF TOWER.
 - 41. ANTENNA AND MAST GROUNDING.
 - 42. LANDSCAPING - WHERE APPLICABLE.
- 3.6 FINAL PROJECT ACCEPTANCE: COMPLETE ALL REQUIRED REPORTING TASKS PER CONTRACT, CONTRACT DOCUMENTS OR THE SPRINT INTEGRATED CONSTRUCTION STANDARDS FOR WIRELESS SITES AND UPLOAD INTO SITERRA.

PLANS PREPARED FOR:



6580 Sprint Parkway
Overland Park, Kansas 66251

PLANS PREPARED BY:



1033 Watervliet Shaker Rd
Albany, NY 12205
Office # (518) 690-0790
Fax # (518) 690-0793

JOB NUMBER 353-000

MLA PARTNER:



ENGINEERING LICENSE:



DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JDV	A

SITE NAME:

NEWINGTON

SITE CASCADE:

CT23XC555

SITE ADDRESS:

123 COSTELO RD
NEWINGTON, CT 06111



SHEET DESCRIPTION:

SPRINT SPECIFICATIONS

SHEET NUMBER:



SP-3

INFORMATION CONTAINED WITHIN DRAWINGS ARE BASED ON PROVIDED INFORMATION AND ARE NOT THE RESULT OF A FIELD SURVEY.



OVERALL SITE PLAN

SCALE: AS NOTED 1



SPRINT EQUIPMENT PLAN

SCALE: AS NOTED 2

PLANS PREPARED FOR:

6580 Sprint Parkway
 Overland Park, Kansas 66251

PLANS PREPARED BY:

Design. Build. Deliver.
 1033 Watervliet Shaker Rd
 Albany, NY 12205
 Office # (518) 690-0790
 Fax # (518) 690-0793
 JOB NUMBER 353-000

MLA PARTNER:

ENGINEERING LICENSE:

DRAWING NOTICE:
 THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:	DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW		5/13/14	JDV	A

SITE NAME:
 NEWINGTON

SITE CASCADE:
 CT23XC555

SITE ADDRESS:
 123 COSTELO RD
 NEWINGTON, CT 06111


SHEET DESCRIPTION:
 SITE PLAN

SHEET NUMBER:
 A-1

NOTE:
INFINIGY ENGINEERING HAS NOT EVALUATED THE EXISTING TOWER OR MOUNT FOR THIS SITE, AND ASSUMES NO RESPONSIBILITY FOR ITS STRUCTURAL INTEGRITY. REFER TO STRUCTURAL ANALYSIS BY OTHERS PRIOR TO ANY CONSTRUCTION.

NOTE:
SPRINT TOWER TOP WORK CONTINGENT ON FOLLOWING: COMPLETION OF STRUCTURAL ANALYSIS PROVIDED BY CROWN CASTLE, COMPLETION OF ANTENNA/RRH MOUNTING ASSESSMENT (PROVIDED BY AE)

NOTE:
SEE DETAIL 2 ON A-3 FOR ANTENNA LAYOUT



DETAIL NOT USED NO SCALE 2

TOWER ELEVATION NO SCALE 1

DETAIL NOT USED NO SCALE 3

DETAIL NOT USED NO SCALE 4

PLANS PREPARED FOR:



6580 Sprint Parkway
Overland Park, Kansas 66251

PLANS PREPARED BY:



Design. Build. Deliver.
1033 Watervliet Shaker Rd
Albany, NY 12205
Office # (518) 690-0790
Fax # (518) 690-0793
JOB NUMBER 353-000

MLA PARTNER:



ENGINEERING LICENSE:



DRAWING NOTICE:
THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JJV	A


SITE NAME:
NEWINGTON

SITE CASCADE:
CT23XC555

SITE ADDRESS:
123 COSTELO RD
NEWINGTON, CT 06111

SHEET DESCRIPTION:
TOWER ELEVATION & CABLE PLAN


SHEET NUMBER:
A-2



EXISTING ANTENNA & RRU LAYOUT

NO SCALE


1



FINAL ANTENNA LAYOUT

NO SCALE


2



DETAIL NOT USED

NO SCALE

3



TYPICAL ANTENNA & RRU MOUNTING DETAILS

NO SCALE

4

THE CONFIGURATION PLANS ARE BASED ON PROVIDED INFORMATION AND ARE FOR CONCEPTUAL PURPOSES ONLY. CONTRACTOR TO VERIFY FIELD CONDITIONS PRIOR TO CONSTRUCTION.

NOTE:
JUMPERS FROM 2.5 RRH TO THE 2.5 ANTENNA CANNOT EXCEED 15 FEET

PLANS PREPARED FOR:

Sprint
6580 Sprint Parkway
Overland Park, Kansas 66251

PLANS PREPARED BY:

INFINIGY Design.
Build.
Deliver.
1033 Watervliet Shaker Rd
Albany, NY 12205
Office # (518) 690-0790
Fax # (518) 690-0793
JOB NUMBER 353-000

MLA PARTNER:

CROWN CASTLE

ENGINEERING LICENSE:



DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JDV	A

SITE NAME:

NEWINGTON

SITE CASCADE:

CT23XC555

SITE ADDRESS:

123 COSTELO RD
NEWINGTON, CT 06111

SHEET DESCRIPTION:

ANTENNA LAYOUT
& MOUNTING DETAILS

SHEET NUMBER:


A-3

NV CABLES				
BAND	INDICATOR	PORT	COLOR	
800-1	YEL GRN	NV-1	GRN	
1900-1	YEL RED	NV-2	BLU	
1900-2	YEL BRN	NV-3	BRN	
1900-3	YEL BLU	NV-4	WHT	
1900-4	YEL SLT	NV-5	RED	
800-2	YEL ORG	NV-6	SLT	
SPARE	YEL WHT	NV-7	PPL	
2500	YEL PPL	NV-8	ORG	

HYBRID	
HYBRID	COLOR
1	GRN
2	BLU
3	BRN
4	WHT
5	RED
6	SLT
7	PPL
8	ORG

2.5 Band		
2500 Radio 1	COLOR	
YEL WHT	GRN	
YEL WHT	BLU	
YEL WHT	BRN	
YEL WHT	WHT	
YEL WHT	RED	
YEL WHT	SLT	
YEL WHT	PPL	
YEL WHT	ORG	

Figure 1: Antenna Orientation






NOTES:

- ALL CABLES SHALL BE MARKED WITH 2" WIDE, UV STABILIZED, UL APPROVED TAPE.
- THE FIRST RING SHALL BE CLOSEST TO THE END OF THE CABLE AND SPACED APPROXIMATELY 2" FROM THE END CONNECTOR, WEATHERPROOFING, OR BREAK-OUT CYLINDER. THERE SHALL BE A 1" SPACE BETWEEN EACH RING FOR THE CABLE IDENTIFIER, AND NO SPACES BETWEEN THE FREQUENCY BANDS.
- A 2" GAP SHALL SEPARATE THE CABLE COLOR CODE FROM THE FREQUENCY COLOR CODE. THE 2" COLOR RINGS FOR THE FREQUENCY CODE SHALL BE PLACED NEXT TO EACH OTHER WITH NO SPACES.
- THE 2" COLORED TAPE(S) SHALL EACH BE WRAPPED A MINIMUM OF 3 TIMES AROUND THE INDIVIDUAL CABLES, AND THE TAPE SHALL BE KEPT IN THE SAME LOCATION AS MUCH AS POSSIBLE.
- SITES WITH MORE THAN FOUR (4) SECTORS WILL REQUIRE ADDITIONAL RINGS FOR EACH SECTOR, FOLLOWING THE PATTERN. HIGH CAPACITY SITES WILL USE THE NEXT COLOR IN THE SEQUENCE FOR ADDITIONAL CABLES IN EACH SECTOR.
- HYBRID FIBER CABLE SHALL BE SECTOR IDENTIFIED INSIDE THE CABINET ON FREQUENCY BUNDLES, ON THE SEALTITE, ON THE MAIN LINE UPON EXIT OF SEALTITE, AND BEFORE AND AFTER THE BREAKOUT UNIT (MEDUSA), AS WELL AS BEFORE AND AFTER ANY ENTRANCE OR EXIT.
- HFC "MAIN TRUNK" WILL NOT BE MARKED WITH THE FREQUENCY CODES, AS IT CONTAINS ALL FREQUENCIES.
- INDIVIDUAL POWER PAIRS AND FIBER BUNDLES SHALL BE LABELED WITH BOTH THE CABLE AND FREQUENCY.

Sector	Cable	First Ring	Second Ring	Third Ring
1 Alpha	1	Green	No Tape	No Tape
	2	White	No Tape	No Tape
	3	Brown	No Tape	No Tape
	4	White	No Tape	No Tape
	5	Red	No Tape	No Tape
	6	Grey	No Tape	No Tape
	7	Purple	No Tape	No Tape
	8	Orange	No Tape	No Tape
2 Beta	1	Green	Green	No Tape
	2	White	White	No Tape
	3	Brown	Brown	No Tape
	4	White	White	No Tape
	5	Red	Red	No Tape
	6	Grey	Grey	No Tape
	7	Purple	Purple	No Tape
	8	Orange	Orange	No Tape
3 Gamma	1	Green	Green	Green
	2	White	White	White
	3	Brown	Brown	Brown
	4	White	White	White
	5	Red	Red	Red
	6	Grey	Grey	Grey
	7	Purple	Purple	Purple
	8	Orange	Orange	Orange

NV FREQUENCY	INDICATOR	ID
800-1	YEL	GRN
1900-1	YEL	RED
1900-2	YEL	BRN
1900-3	YEL	BLU
1900-4	YEL	SLT
800-1	YEL	ORG
RESERVED	YEL	WHT
RESERVED	YEL	PPL

2.5 FREQUENCY	INDICATOR	ID
2500 -1	YEL	WHT
2500 -2	YEL	WHT
2500 -3	YEL	WHT
2500 -4	YEL	WHT
2500 -5	YEL	WHT
2500 -6	YEL	WHT
2500 -7	YEL	WHT
2500 -8	YEL	WHT



PLANS PREPARED FOR:

6580 Sprint Parkway
Overland Park, Kansas 66251

PLANS PREPARED BY:

Design. Build. Deliver.
1033 Watervliet Shaker Rd
Albany, NY 12205
Office # (518) 690-0790
Fax # (518) 690-0793
JOB NUMBER 353-000

MLA PARTNER:

ENGINEERING LICENSE:

DRAWING NOTICE:
THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:	DESCRIPTION	DATE	BY	REV

ISSUED FOR REVIEW: 5/13/14 JUV A

SITE NAME:
NEWINGTON

SITE CASCADE:
CT23XC555


SITE ADDRESS:
123 COSTELO RD
NEWINGTON, CT 06111

SHEET DESCRIPTION:
COLOR CODING AND NOTES


SHEET NUMBER:
A-4

RRU: ALCATEL LUCENT TD-RRH8X20


COLOR: LIGHT GREY
WEIGHT: 70 LBS.



SIDE VIEW



FRONT VIEW



PLAN VIEW

NOTES

COMPLY WITH MANUFACTURERS INSTRUCTIONS TO ENSURE THAT ALL RRU'S RECEIVE ELECTRICAL POWER WITHIN 24 HOURS OF BEING REMOVED FROM THE MANUFACTURER'S PACKAGING. DO NOT OPEN RRU PACKAGES IN THE RAIN

2.5 RRU


NO SCALE

1

NEW EQUIPMENT IN EXISTING CABINET

NO SCALE

2



FRONT VIEW

PLANS PREPARED FOR:



PLANS PREPARED BY:



1033 Watervliet Shaker Rd
Albany, NY 12205
Office # (518) 690-0790
Fax # (518) 690-0793

JOB NUMBER 353-000

MLA PARTNER:



ENGINEERING LICENSE:



DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JIV	A

SITE NAME:

NEWINGTON

SITE CASCADE:

CT23XC555

SITE ADDRESS:

123 COSTELO RD
NEWINGTON, CT 06111

SHEET DESCRIPTION:


EQUIPMENT &
MOUNTING DETAILS

SHEET NUMBER:


A-5

ANTENNA: RFS APXVTM14-C-I20

RADOME MATERIAL: ASA
RADOME COLOR: LIGHT GRAY
DIMENSIONS, HxWxD.in(mim): 56.3"x12.6"x6.3" (1430x320x160mm)
WEIGHT: 52.9 lbs
CONNECTORS: (8) 4.1/9.5 DIN FEMALE
(1) NF - CALIBRATION CONNECTOR



PLAN VIEW



2.5 ANTENNA

NO SCALE

3

DETAIL NOT USED

NO SCALE

4





RFS HYBRIFLEX RISER CABLE SCHEDULE

Fiber Only (Existing DC Power)	Hybrid cable MN: HB058-M12-050F 12x multi-mode fiber pairs, Top: Outdoor protected connectors, Bottom: LC Connectors, 5/8 cable, 50 ft	50 ft
	MN: HB058-M12-075F	75 ft
	MN: HB058-M12-100F	100 ft
	MN: HB058-M12-125F	125 ft
	MN: HB058-M12-150F	150 ft
	MN: HB058-M12-175F	175 ft
	MN: HB058-M12-200F	200 ft
8 AWG Power	Hybrid cable MN: HB114-08U3M12-050F 3x 8 AWG power pairs, 12x multi-mode fiber pairs, Outdoor rated connectors & LC Connectors, 1 1/4 cable, 50 ft	50 ft
	MN: HB114-08U3M12-075F	75 ft
	MN: HB114-08U3M12-100F	100 ft
	MN: HB114-08U3M12-125F	125 ft
	MN: HB114-08U3M12-150F	150 ft
	MN: HB114-08U3M12-175F	175 ft
	MN: HB114-08U3M12-200F	200 ft
6 AWG Power	Hybrid cable MN: HB114-13U3M12-225F 3x 6 AWG power pair, 12x multi-mode fiber pairs, Outdoor rated connectors & LC Connectors, 1 1/4 cable, 225 ft	225 ft
	MN: HB114-13U3M12-250F	250 ft
	MN: HB114-13U3M12-275F	275 ft
	MN: HB114-13U3M12-300F	300 ft
4 AWG Power	Hybrid cable MN: HB114-21U3M12-325F 3x 4 AWG power pair, 12x multi-mode fiber pairs, Outdoor rated connectors & LC Connectors, 1 1/4 cable, 325 ft	325 ft
	MN: HB114-21U3M12-350F	350 ft
	MN: HB114-21U3M12-375F	375 ft

RFS HYBRIFLEX JUMPER CABLE SCHEDULE

Fiber Only	Hybrid Jumper cable MN: HBF012-M3-5F1 5 ft, 3x multi-mode fiber pairs, Outdoor & LC connectors, 1/2 cable	5 ft
	MN: HBF012-M3-10F1	10 ft
	MN: HBF012-M3-15F1	15 ft
	MN: HBF012-M3-20F1	20 ft
	MN: HBF012-M3-25F1	25 ft
	MN: HBF012-M3-30F1	30 ft
8 AWG Power	Hybrid Jumper cable MN: HBF058-08U1M3-5F1 5 ft, 1x 8 AWG power pair, 3x multi-mode fiber pairs, Outdoor & LC Connectors, 5/8 cable	5 ft
	MN: HBF058-08U1M3-10F1	10 ft
	MN: HBF058-08U1M3-15F1	15 ft
	MN: HBF058-08U1M3-20F1	20 ft
	MN: HBF058-08U1M3-25F1	25 ft
	MN: HBF058-08U1M3-30F1	30 ft
6 AWG Power	Hybrid Jumper cable MN: HBF058-13U1M3-5F1 5 ft, 1x 6 AWG power pair, 3x multi-mode fiber pairs, Outdoor & LC Connectors, 5/8 cable	5 ft
	MN: HBF058-13U1M3-10F1	10 ft
	MN: HBF058-13U1M3-15F1	15 ft
	MN: HBF058-13U1M3-20F1	20 ft
	MN: HBF058-13U1M3-25F1	25 ft
	MN: HBF058-13U1M3-30F1	30 ft
4 AWG Power	Hybrid Jumper cable MN: HBF078-21U1M3-5F1 5 ft, 1x 4 AWG power pair, 3x multi-mode fiber pairs, Outdoor & LC Connectors, 7/8 cable	5 ft
	MN: HBF078-21U1M3-10F1	10 ft
	MN: HBF078-21U1M3-15F1	15 ft
	MN: HBF078-21U1M3-20F1	20 ft
	MN: HBF078-21U1M3-25F1	25 ft
	MN: HBF078-21U1M3-30F1	30 ft

NOTE:
SPRINT CM TO CONFIRM HYBRID OR FIBER RISER CABLE AND HYBRID OR FIBER JUMPER CABLE MODEL NUMBERS IF HYBRID CABLES ARE REQUIRED BEFORE PREPARING BOM.



FIBER JUNCTION BOX PENETRATION

NO SCALE

2

2.5 CABLE CROSS SECTION DATA

NO SCALE

3

DETAIL NOT USED

NO SCALE

4

PLANS PREPARED FOR:

6580 Sprint Parkway
Overland Park, Kansas 66251

PLANS PREPARED BY:

Design. Build. Deliver.

1033 Watervliet Shaker Rd
Albany, NY 12205
Office # (518) 690-0790
Fax # (518) 690-0793

JOB NUMBER 353-000

MLA PARTNER:

ENGINEERING LICENSE:

DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JJV	A

SITE NAME:
NEWINGTON

SITE CASCADE:
CT23XC555

SITE ADDRESS:
123 COSTELO RD
NEWINGTON, CT 06111

SHEET DESCRIPTION:
CIVIL DETAILS

SHEET NUMBER:
A-6

DRAWING NOTICE:
THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JDV	A


SITE NAME:
NEWINGTON

SITE CASCADE:
CT23XC555


SITE ADDRESS:
123 COSTELO RD
NEWINGTON, CT 06111

SHEET DESCRIPTION:
CIVIL DETAILS


SHEET NUMBER:
A-7



ALU 2.5 ALU SCENARIO 1



RAN WIRING DIAGRAM




RF 2.5 ALU SCENARIO 1

PLAN NOT USED


NO SCALE 1

- LEGEND:**
- G — EXISTING GROUND RING
 - CADWELD CONNECTION (EXOTHERMIC WELD)
 - ▲ MECHANICAL CONNECTION
 - ⊗ GROUND ROD
 - CABLE GROUND KIT



TYPICAL ANTENNA GROUNDING PLAN

NO SCALE 2



NOTE:
 DEPICTION IS FOR CONCEPTUAL PURPOSES ONLY. CONTRACTOR IS TO FIELD VERIFY PRIOR TO CONSTRUCTION

TYPICAL EQUIPMENT GROUNDING PLAN (ELEVATION)

NO SCALE 3

DRAWING NOTICE:
 THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JDV	A

SITE NAME:
NEWINGTON

SITE CASCADE:
CT23XC555

SITE ADDRESS:
 123 COSTELO RD
 NEWINGTON, CT 06111

SHEET DESCRIPTION:
ELECTRICAL & GROUNDING PLAN

SHEET NUMBER:
E-1



INFINIGY Design. Build. Deliver.
 1033 Watervliet Shaker Rd
 Albany, NY 12205
 Office # (518) 690-0790
 Fax # (518) 690-0793
 JOB NUMBER 353-000



THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF SPRINT AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPRINT.

DESCRIPTION	DATE	BY	REV
ISSUED FOR REVIEW	5/13/14	JDV	A

NEWINGTON


CT23XC555

123 COSTELO RD
 NEWINGTON, CT 06111

ELECTRICAL & GROUNDING DETAILS

E-2


NOTES
 CG SHALL REFERENCE ALL SPECS FOR "CONNECTING THE POWER SUPPLY" OF THE NEW INSTALLATION DOCUMENTS, FOR ALL CONNECTION SPECIFICATIONS.



CIRCUIT SCHEDULE			
NO	FROM	TO	CONFIGURATION
①	UTILITY SOURCE	METER/DISCONNECT	EXISTING
②	METER/DISCONNECT	TRANSFER & LOAD CENTER	EXISTING
③	TRANSFER & LOAD CENTER	GENERATOR RECEPTACLE	EXISTING
④	TRANSFER & LOAD CENTER	EXISTING SPRINT BBU CABINET	EXISTING
⑤	TRANSFER & LOAD CENTER	EXISTING SPRINT MMBS CABINET	EXISTING

ELECTRICAL ONE-LINE DIAGRAM


NO SCALE 1



NOTES
 1. APPLY NO-OX TO LUG AND BAR CONTACT SURFACE. DO NOT COAT INLINE LUG.
 2. IF STOLEN GROUND BARS ARE ENCOUNTERED, CONTACT SPRINT CM FOR REPLACEMENT THREADED ROD KIT.


INSTALLATION OF GROUNDING CONDUCTOR TO GROUNDING BAR

NO SCALE 2



TWO HOLE LUG

NO SCALE 3



GROUNDING RISER DIAGRAM

NO SCALE 4



PAUL J. FORD AND COMPANY
STRUCTURAL ENGINEERS
250 East Broad Street • Suite 600 • Columbus, Ohio 43215-3708

Date: **May 13, 2014**

Patrick Byrum
Crown Castle
3530 Toringdon Way Suite 300
Charlotte, NC 28277

Paul J Ford and Company
250 E. Broad Street Suite 600
Columbus, OH 43215
614.221.6679

Subject: Structural Analysis Report

Carrier Designation: *Sprint PCS Co-Locate* **Scenario 2.5A**
Carrier Site Number: CT23XC555
Carrier Site Name: N/A

Crown Castle Designation: **Crown Castle BU Number:** 881364
Crown Castle Site Name: Newington
Crown Castle JDE Job Number: 286441
Crown Castle Work Order Number: 758924
Crown Castle Application Number: 245688 Rev. 1

Engineering Firm Designation: **Paul J Ford and Company Project Number:** 37513-2220_R1

Site Data: **123 Costelo Road, Newington, Hartford County, CT**
Latitude 41° 39' 18.72", Longitude -72° 43' 17.19"
145 Foot - Monopole Tower

Dear Patrick Byrum,

Paul J Ford and Company is pleased to submit this "**Structural Analysis Report**" to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 646105, in accordance with application 245688, revision 1.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC5: Existing + Proposed Equipment


Sufficient Capacity

Note: See Table I and Table II for the proposed and existing loading, respectively.

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures, and 2005 CT State Building Code using a fastest mile wind speed of 80 mph with no ice, 37.6 mph with 1.25 inch ice thickness and 50 mph under service loads.

We at Paul J Ford and Company appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Respectfully submitted by:


Lohengri Gimeno
Project Engineer 





PAUL J. FORD AND COMPANY
STRUCTURAL ENGINEERS
250 East Broad Street • Suite 600 • Columbus, Ohio 43215-3708

Date: **May 13, 2014**

Patrick Byrum
Crown Castle
3530 Toringdon Way Suite 300
Charlotte, NC 28277

Paul J Ford and Company
250 E. Broad Street Suite 600
Columbus, OH 43215
614.221.6679

Subject: Structural Analysis Report

Carrier Designation: **Sprint PCS Co-Locate** **Scenario 2.5A**
Carrier Site Number: CT23XC555
Carrier Site Name: N/A

Crown Castle Designation: **Crown Castle BU Number:** 881364
Crown Castle Site Name: Newington
Crown Castle JDE Job Number: 286441
Crown Castle Work Order Number: 758924
Crown Castle Application Number: 245688 Rev. 1

Engineering Firm Designation: **Paul J Ford and Company Project Number:** 37513-2220_R1

Site Data: **123 Costelo Road, Newington, Hartford County, CT**
Latitude 41° 39' 18.72", Longitude -72° 43' 17.19"
145 Foot - Monopole Tower

Dear Patrick Byrum,

Paul J Ford and Company is pleased to submit this "**Structural Analysis Report**" to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 646105, in accordance with application 245688, revision 1.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC5: Existing + Proposed Equipment

Sufficient Capacity

Note: See Table I and Table II for the proposed and existing loading, respectively.

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures, and 2005 CT State Building Code using a fastest mile wind speed of 80 mph with no ice, 37.6 mph with 1.25 inch ice thickness and 50 mph under service loads.

We at *Paul J Ford and Company* appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Respectfully submitted by:

Lohengri Gimeno
Project Engineer

TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

- Table 1 - Proposed Antenna and Cable Information
- Table 2 - Existing and Reserved Antenna and Cable Information
- Table 3 - Design Antenna and Cable Information

3) ANALYSIS PROCEDURE

- Table 4 - Documents Provided
- 3.1) Analysis Method
- 3.2) Assumptions

4) ANALYSIS RESULTS

- Table 5 - Section Capacity (Summary)
- Table 6 – Tower Components vs. Capacity

5) APPENDIX A

- tnxTower Output

6) APPENDIX B

- Base Level Drawing

7) APPENDIX C

- Additional Calculations

1) INTRODUCTION

This tower is a 145 ft Monopole tower designed by SUMMIT in October of 1997. The tower was originally designed for a wind speed of 75 mph per TIA/EIA-222-F.

2) ANALYSIS CRITERIA

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures using a fastest mile wind speed of 80 mph with no ice, 37.6 mph with 1.25 inch ice thickness and 50 mph under service loads.

Table 1 - Proposed Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
124.0	124.0	3	alcatel lucent	TD-RRH8x20-25	1	1-1/4	-
		3	rfs celwave	APXVTM14-C-120 w/ Mount Pipe			

Table 2 - Existing and Reserved Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
133.0	139.0	2	andrew	VHLP2.5-11	3 6 9	1/2 5/16 * 1-1/4	1
		2	dragonwave	HORIZON COMPACT			
	135.0	3	kathrein	840 10054 w/ Mount Pipe			
		1	motorola	TIMING 2000			
		3	samsung telecommunications	WIMAX DAP HEAD			
	134.0	9	decibel	DB844H90E-XY w/ Mount Pipe			
	133.0	1	tower mounts	Platform Mount [LP 401-1]			
124.0	124.0	3	rfs celwave	APXVSP18-C-A20 w/ Mount Pipe	3	1-1/4	1
		3	rfs celwave	IBC1900BB-1			
		3	rfs celwave	IBC1900HG-2A			
		1	tower mounts	Platform Mount [LP 401-1]			
122.0	122.0	3	alcatel lucent	PCS 1900MHz 4x45W-65MHz	-	-	1
		1	tower mounts	Pipe Mount [PM 601-3]			
	118.0	3	alcatel lucent	800MHz 2X50W RRH W/FILTER			

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
114.0	116.0	1	lucent	KS24019-L112A	1 13	1/2 1-5/8	1
	114.0	3	alcatel lucent	RRH2x40-AWS			
		2	andrew	LNX-6514DS-T4M w/ Mount Pipe			
		3	antel	BXA-171063/8CF-EDIN-2 w/ Mount Pipe			
		3	antel	BXA-185063/8CF w/ Mount Pipe			
		3	antel	BXA-80063/4CFx5 w/ Mount Pipe			
		1	kathrein	800 10735 K w/ Mount Pipe			
		1	rfs celwave	DB-T1-6Z-8AB-0Z			
		6	rfs celwave	FD9R6004/2C-3L			
		1	tower mounts	Platform Mount [LP 401-1]			
105.0	105.0	6	ericsson	RRUS-11	1 2 12	3/8 3/4 1-5/8	1
		3	kmw communications	AM-X-CD-16-65-00T-RET w/ Mount Pipe			
		6	powerwave technologies	7770.00 w/ Mount Pipe			
		6	powerwave technologies	LGP2140X			
		1	raycap	DC6-48-60-18-8F			
		1	tower mounts	Platform Mount [LP 303-1]			
94.0	95.0	3	ericsson	ERICSSON AIR 21 B2A B4P w/ Mount Pipe	13	1-5/8	1
		3	ericsson	ERICSSON AIR 21 B4A B2P w/ Mount Pipe			
		3	ericsson	KRY 112 144/1			
	94.0	1	tower mounts	Platform Mount [LP 401-1]			
87.0	87.0	3	kathrein	742 213	6	1-5/8	1
		1	tower mounts	Pipe Mount [PM 601-3]			
77.0	77.0	1	symmetricom	58532A	1	1/2	1
		1	tower mounts	Side Arm Mount [SO 701-1]			

Notes:
 1) Existing Equipment
 2) Equipment to be removed

* 2" Conduit

Table 3 - Design Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
-	-	-	-	-	-	-

3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

Document	Remarks	Reference	Source
4-GEOTECHNICAL REPORTS	Dr. Clarence Welti, 8/10/1999	1425352	CCISITES
4-TOWER FOUNDATION DRAWINGS/DESIGN/SPECS	Summit, 5153, 8/11/1999	1425473	CCISITES
4-TOWER MANUFACTURER DRAWINGS	Summit, 5153, 8/10/1999	1425417	CCISITES

3.1) Analysis Method

tnxTower (version 6.1.4.1), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

3.2) Assumptions

- 1) Tower and structures were built in accordance with the manufacturer's specifications.
- 2) The tower and structures have been maintained in accordance with the manufacturer's specification.
- 3) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 4) When applicable, transmission cables are considered as structural components for calculating wind loads as allowed by TIA/EIA-222-F.

This analysis may be affected if any assumptions are not valid or have been made in error. Paul J Ford and Company should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	145 - 130	Pole	TP26.77x24x0.1875	1	-2.688	822.430	6.0	Pass
L2	130 - 84.75	Pole	TP35.27x26.77x0.25	2	-16.707	1409.767	62.3	Pass
L3	84.75 - 44.25	Pole	TP42.26x33.9247x0.3125	3	-24.931	2112.858	90.7	Pass
L4	44.25 - 0	Pole	TP49.83x40.6625x0.375	4	-38.217	3060.155	96.7	Pass
							Summary	
						Pole (L4)	96.7	Pass
						Rating =	96.7	Pass

Table 6 - Tower Component Stresses vs. Capacity – LC5

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	79.0	Pass
1	Base Plate	0	78.9	Pass
1	Base Foundation Steel	0	60.1	Pass
1,2	Base Foundation Soil Interaction	0	67.1	Pass
1	Flange Connection	130	8.2	Pass

Structure Rating (max from all components) =	96.7%
---	--------------

Notes:

- 1) See additional documentation in "Appendix C - Additional Calculations" for calculations supporting the % capacity listed.
- 2) According to the procedures prescribed and agreed to by the Crown Castle Engineering Foundation Committee, held in January 2010, the existing caisson foundation was analyzed using the methodology in the software 'PLS-Caisson' (Version 8.10, or newer, by Power Line Systems, Inc.). Per the methods in PLS-Caisson, the soil reactions of cohesive soils are calculated using 8CD independent of the depth of the soil layer. The depth of soil to be ignored at the top of the caisson is the greater of the geotechnical report's recommendation, the frost depth of the site or half of the caisson diameter.

APPENDIX A

TNXTOWER OUTPUT Tower Input Data

There is a pole section.

This tower is designed using the TIA/EIA-222-F standard.

The following design criteria apply:

- 3) Tower is located in Hartford County, Connecticut.
- 4) Basic wind speed of 80 mph.
- 5) Nominal ice thickness of 1.2500 in.
- 6) Ice thickness is considered to increase with height.
- 7) Ice density of 56.000 pcf.
- 8) A wind speed of 38 mph is used in combination with ice.
- 9) Deflections calculated using a wind speed of 50 mph.
- 10) A non-linear (P-delta) analysis was used.
- 11) Pressures are calculated at each section.
- 12) Stress ratio used in pole design is 1.333.
- 13) Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

Consider Moments - Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification ✓ Use Code Stress Ratios ✓ Use Code Safety Factors - Guys ✓ Escalate Ice Always Use Max Kz Use Special Wind Profile Include Bolts In Member Capacity Leg Bolts Are At Top Of Section Secondary Horizontal Braces Leg Use Diamond Inner Bracing (4 Sided) Add IBC .6D+W Combination	Distribute Leg Loads As Uniform Assume Legs Pinned ✓ Assume Rigid Index Plate ✓ Use Clear Spans For Wind Area Use Clear Spans For KL/r Retension Guys To Initial Tension ✓ Bypass Mast Stability Checks ✓ Use Azimuth Dish Coefficients ✓ Project Wind Area of Appurt. ✓ Autocalc Torque Arm Areas SR Members Have Cut Ends Sort Capacity Reports By Component Triangulate Diamond Inner Bracing Use TIA-222-G Tension Splice Capacity Exemption	Treat Feedline Bundles As Cylinder Use ASCE 10 X-Brace Ly Rules Calculate Redundant Bracing Forces Ignore Redundant Members in FEA SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation ✓ Consider Feedline Torque Include Angle Block Shear Check Poles ✓ Include Shear-Torsion Interaction Always Use Sub-Critical Flow Use Top Mounted Sockets
--	--	---

Tapered Pole Section Geometry

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L1	145.000- 130.000	15.000	0.000	18	24.0000	26.7700	0.1875	0.7500	A572-65 (65 ksi)
L2	130.000- 84.750	45.250	4.500	18	26.7700	35.2700	0.2500	1.0000	A572-65 (65 ksi)
L3	84.750-44.250	45.000	5.250	18	33.9247	42.2600	0.3125	1.2500	A572-65 (65 ksi)
L4	44.250-0.000	49.500		18	40.6625	49.8300	0.3750	1.5000	A572-65 (65 ksi)

Tapered Pole Properties

Section	Tip Dia. in	Area in ²	I in ⁴	r in	C in	I/C in ³	J in ⁴	I/Q in ²	w in	w/t
L1	24.3702	14.1714	1015.2211	8.4534	12.1920	83.2694	2031.7780	7.0871	3.8940	20.768
	27.1830	15.8199	1412.3200	9.4368	13.5992	103.8535	2826.4984	7.9115	4.3815	23.368
L2	27.1830	21.0436	1869.8421	9.4146	13.5992	137.4969	3742.1446	10.5238	4.2715	17.086
	35.8141	27.7884	4305.5913	12.4321	17.9172	240.3055	8616.8481	13.8968	5.7675	23.07
L3	35.2944	33.3391	4758.6642	11.9323	17.2337	276.1248	9523.5899	16.6727	5.4207	17.346

Section	Tip Dia. in	Area in ²	I in ⁴	r in	C in	I/C in ³	J in ⁴	I/Q in ²	w in	w/t
	42.9119	41.6067	9249.3804	14.8914	21.4681	430.8434	18510.9314	20.8073	6.8878	22.041
L4	42.2771	47.9523	9833.0478	14.3021	20.6566	476.0251	19679.0341	23.9807	6.4966	17.324
	50.5987	58.8638	18188.8926	17.5565	25.3136	718.5412	36401.7186	29.4375	8.1101	21.627

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor A _r	Adjust. Factor A _r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals	Double Angle Stitch Bolt Spacing Horizontals
ft	ft ²	in					in	in
L1 145.000-130.000				1	1	1		
L2 130.000-84.750				1	1	1		
L3 84.750-44.250				1	1	1		
L4 44.250-0.000				1	1	1		

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Component Type	Placement	Total Number	Number Per Row	Clear Spacing	Width or Diameter	Perimeter	Weight
				ft			in	r in	r in	klf

**										

Feed Line/Linear Appurtenances - Entered As Area

Description	Face or Leg	Allow Shield	Component Type	Placement	Total Number	C _A A _A	Weight
				ft		ft ² /ft	klf
LDF6-50 (1 1/4" foam)	C	No	Inside Pole	133.000 - 0.000	9	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.000 0.000 0.000 0.000 0.000
**							
LDF4-50A (1/2" foam)	C	No	Inside Pole	133.000 - 0.000	3	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.000 0.000 0.000 0.000 0.000
9207 (5/16")	C	No	Inside Pole	133.000 - 0.000	6	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.000 0.000 0.000 0.000 0.000
2" Conduit	C	No	Inside Pole	133.000 - 0.000	2	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.000 0.000 0.000 0.000 0.000

HB114-21U3M12-XXXF(1-1/4")	C	No	Inside Pole	124.000 - 0.000	1	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.000 0.000 0.000 0.000 0.000
HB114-1-08U4-M5J(1	C	No	CaAa (Out Of	124.000 - 0.000	1	No Ice	0.154 0.001

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Total Number		C _A A _A ft ² /ft	Weight klf
1/4")			Face)			1/2" Ice	0.254	0.002
						1" Ice	0.354	0.004
						2" Ice	0.554	0.010
						4" Ice	0.954	0.028
HB114-1-08U4-M5J(1 1/4")	C	No	CaAa (Out Of Face)	124.000 - 0.000	2	No Ice	0.000	0.001
						1/2" Ice	0.000	0.002
						1" Ice	0.000	0.004
						2" Ice	0.000	0.010
						4" Ice	0.000	0.028

LDF4-50A(1/2")	C	No	Inside Pole	114.000 - 0.000	1	No Ice	0.000	0.000
						1/2" Ice	0.000	0.000
						1" Ice	0.000	0.000
						2" Ice	0.000	0.000
						4" Ice	0.000	0.000
LDF7-50A(1-5/8")	C	No	Inside Pole	114.000 - 0.000	12	No Ice	0.000	0.001
						1/2" Ice	0.000	0.001
						1" Ice	0.000	0.001
						2" Ice	0.000	0.001
						4" Ice	0.000	0.001
HB158-1-08U8-S8J18(1-5/8)	C	No	Inside Pole	114.000 - 0.000	1	No Ice	0.000	0.001
						1/2" Ice	0.000	0.001
						1" Ice	0.000	0.001
						2" Ice	0.000	0.001
						4" Ice	0.000	0.001

LCF158-50A(1-5/8")	C	No	Inside Pole	105.000 - 0.000	12	No Ice	0.000	0.001
						1/2" Ice	0.000	0.001
						1" Ice	0.000	0.001
						2" Ice	0.000	0.001
						4" Ice	0.000	0.001
FB-L98B-002-75000(3/8")	C	No	Inside Pole	105.000 - 0.000	1	No Ice	0.000	0.000
						1/2" Ice	0.000	0.000
						1" Ice	0.000	0.000
						2" Ice	0.000	0.000
						4" Ice	0.000	0.000
WR-VG86ST-BRD(3/4)	C	No	Inside Pole	105.000 - 0.000	2	No Ice	0.000	0.001
						1/2" Ice	0.000	0.001
						1" Ice	0.000	0.001
						2" Ice	0.000	0.001
						4" Ice	0.000	0.001

LDF7-50A (1 5/8" foam)	C	No	Inside Pole	94.000 - 0.000	12	No Ice	0.000	0.001
						1/2" Ice	0.000	0.001
						1" Ice	0.000	0.001
						2" Ice	0.000	0.001
						4" Ice	0.000	0.001
MLE Hybrid 9Power/18Fiber RL 2(1 5/8)	C	No	CaAa (Out Of Face)	94.000 - 0.000	1	No Ice	0.163	0.001
						1/2" Ice	0.263	0.002
						1" Ice	0.362	0.004
						2" Ice	0.562	0.010
						4" Ice	0.962	0.029
**								

AVA7-50(1-5/8)	C	No	CaAa (Out Of Face)	87.000 - 0.000	6	No Ice	0.000	0.001
						1/2" Ice	0.000	0.002
						1" Ice	0.000	0.004
						2" Ice	0.000	0.010
						4" Ice	0.000	0.030

LDF4-50A (1/2" foam)	C	No	Inside Pole	77.000 - 0.000	1	No Ice	0.000	0.000
						1/2" Ice	0.000	0.000
						1" Ice	0.000	0.000
						2" Ice	0.000	0.000
						4" Ice	0.000	0.000

Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A_R ft^2	A_F ft^2	C_{AA} In Face ft^2	C_{AA} Out Face ft^2	Weight K
L1	145.000-130.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	0.000	0.000	0.026
L2	130.000-84.750	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	0.000	7.547	1.238
L3	84.750-44.250	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	0.000	12.818	2.093
L4	44.250-0.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	0.000	14.005	2.288

Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A_R ft^2	A_F ft^2	C_{AA} In Face ft^2	C_{AA} Out Face ft^2	Weight K
L1	145.000-130.000	A	1.483	0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
		C		0.000	0.000	0.000	0.000	0.026
L2	130.000-84.750	A	1.439	0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
		C		0.000	0.000	0.000	21.506	2.029
L3	84.750-44.250	A	1.354	0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
		C		0.000	0.000	0.000	36.130	4.543
L4	44.250-0.000	A	1.250	0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
		C		0.000	0.000	0.000	37.974	4.743

Feed Line Center of Pressure

Section	Elevation ft	CP_x in	CP_z in	CP_x Ice in	CP_z Ice in
L1	145.000-130.000	0.0000	0.0000	0.0000	0.0000
L2	130.000-84.750	-0.2109	0.1218	-0.5009	0.2892
L3	84.750-44.250	-0.3742	0.2161	-0.8567	0.4946
L4	44.250-0.000	-0.3796	0.2192	-0.8679	0.5011

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft	Azimuth Adjustmen t °	Placement ft	C_{AA} Front ft^2	C_{AA} Side ft^2	Weight K	
(3) DB844H90E-XY w/ Mount Pipe	A	From Face	4.000	0.000	133.000	No Ice	3.299	4.921	0.032
			0.000			1/2" Ice	3.690	5.596	0.072
			1.000			Ice	4.119	6.284	0.117
						1" Ice	5.007	7.712	0.228
						2" Ice	6.920	10.833	0.557

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _A A _A Front ft ²	C _A A _A Side ft ²	Weight K	
(3) DB844H90E-XY w/ Mount Pipe	B	From Face	4.000 0.000 1.000	0.000	133.000	4" Ice			
						No Ice	3.299	4.921	0.032
						1/2" Ice	3.690	5.596	0.072
						1" Ice	4.119	6.284	0.117
						2" Ice	5.007	7.712	0.228
(3) DB844H90E-XY w/ Mount Pipe	C	From Face	4.000 0.000 1.000	0.000	133.000	4" Ice			
						No Ice	3.299	4.921	0.032
						1/2" Ice	3.690	5.596	0.072
						1" Ice	4.119	6.284	0.117
						2" Ice	5.007	7.712	0.228
HORIZON COMPACT	A	From Face	4.000 0.000 6.000	0.000	133.000	4" Ice			
						No Ice	0.841	0.429	0.012
						1/2" Ice	0.966	0.525	0.018
						1" Ice	1.099	0.629	0.026
						2" Ice	1.392	0.863	0.048
HORIZON COMPACT	B	From Face	4.000 0.000 6.000	0.000	133.000	4" Ice			
						No Ice	0.841	0.429	0.012
						1/2" Ice	0.966	0.525	0.018
						1" Ice	1.099	0.629	0.026
						2" Ice	1.392	0.863	0.048
840 10054 w/ Mount Pipe	A	From Face	4.000 0.000 2.000	0.000	133.000	4" Ice			
						No Ice	5.413	2.385	0.051
						1/2" Ice	5.833	2.917	0.088
						1" Ice	6.263	3.466	0.129
						2" Ice	7.156	4.614	0.230
840 10054 w/ Mount Pipe	B	From Face	4.000 0.000 2.000	0.000	133.000	4" Ice			
						No Ice	5.413	2.385	0.051
						1/2" Ice	5.833	2.917	0.088
						1" Ice	6.263	3.466	0.129
						2" Ice	7.156	4.614	0.230
840 10054 w/ Mount Pipe	C	From Face	4.000 0.000 2.000	0.000	133.000	4" Ice			
						No Ice	5.413	2.385	0.051
						1/2" Ice	5.833	2.917	0.088
						1" Ice	6.263	3.466	0.129
						2" Ice	7.156	4.614	0.230
TIMING 2000	A	From Face	4.000 0.000 2.000	0.000	133.000	4" Ice			
						No Ice	0.126	0.126	0.001
						1/2" Ice	0.177	0.177	0.002
						1" Ice	0.237	0.237	0.005
						2" Ice	0.383	0.383	0.014
WIMAX DAP HEAD	A	From Face	4.000 0.000 2.000	0.000	133.000	4" Ice			
						No Ice	1.804	0.778	0.033
						1/2" Ice	1.988	0.918	0.045
						1" Ice	2.180	1.067	0.058
						2" Ice	2.589	1.391	0.094
WIMAX DAP HEAD	B	From Face	4.000 0.000 2.000	0.000	133.000	4" Ice			
						No Ice	1.804	0.778	0.033
						1/2" Ice	1.988	0.918	0.045
						1" Ice	2.180	1.067	0.058
						2" Ice	2.589	1.391	0.094
WIMAX DAP HEAD	C	From Face	4.000 0.000 2.000	0.000	133.000	4" Ice			
						No Ice	1.804	0.778	0.033
						1/2" Ice	1.988	0.918	0.045
						1" Ice	2.180	1.067	0.058
						2" Ice	2.589	1.391	0.094

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _A A _A Front ft ²	C _A A _A Side ft ²	Weight K	
Platform Mount [LP 401-1]	C	None		0.000	133.000	2" Ice	3.512	2.143	0.201
						4" Ice			
						No Ice	24.330	24.330	1.645
						1/2" Ice	30.220	30.220	2.030
						Ice	36.110	36.110	2.415
						1" Ice	47.890	47.890	3.184
*** APXVTM14-C-120 w/ Mount Pipe	A	From Face	4.000 0.000 0.000	0.000	124.000	2" Ice	71.450	71.450	4.723
						4" Ice			
						No Ice	7.134	4.959	0.077
						1/2" Ice	7.662	5.754	0.131
						Ice	8.183	6.472	0.193
						1" Ice	9.256	8.010	0.338
APXVTM14-C-120 w/ Mount Pipe	B	From Face	4.000 0.000 0.000	0.000	124.000	2" Ice	11.526	11.412	0.752
						4" Ice			
						No Ice	7.134	4.959	0.077
						1/2" Ice	7.662	5.754	0.131
						Ice	8.183	6.472	0.193
						1" Ice	9.256	8.010	0.338
APXVTM14-C-120 w/ Mount Pipe	C	From Face	4.000 0.000 0.000	0.000	124.000	2" Ice	11.526	11.412	0.752
						4" Ice			
						No Ice	7.134	4.959	0.077
						1/2" Ice	7.662	5.754	0.131
						Ice	8.183	6.472	0.193
						1" Ice	9.256	8.010	0.338
TD-RRH8x20-25	A	From Face	4.000 0.000 0.000	0.000	124.000	2" Ice	7.314	3.680	0.397
						4" Ice			
						No Ice	4.720	1.703	0.070
						1/2" Ice	5.014	1.920	0.097
						Ice	5.316	2.145	0.128
						1" Ice	5.948	2.622	0.201
TD-RRH8x20-25	B	From Face	4.000 0.000 0.000	0.000	124.000	2" Ice	7.314	3.680	0.397
						4" Ice			
						No Ice	4.720	1.703	0.070
						1/2" Ice	5.014	1.920	0.097
						Ice	5.316	2.145	0.128
						1" Ice	5.948	2.622	0.201
TD-RRH8x20-25	C	From Face	4.000 0.000 0.000	0.000	124.000	2" Ice	7.314	3.680	0.397
						4" Ice			
						No Ice	4.720	1.703	0.070
						1/2" Ice	5.014	1.920	0.097
						Ice	5.316	2.145	0.128
						1" Ice	5.948	2.622	0.201
Platform Mount [LP 401-1]	C	None		0.000	124.000	2" Ice	71.450	71.450	4.723
						4" Ice			
						No Ice	24.330	24.330	1.645
						1/2" Ice	30.220	30.220	2.030
						Ice	36.110	36.110	2.415
						1" Ice	47.890	47.890	3.184
6'x2" Pipe Mount	A	From Face	4.000 0.000 0.000	0.000	124.000	2" Ice	4.568	4.568	0.268
						4" Ice			
						No Ice	1.200	1.200	0.072
						1/2" Ice	1.802	1.802	0.081
						Ice	2.170	2.170	0.095
						1" Ice	2.932	2.932	0.134
6'x2" Pipe Mount	B	From Face	4.000 0.000 0.000	0.000	124.000	2" Ice	4.568	4.568	0.268
						4" Ice			
						No Ice	1.200	1.200	0.072
						1/2" Ice	1.802	1.802	0.081
						Ice	2.170	2.170	0.095
						1" Ice	2.932	2.932	0.134
6'x2" Pipe Mount	C	From Face	4.000 0.000	0.000	124.000	2" Ice	4.568	4.568	0.268
						No Ice	1.200	1.200	0.072
						1/2" Ice	1.802	1.802	0.081

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _A A _A Front	C _A A _A Side	Weight
			Horz Lateral	Vert					
				0.000					
						Ice	2.170	2.170	0.095
						1" Ice	2.932	2.932	0.134
						2" Ice	4.568	4.568	0.268
						4" Ice			

APXVSP18-C-A20 w/ Mount Pipe	A	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	8.498	6.946	0.083
						1/2"	9.149	8.127	0.151
						Ice	9.767	9.021	0.227
						1" Ice	11.031	10.844	0.406
						2" Ice	13.679	14.851	0.909
						4" Ice			
APXVSP18-C-A20 w/ Mount Pipe	B	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	8.498	6.946	0.083
						1/2"	9.149	8.127	0.151
						Ice	9.767	9.021	0.227
						1" Ice	11.031	10.844	0.406
						2" Ice	13.679	14.851	0.909
						4" Ice			
APXVSP18-C-A20 w/ Mount Pipe	C	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	8.498	6.946	0.083
						1/2"	9.149	8.127	0.151
						Ice	9.767	9.021	0.227
						1" Ice	11.031	10.844	0.406
						2" Ice	13.679	14.851	0.909
						4" Ice			
IBC1900BB-1	A	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	1.127	0.533	0.022
						1/2"	1.273	0.647	0.030
						Ice	1.427	0.770	0.039
						1" Ice	1.761	1.041	0.065
						2" Ice	2.534	1.688	0.147
						4" Ice			
IBC1900BB-1	B	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	1.127	0.533	0.022
						1/2"	1.273	0.647	0.030
						Ice	1.427	0.770	0.039
						1" Ice	1.761	1.041	0.065
						2" Ice	2.534	1.688	0.147
						4" Ice			
IBC1900BB-1	C	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	1.127	0.533	0.022
						1/2"	1.273	0.647	0.030
						Ice	1.427	0.770	0.039
						1" Ice	1.761	1.041	0.065
						2" Ice	2.534	1.688	0.147
						4" Ice			
IBC1900HG-2A	A	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	1.127	0.533	0.022
						1/2"	1.273	0.647	0.030
						Ice	1.427	0.770	0.039
						1" Ice	1.761	1.041	0.065
						2" Ice	2.534	1.688	0.147
						4" Ice			
IBC1900HG-2A	B	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	1.127	0.533	0.022
						1/2"	1.273	0.647	0.030
						Ice	1.427	0.770	0.039
						1" Ice	1.761	1.041	0.065
						2" Ice	2.534	1.688	0.147
						4" Ice			
IBC1900HG-2A	C	From Face	4.000 0.000 0.000	0.000	124.000	No Ice	1.127	0.533	0.022
						1/2"	1.273	0.647	0.030
						Ice	1.427	0.770	0.039
						1" Ice	1.761	1.041	0.065
						2" Ice	2.534	1.688	0.147
						4" Ice			

PCS 1900MHz 4x45W-65MHz	A	From Face	1.000 0.000 0.000	0.000	122.000	No Ice	2.709	2.611	0.060
						1/2"	2.948	2.847	0.083
						Ice	3.195	3.092	0.110
						1" Ice	3.716	3.608	0.173
						2" Ice	4.862	4.744	0.347

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _A A _A Front	C _A A _A Side	Weight	
			Horz Lateral	Vert						ft
PCS 1900MHz 4x45W-65MHz	B	From Face	1.000	0.000	0.000	122.000	4" Ice			
							No Ice	2.709	2.611	0.060
							1/2" Ice	2.948	2.847	0.083
							Ice	3.195	3.092	0.110
							1" Ice	3.716	3.608	0.173
PCS 1900MHz 4x45W-65MHz	C	From Face	1.000	0.000	0.000	122.000	2" Ice	4.862	4.744	0.347
							4" Ice			
							No Ice	2.709	2.611	0.060
							1/2" Ice	2.948	2.847	0.083
							Ice	3.195	3.092	0.110
800MHz 2X50W RRH W/FILTER	A	From Face	1.000	0.000	0.000	122.000	1" Ice	3.716	3.608	0.173
							2" Ice	4.862	4.744	0.347
							4" Ice			
							No Ice	2.401	2.254	0.064
							1/2" Ice	2.613	2.460	0.086
800MHz 2X50W RRH W/FILTER	B	From Face	1.000	0.000	0.000	122.000	Ice	2.833	2.675	0.111
							1" Ice	3.300	3.132	0.172
							2" Ice	4.337	4.148	0.338
							4" Ice			
							No Ice	2.401	2.254	0.064
800MHz 2X50W RRH W/FILTER	C	From Face	1.000	0.000	0.000	122.000	1/2" Ice	2.613	2.460	0.086
							Ice	2.833	2.675	0.111
							1" Ice	3.300	3.132	0.172
							2" Ice	4.337	4.148	0.338
							4" Ice			
Pipe Mount [PM 601-3]	C	None			0.000	122.000	No Ice	4.390	4.390	0.195
							1/2" Ice	5.480	5.480	0.237
							Ice	6.570	6.570	0.280
							1" Ice	8.750	8.750	0.365
							2" Ice	13.110	13.110	0.534
*** LNX-6514DS-T4M w/ Mount Pipe	A	From Face	4.000	0.000	0.000	114.000	4" Ice			
							No Ice	8.449	6.885	0.056
							1/2" Ice	9.044	7.951	0.124
							Ice	9.631	8.809	0.199
							1" Ice	10.834	10.576	0.376
800 10735 K w/ Mount Pipe	B	From Face	4.000	0.000	0.000	114.000	2" Ice	13.352	14.482	0.871
							4" Ice			
							No Ice	8.968	5.489	0.055
							1/2" Ice	9.646	6.710	0.118
							Ice	10.298	7.688	0.189
LNX-6514DS-T4M w/ Mount Pipe	C	From Face	4.000	0.000	0.000	114.000	1" Ice	11.615	9.563	0.358
							2" Ice	14.367	13.514	0.844
							4" Ice			
							No Ice	8.449	6.885	0.056
							1/2" Ice	9.044	7.951	0.124
BXA-185063/8CF w/ Mount Pipe	A	From Face	4.000	0.000	0.000	114.000	Ice	9.631	8.809	0.199
							1" Ice	10.834	10.576	0.376
							2" Ice	13.352	14.482	0.871
							4" Ice			
							No Ice	3.181	2.997	0.028
BXA-185063/8CF w/ Mount Pipe	B	From Face	4.000	0.000	0.000	114.000	1/2" Ice	3.559	3.614	0.059
							Ice	3.963	4.236	0.095
							1" Ice	4.855	5.529	0.186
							2" Ice	6.773	8.423	0.473
							4" Ice			
BXA-185063/8CF w/ Mount Pipe							No Ice	3.181	2.997	0.028
							1/2" Ice	3.559	3.614	0.059
							Ice	3.963	4.236	0.095

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _A A _A Front ft ²	C _A A _A Side ft ²	Weight K	
BXA-185063/8CF w/ Mount Pipe	C	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	4.855	5.529	0.186
						2" Ice	6.773	8.423	0.473
						4" Ice			
						No Ice	3.181	2.997	0.028
						1/2" Ice	3.559	3.614	0.059
						Ice	3.963	4.236	0.095
BXA-80063/4CFx5 w/ Mount Pipe	A	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	4.855	5.529	0.186
						2" Ice	6.773	8.423	0.473
						4" Ice			
						No Ice	5.399	3.616	0.028
						1/2" Ice	5.844	4.217	0.070
						Ice	6.299	4.834	0.118
BXA-80063/4CFx5 w/ Mount Pipe	B	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	7.240	6.161	0.233
						2" Ice	9.261	9.183	0.573
						4" Ice			
						No Ice	5.399	3.616	0.028
						1/2" Ice	5.844	4.217	0.070
						Ice	6.299	4.834	0.118
BXA-80063/4CFx5 w/ Mount Pipe	C	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	7.240	6.161	0.233
						2" Ice	9.261	9.183	0.573
						4" Ice			
						No Ice	5.399	3.616	0.028
						1/2" Ice	5.844	4.217	0.070
						Ice	6.299	4.834	0.118
BXA-171063/8CF-EDIN-2 w/ Mount Pipe	A	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	4.804	6.059	0.196
						2" Ice	6.715	9.095	0.492
						4" Ice			
						No Ice	3.140	3.510	0.029
						1/2" Ice	3.515	4.130	0.062
						Ice	3.915	4.757	0.100
BXA-171063/8CF-EDIN-2 w/ Mount Pipe	B	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	4.804	6.059	0.196
						2" Ice	6.715	9.095	0.492
						4" Ice			
						No Ice	3.140	3.510	0.029
						1/2" Ice	3.515	4.130	0.062
						Ice	3.915	4.757	0.100
BXA-171063/8CF-EDIN-2 w/ Mount Pipe	C	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	4.804	6.059	0.196
						2" Ice	6.715	9.095	0.492
						4" Ice			
						No Ice	3.140	3.510	0.029
						1/2" Ice	3.515	4.130	0.062
						Ice	3.915	4.757	0.100
(2) FD9R6004/2C-3L	A	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	0.755	0.343	0.020
						2" Ice	1.281	0.740	0.063
						4" Ice			
						No Ice	0.367	0.085	0.003
						1/2" Ice	0.451	0.136	0.005
						Ice	0.543	0.196	0.009
(2) FD9R6004/2C-3L	B	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	0.755	0.343	0.020
						2" Ice	1.281	0.740	0.063
						4" Ice			
						No Ice	0.367	0.085	0.003
						1/2" Ice	0.451	0.136	0.005
						Ice	0.543	0.196	0.009
(2) FD9R6004/2C-3L	C	From Face	4.000 0.000 0.000	0.000	114.000	1" Ice	0.755	0.343	0.020
						2" Ice	1.281	0.740	0.063
						4" Ice			
						No Ice	0.367	0.085	0.003
						1/2" Ice	0.451	0.136	0.005
						Ice	0.543	0.196	0.009
RRH2x40-AWS	A	From Face	4.000 0.000	0.000	114.000	No Ice	2.976	1.596	0.044
						1/2" Ice	3.236	1.824	0.063

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
			0.000			Ice 3.505	2.061	0.085
						1" Ice 4.068	2.560	0.138
						2" Ice 5.297	3.661	0.292
						4" Ice		
RRH2x40-AWS	B	From Face	4.000	0.000	114.000	No Ice 2.976	1.596	0.044
			0.000			1/2" 3.236	1.824	0.063
			0.000			Ice 3.505	2.061	0.085
						1" Ice 4.068	2.560	0.138
						2" Ice 5.297	3.661	0.292
						4" Ice		
RRH2x40-AWS	C	From Face	4.000	0.000	114.000	No Ice 2.976	1.596	0.044
			0.000			1/2" 3.236	1.824	0.063
			0.000			Ice 3.505	2.061	0.085
						1" Ice 4.068	2.560	0.138
						2" Ice 5.297	3.661	0.292
						4" Ice		
KS24019-L112A	B	From Face	4.000	0.000	114.000	No Ice 0.156	0.156	0.005
			0.000			1/2" 0.225	0.225	0.007
			2.000			Ice 0.302	0.302	0.009
						1" Ice 0.484	0.484	0.018
						2" Ice 0.951	0.951	0.056
						4" Ice		
DB-T1-6Z-8AB-0Z	B	From Face	4.000	0.000	114.000	No Ice 5.600	2.333	0.044
			0.000			1/2" 5.915	2.558	0.080
			0.000			Ice 6.240	2.791	0.120
						1" Ice 6.914	3.284	0.213
						2" Ice 8.365	4.373	0.455
						4" Ice		
Platform Mount [LP 401-1]	C	None		0.000	114.000	No Ice 24.330	24.330	1.645
						1/2" 30.220	30.220	2.030
						Ice 36.110	36.110	2.415
						1" Ice 47.890	47.890	3.184
						2" Ice 71.450	71.450	4.723
						4" Ice		

AM-X-CD-16-65-00T-RET w/ Mount Pipe	A	From Face	4.000	0.000	105.000	No Ice 8.498	6.304	0.074
			0.000			1/2" 9.149	7.479	0.139
			0.000			Ice 9.767	8.368	0.212
						1" Ice 11.031	10.179	0.385
						2" Ice 13.679	14.024	0.874
						4" Ice		
AM-X-CD-16-65-00T-RET w/ Mount Pipe	B	From Face	4.000	0.000	105.000	No Ice 8.498	6.304	0.074
			0.000			1/2" 9.149	7.479	0.139
			0.000			Ice 9.767	8.368	0.212
						1" Ice 11.031	10.179	0.385
						2" Ice 13.679	14.024	0.874
						4" Ice		
AM-X-CD-16-65-00T-RET w/ Mount Pipe	C	From Face	4.000	0.000	105.000	No Ice 8.498	6.304	0.074
			0.000			1/2" 9.149	7.479	0.139
			0.000			Ice 9.767	8.368	0.212
						1" Ice 11.031	10.179	0.385
						2" Ice 13.679	14.024	0.874
						4" Ice		
(2) 7770.00 w/ Mount Pipe	A	From Face	4.000	0.000	105.000	No Ice 6.119	4.254	0.055
			0.000			1/2" 6.626	5.014	0.103
			0.000			Ice 7.128	5.711	0.157
						1" Ice 8.164	7.155	0.287
						2" Ice 10.360	10.412	0.665
						4" Ice		
(2) 7770.00 w/ Mount Pipe	B	From Face	4.000	0.000	105.000	No Ice 6.119	4.254	0.055
			0.000			1/2" 6.626	5.014	0.103
			0.000			Ice 7.128	5.711	0.157
						1" Ice 8.164	7.155	0.287
						2" Ice 10.360	10.412	0.665
						4" Ice		

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
(2) 7770.00 w/ Mount Pipe	C	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	6.119	4.254	0.055
						1/2" Ice	6.626	5.014	0.103
						Ice	7.128	5.711	0.157
						1" Ice	8.164	7.155	0.287
						2" Ice	10.360	10.412	0.665
(2) RRUS-11	A	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	3.249	1.373	0.048
						1/2" Ice	3.491	1.551	0.068
						Ice	3.741	1.738	0.092
						1" Ice	4.268	2.138	0.150
						2" Ice	5.426	3.042	0.310
(2) RRUS-11	B	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	3.249	1.373	0.048
						1/2" Ice	3.491	1.551	0.068
						Ice	3.741	1.738	0.092
						1" Ice	4.268	2.138	0.150
						2" Ice	5.426	3.042	0.310
(2) RRUS-11	C	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	3.249	1.373	0.048
						1/2" Ice	3.491	1.551	0.068
						Ice	3.741	1.738	0.092
						1" Ice	4.268	2.138	0.150
						2" Ice	5.426	3.042	0.310
(2) LGP2140X	A	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	1.260	0.378	0.014
						1/2" Ice	1.416	0.493	0.021
						Ice	1.581	0.617	0.030
						1" Ice	1.936	0.890	0.055
						2" Ice	2.750	1.541	0.135
(2) LGP2140X	B	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	1.260	0.378	0.014
						1/2" Ice	1.416	0.493	0.021
						Ice	1.581	0.617	0.030
						1" Ice	1.936	0.890	0.055
						2" Ice	2.750	1.541	0.135
(2) LGP2140X	C	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	1.260	0.378	0.014
						1/2" Ice	1.416	0.493	0.021
						Ice	1.581	0.617	0.030
						1" Ice	1.936	0.890	0.055
						2" Ice	2.750	1.541	0.135
DC6-48-60-18-8F	A	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	2.567	2.567	0.019
						1/2" Ice	2.798	2.798	0.041
						Ice	3.038	3.038	0.067
						1" Ice	3.543	3.543	0.129
						2" Ice	4.658	4.658	0.299
6'x2" Pipe Mount	A	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	1.200	1.200	0.072
						1/2" Ice	1.802	1.802	0.081
						Ice	2.170	2.170	0.095
						1" Ice	2.932	2.932	0.134
						2" Ice	4.568	4.568	0.268
6'x2" Pipe Mount	B	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	1.200	1.200	0.072
						1/2" Ice	1.802	1.802	0.081
						Ice	2.170	2.170	0.095
						1" Ice	2.932	2.932	0.134
						2" Ice	4.568	4.568	0.268
6'x2" Pipe Mount	C	From Face	4.000 0.000 0.000	0.000	105.000	No Ice	1.200	1.200	0.072
						1/2" Ice	1.802	1.802	0.081
						Ice	2.170	2.170	0.095
						1" Ice	2.932	2.932	0.134
						2" Ice	4.568	4.568	0.268

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _A A _A Front	C _A A _A Side	Weight	
			Horz Lateral	Vert						ft
Platform Mount [LP 303-1]	C	None			0.000	105.000	4" Ice			
							No Ice	14.660	14.660	1.250
							1/2" Ice	18.870	18.870	1.481
							Ice	23.080	23.080	1.713
							1" Ice	31.500	31.500	2.175
							2" Ice	48.340	48.340	3.101

Platform Mount [LP 401-1]	C	None			0.000	94.000	No Ice	24.330	24.330	1.645
							1/2" Ice	30.220	30.220	2.030
							Ice	36.110	36.110	2.415
							1" Ice	47.890	47.890	3.184
							2" Ice	71.450	71.450	4.723
							4" Ice			
(2) 6'x2" Pipe Mount	A	From Face	4.000 0.000 0.000	0.000	0.000	94.000	No Ice	1.200	1.200	0.072
							1/2" Ice	1.802	1.802	0.081
							Ice	2.170	2.170	0.095
							1" Ice	2.932	2.932	0.134
							2" Ice	4.568	4.568	0.268
							4" Ice			
(2) 6'x2" Pipe Mount	B	From Face	4.000 0.000 0.000	0.000	0.000	94.000	No Ice	1.200	1.200	0.072
							1/2" Ice	1.802	1.802	0.081
							Ice	2.170	2.170	0.095
							1" Ice	2.932	2.932	0.134
							2" Ice	4.568	4.568	0.268
							4" Ice			
(2) 6'x2" Pipe Mount	C	From Face	4.000 0.000 0.000	0.000	0.000	94.000	No Ice	1.200	1.200	0.072
							1/2" Ice	1.802	1.802	0.081
							Ice	2.170	2.170	0.095
							1" Ice	2.932	2.932	0.134
							2" Ice	4.568	4.568	0.268
							4" Ice			

ERICSSON AIR 21 B2A B4P w/ Mount Pipe	A	From Face	4.000 0.000 1.000	0.000	0.000	94.000	No Ice	6.825	5.642	0.112
							1/2" Ice	7.347	6.480	0.169
							Ice	7.863	7.257	0.233
							1" Ice	8.926	8.864	0.383
							2" Ice	11.175	12.293	0.807
							4" Ice			
ERICSSON AIR 21 B2A B4P w/ Mount Pipe	B	From Face	4.000 0.000 1.000	0.000	0.000	94.000	No Ice	6.825	5.642	0.112
							1/2" Ice	7.347	6.480	0.169
							Ice	7.863	7.257	0.233
							1" Ice	8.926	8.864	0.383
							2" Ice	11.175	12.293	0.807
							4" Ice			
ERICSSON AIR 21 B2A B4P w/ Mount Pipe	C	From Face	4.000 0.000 1.000	0.000	0.000	94.000	No Ice	6.825	5.642	0.112
							1/2" Ice	7.347	6.480	0.169
							Ice	7.863	7.257	0.233
							1" Ice	8.926	8.864	0.383
							2" Ice	11.175	12.293	0.807
							4" Ice			
ERICSSON AIR 21 B4A B2P w/ Mount Pipe	A	From Face	4.000 0.000 1.000	0.000	0.000	94.000	No Ice	6.815	5.633	0.112
							1/2" Ice	7.337	6.472	0.169
							Ice	7.853	7.248	0.232
							1" Ice	8.916	8.854	0.383
							2" Ice	11.165	12.280	0.806
							4" Ice			
ERICSSON AIR 21 B4A B2P w/ Mount Pipe	B	From Face	4.000 0.000 1.000	0.000	0.000	94.000	No Ice	6.815	5.633	0.112
							1/2" Ice	7.337	6.472	0.169
							Ice	7.853	7.248	0.232
							1" Ice	8.916	8.854	0.383
							2" Ice	11.165	12.280	0.806
							4" Ice			
ERICSSON AIR 21 B4A B2P w/ Mount Pipe	C	From Face	4.000 0.000	0.000	0.000	94.000	No Ice	6.815	5.633	0.112
							1/2" Ice	7.337	6.472	0.169

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
			1.000			Ice 7.853	7.248	0.232
						1" Ice 8.916	8.854	0.383
						2" Ice 11.165	12.280	0.806
						4" Ice		
KRY 112 144/1	A	From Face	4.000	0.000	94.000	No Ice 0.408	0.204	0.011
			0.000			1/2" 0.497	0.273	0.014
			1.000			Ice 0.594	0.351	0.019
						1" Ice 0.815	0.533	0.032
						2" Ice 1.359	0.999	0.082
						4" Ice		
KRY 112 144/1	B	From Face	4.000	0.000	94.000	No Ice 0.408	0.204	0.011
			0.000			1/2" 0.497	0.273	0.014
			1.000			Ice 0.594	0.351	0.019
						1" Ice 0.815	0.533	0.032
						2" Ice 1.359	0.999	0.082
						4" Ice		
KRY 112 144/1	C	From Face	4.000	0.000	94.000	No Ice 0.408	0.204	0.011
			0.000			1/2" 0.497	0.273	0.014
			1.000			Ice 0.594	0.351	0.019
						1" Ice 0.815	0.533	0.032
						2" Ice 1.359	0.999	0.082
						4" Ice		

742 213	A	From Face	1.000	0.000	87.000	No Ice 5.135	2.869	0.022
			0.000			1/2" 5.609	3.483	0.047
			0.000			Ice 6.090	3.946	0.078
						1" Ice 7.074	4.893	0.158
						2" Ice 9.130	6.876	0.394
						4" Ice		
742 213	B	From Face	1.000	0.000	87.000	No Ice 5.135	2.869	0.022
			0.000			1/2" 5.609	3.483	0.047
			0.000			Ice 6.090	3.946	0.078
						1" Ice 7.074	4.893	0.158
						2" Ice 9.130	6.876	0.394
						4" Ice		
742 213	C	From Face	1.000	0.000	87.000	No Ice 5.135	2.869	0.022
			0.000			1/2" 5.609	3.483	0.047
			0.000			Ice 6.090	3.946	0.078
						1" Ice 7.074	4.893	0.158
						2" Ice 9.130	6.876	0.394
						4" Ice		
Pipe Mount [PM 601-3]	C	None		0.000	87.000	No Ice 4.390	4.390	0.195
						1/2" 5.480	5.480	0.237
						Ice 6.570	6.570	0.280
						1" Ice 8.750	8.750	0.365
						2" Ice 13.110	13.110	0.534
						4" Ice		

58532A	A	From Face	2.000	0.000	77.000	No Ice 0.221	0.221	0.000
			0.000			1/2" 0.290	0.290	0.003
			0.000			Ice 0.367	0.367	0.006
						1" Ice 0.548	0.548	0.017
						2" Ice 1.014	1.014	0.060
						4" Ice		
Side Arm Mount [SO 701-1]	A	None		0.000	77.000	No Ice 0.850	1.670	0.065
						1/2" 1.140	2.340	0.079
						Ice 1.430	3.010	0.093
						1" Ice 2.010	4.350	0.121
						2" Ice 3.170	7.030	0.177
						4" Ice		

Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets:		Azimuth Adjustment	3 dB Beam Width	Elevation	Outside Diameter	Aperture Area	Weight
				Horz Lateral	Vert						
				ft	°	°	ft	ft	ft ²	K	
VHLP2.5-11	A	Paraboloid w/Shroud (HP)	From Face	4.000	0.000		133.000	2.917	No Ice	6.680	0.048
				0.000					1/2" Ice	7.070	0.080
				6.000					1" Ice	7.460	0.120
									2" Ice	8.230	0.190
									4" Ice	9.780	0.340
VHLP2.5-11	C	Paraboloid w/Shroud (HP)	From Face	4.000	0.000		133.000	2.917	No Ice	6.680	0.048
				0.000					1/2" Ice	7.070	0.080
				6.000					1" Ice	7.460	0.120
									2" Ice	8.230	0.190
									4" Ice	9.780	0.340

Tower Pressures - No Ice

$G_H = 1.690$

Section Elevation	z	K _Z	q _z	A _G	F a c e	A _F	A _R	A _{leg}	Leg %	C _A A _A In Face	C _A A _A Out Face
ft	ft		ksf	ft ²	e	ft ²	ft ²	ft ²	%	ft ²	ft ²
L1 145.000-130.000	137.364	1.503	0.025	31.731	A	0.000	31.731	31.731	100.00	0.000	0.000
					B	0.000	31.731	100.00	0.000	0.000	
					C	0.000	31.731	100.00	0.000	0.000	
L2 130.000-84.750	106.682	1.398	0.023	116.971	A	0.000	116.971	116.971	100.00	0.000	0.000
					B	0.000	116.971	100.00	0.000	0.000	
					C	0.000	116.971	100.00	0.000	7.547	
L3 84.750-44.250	64.300	1.21	0.020	129.968	A	0.000	129.968	129.968	100.00	0.000	0.000
					B	0.000	129.968	100.00	0.000	0.000	
					C	0.000	129.968	100.00	0.000	12.818	
L4 44.250-0.000	21.465	1	0.016	168.638	A	0.000	168.638	168.638	100.00	0.000	0.000
					B	0.000	168.638	100.00	0.000	0.000	
					C	0.000	168.638	100.00	0.000	14.005	

Tower Pressure - With Ice

$G_H = 1.690$

Section Elevation	z	K _Z	q _z	t _z	A _G	F a c e	A _F	A _R	A _{leg}	Leg %	C _A A _A In Face	C _A A _A Out Face
ft	ft		ksf	in	ft ²	e	ft ²	ft ²	ft ²	%	ft ²	ft ²
L1 145.000-130.000	137.364	1.503	0.005	1.4833	35.440	A	0.000	35.440	35.440	100.00	0.000	0.000
						B	0.000	35.440	100.00	0.000	0.000	
						C	0.000	35.440	100.00	0.000	0.000	
L2 130.000-84.750	106.682	1.398	0.005	1.4390	127.824	A	0.000	127.824	127.824	100.00	0.000	0.000
						B	0.000	127.824	100.00	0.000	0.000	
						C	0.000	127.824	100.00	0.000	21.506	
L3 84.750-44.250	64.300	1.21	0.004	1.3542	139.681	A	0.000	139.681	139.681	100.00	0.000	0.000
						B	0.000	139.681	100.00	0.000	0.000	
						C	0.000	139.681	100.00	0.000	36.130	
L4 44.250-0.000	21.465	1	0.004	1.2500	178.625	A	0.000	178.625	178.625	100.00	0.000	0.000
						B	0.000	178.625	100.00	0.000	0.000	
						C	0.000	178.625	100.00	0.000	37.974	

Tower Pressure - Service

$G_H = 1.690$

Section Elevation ft	z ft	K_z	q_z ksf	A_G ft^2	F a c e	A_F ft^2	A_R ft^2	A_{leg} ft^2	Leg %	$C_A A_A$ In Face ft^2	$C_A A_A$ Out Face ft^2
L1 145.000- 130.000	137.364	1.503	0.010	31.731	A	0.000	31.731	31.731	100.00	0.000	0.000
					B	0.000	31.731	100.00	0.000	0.000	
					C	0.000	31.731	100.00	0.000	0.000	
L2 130.000- 84.750	106.682	1.398	0.009	116.971	A	0.000	116.971	116.971	100.00	0.000	0.000
					B	0.000	116.971	100.00	0.000	0.000	
					C	0.000	116.971	100.00	0.000	7.547	
L3 84.750- 44.250	64.300	1.21	0.008	129.968	A	0.000	129.968	129.968	100.00	0.000	0.000
					B	0.000	129.968	100.00	0.000	0.000	
					C	0.000	129.968	100.00	0.000	12.818	
L4 44.250- 0.000	21.465	1	0.006	168.638	A	0.000	168.638	168.638	100.00	0.000	0.000
					B	0.000	168.638	100.00	0.000	0.000	
					C	0.000	168.638	100.00	0.000	14.005	

Load Combinations

Comb. No.	Description
1	Dead Only
2	Dead+Wind 0 deg - No Ice
3	Dead+Wind 30 deg - No Ice
4	Dead+Wind 60 deg - No Ice
5	Dead+Wind 90 deg - No Ice
6	Dead+Wind 120 deg - No Ice
7	Dead+Wind 150 deg - No Ice
8	Dead+Wind 180 deg - No Ice
9	Dead+Wind 210 deg - No Ice
10	Dead+Wind 240 deg - No Ice
11	Dead+Wind 270 deg - No Ice
12	Dead+Wind 300 deg - No Ice
13	Dead+Wind 330 deg - No Ice
14	Dead+Ice
15	Dead+Wind 0 deg+Ice
16	Dead+Wind 30 deg+Ice
17	Dead+Wind 60 deg+Ice
18	Dead+Wind 90 deg+Ice
19	Dead+Wind 120 deg+Ice
20	Dead+Wind 150 deg+Ice
21	Dead+Wind 180 deg+Ice
22	Dead+Wind 210 deg+Ice
23	Dead+Wind 240 deg+Ice
24	Dead+Wind 270 deg+Ice
25	Dead+Wind 300 deg+Ice
26	Dead+Wind 330 deg+Ice
27	Dead+Wind 0 deg - Service
28	Dead+Wind 30 deg - Service
29	Dead+Wind 60 deg - Service
30	Dead+Wind 90 deg - Service
31	Dead+Wind 120 deg - Service
32	Dead+Wind 150 deg - Service
33	Dead+Wind 180 deg - Service
34	Dead+Wind 210 deg - Service
35	Dead+Wind 240 deg - Service
36	Dead+Wind 270 deg - Service
37	Dead+Wind 300 deg - Service
38	Dead+Wind 330 deg - Service

Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L1	145 - 130	Pole	Max Tension	30	0.000	-0.000	0.001
			Max. Compression	14	-6.991	0.723	-0.180
			Max. Mx	5	-2.693	-24.592	-1.305
			Max. My	2	-2.690	1.156	25.107
			Max. Vy	5	4.848	-24.592	-1.305
			Max. Vx	2	-4.888	1.156	25.107
L2	130 - 84.75	Pole	Max. Torque	3			0.749
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	14	-37.473	1.633	-0.158
			Max. Mx	5	-16.702	-604.627	-5.062
			Max. My	2	-16.709	3.646	604.332
			Max. Vy	5	22.751	-604.627	-5.062
L3	84.75 - 44.25	Pole	Max. Vx	2	-22.687	3.646	604.332
			Max. Torque	3			1.190
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	14	-50.719	5.479	-2.298
			Max. Mx	5	-24.931	-1593.133	-7.685
			Max. My	2	-24.935	5.130	1590.501
L4	44.25 - 0	Pole	Max. Vy	5	26.355	-1593.133	-7.685
			Max. Vx	2	-26.291	5.130	1590.501
			Max. Torque	3			1.268
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	14	-69.720	10.766	-5.340
			Max. Mx	5	-38.217	-2970.872	-10.882
			Max. My	2	-38.217	6.989	2965.425
			Max. Vy	5	29.238	-2970.872	-10.882
			Max. Vx	2	-29.177	6.989	2965.425
			Max. Torque	3			1.336

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Pole	Max. Vert	14	69.720	-0.000	0.000
	Max. H _x	11	38.244	29.133	-0.028
	Max. H _z	2	38.244	0.022	29.140
	Max. M _x	2	2965.425	0.022	29.140
	Max. M _z	5	2970.872	-29.202	-0.054
	Max. Torsion	3	1.336	-14.554	25.303
	Min. Vert	5	38.244	-29.202	-0.054
	Min. H _x	5	38.244	-29.202	-0.054
	Min. H _z	8	38.244	-0.089	-29.087
	Min. M _x	8	-2958.948	-0.089	-29.087
	Min. M _z	11	-2963.606	29.133	-0.028
	Min. Torsion	9	-1.335	14.591	-25.201

Tower Mast Reaction Summary

Load Combination	Vertical K	Shear _x K	Shear _z K	Overturning Moment, M _x kip-ft	Overturning Moment, M _z kip-ft	Torque kip-ft
Dead Only	38.244	0.000	0.000	0.614	1.353	0.000
Dead+Wind 0 deg - No Ice	38.244	-0.022	-29.140	-2965.425	6.989	-1.285
Dead+Wind 30 deg - No Ice	38.244	14.554	-25.303	-2576.484	-1475.915	-1.336
Dead+Wind 60 deg - No Ice	38.244	25.284	-14.589	-1483.092	-2570.652	-0.574
Dead+Wind 90 deg - No Ice	38.244	29.202	0.054	10.882	-2970.872	0.338
Dead+Wind 120 deg - No Ice	38.244	25.240	14.590	1488.513	-2566.665	0.704
Dead+Wind 150 deg - No Ice	38.244	14.584	25.203	2565.581	-1484.292	0.927

Load Combination	Vertical	Shear _x	Shear _y	Overturning Moment, M _x	Overturning Moment, M _y	Torque
	K	K	K	kip-ft	kip-ft	kip-ft
Dead+Wind 180 deg - No Ice	38.244	0.089	29.087	2958.948	-13.849	1.101
Dead+Wind 210 deg - No Ice	38.244	-14.591	25.201	2563.055	1484.026	1.335
Dead+Wind 240 deg - No Ice	38.244	-25.257	14.573	1482.086	2569.511	0.582
Dead+Wind 270 deg - No Ice	38.244	-29.133	0.028	2.335	2963.606	-0.330
Dead+Wind 300 deg - No Ice	38.244	-25.161	-14.621	-1491.778	2557.997	-0.526
Dead+Wind 330 deg - No Ice	38.244	-14.547	-25.224	-2567.410	1481.739	-0.934
Dead+Ice	69.720	0.000	-0.000	5.340	10.766	-0.000
Dead+Wind 0 deg+Ice	69.720	-0.009	-8.921	-954.958	12.783	-0.437
Dead+Wind 30 deg+Ice	69.720	4.453	-7.742	-828.485	-467.248	-0.427
Dead+Wind 60 deg+Ice	69.720	7.735	-4.463	-474.690	-821.259	-0.182
Dead+Wind 90 deg+Ice	69.720	8.934	0.017	8.565	-950.779	0.111
Dead+Wind 120 deg+Ice	69.720	7.726	4.468	487.264	-820.545	0.255
Dead+Wind 150 deg+Ice	69.720	4.465	7.719	836.329	-470.178	0.342
Dead+Wind 180 deg+Ice	69.720	0.026	8.907	963.651	6.353	0.388
Dead+Wind 210 deg+Ice	69.720	-4.462	7.716	835.260	490.464	0.425
Dead+Wind 240 deg+Ice	69.720	-7.727	4.459	484.860	841.949	0.183
Dead+Wind 270 deg+Ice	69.720	-8.916	0.004	5.487	969.792	-0.109
Dead+Wind 300 deg+Ice	69.720	-7.706	-4.476	-477.702	839.182	-0.207
Dead+Wind 330 deg+Ice	69.720	-4.456	-7.725	-826.379	490.490	-0.342
Dead+Wind 0 deg - Service	38.244	-0.009	-11.382	-1159.130	3.593	-0.506
Dead+Wind 30 deg - Service	38.244	5.685	-9.884	-1007.151	-576.296	-0.527
Dead+Wind 60 deg - Service	38.244	9.876	-5.699	-579.577	-1004.394	-0.227
Dead+Wind 90 deg - Service	38.244	11.406	0.021	4.644	-1160.820	0.134
Dead+Wind 120 deg - Service	38.244	9.859	5.699	582.471	-1002.837	0.278
Dead+Wind 150 deg - Service	38.244	5.697	9.845	1003.655	-579.575	0.365
Dead+Wind 180 deg - Service	38.244	0.035	11.361	1157.387	-4.561	0.432
Dead+Wind 210 deg - Service	38.244	-5.700	9.844	1002.657	581.180	0.524
Dead+Wind 240 deg - Service	38.244	-9.866	5.693	579.950	1005.657	0.228
Dead+Wind 270 deg - Service	38.244	-11.379	0.011	1.298	1159.680	-0.130
Dead+Wind 300 deg - Service	38.244	-9.829	-5.711	-582.973	1001.153	-0.205
Dead+Wind 330 deg - Service	38.244	-5.682	-9.853	-1003.599	580.290	-0.366

Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.000	-38.244	0.000	0.000	38.244	0.000	0.000%
2	-0.022	-38.244	-29.141	0.022	38.244	29.140	0.000%
3	14.554	-38.244	-25.303	-14.554	38.244	25.303	0.000%
4	25.284	-38.244	-14.589	-25.284	38.244	14.589	0.000%
5	29.203	-38.244	0.054	-29.202	38.244	-0.054	0.002%
6	25.240	-38.244	14.590	-25.240	38.244	-14.590	0.000%
7	14.584	-38.244	25.203	-14.584	38.244	-25.203	0.000%
8	0.089	-38.244	29.088	-0.089	38.244	-29.087	0.002%
9	-14.591	-38.244	25.201	14.591	38.244	-25.201	0.000%
10	-25.257	-38.244	14.573	25.257	38.244	-14.573	0.000%
11	-29.133	-38.244	0.028	29.133	38.244	-0.028	0.002%
12	-25.161	-38.244	-14.621	25.161	38.244	14.621	0.000%
13	-14.547	-38.244	-25.224	14.547	38.244	25.224	0.000%
14	0.000	-69.720	0.000	-0.000	69.720	0.000	0.000%
15	-0.009	-69.720	-8.922	0.009	69.720	8.921	0.001%
16	4.453	-69.720	-7.742	-4.453	69.720	7.742	0.000%
17	7.735	-69.720	-4.463	-7.735	69.720	4.463	0.000%
18	8.935	-69.720	0.017	-8.934	69.720	-0.017	0.001%
19	7.726	-69.720	4.468	-7.726	69.720	-4.468	0.000%
20	4.465	-69.720	7.719	-4.465	69.720	-7.719	0.000%
21	0.026	-69.720	8.908	-0.026	69.720	-8.907	0.001%

Load Comb.	Sum of Applied Forces				Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K		
22	-4.462	-69.720	7.716	4.462	69.720	-7.716	0.000%	
23	-7.728	-69.720	4.459	7.727	69.720	-4.459	0.000%	
24	-8.917	-69.720	0.004	8.916	69.720	-0.004	0.001%	
25	-7.706	-69.720	-4.476	7.706	69.720	4.476	0.000%	
26	-4.456	-69.720	-7.725	4.456	69.720	7.725	0.000%	
27	-0.009	-38.244	-11.383	0.009	38.244	11.382	0.003%	
28	5.685	-38.244	-9.884	-5.685	38.244	9.884	0.000%	
29	9.877	-38.244	-5.699	-9.876	38.244	5.699	0.000%	
30	11.407	-38.244	0.021	-11.406	38.244	-0.021	0.003%	
31	9.859	-38.244	5.699	-9.859	38.244	-5.699	0.000%	
32	5.697	-38.244	9.845	-5.697	38.244	-9.845	0.000%	
33	0.035	-38.244	11.362	-0.035	38.244	-11.361	0.002%	
34	-5.700	-38.244	9.844	5.700	38.244	-9.844	0.000%	
35	-9.866	-38.244	5.693	9.866	38.244	-5.693	0.000%	
36	-11.380	-38.244	0.011	11.379	38.244	-0.011	0.003%	
37	-9.829	-38.244	-5.711	9.829	38.244	5.711	0.000%	
38	-5.682	-38.244	-9.853	5.682	38.244	9.853	0.000%	

Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	4	0.00000001	0.00000001
2	Yes	8	0.00000001	0.00005448
3	Yes	10	0.00000001	0.00008119
4	Yes	10	0.00000001	0.00008438
5	Yes	7	0.00002646	0.00010750
6	Yes	10	0.00000001	0.00008561
7	Yes	10	0.00000001	0.00008249
8	Yes	7	0.00002648	0.00008738
9	Yes	10	0.00000001	0.00008569
10	Yes	10	0.00000001	0.00008251
11	Yes	7	0.00002648	0.00007854
12	Yes	10	0.00000001	0.00008304
13	Yes	10	0.00000001	0.00008552
14	Yes	4	0.00000001	0.00000563
15	Yes	7	0.00010892	0.00004384
16	Yes	8	0.00000001	0.00007094
17	Yes	8	0.00000001	0.00007891
18	Yes	7	0.00010893	0.00002632
19	Yes	8	0.00000001	0.00008212
20	Yes	8	0.00000001	0.00007448
21	Yes	7	0.00010890	0.00003549
22	Yes	8	0.00000001	0.00008780
23	Yes	8	0.00000001	0.00007920
24	Yes	7	0.00010889	0.00002536
25	Yes	8	0.00000001	0.00007831
26	Yes	8	0.00000001	0.00008494
27	Yes	6	0.00009149	0.00012686
28	Yes	8	0.00000001	0.00006856
29	Yes	8	0.00000001	0.00007536
30	Yes	6	0.00009149	0.00008393
31	Yes	8	0.00000001	0.00007737
32	Yes	8	0.00000001	0.00007069
33	Yes	6	0.00009149	0.00009570
34	Yes	8	0.00000001	0.00007915
35	Yes	8	0.00000001	0.00007176
36	Yes	6	0.00009149	0.00007835
37	Yes	8	0.00000001	0.00007207
38	Yes	8	0.00000001	0.00007770

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	145 - 130	36.365	30	1.921	0.004
L2	130 - 84.75	30.341	30	1.914	0.004
L3	89.25 - 44.25	15.069	30	1.557	0.002
L4	49.5 - 0	4.698	30	0.866	0.001

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
139.000	VHLP2.5-11	30	33.951	1.923	0.004	76821
133.000	(3) DB844H90E-XY w/ Mount Pipe	30	31.542	1.919	0.004	38173
124.000	APXV/TM14-C-120 w/ Mount Pipe	30	27.952	1.894	0.003	15690
122.000	PCS 1900MHz 4x45W-65MHz	30	27.161	1.885	0.003	13489
114.000	LNx-6514DS-T4M w/ Mount Pipe	30	24.036	1.834	0.003	8641
105.000	AM-X-CD-16-65-00T-RET w/ Mount Pipe	30	20.627	1.753	0.002	6152
94.000	Platform Mount [LP 401-1]	30	16.680	1.623	0.002	4550
87.000	742 213	30	14.328	1.524	0.002	3942
77.000	58532A	30	11.232	1.364	0.001	3385

Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	145 - 130	92.939	5	4.908	0.011
L2	130 - 84.75	77.550	5	4.891	0.009
L3	89.25 - 44.25	38.532	5	3.982	0.004
L4	49.5 - 0	12.018	5	2.215	0.002

Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
139.000	VHLP2.5-11	5	86.771	4.912	0.011	30637
133.000	(3) DB844H90E-XY w/ Mount Pipe	5	80.618	4.904	0.010	15222
124.000	APXV/TM14-C-120 w/ Mount Pipe	5	71.446	4.841	0.009	6242
122.000	PCS 1900MHz 4x45W-65MHz	5	69.425	4.817	0.008	5364
114.000	LNx-6514DS-T4M w/ Mount Pipe	5	61.442	4.689	0.007	3432
105.000	AM-X-CD-16-65-00T-RET w/ Mount Pipe	5	52.734	4.483	0.006	2440
94.000	Platform Mount [LP 401-1]	5	42.648	4.151	0.005	1801
87.000	742 213	5	36.639	3.898	0.004	1557
77.000	58532A	5	28.726	3.488	0.003	1333

Compression Checks

Pole Design Data

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
L1	145 - 130 (1)	TP26.77x24x0.1875	15.000	0.000	0.0	39.000	15.8199	-2.688	616.977	0.004
L2	130 - 84.75 (2)	TP35.27x26.77x0.25	45.250	0.000	0.0	39.000	27.1176	-16.707	1057.590	0.016
L3	84.75 - 44.25 (3)	TP42.26x33.9247x0.3125	45.000	0.000	0.0	39.000	40.6421	-24.931	1585.040	0.016
L4	44.25 - 0 (4)	TP49.83x40.6625x0.375	49.500	0.000	0.0	39.000	58.8638	-38.217	2295.690	0.017

Pole Bending Design Data

Section No.	Elevation ft	Size	Actual M _x kip-ft	Actual f _{bx} ksi	Allow. F _{bx} ksi	Ratio f _{bx} F _{bx}	Actual M _y kip-ft	Actual f _{by} ksi	Allow. F _{by} ksi	Ratio f _{by} F _{by}
L1	145 - 130 (1)	TP26.77x24x0.1875	25.478	2.944	39.000	0.075	0.000	0.000	39.000	0.000
L2	130 - 84.75 (2)	TP35.27x26.77x0.25	604.75 9	31.718	39.000	0.813	0.000	0.000	39.000	0.000
L3	84.75 - 44.25 (3)	TP42.26x33.9247x0.3125	1593.1 50	46.512	39.000	1.193	0.000	0.000	39.000	0.000
L4	44.25 - 0 (4)	TP49.83x40.6625x0.375	2970.8 92	49.615	39.000	1.272	0.000	0.000	39.000	0.000

Pole Shear Design Data

Section No.	Elevation ft	Size	Actual V K	Actual f _v ksi	Allow. F _v ksi	Ratio f _v F _v	Actual T kip-ft	Actual f _{vt} ksi	Allow. F _{vt} ksi	Ratio f _{vt} F _{vt}
L1	145 - 130 (1)	TP26.77x24x0.1875	4.919	0.311	26.000	0.024	0.573	0.032	26.000	0.001
L2	130 - 84.75 (2)	TP35.27x26.77x0.25	22.701	0.837	26.000	0.064	0.491	0.013	26.000	0.000
L3	84.75 - 44.25 (3)	TP42.26x33.9247x0.3125	26.355	0.648	26.000	0.050	0.269	0.004	26.000	0.000
L4	44.25 - 0 (4)	TP49.83x40.6625x0.375	29.238	0.497	26.000	0.038	0.338	0.003	26.000	0.000


Pole Interaction Design Data

Section No.	Elevation ft	Ratio P P _a	Ratio f _{bx} F _{bx}	Ratio f _{by} F _{by}	Ratio f _v F _v	Ratio f _{vt} F _{vt}	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
L1	145 - 130 (1)	0.004	0.075	0.000	0.024	0.001	0.080 ✓	1.333	H1-3+VT ✓
L2	130 - 84.75 (2)	0.016	0.813	0.000	0.064	0.000	0.830 ✓	1.333	H1-3+VT ✓
L3	84.75 - 44.25 (3)	0.016	1.193	0.000	0.050	0.000	1.209 ✓	1.333	H1-3+VT ✓
L4	44.25 - 0 (4)	0.017	1.272	0.000	0.038	0.000	1.289 ✓	1.333	H1-3+VT ✓

Section Capacity Table


Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P _{allow} K	% Capacity	Pass Fail	
L1	145 - 130	Pole	TP26.77x24x0.1875	1	-2.688	822.430	6.0	Pass	
L2	130 - 84.75	Pole	TP35.27x26.77x0.25	2	-16.707	1409.767	62.3	Pass	
L3	84.75 - 44.25	Pole	TP42.26x33.9247x0.3125	3	-24.931	2112.858	90.7	Pass	
L4	44.25 - 0	Pole	TP49.83x40.6625x0.375	4	-38.217	3060.155	96.7	Pass	
							Summary		
							Pole (L4)	96.7	Pass
							RATING =	96.7	Pass

APPENDIX B BASE LEVEL DRAWING



APPENDIX C
ADDITIONAL CALCULATIONS

Section	1	2	3	4
Length (ft)	15.000	45.250	45.000	49.500
Number of Sides	18	18	18	18
Thickness (in)	0.1875	0.2500	0.3125	0.3750
Socket Length (ft)		4.500	5.250	40.6625
Top Dia (in)	24.0000	26.7700	33.9247	49.8300
Bot Dia (in)	26.7700	35.2700	42.2800	
Grade			A572-65	
Weight (K)	0.8	3.8	5.7	9.0



DESIGNED APPURTENANCE LOADING


TYPE	ELEVATION	TYPE	ELEVATION
(3) DB844H90E-XY w/ Mount Pipe	133	(2) FD9R6004/2C-3L	114
(3) DB844H90E-XY w/ Mount Pipe	133	(2) FD9R6004/2C-3L	114
(3) DB844H90E-XY w/ Mount Pipe	133	RRH2x40-AWS	114
HORIZON COMPACT	133	RRH2x40-AWS	114
HORIZON COMPACT	133	RRH2x40-AWS	114
840 10054 w/ Mount Pipe	133	KS24019-L112A	114
840 10054 w/ Mount Pipe	133	DB-T1-6Z-8AB-0Z	114
840 10054 w/ Mount Pipe	133	Platform Mount [LP 401-1]	114
TIMING 2000	133	LNK-6514DS-T4M w/ Mount Pipe	114
WIMAX DAP HEAD	133	800 10735 K w/ Mount Pipe	114
WIMAX DAP HEAD	133	AM-X-CD-16-65-00T-RET w/ Mount Pipe	105
WIMAX DAP HEAD	133	(2) 7770.00 w/ Mount Pipe	105
Platform Mount [LP 401-1]	133	(2) 7770.00 w/ Mount Pipe	105
VHLP2.5-11	133	(2) 7770.00 w/ Mount Pipe	105
VHLP2.5-11	133	(2) RRUS-11	105
APXVTM14-C-120 w/ Mount Pipe	124	(2) RRUS-11	105
TD-RRH8x20-25	124	(2) RRUS-11	105
TD-RRH8x20-25	124	(2) LGP2140X	105
TD-RRH8x20-25	124	(2) LGP2140X	105
Platform Mount [LP 401-1]	124	(2) LGP2140X	105
6'x2" Pipe Mount	124	DC6-48-60-18-8F	105
6'x2" Pipe Mount	124	6'x2" Pipe Mount	105
6'x2" Pipe Mount	124	6'x2" Pipe Mount	105
APXVSP18-C-A20 w/ Mount Pipe	124	6'x2" Pipe Mount	105
APXVSP18-C-A20 w/ Mount Pipe	124	Platform Mount [LP 303-1]	105
APXVSP18-C-A20 w/ Mount Pipe	124	AM-X-CD-16-65-00T-RET w/ Mount Pipe	105
IBC1900BB-1	124	AM-X-CD-16-65-00T-RET w/ Mount Pipe	105
IBC1900BB-1	124	(2) 6'x2" Pipe Mount	94
IBC1900BB-1	124	(2) 6'x2" Pipe Mount	94
IBC1900HG-2A	124	ERICSSON AIR 21 B2A B4P w/ Mount Pipe	94
IBC1900HG-2A	124	ERICSSON AIR 21 B2A B4P w/ Mount Pipe	94
IBC1900HG-2A	124	ERICSSON AIR 21 B2A B4P w/ Mount Pipe	94
APXVTM14-C-120 w/ Mount Pipe	124	ERICSSON AIR 21 B2A B4P w/ Mount Pipe	94
APXVTM14-C-120 w/ Mount Pipe	124	ERICSSON AIR 21 B4A B2P w/ Mount Pipe	94
PCS 1900MHz 4x45W-65MHz	122	ERICSSON AIR 21 B4A B2P w/ Mount Pipe	94
800MHz 2X50W RRH W/FILTER	122	ERICSSON AIR 21 B4A B2P w/ Mount Pipe	94
800MHz 2X50W RRH W/FILTER	122	ERICSSON AIR 21 B4A B2P w/ Mount Pipe	94
800MHz 2X50W RRH W/FILTER	122	ERICSSON AIR 21 B4A B2P w/ Mount Pipe	94
Pipe Mount [PM 601-3]	122	ERICSSON AIR 21 B4A B2P w/ Mount Pipe	94
PCS 1900MHz 4x45W-65MHz	122	KRY 112 144/1	94
PCS 1900MHz 4x45W-65MHz	122	KRY 112 144/1	94
LNK-6514DS-T4M w/ Mount Pipe	114	KRY 112 144/1	94
BXA-185063/8CF w/ Mount Pipe	114	KRY 112 144/1	94
BXA-185063/8CF w/ Mount Pipe	114	Platform Mount [LP 401-1]	94
BXA-185063/8CF w/ Mount Pipe	114	(2) 6'x2" Pipe Mount	94
BXA-80063/4CFx5 w/ Mount Pipe	114	742 213	87
BXA-80063/4CFx5 w/ Mount Pipe	114	Pipe Mount [PM 601-3]	87
BXA-80063/4CFx5 w/ Mount Pipe	114	742 213	87
BXA-80063/4CFx5 w/ Mount Pipe	114	742 213	87
BXA-171063/8CF-EDIN-2 w/ Mount Pipe	114	742 213	87
BXA-171063/8CF-EDIN-2 w/ Mount Pipe	114	58532A	77
BXA-171063/8CF-EDIN-2 w/ Mount Pipe	114	Side Arm Mount [SO 701-1]	77
(2) FD9R6004/2C-3L	114		

MATERIAL STRENGTH

GRADE	Fy	Fu	GRADE	Fy	Fu
A572-65	65 ksi	80 ksi			

TOWER DESIGN NOTES

1. Tower is located in Hartford County, Connecticut.
2. Tower designed for a 80 mph basic wind in accordance with the TIA/EIA-222-F Standard.
3. Tower is also designed for a 38 mph basic wind with 1.25 in ice. Ice is considered to increase in thickness with height.
4. Deflections are based upon a 50 mph wind.
5. TOWER RATING: 96.7%



Paul J Ford and Company		Job: 145-Ft Monopole; Newington; Newington, CT	
250 E. Broad Street Suite 600		Project: PJF# 37513-2220 R1; BU# 881364	
Columbus, OH 43215		Client: Crown Castle	Drawn by: Lohengri Gimeno
Phone: 614.221.6679		Code: TIA/EIA-222-F	Date: 05/14/14
FAX: 614.448.4105		Path: T:\375_Crown_Castle\2013\37513-2220_BU_881364\WO_758924_BU_881364_17806\37513-2220_R1.dwg	Scale: NTS
		Dwg No. E-1	

Stiffened or Unstiffened, Exterior Flange Plate - Any Bolt Material TIA Rev F

Site Data

BU#: 881364
 Site Name: *Newington*
 App #:

Reactions		
Moment:	25.478	ft-kips
Axial:	2.688	kips
Shear:	4.919	kips
Elevation:	130	feet

Pole Manufacturer: **Other**

If No stiffeners, Criteria: **AISC ASD** <-Only Applicable to Unstiffened Cases

Flange Bolt Results

Bolt Tension Capacity, **B**: 25.91 kips
 Max Bolt directly applied T: 2.12 Kips
 Min. PL "tc" for **B** cap. **w/o** Pry: 1.071 in
 Min PL "treq" for actual **T w/ Pry**: 0.226 in
 Min PL "t1" for actual **T w/o Pry**: 0.306 in
 T allowable w/o Prying: 25.91 kips
 Prying Force, Q: 0.00 kips
 Total Bolt Tension=T+Q: 2.12 kips
 Non-Prying Bolt Stress Ratio, T/B: 8.2% **Pass**

Rigid
Service, ASD
Fty*ASIF

Exterior Flange Plate Results

Flexural Check
 Compression Side Plate Stress: 1.4 ksi
 Allowable Plate Stress: 36.0 ksi
 Compression Plate Stress Ratio: 3.9% **Pass**
No Prying
 Tension Side Stress Ratio, (treq/t)^2: 2.3% **Pass**

Rigid
Service ASD
0.75*Fy*ASIF
Comp. Y.L. Length: 13.54


n/a

Stiffener Results

Horizontal Weld : n/a
 Vertical Weld: n/a
 Plate Flex+Shear, fb/Fb+(fv/Fv)^2: n/a
 Plate Tension+Shear, ft/Ft+(fv/Fv)^2: n/a
 Plate Comp. (AISC Bracket): n/a

Pole Results

Pole Punching Shear Check: n/a



Bolt Data		
Qty:	18	
Diameter (in.):	0.75	Bolt Fu: 120
Bolt Material:	A325	Bolt Fy: 92
N/A:	75	<-- Disregard
N/A:	55	<-- Disregard
Circle (in.):	30	Bolt Fty: 44.00

Plate Data		
Diam:	34	in
Thick, t:	1.5	in
Grade (Fy):	36	ksi
Strength, Fu:	58	ksi
Single-Rod B-eff:	4.72	in

Stiffener Data (Welding at Both Sides)		
Config:	0	*
Weld Type:		
Groove Depth:		in **
Groove Angle:		degrees
Fillet H. Weld:		<-- Disregard
Fillet V. Weld:		in
Width:		in
Height:		in
Thick:		in
Notch:		in
Grade:		ksi
Weld str.:		ksi

Pole Data		
Diam:	26.77	in
Thick:	0.1875	in
Grade:	65	ksi
# of Sides:	18	"0" IF Round
Fu	80	ksi
Reinf. Fillet Weld	0	"0" if None

Stress Increase Factor	
ASIF:	1.333

* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

** Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

Square, Stiffened / Unstiffened Base Plate, Any Rod Material - Rev. F /G

- Assumptions:**
- 1) Rod groups at corners. Total # rods divisible by 4. Maximum total # of rods = 48 (12 per Corner).
 - 2) Rod Spacing = Straight Center-to-Center distance between any (2) adjacent rods (same corner)
 - 3) Clear space between bottom of leveling nut and top of concrete **not** exceeding (1)*(Rod Diameter)

Site Data

BU#:	881364
Site Name:	Newington
App #:	

Anchor Rod Data

Qty:	16	
Diam:	2.25	in
Rod Material:	A615-J	
Yield, Fy:	75	ksi
Strength, Fu:	100	ksi
Bolt Circle:	57	in
Anchor Spacing:	6	in

Plate Data

W=Side:	56	in
Thick:	3	in
Grade:	50	ksi
Clip Distance:	16	in

Stiffener Data (Welding at both sides)

Configuration:	Unstiffened	
Weld Type:		**
Groove Depth:		in **
Groove Angle:		degrees
Fillet H. Weld:		<-- Disregard
Fillet V. Weld:		in
Width:		in
Height:		in
Thick:		in
Notch:		in
Grade:		ksi
Weld str.:		ksi

Pole Data

Diam:	49.83	in
Thick:	0.375	in
Grade:	65	ksi
# of Sides:	18	"0" IF Round

Stress Increase Factor

ASD ASIF:	1.333
-----------	-------

** Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

Base Reactions

TIA Revision:	F	
Unfactored Moment, M:	2971	ft-kips
Unfactored Axial, P:	38	kips
Unfactored Shear, V:	29	kips

Anchor Rod Results

TIA F --> Maximum Rod Tension	154.0 Kips
Allowable Tension:	195.0 Kips
Anchor Rod Stress Ratio:	79.0% Pass

Base Plate Results

Base Plate Stress:	39.4 ksi
Allowable PL Bending Stress:	50.0 ksi
Base Plate Stress Ratio:	78.9% Pass

Flexural Check

PL Ref. Data

Yield Line (in):	29.37
Max PL Length:	29.37


N/A - Unstiffened

Stiffener Results

Horizontal Weld :	N/A
Vertical Weld:	N/A
Plate Flex+Shear, $f_b/F_b + (f_v/F_v)^2$:	N/A
Plate Tension+Shear, $f_t/F_t + (f_v/F_v)^2$:	N/A
Plate Comp. (AISC Bracket):	N/A

Pole Results

Pole Punching Shear Check:	N/A
----------------------------	-----





DRILLED PIER SOIL AND STEEL ANALYSIS - TIA/EIA-222-F

Unfactored Base Reactions from RISA

	Comp. (+)	Tension (-)	
Moment, M =	2971.0		k-ft
Shear, V =	29.0		kips
Axial Load, P =	38.0		kips
OTM =	2985.5	0.0	k-ft @ Ground

Safety Factors / Load Factors / Φ Factors

Tower Type =	Monopole DP
ACI Code =	ACI 318-02
Seismic Design Category =	D
Reference Standard =	TIA/EIA-222-F
Use 1.3 Load Factor?	Yes
Load Factor =	1.30

Drilled Pier Parameters

Diameter =	7	ft
Height Above Grade =	0.5	ft
Depth Below Grade =	25	ft
fc' =	3	ksi
εc =	0.003	in/in
Mat Ftdn. Cap Width =		ft
Mat Ftdn. Cap Length =		ft
Depth Below Grade =		ft

	Safety Factor	Φ Factor
Soil Lateral Resistance =	2.00	0.75
Skin Friction =	2.00	0.75
End Bearing =	2.00	0.75
Concrete Wt. Resist Uplift =	1.25	

Load Combinations Checked per TIA/EIA-222-F

- Ult. Skin Friction/2.00 + Ult. End Bearing/2.00 + Effective Soil Wt. - Buoyant Conc. Wt. ≥ Comp.
- Ult. Skin Friction/2.00 + Buoyant Conc. Wt./1.25 ≥ Uplift
- Ult. Skin Friction/1.50 + Buoyant Conc. Wt./1.50 ≥ Uplift

Steel Parameters

Number of Bars =	28	
Rebar Size =	#11	
Rebar Fy =	60	ksi
Rebar MOE =	29000	ksi
Tie Size =	#5	
Side Clear Cover to Ties =	4	in

Soil Parameters

Water Table Depth =	10.00	ft
Depth to Ignore Soil =	3.50	ft
Depth to Full Cohesion =	0	ft
Full Cohesion Starts at?	Ground	
Above Full Cohesion Lateral Resistance = 4(Cohesion)(Dia)(H)		
Below Full Cohesion Lateral Resistance = 8(Cohesion)(Dia)(H)		

Direct Embed Pole Shaft Parameters

Dia @ Grade =		in
Dia @ Depth Below Grade =		in
Number of Sides =		
Thickness =		in
Fy =		ksi
Backfill Condition =		

Maximum Capacity Ratios

Maximum Soil Ratio =	100.0%
Maximum Steel Ratio =	100.0%

Define Soil Layers

Note: Cohesion = Undrained Shear Strength = Unconfined Compressive Strength / 2

Layer	Thickness ft	Unit Weight pcf	Cohesion psf	Friction Angle degrees	Soil Type	Ultimate End Bearing psf	Comp. Ult. Skin Friction psf	Tension Ult. Skin Friction psf	Depth ft
1	12	125		34	Sand				12
2	16	125		30	Sand	12000			28
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									

Soil Results: Overturning

Depth to COR =	16.90	ft, from Grade
Bending Moment, M =	3475.58	k-ft, from COR
Resisting Moment, Ma =	5180.94	k-ft, from COR

MOMENT RATIO = 67.1% OK

Shear, V =	29.00	kips
Resisting Shear, Va =	43.23	kips

SHEAR RATIO = 67.1% OK

Soil Results: Uplift

Uplift, T =	0.00	kips
Allowable Uplift Cap., Ta =	88.95	kips

UPLIFT RATIO = 0.0% OK

Soil Results: Compression

Compression, C =	38.00	kips
Allowable Comp. Cap., Ca =	203.97	kips

COMPRESSION RATIO = 18.6% OK

Steel Results (ACI 318-02):

Minimum Steel Area =	18.47	sq in
Actual Steel Area =	43.68	sq in

Allowable Min Axial, Pa =	-1814.40	kips, Where Ma = 0 k-ft
Allowable Max Axial, Pa =	6656.37	kips, Where Ma = 0 k-ft

Axial Load, P =	69.75	kips @ 5.00 ft Below Grade
Moment, M =	3116.49	k-ft @ 5.00 ft Below Grade
Allowable Moment, Ma =	5187.51	k-ft

MOMENT RATIO = 60.1% OK

Moment Capacity of Drilled Concrete Shaft (Caisson) for TIA Rev F or G

Note: Shaft assumed to have ties, not spiral, transverse reinforcing

Site Data

BU#: BU 881364
Site Name: Newington
App #:

Enter Load Factors Below:		
For M (WL)	1.3	<---- Enter Factor
For P (DL)	1.3	<---- Enter Factor

Pier Properties	
Concrete:	
Pier Diameter =	7.0 ft
Concrete Area =	5541.8 in ²
Reinforcement:	
Clear Cover to Tie=	4.00 in
Horiz. Tie Bar Size=	5
Vert. Cage Diameter =	6.11 ft
Vert. Cage Diameter =	73.34 in
Vertical Bar Size =	11
Bar Diameter =	1.41 in
Bar Area =	1.56 in ²
Number of Bars =	28
As Total=	43.68 in ²
A s/ Aconc, Rho:	0.0079 0.79%

ACI 10.5 , ACI 21.10.4, and IBC 1810.

Min As for Flexural, Tension Controlled, Shafts:

$$(3) * (\text{Sqrt}(f'c) / F_y) = 0.0027$$

$$200 / F_y = 0.0033$$

Minimum Rho Check:

Actual Req'd Min. Rho:	0.33%	Flexural
Provided Rho:	0.79%	OK

Ref. Shaft Max Axial Capacities, ϕ Max(Pn or Tn):		
Max Pu = ($\phi=0.65$) Pn		
Pn per ACI 318 (10-2)	8653.28	kips
at Mu=($\phi=0.65$)Mn=	5213.79	ft-kips
Max Tu, ($\phi=0.9$) Tn =	2358.72	kips
at Mu= $\phi=(0.90)$ Mn=	0.00	ft-kips

Maximum Shaft Superimposed Forces		
TIA Revision:	F	
Max. Service Shaft M:	3116.49	ft-kips (* Note)
Max. Service Shaft P:	69.75	kips
Max Axial Force Type:	Comp.	

(* Note: Max Shaft Superimposed Moment does not necessarily equal to the shaft top reaction moment


Load Factor	Shaft Factored Loads	
1.30	Mu:	4051.437 ft-kips
1.30	Pu:	90.675 kips

Material Properties		
Concrete Comp. strength, f'c =	3000	psi
Reinforcement yield strength, Fy =	60	ksi
Reinforcing Modulus of Elasticity, E =	29000	ksi
Reinforcement yield strain =	0.00207	
Limiting compressive strain =	0.003	
ACI 318 Code		
Select Analysis ACI Code=	2002	
Seismic Properties		
Seismic Design Category =	D	
Seismic Risk =	High	

Solve (Run) <-- Press Upon Completing All Input

Results:

Governing Orientation Case: 2



Case 1

Case 2

Dist. From Edge to Neutral Axis: 16.14 in

Extreme Steel Strain, ϵ_t : 0.0116

$\epsilon_t > 0.0050$, Tension Controlled

Reduction Factor, ϕ : 0.900

Output Note: Negative Pu=Tension
 For Axial Compression, ϕ Pn = Pu: 90.68 kips
 Drilled Shaft Moment Capacity, ϕ Mn: 6743.76 ft-kips
 Drilled Shaft Superimposed Mu: 4051.44 ft-kips

(Mu/ ϕ Mn, Drilled Shaft Flexure CSR: 60.1%

RADIO FREQUENCY FCC REGULATORY COMPLIANCE
MAXIMUM PERMISSIBLE EXPOSURE (MPE) ASSESSMENT

Sprint Existing Facility

Site ID: CT23XC555

Newington

123 Costello Road
Newington, CT 06111

June 24, 2014

EBI Project Number: 62143501

June 24, 2014

Sprint
Attn: RF Engineering Manager
1 International Boulevard, Suite 800
Mahwah, NJ 07495

Re: Radio Frequency Maximum Permissible Exposure (MPE) Assessment for Site:
CT23XC555 - Newington

Site Total: 94.46% - MPE% in full compliance

EBI Consulting was directed to analyze the proposed upgrades to the existing Sprint facility located at 123 Costello Road, Newington, CT, for the purpose of determining whether the radio frequency (RF) exposure levels from the proposed Sprint equipment upgrades on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The number of $\mu\text{W}/\text{cm}^2$ calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general public would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The general population exposure limit for the cellular band (850 MHz Band) is approximately $567 \mu\text{W}/\text{cm}^2$, and the general population exposure limit for the 1900 MHz and 2500 MHz bands is $1000 \mu\text{W}/\text{cm}^2$. Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.

Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

CALCULATIONS

Calculations were done for the proposed upgrades to the existing Sprint Wireless antenna facility located at 123 Costello Road, Newington, CT, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. All calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB, was focused at the base of the tower. For this report the sample point is the top of a 6 foot person standing at the base of the tower.

For all calculations, all emissions were calculated using the following assumptions:

- 1) 5 channels in the 1900 MHz Band were considered for each sector of the proposed installation.
- 2) 1 channel in the 800 MHz Band was considered for each sector of the proposed installation
- 3) 2 channels in the 2500 MHz Band were considered for each sector of the proposed installation.
- 4) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 5) For the following calculations the sample point was the top of a six foot person standing at the base of the tower. The maximum gain of the antenna per the antenna manufactures supplied specifications minus 10 dB was used in this direction. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.

- 6) The antennas used in this modeling are the RFS APXVSPP18-C-A20 and the RFS APXVTM14-C-I20. This is based on feedback from the carrier with regards to anticipated antenna selection. The RFS APXVSPP18-C-A20 has a 15.9 dBd gain value at its main lobe at 1900 MHz and 13.4 dBd at its main lobe for 850 MHz. The RFS APXVTM14-C-I20 has a 15.9 dBd gain value at its main lobe at 2500 MHz. The maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB, was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 7) The antenna mounting height centerline for the proposed antennas is **124 feet** above ground level (AGL).
- 8) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.

All calculation were done with respect to uncontrolled / general public threshold limits

Site ID	CT23XC555 - Newington
Site Address	123 Costello Road, Newington, CT, 06111
Site Type	Monopole

Sector 1

Antenna Number	Antenna Make	Antenna Model	Radio Type	Frequency Band	Technology	Power Out Per Channel (Watts)	Number of Channels	Composite Power	Antenna Gain (10 db reduction)	Antenna Height (ft)	analysis height	Cable Size	Cable Loss (dB)	Additional Loss (dB)	ERP	Power Density Percentage
1a	RFS	APXVSP18-C-A20	RRH	1900 MHz	CDMA / LTE	20	5	100	5.9	124	118	1/2 "	0.5	0	346.74	0.90%
1a	RFS	APXVSP18-C-A20	RRH	850 MHz	CDMA / LTE	20	1	20	3.4	124	118	1/2 "	0.5	0	39.00	0.18%
1B	RFS	APXVTMM14-C-120	RRH	2500 MHz	CDMA / LTE	20	2	40	5.9	124	118	1/2 "	0.5	0	138.69	0.63%
Sector total Power Density Value:																1.70%

Sector 2

Antenna Number	Antenna Make	Antenna Model	Radio Type	Frequency Band	Technology	Power Out Per Channel (Watts)	Number of Channels	Composite Power	Antenna Gain (10 db reduction)	Antenna Height (ft)	analysis height	Cable Size	Cable Loss (dB)	Additional Loss (dB)	ERP	Power Density Percentage
2a	RFS	APXVSP18-C-A20	RRH	1900 MHz	CDMA / LTE	20	5	100	5.9	124	118	1/2 "	0.5	0	346.74	0.90%
2a	RFS	APXVSP18-C-A20	RRH	850 MHz	CDMA / LTE	20	1	20	3.4	124	118	1/2 "	0.5	0	39.00	0.18%
2B	RFS	APXVTMM14-C-120	RRH	2500 MHz	CDMA / LTE	20	2	40	5.9	124	118	1/2 "	0.5	0	138.69	0.63%
Sector total Power Density Value:																1.70%

Sector 3

Antenna Number	Antenna Make	Antenna Model	Radio Type	Frequency Band	Technology	Power Out Per Channel (Watts)	Number of Channels	Composite Power	Antenna Gain (10 db reduction)	Antenna Height (ft)	analysis height	Cable Size	Cable Loss (dB)	Additional Loss (dB)	ERP	Power Density Percentage
3a	RFS	APXVSP18-C-A20	RRH	1900 MHz	CDMA / LTE	20	5	100	5.9	124	118	1/2 "	0.5	0	346.74	0.90%
3a	RFS	APXVSP18-C-A20	RRH	850 MHz	CDMA / LTE	20	1	20	3.4	124	118	1/2 "	0.5	0	39.00	0.18%
3B	RFS	APXVTMM14-C-120	RRH	2500 MHz	CDMA / LTE	20	2	40	5.9	124	118	1/2 "	0.5	0	138.69	0.63%
Sector total Power Density Value:																1.70%

Site Composite MPE %	
Carrier	MPE %
Sprint	5.11%
Verizon Wireless	39.57%
MetroPCS	16.06%
Clearwire	1.05%
Nextel	3.13%
AT&T	29.16%
T-Mobile	0.38%
Total Site MPE %	94.46%

Summary

All calculations performed for this analysis yielded results that were within the allowable limits for general public Maximum Permissible Exposure (MPE) to radio frequency energy.

The anticipated Maximum Composite contributions from the Sprint facility are **5.11% (1.70% from sector 1, 1.70% from sector 2 and 1.70% from sector 3)** of the allowable FCC established general public limit considering all three sectors simultaneously sampled at the ground level.

The anticipated composite MPE value for this site assuming all carriers present is **94.46%** of the allowable FCC established general public limit sampled at 6 feet above ground level. This total composite site value is based upon MPE values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were within the allowable 100% threshold standard per the federal government.



Scott Heffernan
RF Engineering Director

EBI Consulting
21 B Street
Burlington, MA 01803