



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

February 19, 2020

Alex Murshteyn
Real Estate Consultant – Site Acquisition
Centerline Communications, LLC
750 West Center Street, Floor 3/Suite 301
West Bridgewater, MA 02379

RE: **TS-VER-131-191226** - Cellco Partnership d/b/a Verizon Wireless request for an order to approve tower sharing at an existing telecommunications facility located at 80 Shuttle Meadow Road, Southington, Connecticut.

Dear Mr. Murshteyn:

The Connecticut Siting Council (Council) is in receipt of your email of February 18, 2020 requesting an extension of time to submit documentation required to make the above-referenced filing complete in response to the Council's incomplete notice dated February 4, 2020.

The Council hereby grants a one-month extension of time to submit the required documentation by March 20, 2020.

Thank you for your attention to this matter.

Sincerely,

Melanie A. Bachman
Executive Director

MAB/FOC/emr

Enclosures: Email from Alex Murshteyn of February 18, 2020
Incomplete filing letter dated February 4, 2020



Robidoux, Evan

From: Alex Murshteyn <amurshteyn@clinellc.com>
Sent: Tuesday, February 18, 2020 1:41 PM
To: Robidoux, Evan; CSC-DL Siting Council
Cc: Blake Paynter; Peter Fales
Subject: RE: Council Incomplete Letter for TS-VER-131-191226 (80 Shuttle Meadow Road, Southington) /// 302475 aka Southington 3 CT
Attachments: ts-ver-131-191226_incompleteltr_ShuttleMeadowRd (rev).pdf

All,
Please be advised that we are in the process of producing an updated passing Structural Analysis, as per your recommendation provided below and within the attached. However, we do not expect that this SA will be ready by February 20th at this time and would therefore like to request an extension to complete the filing.

Thanks,

Alex Murshteyn
508-821-0159

From: Robidoux, Evan <Evan.Robidoux@ct.gov>
Sent: Wednesday, February 5, 2020 1:49 PM
To: Alex Murshteyn <amurshteyn@clinellc.com>
Cc: CSC-DL Siting Council <Siting.Council@ct.gov>
Subject: Council Incomplete Letter for TS-VER-131-191226 (80 Shuttle Meadow Road, Southington)

Please see the attached correspondence.

Evan Robidoux
Clerk Typist
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

February 4, 2020

Alex Murshteyn
Real Estate Consultant – Site Acquisition
Centerline Communications, LLC
750 West Center Street, Floor 3/ Suite 301
West Bridgewater, MA 02379

RE: **TS-VER-131-191226** – Celco Partnership d/b/a Verizon Wireless request for an order to approve tower sharing at an existing telecommunications facility located at 80 Shuttle Meadow Road, Southington, Connecticut.

Dear Mr. Murshteyn:

The Connecticut Siting Council (Council) received the tower share request for the above-referenced facility on December 26, 2019. On January 3, 2020, the Council issued a letter (enclosed) stating that the tower share request was incomplete because there was no mount analysis (MA) provided with the request and the proposed RRUs referenced were inconsistent. The Council recommended that Centerline Communications provide a MA for the proposed equipment that is stamped and signed by a professional engineer duly licensed in the State of Connecticut and, if applicable, an updated Structural Analysis Report (SA) accounting for any required antenna mount modifications, and provide clarification on the model of RRUs proposed.

On February 3, 2020, the Council received an electronic mail with a revised construction drawing (CD) dated February 3, 2020 and a MA dated January 31, 2020. Council staff reviewed the response to the incomplete request and identified a deficiency. The MA and CD provided reference the use of a platform antenna mount (Site Pro 1 RMQP-496) with handrail kit. This is inconsistent with the SA dated December 9, 2019 and with a stress capacity of 100%, which proposes the use of a sector frame antenna mount.

Therefore, the tower share request remains incomplete at this time. The Council recommends that Centerline Communications provide an updated passing ($\leq 100\%$) SA that is consistent with the MA and CD referenced above, on or before February 20, 2020. If additional time is needed to gather the requested information, please submit a written request for an extension of time prior to February 20, 2020. **Please provide an electronic version and one hard copy of the requested information for the incomplete exempt modification to be rendered complete and processed. Please include the Council's exempt modification identification number referenced above with the submittal**

This notice of incompleteness shall have the effect of tolling the Federal Communications Commission (FCC) 60-day timeframe in accordance with Paragraph 217 of the FCC Wireless Infrastructure Report and Order issued on October 21, 2014 (FCC 14-153).

