



Daniel F. Caruso  
Chairman

# STATE OF CONNECTICUT

## CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

Internet: [ct.gov/csc](http://ct.gov/csc)

April 9, 2009

Carrie L. Larson, Esq.  
Pullman & Comley, LLC  
90 State House Square  
Hartford, CT 06103-3702


RE: EM Pocket-004-081028 – 376 Deercliff Road, Avon, Connecticut  
EM Pocket-061-081112 – 139 Morris Hubbard Road, Haddam Connecticut  
EM Pocket-155-081107 – 457 Quaker Lane South (aka 471 So. Quaker Lane),  
West Hartford Connecticut  
EM Pocket-023-081117B – 14 Canton Springs Road, Canton, Connecticut  
EM Pocket-020-090109 – 12 Nepaug Road, Burlington, Connecticut

Dear Attorney Larson,

The Connecticut Siting Council (Council) is in receipt of your letter dated April 1, 2009, requesting the use of temporary generators to provide electricity until permanent power can be established. The Council acknowledges the use of temporary generators with the condition that sound pressure levels at the property boundaries be consistent with state noise regulations.

Thank you for this opportunity to be of assistance to you in these matters. If I may be of further service to you, please do not hesitate to contact me.

Very truly yours,



S. Derek Phelps  
Executive Director

c: Philip K. Schenck, Jr., Town Manager, Town of Avon  
Anthony Bondi, First Selectman, Town of Haddam  
Scott Slifka, Mayor, Town of West Hartford  
Richard Barlow, First Selectman, Town of Canton  
Kathleen K. Zabel, First Selectman, Town of Burlington  
Robert L. Marconi, Esq., Assistant Attorney General

**PULLMAN & COMLEY, LLC**  
ATTORNEYS AT LAW

CARRIE L. LARSON  
90 State House Square  
Hartford, CT 06103-3702  
p (860) 424-4312  
f (860) 424-4370

www.pullcom.com

April 1, 2009

Via Federal Express

S. Derek Phelps, Executive Director  
Connecticut Siting Council  
Ten Franklin Square  
New Britain, CT 06051

**RECEIVED**  
APR - 2 2009  
CONNECTICUT  
SITING COUNCIL

**Re: Pocket Telecommunications Facilities Use of Temporary Generators  
Avon, Haddam, West Hartford, Canton, and Burlington, Connecticut**

Dear Mr. Phelps:

Youghiogheny Communications-Northeast, LLC, doing business as Pocket Communications ("Pocket"), has filed multiple exempt modification applications for telecommunication facilities with the Siting Council throughout the State of Connecticut and has received conditional approval for the five facilities discussed herein (attached as Exhibit A). Due to the unforeseen length of time need for Connecticut Light and Power to install permanent power to these Pocket installations, Pocket requests permission to install EPA approved generators to accommodate Pocket's telecommunications equipment on a temporary basis. The generators will be used at the sites to provide electricity until permanent power can be established by the utility provider. Pocket anticipates that the temporary generators will be in use for a maximum of eight weeks from the time of their approval. The specifications for the proposed temporary generators are attached as Exhibit B. Due to the temporary use and low emissions from the generator, no permit is required from the Department of Environmental Protection. Pocket would propose to refuel the generator every 48 hours.

Below is a brief description of the location of the facility and it's proximity to any residences or other areas of concern (area maps attached as Exhibit C).

EM POCKET-004-081028 - 376 Deercliff Road, Avon, Connecticut.

The coordinates for the Facility are Lat: 41°-46'-30" and Long: 72°-48'-02". The tower is located in the eastern portion of Avon just west of the West Hartford town line. The Facility is roughly 900 feet east of Deercliff Road and roughly 5,000 feet east of Waterville Road (Route 10). This is a 557-foot guyed tower in a fairly secluded, wooded area on the Metacomet Ridge. There are multiple high guyed towers in the area. The closest residence is more than 600 feet to the west, southwest. Therefore, Pocket does not predict that any abutting property owners would be disturbed by the proposed use of a temporary generator.

**PULLMAN & COMLEY, LLC**  
ATTORNEYS AT LAW

Page 2

EM POCKET-061-0811112 - 139 Morris Hubbard Road, Haddam, Connecticut.

The coordinates for the Facility are **Lat: 41°-28'-21"** and **Long: 72°-33'-19"**. The tower is located in the central portion of Haddam, roughly 350 feet east of Killingworth Road (Route 81), directly east (by approximately 200 feet) of the on-ramp to Route 9 north. The travel portion of Route 9, lies roughly 700 feet to the west of the tower. The closest residence is approximately 220 feet to the west. There are homes to the north and south of the closest residence. They are slightly farther from the tower (at least 300 feet away to the south and the north). Because of the distance from the tower and because of the proximity of Route 9, Pocket does not anticipate that any abutting property owners will be disturbed by the proposed use of a temporary generator.

EM POCKET-155-081107 - 457 Quaker Lane South (aka 471 So. Quaker Lane), West Hartford, Connecticut

The coordinates for the Facility are **Lat: 41°-44'-55"** and **Long: 72°-43'-53"**. The tower is located in the south central portion of West Hartford, approximately 100 feet south of Interstate 84 in the "Park Road curves" area of town. The Facility is roughly 380 feet west of Quaker Lane South, approximately 800 feet east of Trout Brook Drive and roughly 2,200 feet south of Park Road. This tower is located on the The Church of St. Mark property in a wooded area between church buildings and Interstate 84. There is a church building approximately 120 feet from the tower. The closest residence is more than 300 feet to the west on Elm Drive. Again, due to the distance from the tower and the proximity of Interstate I-84, Pocket does not anticipate that any abutting property owners will be disturbed by the proposed use of a temporary generator.

EM POCKET-023-081117B - 14 Canton Springs Road, Canton, Connecticut

The coordinates for the Facility are **Lat: 41°-49'-22"** and **Long: 72°-53'-44"**. The tower is located in the southern portion of Canton, roughly 3,600 feet north of the Avon town line. The tower is approximately 150 feet east of Canton Springs Road and roughly 600 feet south of Albany Turnpike (Route 44/202) at its intersection with Dowd Avenue. The tower is behind the Canton Fire Department in an area of commercial and/or industrial buildings. The closest residence is approximately 200 feet to the north on Canton Springs Road. Due to the distance from the tower and the general commercial and industrial use in the area, Pocket does not anticipate any abutting property owners will be disturbed by the proposed use of a temporary generator.

**PULLMAN & COMLEY, LLC**  
ATTORNEYS AT LAW

Page 3

EM POCKET-020-090109 – 12 Nepaug Road, Burlington, Connecticut

The coordinates for the Facility are **Lat: 41°-46'-59"** and **Long: 72°-59'-23"**. The tower is located in the northwestern portion of Burlington, approximately 170 feet east of Nepaug Road and roughly 1400 feet north of Spielman Highway (Route 4). The tower is in heavily wooded area. The closest residences are approximately 375 feet to the north and approximately 300 feet to the south. Again, given the vegetation in the area and the distance from the tower, Pocket does not anticipate any abutting property owners will be disturbed by the proposed use of a temporary generator.

Pocket respectfully submits that the proposed temporary generator installations at the above-referenced facilities constitutes an exempt modification under R.C.S.A. Section 16-50j-72(b)(2) and therefore respectfully requests approval of these temporary installations.

Respectfully Submitted,



Carrie L. Larson

cc: Philip K. Schenck, Jr., Town Manager, Town of Avon  
Anthony Bondi, First Selectman, Town of Haddam  
Scott Slifka, Mayor, Town of West Hartford  
Richard Barlow, First Selectman, Town of Canton  
Honorable Kathleen K. Zabel, First Selectman, Town of Burlington

# **EXHIBIT A**



Daniel F. Caruso  
Chairman

## STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL  
Ten Franklin Square, New Britain, CT 06051  
Phone: (860) 827-2935 Fax: (860) 827-2950  
E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)  
Internet: [ct.gov/csc](http://ct.gov/csc)

November 20, 2008

Carrie L. Larson, Esq.  
Pullman & Comley, LLC  
90 State House Square  
Hartford, CT 06103-3702

RE: **EM-POCKET-004-081028** – Youghiogheny Communications-Northeast, LLC d/b/a Pocket Communications notice of intent to modify an existing telecommunications facility located at 376 Deercliff Road, Avon, Connecticut.

Dear Attorney Larson:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

- The modifications recommended on page 9 of the structural analysis report dated October 22, 2008 and sealed by David B. Grainger, P.E. are performed prior to the antenna installation;
- A post-construction tower rating of not more than 100 percent is achieved; and
- A signed letter from a Professional Engineer duly licensed in the State of Connecticut is submitted to the Council to certify that the modifications have been properly completed and a post-construction tower rating of not more than 100 percent has been achieved.


The proposed modifications are to be implemented as specified here and in your notice dated October 27, 2008, including the placement of all necessary equipment and shelters within the tower compound. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.



Thank you for your attention and cooperation.

Very truly yours,



S. Derek Phelps  
Executive Director

SDP/MP/laf

- c: The Honorable John F. Carlson, Chairman Town Council, Town of Avon
- Philip K. Schenck, Jr., Town Manager, Town of Avon
- Steven V. Kushner, Town Planner, Town of Avon
- Crown Castle USA, Inc.



## STATE OF CONNECTICUT

### CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

[www.ct.gov/csc](http://www.ct.gov/csc)

December 11, 2008

Carrie L. Larson, Esq.  
Pullman & Comley, LLC  
90 State House Square  
Hartford, CT 06103-3702

RE: **EM-POCKET-061-081113** – Youghiogheny Communications-Northeast, LLC d/b/a Pocket Communications notice of intent to modify an existing telecommunications facility located at 139 Morris Hubbard Road, Higganum (Haddam), Connecticut.

Dear Attorney Larson:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

- A post-construction tower rating of not more than 100 percent is achieved; and
- A signed letter from a Professional Engineer duly licensed in the State of Connecticut shall be submitted to the Council to certify that the reinforcements have been properly completed and a post-construction tower rating of not more than 100 percent has been achieved.

The proposed modifications are to be implemented as specified here and in your notice dated November 11, 2008, including the placement of all necessary equipment and shelters within the tower compound. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure




EM-POCKET-061-081112  
December 10, 2008  
Page 2

and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,



S. Derek Phelps  
Executive Director

SDP/CDM/laf

c: The Honorable Tony Bondi, First Selectman, Town of Haddam  
Allan Johanson, Zoning Enforcement Officer, Town of Haddam  
American Tower Corporation



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Internet: ct.gov/csc

Daniel F. Caruso
Chairman

November 25, 2008

Carrie L. Larson, Esq.
Pullman & Comley, LLC
90 State House Square
Hartford, CT 06103-3702

RE: EM-POCKET-155-081107 - Youghiogheny Communications-Northeast, LLC d/b/a Pocket
Communications notice of intent to modify an existing telecommunications facility located at 457
Quaker Lane South (aka 471 So. Quaker Lane), West Hartford, Connecticut.

Dear Attorney Larson:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing
telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated November 6,
2008, including the placement of all necessary equipment and shelters within the tower compound. The
modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of
Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend
the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase
the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or
above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes
§ 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are
conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this
action shall expire one year from the date of this letter. Any additional change to this facility will require
explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such
notice shall include all relevant information regarding the proposed change with cumulative worst-case
modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent
with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any
deviation from this format may result in the Council implementing enforcement proceedings pursuant to
General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure
and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or
operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,

[Handwritten signature of S. Derek Phillips]

S. Derek Phillips
Executive Director

SDP/CDM/laf

- c: The Honorable Scott Slifka, Mayor, Town of West Hartford
Barry M. Feldman, Town Manager, Town of West Hartford
Mila Limson, Town Planner, Town of West Hartford
Hans Fiedler, T-Mobile



## STATE OF CONNECTICUT

### CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

Internet: [ct.gov/csc](http://ct.gov/csc)

Daniel F. Caruso  
Chairman

December 9, 2008

Carrie L. Larson, Esq.  
Pullman & Comley LLC  
90 State House Square  
Hartford, CT 06103-3702

RE: EM-POCKET-023-081117B - Youghioghny Communications-Northeast, LLC d/b/a Pocket Communications notice of intent to modify an existing telecommunications facility located at 14 Canton Springs Road, Canton, Connecticut.

Dear Attorney Larson:


The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated November 14, 2008, including the placement of all necessary equipment and shelters within the tower compound. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50v including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,

  
S. Derek Phelps  
Executive Director

SDP/CDM/laf

c: The Honorable Richard J. Barlow, First Selectman, Town of Canton  
Robert H. Skinner, Chief Administrative Officer, Town of Canton  
Neil Pade, Town Planner, Town of Canton  
Kenneth C. Baldwin, Esq., Robinson & Cole LLP



Affirmative Action / Equal Opportunity Employer



Daniel F. Caruso  
Chairman

## STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL  
Ten Franklin Square, New Britain, CT 06051  
Phone: (860) 827-2935 Fax: (860) 827-2950  
E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)  
Internet: [ct.gov/csc](http://ct.gov/csc)

January 27, 2009

Carrie L. Larson, Esq.  
Pullman & Comley, LLC  
90 State House Square  
Hartford, CT 06103-3702

RE: **EM-POCKET-020-090109** – Youghiogheny Communications-Northeast, LLC d/b/a Pocket Communications notice of intent to modify an existing telecommunications facility located at 12 Nepaug Road, Burlington, Connecticut.

Dear Attorney Larson:


The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated January 7, 2009, including the placement of all necessary equipment and shelters within the tower compound. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,

  
S. Derek Phelps  
Executive Director

SDP/CDM/laf

c: The Honorable Patricia Allyn Mechare, First Selectman, Town of Canaan  
Chris Cross, Zoning Officer, Town of Canaan  
Christopher B. Fisher, Esq., Cuddy & Feder LLP

# **EXHIBIT B**



## MLG15 Lite Generator

### Interim Tier IV EPA Approved Engine

Magnum recognizes environmental responsibility and continues to meet emission regulations with the addition of their Interim Tier IV Generator line. The MLG15 generator is powered by a Mitsubishi diesel engine. Proven power you can trust, while maximizing fuel efficiency and high performance.

### Affordable, Reliable, Mobile Power

The MLG15 diesel generator provides just the right combination of output, flexibility, ruggedness, efficiency and affordability for on-the-go, smaller-to-midsize, single phase power needs.

### Features

#### Tough

- Full tubular steel frame, with lockable enclosure
- Durable, fade resistant, white baked on powder coat finish
- Stainless steel hinges, exterior hardware and pad lockable door latches

#### Reliable

- Key switch to preheat (glow plug), start & stop
- Automatic low oil level / high temp shutdown alerts
- 70A Start limit main breaker
- 2 year - 2,000 hour warranty
- Marathon voltage regulation within +/- 1%


#### Ease for Your Users

- Self-priming 4 cylinder Mitsubishi engine
- External convenience outlets with individual breaker switches
- External emergency stop switch

### Specifications

#### Output

3 Phase - Standby kW (kVA)	N/A
Amps 480V (208V)	N/A
3 Phase - Prime kW (kVA)	N/A
Amps 480V (208V)	N/A
1 Phase - Standby kW (kVA)	14.0 (14.0)
Amps 240V	58
1 Phase - Prime kW (kVA)	13.0 (13.0)
Amps 240V	54
AC Voltage 1-phase	120, 240
AC Voltage 3-phase	N/A



### More Information

#### Manuals

- [Operating & Parts](#)

**ALWAYS check for updated parts information before placing a parts order.**

#### Tech. Specs.

- [MLG15](#)

#### Literature / Sales

- [Generator Lit.](#)
- [Service Kit Lit.](#)
- [Sales Support](#)



- [Warranty Overview](#)
- [Warranty Claim Policy](#)

Frequency Hz	60
Power Factor	1.0 (1 Phase)
Generator - Brand / Type / Insulation	Marathon / Brushless / F
Sound (dB(A) 23 ft @ prime)	68
<b>Size and Weight</b>	
Skid Mounted - L x W x H in (m)	N/A
Dry Weight lbs (kg)	N/A
Operating Weight lbs (kg)	N/A
Trailer Mounted - L x W x H in (m)	105 x 67 x 56 (2.67 x 1.70 x 1.42)
Dry Weight lbs (kg)	1425 (646)
Operating Weight lbs (kg)	1823 (827)
<b>Engine</b>	
Type	Interim Tier IV
Brand	Mitsubishi
Aspiration	Natural
Power - Prime @ 1800 rpm hp (kWm)	22.3 (16.6)
Displacement cubic in (L)	107 (1.8)
Cylinders	4
Speed rpm	1800
Fuel Consumption - Prime gph (Lph)	1.30 (4.92)
<b>Capacities</b>	
Fuel Tank gal (L)	56 (212)
Approximate Run Time hrs	43
Coolant qt (L)	11.6 (11.0)
<b>Electrical Distribution</b>	
Battery - 12V	1 - 12V 440 CCA Wet Cell
Main Circuit Breaker Size A	70
Voltage Selection	N/A
Voltage Regulation	+/-1%
120V - 20A GFI Duplex Outlets - qty	2
240V - 30A Twist Lock Outlets - qty	2
240V - 50A Twist Lock Outlets - qty	2
<b>Trailer</b>	
Number of Axles	1
Capacity - Axle Rating lbs (kg)	2200 (998)
Tire Size in	15
Brakes	N/A
Hitch	2" Ball
Maximum Tire Pressure psi	50
<b>Options</b>	

- |                         |   |
|-------------------------|---|
| Powertrain (Engine/Gen) | <ul style="list-style-type: none"><li>• 60/40 Coolant</li><li>• Heated Fuel Filter</li><li>• Engine Heater - Lower Radiator Hose</li><li>• Oil Drain Valve Kit</li></ul>  |
| Controls                | <ul style="list-style-type: none"><li>• Battery, 720 CCA Gel Cell</li><li>• Battery, 720 CCA Wet Cell</li><li>• Battery, 685 CCA Gel Cell</li><li>• No Battery</li><li>• Battery Disconnect, Lockable</li><li>• Battery Charger, 2 Amp</li><li>• Alternative Outlet Panel Options (Consult factory for details)</li></ul>                           |
| Cabinet/Fuel Tank       | <ul style="list-style-type: none"><li>• Interior Cabinet Light</li><li>• Level Indicator</li><li>• 56 Gallon Fuel Tank</li><li>• Fuel Tank Cap - Vent w/ Lanyard</li><li>• Spare Tire &amp; Carrier</li><li>• Lift Structure</li><li>• Liquid Containment/Quiet Pack</li></ul>  |
| Trailer                 | <ul style="list-style-type: none"><li>• Tube &amp; Sleeve Jack</li><li>• Combo Hitch - 2.5" Ring/2" Ball</li><li>• 2.5" Ring</li><li>• 3" Ring</li><li>• 3" Ring (1.625 TH)</li><li>• Plug Adapter, 4 Flat to 6 Round</li><li>• Plug Adapter, 4 Flat to 7 Pin</li><li>• Plug Adapter, 4 Flat to 7 Round Spade</li><li>• Outrigger Package</li></ul> |

See this page on the Magnum Products Web site for a gallery of images of this product.

Copyright © 2003 - 2009 Magnum Products LLC



™ 215 Power Drive • Berlin, WI 54923-2420  
Phone: 800-926-9768 • Fax: 920-360-2214 • [www.m-p-llc.com](http://www.m-p-llc.com)

# **EXHIBIT C**

