



June 8, 2021

John Barrett
Barrett Outdoor Communications, Inc.
381 Highland Street
West Haven, CT 06516

**RE: Proposed Wireless Telecommunications Facility, 200 East Main Street, Rear
Stratford, CT 06614**

Dear Mr. Barrett:

I am writing with respect to a wireless telecommunications facility ("Facility"), to be located at 200 East Main Street, Rear, in Stratford, Connecticut ("Property"), as proposed by Barrett Outdoor Communications, Inc. ("Barrett"). It is our understanding that Barrett proposes to relocate an existing wireless telecommunications facility, currently located at 28 Sidney Street, a short distance to the Property as a result of ongoing commercial redevelopment.


The Town of Stratford received a letter from your legal counsel with an enclosed technical report, detailing information about the Facility. The cover letter offered to consult with the Town over a ninety day period, consider any proposed alternative locations, including municipal sites, and conduct a public information meeting.

I also met with you on more than one occasion to discuss the Facility. Based on those discussions, it is the Town's position that Barrett has engaged in good-faith efforts to meet with the Town and that Barrett has satisfied any municipal consultation requirements that might be applicable to the Facility. Accordingly, the Town does not require any further municipal consultation and, to the extent necessary, formally waives any such requirement, if applicable.

Additionally, the Town supports the relocation of the existing wireless telecommunications facility to the Property because the relocated Facility would: (1) maintain the coverage objectives of the existing wireless providers; (2) allow for future providers, and emergency medical services if necessary; (3) have a minimal potential environmental impact because it would be located on developed land and sufficiently distant from any natural resource; and (4) have a minimal potential visual impact given its location in a retail commercial district, the existing utility infrastructure, and its location more than 1,000 feet from the nearest single family residence.

Please include this letter in your submission to the Connecticut Siting Council as a summary of the completed municipal consultation process and the Town support of the proposed relocated Facility.

Very truly yours,



Chris Tymniak (Chief Admin Officer)



City of Milford, Connecticut

- Founded in 1639 -

Benjamin G. Blake
Mayor

City Hall
110 River Street
Milford, CT 06460

April 13, 2021

John Barrett
Barrett Outdoor Communications, Inc.
381 Highland Street
West Haven, CT 06516

RE: Proposed Wireless Telecommunications Facility, 200 East Main Street, Rear Stratford, CT 06614

Dear Mr. Barrett:

I am writing with respect to a wireless telecommunications facility ("Facility"), to be located at 200 East Main Street, Rear, in Stratford, Connecticut ("Property"), as proposed by Barrett Outdoor Communications, Inc. ("Barrett"). It is our understanding that Barrett proposes to relocate an existing wireless telecommunications facility, currently located at 28 Sidney Street, a short distance to the Property as a result of ongoing commercial redevelopment.

The city of Milford received a letter from your legal counsel with an enclosed technical report, detailing information about the Facility. The cover letter offered to consult with the city of Milford over a ninety-day period, consider any proposed alternative locations, including municipal sites, and conduct a public information meeting.

As you know, we met with you on more than one occasion to discuss the Facility. Based on those discussions, Barrett has satisfied any municipal consultation requirements that might be applicable to the Facility. Accordingly, the city of Milford does not require any further municipal consultation and, to the extent necessary, formally waives any such requirement, if applicable.

Additionally, the city of Milford does not object to the relocation of the existing wireless telecommunications facility to the nearby Stratford Property because the relocated Facility would: (1) maintain the coverage objectives of the existing wireless providers; (2) allow for future providers, and emergency medical services if necessary; (3) have a minimal potential environmental impact because it would be located on developed land and sufficiently distant from any natural resource; and (4) have a minimal potential visual impact given its location in a retail commercial district, the existing utility infrastructure, and its location more than 1,000 feet from the nearest single family residence.

Very truly yours,

Benjamin G. Blake
Mayor