

Report Parameters:**Report Period:** From 01/01/2017 to 12/31/2017**Selected Coded Field:** Fire: Area of Origin**State:** CT**Version:** All**Status:** All**Released:** All**Report Filters:****NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group2 and Group 3 etc...)**

Report FDIDs*: 05200, 02101, 05201, 05160, 05202, 06020, 08160, 06190, 05060, 02240, 07040, 01240, 08020, 01190, 01050, 07140, 02010, 02100, 08152, 02024, 08153, 05210, 05170, 08150, 08151, 06010, 04090, 08154, 05070, 08155, 04152, 04150, 04151, 02230, 08010, 01250, 01180, 07050, 01040, 07150, 02020, 02021, 02022, 02023, 08180, 05220, 05181, 05180, 05041, 05183, 05182, 05185, 05184, 05040, 06170, 06040, 04081, 04080, 04083, 04082, 01170, 07020, 01260, 02220, 02120, 02031, 02121, 02030, 01070, 05230, 05190, 08170, 08171, 02115, 02114, 02113, 05052, 02112, 05051, 05050, 04070, 06030, 06180, 07030, 01160, 02210, 02110, 01060, 02040, 04060, 01200, 02200, 03060, 05120, 05020, 08120, 02051, 02050, 07080, 08060, 01090, 04050, 01210, 05133, 05134, 05131, 05132, 08111, 05130, 03070, 08110, 03072, 05030, 04051, 01081, 02060, 08056, 08050, 07090, 08053, 08054, 08051, 01080, 08052, 05140, 05141, 06200, 03080, 04040, 04041, 04042, 04043, 04044, 08140, 04045, 02070, 08040, 01220, 07060, 03090, 03092, 04030, 05010, 05011, 05150, 08130, 01230, 02080, 08030, 07070, 01110, 02180, 06110, 04010, 06111, 03030, 01111, 01112, 01113, 06210, 02090, 02170, 04020, 08210, 06120, 03020, 06220, 06221, 01100, 06090, 03050, 03051, 08200, 06230, 08100, 05110, 02291, 02190, 04101, 04100, 02290, 03040, 03041, 06100, 05102, 05101, 06240, 05100, 02140, 01010, 01011, 04110, 07100, 01150, 02280, 03130, 06060, 06252, 06251, 06150, 01013, 08070, 01012, 06250, 07010, 02130, 08090, 01142, 01140, 04121, 01141, 04120, 02270, 07110, 06050, 03120, 06160, 06260, 08081, 08080, 01030, 02161, 02160, 07123, 02260, 07122, 04131, 07121, 04130, 07120, 04133, 04132, 01130, 01131, 04134, 01132, 08190, 05081, 03110, 08193, 06080, 05082, 08192, 08195, 05080, 08194, 06270, 06130, 03010, 01020, 07130, 02150, 04142, 04141, 04140, 02250, 01120, 04143, 06140, 06070, 03100, 05090

*Data from deactivated fire depts within the list was not included in the report.

Tally

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2017 to 12/31/2017

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
00	Other	165	2.82 %	2	1	7.69 %	2	1.67 %	0	0.00 %	0	0.00 %	374,153	0.75 %	41,603	0.22 %	415,756	0.61 %
01	Corridor, mall	16	0.27 %	0	0	0.00 %	3	2.50 %	0	0.00 %	1	1.22 %	1,681,700	3.38 %	65,522	0.35 %	1,747,222	2.56 %
02	Exterior stairway, ramp, or fire escape	29	0.50 %	0	1	7.69 %	0	0.00 %	0	0.00 %	1	1.22 %	733,250	1.47 %	183,001	0.98 %	916,251	1.34 %
03	Interior stairway or ramp	18	0.31 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	348,593	0.70 %	49,750	0.27 %	398,343	0.58 %
05	Entrance way, lobby	9	0.15 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	3,800	0.01 %	1,110	0.01 %	4,910	0.01 %
09	Egress/exit, other	24	0.41 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	158,770	0.32 %	56,800	0.30 %	215,570	0.32 %
10	Assembly or sales area, other	2	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
11	Arena, assembly area w/ fixed seats - 100+ persons	9	0.15 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	16,000	0.03 %	1,076	0.01 %	17,076	0.02 %
12	Assembly area without fixed seats - 100+ persons	2	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	900	0.00 %	0	0.00 %	900	0.00 %
13	Assembly area - less than 100 persons	5	0.09 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	150	0.00 %	1,400	0.01 %	1,550	0.00 %
14	Common room, den, family room, living room, lounge	77	1.32 %	0	1	7.69 %	8	6.67 %	0	0.00 %	3	3.66 %	3,045,350	6.12 %	1,422,641	7.64 %	4,467,991	6.53 %

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2017 to 12/31/2017

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
15	Sales area, showroom (exclude display window)	7	0.12 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	4,200	0.01 %	195	0.00 %	4,395	0.01 %
20	Function area, other	66	1.13 %	0	0	0.00 %	2	1.67 %	0	0.00 %	6	7.32 %	1,520,686	3.06 %	920,001	4.94 %	2,440,687	3.57 %
21	Bedroom - < 5 persons; included are jail or prison	160	2.73 %	1	4	30.77 %	18	15.00 %	0	0.00 %	13	15.85 %	4,941,501	9.93 %	1,457,296	7.82 %	6,398,797	9.36 %
22	Bedroom - 5+ persons; including barrack/dormitory	4	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	21,000	0.04 %	6,250	0.03 %	27,250	0.04 %
23	Dining room, cafeteria, bar area, beverage service	17	0.29 %	0	0	0.00 %	3	2.50 %	0	0.00 %	0	0.00 %	220,200	0.44 %	16,250	0.09 %	236,450	0.35 %
24	Cooking area, kitchen	556	9.50 %	1	0	0.00 %	39	32.50 %	0	0.00 %	16	19.51 %	4,210,664	8.46 %	1,411,273	7.58 %	5,621,937	8.22 %
25	Bathroom, checkroom, lavatory, locker room	72	1.23 %	0	0	0.00 %	1	0.83 %	0	0.00 %	1	1.22 %	502,450	1.01 %	110,400	0.59 %	612,850	0.90 %
26	Laundry area, wash house (laundry)	96	1.64 %	0	0	0.00 %	1	0.83 %	0	0.00 %	2	2.44 %	802,644	1.61 %	2,222,830	11.93 %	3,025,474	4.42 %
27	Office	24	0.41 %	0	0	0.00 %	1	0.83 %	0	0.00 %	1	1.22 %	279,500	0.56 %	198,100	1.06 %	477,600	0.70 %
28	Personal service area, barber/beauty salon area	4	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	3,500	0.01 %	4,500	0.02 %	8,000	0.01 %
30	Technical processing areas, other	2	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,000	0.01 %	1,000	0.01 %	6,000	0.01 %

Tally

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2017 to 12/31/2017

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
31	Laboratory	4	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	1,100	0.01 %	1,200	0.00 %
33	Treatment - first aid area, surgery area	1	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,500	0.01 %	0	0.00 %	2,500	0.00 %
35	Computer room, control room or center	2	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
38	Processing/manufacturing area, workroom	17	0.29 %	0	0	0.00 %	2	1.67 %	0	0.00 %	1	1.22 %	250,501	0.50 %	251,501	1.35 %	502,002	0.73 %
40	Storage area, other	49	0.84 %	1	0	0.00 %	1	0.83 %	0	0.00 %	0	0.00 %	991,851	1.99 %	550,901	2.96 %	1,542,752	2.26 %
41	Storage room, area, tank, or bin	18	0.31 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	171,112	0.34 %	128,750	0.69 %	299,862	0.44 %
42	Closet	24	0.41 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,137,450	2.29 %	1,078,850	5.79 %	2,216,300	3.24 %
43	Storage: supplies or tools; dead storage	23	0.39 %	5	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	248,901	0.50 %	91,275	0.49 %	340,176	0.50 %
45	Shipping/receiving area; loading area, dock or bay	4	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	27,000	0.14 %	28,000	0.04 %
46	Chute/container - trash, rubbish, waste	38	0.65 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	66,100	0.13 %	5,000	0.03 %	71,100	0.10 %
47	Vehicle storage area; garage, carport	92	1.57 %	7	0	0.00 %	0	0.00 %	0	0.00 %	3	3.66 %	2,736,625	5.50 %	1,019,001	5.47 %	3,755,626	5.49 %

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2017 to 12/31/2017

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
50	Service facilities, other	8	0.14 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	59,100	0.12 %	47,200	0.25 %	106,300	0.16 %
52	Conduit, pipe, utility, or ventilation shaft	6	0.10 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	7,500	0.02 %	1,000	0.01 %	8,500	0.01 %
54	Chute; laundry or mail, excluding trash chutes	4	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,000	0.01 %	1,400	0.01 %	6,400	0.01 %
55	Duct: hvac, cable, exhaust, heating, or AC	17	0.29 %	0	0	0.00 %	2	1.67 %	0	0.00 %	0	0.00 %	152,000	0.31 %	111,250	0.60 %	263,250	0.38 %
58	Conveyor	1	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
60	Equipment or service area, other	35	0.60 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	71,600	0.14 %	26,000	0.14 %	97,600	0.14 %
61	Machinery room or area; elevator machinery room	11	0.19 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,000	0.00 %	17,000	0.09 %	19,000	0.03 %
62	Heating room or area, water heater area	37	0.63 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	1.22 %	109,901	0.22 %	35,801	0.19 %	145,702	0.21 %
63	Switchgear area, transformer vault	16	0.27 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	12,500	0.03 %	30,000	0.16 %	42,500	0.06 %
65	Maintenance shop or area, paint shop or area	6	0.10 %	0	0	0.00 %	2	1.67 %	0	0.00 %	0	0.00 %	70,000	0.14 %	56,000	0.30 %	126,000	0.18 %
70	Structural area, other	30	0.51 %	0	0	0.00 %	1	0.83 %	0	0.00 %	0	0.00 %	1,197,150	2.41 %	427,250	2.29 %	1,624,400	2.38 %

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2017 to 12/31/2017

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
71	Substructure area or space, crawl space	39	0.67 %	0	0	0.00 %	2	1.67 %	0	0.00 %	2	2.44 %	819,150	1.65 %	319,033	1.71 %	1,138,183	1.66 %
72	Exterior balcony, unenclosed porch	108	1.85 %	0	0	0.00 %	3	2.50 %	0	0.00 %	1	1.22 %	1,957,532	3.93 %	665,485	3.57 %	2,623,017	3.84 %
73	Ceiling & floor assembly, crawl space b/t stories	16	0.27 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	694,000	1.39 %	253,250	1.36 %	947,250	1.39 %
74	Attic: vacant, crawl space above top story, cupola	18	0.31 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,045,100	2.10 %	881,500	4.73 %	1,926,600	2.82 %
75	Wall assembly	61	1.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	2	2.44 %	2,099,702	4.22 %	588,001	3.16 %	2,687,703	3.93 %
76	Wall surface: exterior	78	1.33 %	7	0	0.00 %	1	0.83 %	0	0.00 %	1	1.22 %	622,200	1.25 %	355,412	1.91 %	977,612	1.43 %
77	Roof surface: exterior	16	0.27 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,051,000	2.11 %	18,000	0.10 %	1,069,000	1.56 %
80	Vehicle area, other	150	2.56 %	4	1	7.69 %	2	1.67 %	0	0.00 %	0	0.00 %	1,005,235	2.02 %	65,775	0.35 %	1,071,010	1.57 %
81	Operator/passenger area of transportation equip.	168	2.87 %	0	4	30.77 %	1	0.83 %	0	0.00 %	1	1.22 %	940,573	1.89 %	52,411	0.28 %	992,984	1.45 %
82	Cargo/trunk area - all vehicles	65	1.11 %	2	0	0.00 %	3	2.50 %	0	0.00 %	0	0.00 %	255,892	0.51 %	63,550	0.34 %	319,442	0.47 %
83	Engine area, running gear, wheel area	821	14.03 %	1	0	0.00 %	4	3.33 %	0	0.00 %	2	2.44 %	3,338,052	6.71 %	280,704	1.51 %	3,618,756	5.29 %

Tally

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2017 to 12/31/2017

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
84	Fuel tank, fuel line	24	0.41 %	0	0	0.00 %	1	0.83 %	0	0.00 %	0	0.00 %	29,726	0.06 %	2,750	0.01 %	32,476	0.05 %
85	Separate operator/control area of transportation	6	0.10 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	26,250	0.05 %	1,000	0.01 %	27,250	0.04 %
86	Exterior, exposed surface	52	0.89 %	10	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	164,138	0.33 %	199,926	1.07 %	364,064	0.53 %
90	Outside area, other	773	13.21 %	5	0	0.00 %	2	1.67 %	0	0.00 %	0	0.00 %	772,892	1.55 %	213,218	1.14 %	986,110	1.44 %
91	Railroad right of way: on or near	38	0.65 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	522	0.00 %	22	0.00 %	544	0.00 %
92	Highway, parking lot, street: on or near	291	4.97 %	2	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	471,076	0.95 %	91,506	0.49 %	562,582	0.82 %
93	Courtyard, patio, porch, terrace	124	2.12 %	2	0	0.00 %	0	0.00 %	0	0.00 %	3	3.66 %	1,059,487	2.13 %	309,701	1.66 %	1,369,188	2.00 %
94	Open area - outside; included are farmland, field	267	4.56 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	10,950	0.02 %	1,271	0.01 %	12,221	0.02 %
95	Wildland, woods	210	3.59 %	3	0	0.00 %	1	0.83 %	0	0.00 %	5	6.10 %	300	0.00 %	0	0.00 %	300	0.00 %
96	Construction/renovation area	9	0.15 %	0	0	0.00 %	1	0.83 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %
97	Multiple areas	11	0.19 %	0	0	0.00 %	4	3.33 %	0	0.00 %	2	2.44 %	124,900	0.25 %	25,000	0.13 %	149,900	0.22 %

Tally

Selected Coded Field: Fire: Area of Origin

Report Period: From 01/01/2017 to 12/31/2017

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
98	Vacant structural area	8	0.14 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	360,002	0.72 %	70,000	0.38 %	430,002	0.63 %
UU	Undetermined	692	11.83 %	4	1	7.69 %	9	7.50 %	0	0.00 %	14	17.07 %	6,737,998	13.54 %	2,092,578	11.23 %	8,830,576	12.91 %
Totals		5,852	100 %	59	13	100 %	120	100 %	0	0 %	82	100 %	49,754,579	100 %	18,627,370	100 %	68,381,949	100 %
Mutual Aid Given Incidents		5																