

# General Permit for the Discharge of Stormwater Associated with Industrial Activity, effective 10/1/2011 Stormwater Monitoring Report Form

Sector D - Auto Salvage

## **Facility Information**

Permittee N	ame:		Site Name	<b>e</b> :						
	ress:									
_	<u> </u>									
Contact Person: Title:  Business Phone: ext.:Email:										
Cita Address										
	Site Address:									
Receiving Water (name/basin):										
Permit #: GSI         Primary SIC:										
Discharges	into an Impaired V	Vaterbody:	∕es □ No	(If yes, cor	mplete the table on page	ge 3 of this form)				
Sample Info	rmation									
Sample Loc	ation:		Person	Collecting San	nple:					
	Collected:									
	s for samples requ									
	if the sample cont									
	•				off aita aayyaaa	see note below				
Check here	if a benchmark ex	ceedance is s	solely due to b	ackground or c	on site sources					
Monitoring I	Results									
*Parameter	Required Frequency	Results (units)	Benchmark	Benchmark Exceedance (see pg 4)	Test Method	Laboratory Name				
Oil & Grease	Semi-annual		5.0 mg/L							
Rainfall pH	Semi-annual		n/a							
Sample pH	Semi-annual		5-9 SU							
COD	Semi-annual		75 mg/L							
TSS	Semi-annual		90 mg/L							
TP	Semi-annual		0.40 mg/L							
TKN	Semi-annual		2.30 mg/L							
NO <sub>3</sub> -N	Semi-annual		1.10 mg/L							
Total Copper	Semi-annual		0.059 mg/L							
Total Zinc	Semi-annual		0.160 mg/L							
Total Lead	Semi-annual		0.076 mg/L							
24 Hr. LC <sub>50</sub>	Annual-Year 1&2		n/a							
48 Hr. LC <sub>50</sub>	Annual-Year 1&2		n/a							
* See Addition Exemptions	See Additional Sector D Monitoring Section on page 3 of this form.  Exemptions									
List here any parameter(s) that will not be sampled for the remainder of the permit term: see note below										
						_				

**NOTE:** Complete the "Data Tracking Table" (page 4 on this form) to show the parameter is eligible for the monitoring exemption in Section 5(e)(1)(B)(iii) of the general permit. If you are discontinuing monitoring for impaired water parameters (per Section 5(e)(1)(D)), or parameters that are present due to natural or background levels or off site run-on (per Section 5(e)(1)(B)(V)), attach additional supporting information to this form.

### STORMWATER ACUTE TOXICITY TEST DATA SHEET

(required annually only during Year 1 and Year 2 of the permit)

Site Name:	
Date/Time Begin:	Date/Time End:
Sample Hardness:	Sample Conductivity:
Test Species: Daphnia pulex < 24 hrs old	Dilution Water Hardness:

Effluent Dilution	Numbe	er of Org Surviving	anisms 3	Disso	olved Ox (mg/L)	ygen	Те	mperatu (°C)	ıre		pH (su)	
Hour	00	24	48	00	24	48	00	24	48	00	24	48
CONTROL 1												
CONTROL 2												
CONTROL 3												
CONTROL 4												
6.25% A												
6.25% B												
6.25% C												
6.25% D												
12.5% A												
12.5% B												
12.5% C												
12.5% D												
25% A					-							
25% B												
25% C												
25% D												
50% A												
50% B												
50% C												
50% D												
100% A												
100% B												
100% C												
100% D												

### **REFERENCE TOXICANT RESULTS**

Test Species	Date	Reference Toxicant	Source	LC <sub>50</sub>
Daphnia pulex				

#### Additional Monitoring: Sector D Benchmark Required Laboratory Exceedance Parameter Results (units) Benchmark Test Method Frequency Name (see pg 4) Total Iron Quarterly 1.0 mg/L 0.0014 **Total Mercury** Quarterly mg/L

# Total Aluminum Quarterly O.75 mg/L O.75 mg/L Semi-volatile Hydrocarbons Semi-annual for the entire permit term n/a

## Additional Monitoring for Discharges to Impaired Waters (if applicable):

Parameter	Frequency	Results (units)	Test Method	Laboratory Name	

### **Statement of Certification**

"I have personally examined and am familiar with the information submitted in this document and all attachments thereto, and I certify that based on reasonable investigation, including my inquiry of the individuals responsible for obtaining the information, the submitted information is true, accurate and complete to the best of my knowledge and belief. I understand that a false statement in the submitted information may be punishable as a criminal offense, in accordance with section 22a-6 of the General Statutes, pursuant to section 53a-157b of the General Statutes, and in accordance with any other applicable statute."					
Signature of Permittee	Date				
Name of Permittee (print or type)	Title (if applicable)				
Signature of Preparer (if different than above)	Date				
Name of Preparer (print or type)	Title (if applicable)				

Please send all completed forms to:

WATER TOXICS PROGRAM COORDINATOR BUREAU OF WATER PROTECTION AND LAND REUSE CT DEPARTMENT OF ENERGY & ENVIRONMENTAL PROTECTION 79 ELM STREET HARTFORD, CT 06106-5127

# General Permit for the Discharge of Stormwater Associated with Industrial Activity, effective 10/1/2011 Data Tracking Sheet

Sector D - Auto Salvage Yards

Permittee Name:	Permit #: GSI
Site Name:	
Site Address:	
Sample Location:	

Enter the sample dates and the data reported for the four (4) most recent semi-annual or quarterly monitoring sample results at this discharge location in the chart below. To determine the average for the four samples add up each of the four results and then divide that number by 4. *Only monitoring collected under the current permit (effective 10/1/11,) can be used to earn the monitoring exemption.* 

# Average = (Sample 1+ Sample 2 + Sample 3 + Sample 4)

	Sample Result						
Parameter	1	2	3	4	Average	Benchmark*	Qualify for
Sample Date					Average		exemption?
O&G						5.0 mg/L	
Sample pH						5-9 S.U.	
COD						75 mg/L	
TSS						90 mg/L	
TP						0.40 mg/L	
TKN						2.30 mg/L	
NO <sub>3</sub> -N						1.10 mg/L	
Total Copper						0.059 mg/L	
Total Zinc						0.160 mg/L	
Total Lead						0.076 mg/L	
Total Iron						1.0 mg/L	
Total Mercury						0.0014 mg/L	
Total Aluminum						0.75 mg/L	

<sup>\*</sup>If the average of the four (4) most recent samples is less than the benchmark listed, your facility is no longer required to sample semi-annually or quarterly for that parameter for the rest of the permit (current permit expires 9/30/2016). If your facility qualifies for an exemption from monitoring for sample pH, your facility is also exempt from monitoring rainfall pH for the remainder of the permit.

If the average of the four (4) most resent samples is equal to or greater than the benchmark listed, check the appropriate box on page 1. If so, you have exceeded the benchmark and must continue to sample this parameter semiannually until the average is below the benchmark. See Section 5(e)(1)(B) of the General permit for requirements when exceeding a benchmark.

If the sample result reported by the testing laboratory was below detection limit, for the purpose of averaging, use a value that is ½ the detection limit for that parameter in the formula above. For example, if the result for Oil & Grease was <2.0 mg/L, use a value of 1.0 mg/L for determining the average. Please refer to Section 5 e(1)B(iii) of the General Permit for a more detailed explanation.