



CONNECTICUT

DEPARTMENT OF TRANSPORTATION

SIGN CATALOG



Last Revised 10/12/2021

DISCLAIMER:

The Sign Catalog is to be used for sign number selection and sheeting type. The road type classification(s) listed for each sign is to be used for typical installations and is based on the minimum sign size selection tables contained in the latest revision of the 2009 MUTCD. Engineering judgment shall be used when selecting sizes greater than the typical size of the road type listed.

GENERAL INFORMATION:

Dimensions are in inches only.

Signs are organized by MUTCD number.

For signs not listed or not in conformance with the 2004 Edition of the Standard Highway Signs or the 2012 Supplement, the MUTCD number contains (CT), which signifies that the sign is only considered a standard sign for the State of Connecticut.

The Sign Catalog is broken into sections by the Sign Catalog Series as follows:

30 = Regulatory Signs

40 = Warning Signs

50 = Guide & Informational Signs

70 = Signs Maintained by Others

80 = Construction, Maintenance & Incident Management Signs


90 = Durational Signs - Short Term, One (1) Year or Less

At this time only Sheet Aluminum signs (typically 40-sf or smaller) are contained in the Sign Catalog. For Extruded Aluminum signs (typically large expressway/freeway signs) please contact the Division of Traffic Engineering for sign details.



Typical "O.S.T.A." placement on sign. Letter size and series is 1/2" C centered on the sign and 1/4" above the sign border.

30 SERIES



REGULATORY SIGNS

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
EM-2	30-3402	Area Closed	30	24	1	NR	IX	White	
EM-2 (CT)	31-1911	Area Closed From Sunset to Sunrise	48	24	2	NR	IX	White	
EM-3	30-3403	Traffic Control Point	30	24	1	A	IX	White	
EM-3 (CT)	31-1929	All Vehicles Pedestrians Remain Behind Gate	30	12	1	NR	IX	White	
EM-3 (CT)	31-1925	Police Ticketing Area	30	30	1	A	IX	White	
EM-5	30-3405	Road Use Permit Required For Thru Traffic	24	30	1	A	IX	White	
EM-6c	30-3407	Registration Center	30	24	1	NR	IX	White	
EM-6d	30-3406	Decontamination Center	30	24	1	NR	IX	White	
I-9 (CT)	31-1773	Dim Lights While Waiting for and While on Ferry	48	24	2	SL,ML, NR	IX	White	
M4-1a	31-6114	ALT	24	12	1	SL,ML	IX	White	
R-(CT)	31-1922	State Law - Smoking Prohibited	18	12	1	NR	IX	White	
R-(CT)	31-1935	Do Not Litter	24	18	1	SL,ML	IX	White	
R-(CT)	31-6920	Please Place Litter in Trash Cans	30	18	1	NR	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit Page 1 of 125

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**


Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R-(CT)	31-6921	No Household Trash Permitted	30	24	1	NR	IX	White	
R-(CT)	31-5478	Wetland Creation Site - Please Do Not Disturb Project #000-000	30	30	1	A	IX	White	
R-(CT)	31-6004	No Sale or Distribution of Goods or Services	36	36	2	NR	IX	White	
R-(CT)	31-1932	Out-Of-State Firewood Regulated Permit Required	42	36	2	SL,ML	IX	White	
R-(CT)	31-1923	Air Intake w/Arrow - Idling of Vehicles in This Area Prohibited	48	30	2	NR	IX	White	
R-(CT)	31-1933	Out-Of-State Firewood Regulated Permit Required	78	72	2	E,F	IX	White	
R-(CT)	31-2001	By Order of U.S. Coast Guard Bridge Shall Open on Signal	144	60	4	NR	IX	White	
R1-(CT)	31-5004	Red Retroreflective Strip (for use on all stop signs and limited yield signs)	4	72	1	A	XI	Red	
R1-(CT)	31-5005	Red Retroreflective Strip (for use at specific stop and yield locations only)	4	96	1	O	XI	Red	
R1-1	31-0532	Stop	18	18	1	P	XI	Red	
R1-1	31-0552	Stop	30	30	1	SL	XI	Red	
R1-1	31-0553	Stop	36	36	1	ML,E	XI	Red	
R1-1	31-0557	Stop	48	48	2	O	XI	Red	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R1-2	31-0520	Yield	18	18	1	P	XI	White	
R1-2	31-0523	Yield	36	36	1	SL	XI	White	
R1-2	31-0522	Yield	48	48	2	ML,E	XI	White	
R1-2	31-0528	Yield	60	60	2	F	XI	White	
R1-2aP	31-0582	To Oncoming Traffic (For Use with Yield Signs)	24	18	1	SL,ML	IX	White	
R1-2aP (CT)	31-0597	For Ramp Traffic (For Use with Stop Signs)	24	18	1	SL,ML	IX	White	
R1-2aP (CT)	31-1516	To Traffic in Roundabout (For Use with Yield Signs)	42	18	2	SL,ML	IX	White	
R1-3P	31-0508	All Way	18	6	1	SL,ML	XI	Red	
R1-3P	31-0509	All Way	30	12	1	O	XI	Red	
R1-5	31-0510	Yield Here to Pedestrians	18	18	1	SL	IX	White	
R1-5	31-0511	Yield Here to Pedestrians	18	18	1	SL	IX	White	
R1-5	31-0512	Yield Here to Pedestrians	36	36	2	ML	IX	White	
R1-5	31-0513	Yield Here to Pedestrians	36	36	2	ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**













Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R1-6	31-1713	State Law Yield to Pedestrians Within Crosswalk	12	36	1	SL,ML	IX	White	
R2-(CT)	31-1924	State Law - Buckle Up For Safety	84	48	2	F	IX	White	
R2-(CT)	31-1926	State Law - Use Turn Signals When Changing Lanes	96	60	3	F	IX	White	
R2-1	31-5505	Speed Limit 00	24	30	1	SL	IX	White	
R2-1	31-5504	Speed Limit 00	30	36	1	ML	IX	White	
R2-1	31-5506	Speed Limit 00	36	48	2	E	IX	White	
R2-1	31-5507	Speed Limit 00	48	60	2	F	IX	White	
R2-1 (CT)	31-1018	Speed Limit 00 When Weighing	36	60	2	NR	IX	White	
R2-1 (CT)	31-5521	Speed Limit 00 When Flashing	36	60	2	E	IX	White	
R2-1 (CT)	31-5533	Speed Check By Aircraft	60	60	2	F	IX	White	
R2-4a	31-5510	Speed Limit 00 - Minimum 00	48	96	2	F	IX	White	
R2-6aP	31-2102	Fines Double (plaque)	36	24	2	E	IX	White	
R2-6aP (CT)	31-1906	Road Work Ahead Fines Doubled	48	42	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R2-6aP (CT)	31-1907	Road Work Ahead Fines Doubled	60	54	2	E,F	IX	White	
R2-6bP (CT)	31-1934	\$000 Fine for Littering	48	36	2	A	IX	White	
R3-(CT)	31-1511	Enter Here w/Arrow	24	30	1	SL,ML	IX	White	
R3-(CT)	31-0103	Trucks Buses Use Left Lane	30	48	1	ML	IX	White	
R3-(CT)	31-1716	End Left Lane Prohibition	48	36	2	ML,E	IX	White	
R3-(CT)	31-1710	Trucks Buses Trailers Left Lane Prohibited	48	60	2	F	IX	White	
R3-(CT)	31-1765	Trucks Buses Trailers Use Right Lane Only	60	60	2	F	IX	White	
R3-(CT)	31-1608	Up Arrow Cars Only - All Other Traffic Right Arrow	60	66	2	LOC	IX	White	
R3-(CT)	31-1609	Cars Only Right Arrow - All Other Traffic Left Arrow	60	66	2	LOC	IX	White	
R3-(CT)	31-1768	Trucks Buses Trailers End Right Lane Restriction	60	66	2	F	IX	White	
R3-(CT)	31-1766	Trucks Buses Trailers Begin Use Right Lane Only	60	72	2	F	IX	White	
R3-(CT)	31-1767	Trucks Buses Trailers Use Right Lane Only 1 Mile Ahead	60	78	2	F	IX	White	
R3-(CT)	31-1717	End Left Lane Prohibition	72	48	2	F	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-(CT)	31-0119	Mon-Fri, 6:30-9:30 AM, Center Lane Must Turn Left	72	72	2	ML	IX	White	
R3-(CT)	31-1607	Left Arrow Cars Only - All Other Traffic Up Arrow	78	54	2	LOC	IX	White	
R3-(CT)	31-1723	Left Exit - Permitted for Commercial Vehicles - Buses	120	54	3	F	IX	White	
R3-1	31-1604	No Right Turn (Symbol) (for existing spans)	24	24	1	SP SL	XI IX	White	
R3-1	31-1627	No Right Turn (Symbol) (for new spans)	36	36	2	SP ML,E	XI IX	White	
R3-1 (CT)	31-1615	Trucks Buses No Right Turn (Symbol)	24	36	1	SL	IX	White	
R3-1 (CT)	31-1616	Trucks Buses No Right Turn (Symbol)	36	54	2	ML,E	IX	White	
R3-2	31-1603	No Left Turn (Symbol) (for existing spans)	24	24	1	SP SL	XI IX	White	
R3-2	31-1629	No Left Turn (Symbol) (for new spans)	36	36	2	SP ML,E	XI IX	White	
R3-2	31-1623	No Left Turn (Symbol)	48	48	2	O	IX	White	
R3-2 (CT)	31-1613	Trucks Buses No Left Turn (Symbol)	24	36	1	SL	IX	White	
R3-2 (CT)	31-1636	Trucks Buses No Left Turn (Symbol)	36	54	2	ML,E	IX	White	
R3-3	31-1648	No Turns (for existing spans)	24	24	1	SP SL	SP IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-3	31-1647	No Turns (for new spans)	36	36	2	SP ML,E	XI IX	White	
R3-4	31-1622	No U Turn (Symbol) (for existing spans)	24	24	1	SP SL	XI IX	White	
R3-4	31-1632	No U Turn (Symbol) (for new spans)	36	36	2	SP ML,E	XI IX	White	
R3-4 (CT)	31-1641	Trucks Buses No U Turn (Symbol)	24	36	1	SL	IX	White	
R3-4 (CT)	31-1621	Trucks Buses No U Turn (Symbol)	36	54	2	ML,E	IX	White	
R3-5	31-0135	Left Arrow Only (for existing spans only)	24	24	1	SP	XI	White	
R3-5	31-0138	Right Arrow Only (for existing spans only)	24	24	1	SP	XI	White	
R3-5	31-0183	Left Arrow Only (for new spans)	30	36	1	SP SL,ML	XI IX	White	
R3-5	31-0184	Right Arrow Only (for new spans)	30	36	1	SP SL,ML	XI IX	White	
R3-5a	31-0139	Vertical Arrow Only (for existing spans only)	24	24	1	SP	XI	White	
R3-5a	31-0187	Vertical Arrow Only (for new spans)	30	36	1	SP SL,ML	XI IX	White	
R3-5hP (CT)	31-0367	Thru Traffic Both Lanes (plaque)	36	18	1	SL,ML	IX	White	
R3-5hP (CT)	31-1515	Thru Traffic Keep Right (plaque)	36	18	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-6	31-0125	Left & Right Arrow (for existing spans only)	24	18	1	SP	XI	White	
R3-6	31-0148	Vertical & Right Arrow (for existing spans only)	24	24	1	SP	XI	White	
R3-6	31-0161	Left & Vertical Arrow (for existing spans only)	24	24	1	SP	XI	White	
R3-6	31-0175	Left & Right Arrow (for new spans)	30	24	1	SP SL,ML	XI IX	White	
R3-6	31-0157	Left & Vertical Arrow (for new spans)	30	36	1	SP SL,ML	XI IX	White	
R3-6	31-0158	Vertical & Right Arrow (for new spans)	30	36	1	SP SL,ML	XI IX	White	
R3-7	31-0117	Left Lane Must Turn Left (for existing spans)	30	30	1	SP SL	XI IX	White	
R3-7	31-0118	Right Lane Must Turn Right (for existing spans)	30	30	1	SP SL	XI IX	White	
R3-7	31-0120	Left Lane Must Turn Left (for new spans)	36	36	2	SP ML	XI IX	White	
R3-7	31-0123	Right Lane Must Turn Right (for new spans)	36	36	2	SP ML	XI IX	White	
R3-7 (CT)	31-1512	All Turns Next Right	78	36	2	E	IX	White	
R3-7bP	31-0505	Except Bicycles (Plaque) (To be used with R10-6)	24	12	1	SL,ML	IX	White	
R3-7bP (CT)	31-1605	0:00-0:00 AM - 0:00-0:00 PM (Plaque)	36	15	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8	31-0222	Left Arrow Only - Vert Arrow	30	30	1	SL,ML	IX	White	
R3-8	31-0223	Vert Arrow - Right Arrow Only	30	30	1	SL,ML	IX	White	
R3-8	31-0244	Vert Arrow, Only - Vert Arrow Only	30	30	1	SL,ML	IX	White	
R3-8	31-0261	Vert & Right Arrow - Right Arrow Only	30	30	1	SL,ML	IX	White	
R3-8	31-0262	Left Arrow Only - Left & Vert Arrow	30	30	1	SL,ML	IX	White	
R3-8	31-0212	Left Arrow Only - Double Curve Right Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0215	Left @ 45 Arrow Only - Double Curve Right Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0217	Left Arrow Only - Vert @ 45 Left & Left Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0219	Vert Arrow - Vert & Right Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0246	Left Arrow Only - Left Arrow Only	36	30	2	SL,ML	IX	White	
R3-8	31-0247	Right Arrow Only - Right Arrow Only	36	30	2	SL,ML	IX	White	
R3-8	31-0270	Double Curve Left Arrow - Vert & Right Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0272	Vert @ 45 Left & Vert Arrow - Vert Arrow	36	30	2	SL,ML	IX	White	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8	31-0277	Left & Vert @ 45 Left Arrow - Vert Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0278	Left & Vert Arrow - Vert & Right Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0282	Left Arrow Only - Vert & Right Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0283	Left & Vert Arrow - Right Arrow Only	36	30	2	SL,ML	IX	White	
R3-8	31-0284	Left Arrow Only - Right Obl Arrow Only	36	30	2	SL,ML	IX	White	
R3-8	31-0287	Left Obl Arrow Only - Right Arrow Only	36	30	2	SL,ML	IX	White	
R3-8	31-0290	Left Arrow Only - Right Arrow Only	36	30	2	SL,ML	IX	White	
R3-8	31-0292	Vert Arrow - Right Obl & Right Arrow	36	30	2	SL,ML	IX	White	
R3-8	31-0295	Left & Vert Arrow - Vert Arrow Only	36	30	2	SL,ML	IX	White	
R3-8	31-0296	Left & Right Obl Arrow - Right Arrow Only	36	30	2	SL,ML	IX	White	
R3-8	31-0210	Vert Arrow & Right Lane Only (2 Right Arrows)	36	36	2	SL,ML	IX	White	
R3-8	31-0213	Left Lane Only (2 Left Arrows) - Vert Arrow	36	36	2	SL,ML	IX	White	
R3-8	31-0280	Left & Extended Left Arrow Only - Vert & Right Arrow	36	36	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8	31-0285	Vert & Left Only - Right & Extended Right Only	36	36	2	SL,ML	IX	White	
R3-8	31-0207	Vert Arrow @ 45 Left Only - Vert & Right U Arrow	42	30	2	SL,ML	IX	White	
R3-8	31-0208	Left U & Vert Arrow - Vert Arrow @ 45 Right Only	42	30	2	SL,ML	IX	White	
R3-8	31-0211	Left U & Left Arrow - Left Arrow Only	42	30	2	SL,ML	IX	White	
R3-8	31-0214	Left @ 45 Arrow - Right Arrow Only	42	30	2	SL,ML	IX	White	
R3-8	31-0229	Left Arrow Only - Vert @ 45 Right & Right Arrow	42	30	2	SL,ML	IX	White	
R3-8	31-0236	Vert Arrow @ 45 Left Only - Vert @ 45 Right & Right Arrow	42	30	2	SL,ML	IX	White	
R3-8	31-0255	Vert @ 45 Right Arrow - Vert @ 45 Right Arrow	42	30	2	SL,ML	IX	White	
R3-8	31-0256	Vert Arrow @ 45 Left - Vert Arrow @ 45 Right	42	30	2	SL,ML	IX	White	
R3-8	31-0268	Left Arrow Only - Left & Right Arrow	42	30	2	SL,ML	IX	White	
R3-8	31-0269	Left & Right Arrow - Right Arrow Only	42	30	2	SL,ML	IX	White	
R3-8	31-0271	Left & Vert Arrow - Vert @ 45 Right & Right Arrow	42	30	2	SL,ML	IX	White	
R3-8	31-0275	Left & Vert @ 45 Left Arrow - Vert & Right Arrow	42	30	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8	31-0276	Left Vert & Right Arrow - Right Arrow Only	42	30	2	SL,ML	IX	White	
R3-8	31-0279	Left Arrow Only - Left Vert & Right Arrow	42	30	2	SL,ML	IX	White	
R3-8	31-0281	Left & Vert @ 45 Left Arrow - Right Arrow Only	42	30	2	SL,ML	IX	White	
R3-8	31-0273	Roundabout Turn Left Only - Straight & Right	42	36	2	SL,ML	IX	White	
R3-8	31-0274	Roundabout Straight & Left - Turn Right Only	42	36	2	SL,ML	IX	White	
R3-8	31-0286	Left & Skew Left Arrow - Right Arrow Only	42	36	2	SL,ML	IX	White	
R3-8	31-0206	Left & Vert @ 45 Left Arrow - Vert @ 45 Right & Right Arrow	48	30	2	SL,ML	IX	White	
R3-8	31-0216	Left Arrow Only - Left & Vert @ 45 Left & Right Arrow	48	30	2	SL,ML	IX	White	
R3-8a	31-0306	Left Arrow - Left & Right Arrow - Right Arrow	48	30	2	SL,ML	IX	White	
R3-8a	31-0312	Left Arrow - Left Vert & Right Arrow - Right Arrow	48	30	2	SL,ML	IX	White	
R3-8a	31-0317	Left Arrow Only - Left & Vert Arrow - Vert Arrow	48	30	2	SL,ML	IX	White	
R3-8a	31-0331	Left Arrow Only - Left & Vert Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	
R3-8a	31-0338	Left & Vert Arrow - Vert Right Obl & Right Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit Page 12 of 125

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8a	31-0345	Left Arrow Only - Vert & Right Obl Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	
R3-8a	31-0356	Left & Vert Arrow - Vert & Right Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	
R3-8a	31-0357	Vert Arrow - Vert & Right Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	
R3-8a	31-0381	Left Arrow Only - Left Obl Left & Vert Arrow - Vert Arrow	48	30	2	SL,ML	IX	White	
R3-8a	31-0383	Left Arrow Only - Left & Vert Arrow - Vert & Right Arrow	48	30	2	SL,ML	IX	White	
R3-8a	31-0349	Left Arrow - Left & Vert Arrow - Right & Obl Right Arrow	54	30	2	SL,ML	IX	White	
R3-8b	31-0334	Left Arrow - Left Arrow - Right Arrow Only	42	30	2	SL,ML	IX	White	
R3-8b	31-0369	Vert Arrow - Right Obl Arrow - Right Arrow	42	30	2	SL,ML	IX	White	
R3-8b	31-0370	Left Arrow Only - Vert Arrow - Vert Arrow	42	30	2	SL,ML	IX	White	
R3-8b	31-0371	Vert Arrow - Vert Arrow - Right Arrow Only	42	30	2	SL,ML	IX	White	
R3-8b	31-0384	Vert Arrow - Vert Arrow - Vert & Right Arrow	42	30	2	SL,ML	IX	White	
R3-8b	31-0386	Left & Vert Arrow - Vert Arrow - Vert Arrow	42	30	2	SL,ML	IX	White	
R3-8b	31-0302	Left Arrow Only - Vert Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8b	31-0305	Two Left Arrows Only - Right Obl & Right Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0307	Left Arrow Only - Vert Arrow - Vert & Right Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0309	Two Left Arrows Only - Vert Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0311	Left Arrow Only - Vert Arrow - Right Obl & Right Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0314	Left Arrow Only - Right Obl Arrow - Right Obl & Right Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0332	Left & Extended Left Arrow - Vert Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	
R3-8b	31-0333	Left Arrow Only - Vert Arrow - Right & Extended Right Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0339	Left & Extended Left Arrow - Vert Arrow - Vert Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0343	Left & Left Obl Arrow - Vert Arrow - Vert & Right Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0347	Vert Arrow - Vert Arrow - Right & Extended Right Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0368	Left Arrow - Right Arrow - Right Arrow	48	30	2	SL,ML	IX	White	
R3-8b	31-0372	Left & Vert Arrow - Vert Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	
R3-8b	31-0382	Left Arrow Only - Left Obl Arrow - Right Arrow Only	48	30	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8b	31-0308	Two Left Arrows Only - Vert & Right Arrow	54	30	2	SL,ML	IX	White	
R3-8b	31-0336	Left & Vert @ 45 Left Arrow - Vert Arrow - Vert & Right Arrow	54	30	2	SL,ML	IX	White	
R3-8b	31-0344	Left Obl & Vert Arrow - Vert Arrow - Right Obl & Right Arrow	54	30	2	SL,ML	IX	White	
R3-8b	31-0346	Left Obl Arrow - Vert Arrow - Right Obl & Right Arrow	54	30	2	SL,ML	IX	White	
R3-8b	31-0353	Left Obl & Vert Arrow - Two Right Arrow Only	54	30	2	SL,ML	IX	White	
R3-8a	31-0403	Two Left Arrows Only - Vert & Right Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8a	31-0404	Left Arrow Only - Left & Vert Arrow - Vert & Right Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8a	31-0410	Left Arrow Only - Left & Vert Arrow - Two Right Arrows Only	60	30	2	SL,ML	IX	White	
R3-8a	31-0418	Left & Left Obl Arrow - Left Obl & Vert Arrow - Vert Arrow - Vert & Right Arrow	60	30	2	SL,ML	IX	White	
R3-8a	31-0442	Left Arrow Only - Vert Arrow - Vert & Right Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8a	31-0450	Left Arrow Only - Left & Vert Arrow - Vert Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8a	31-0470	Left & Vert Arrow - Vert Arrow - Vert & Right Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8a	31-0471	Left Arrow Only - Left & Vert Arrow - Vert & Right Arrow	60	30	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8b	31-0479	Left Arrow Only - Vert Arrow - Vert Arrow - Vert Arrow	54	30	2	SL,ML	IX	White	
R3-8b	31-0481	Vert Arrow - Vert Arrow - Vert Arrow - Vert & Right Arrow	54	30	2	SL,ML	IX	White	
R3-8b	31-0405	Two Left Arrows Only - Vert Arrow - Vert Arrow	60	30	2	SL,ML	IX	White	
R3-8b	31-0407	Vert Arrow - Vert Arrow - Two Right Arrows Only	60	30	2	SL,ML	IX	White	
R3-8b	31-0411	Left Arrow Only - Vert Arrow - Two Right Arrows Only	60	30	2	SL,ML	IX	White	
R3-8b	31-0412	Two Left Arrows Only - Vert Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8b	31-0417	Left Arrow Only - Left & Angled Left Arrow - Two Right Arrows Only	60	30	2	SL,ML	IX	White	
R3-8b	31-0419	Two Left Arrows Only - Two Right Arrows Only	60	30	2	SL,ML	IX	White	
R3-8b	31-0445	Left Arrow Only - Vert Arrow - Vert Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8b	31-0447	Left Arrow Only - Right Obl Arrow - Right Obl Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8b	31-0451	Left Arrow Only-Vert Arrow-Vert Arrow-Extended Right & Right Arrow	60	30	2	SL,ML	IX	White	
R3-8b	31-0452	Left & Extended Left Arrow - Vert Arrow - Vert Arrow - Right Arrow Only	60	30	2	SL,ML	IX	White	
R3-8b	31-0467	Two Left Arrows Only - Vert Arrow - Vert & Right Arrow	60	30	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**





Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-8b	31-0480	Left Arrow Only - Vert Arrow - Vert Arrow - Vert & Right Arrow	60	30	2	SL,ML	IX	White	
R3-8a	31-0459	Left Arrow Only-Left & Vert Arrow-Vert Arrow-Vert Arrow-Vert & Right Arrow	72	30	2	SL,ML	IX	White	
R3-8b	31-0406	Right Arrow Only - Vert Arrow - Vert Arrow - Two Right Arrows Only	72	30	2	SL,ML	IX	White	
R3-8b	31-0456	Left Arrow Only - Vert Arrow - Vert Arrow - Vert Arrow - Vert & Right Arrow	72	30	2	SL,ML	IX	White	
R3-8b	31-0458	Two Left Arrows Only - Vert Arrow - Vert Arrow - Right Arrow Only	72	30	2	SL,ML	IX	White	
R3-8b	31-0476	Left Arrow Only - Vert Arrow - Vert Arrow - Right Arrow Only	72	30	2	SL,ML	IX	White	
R3-8b	31-0487	Two Left Arrows Only - Vert Arrow - Vert Arrow - Vert & Right Arrow	72	30	2	SL,ML	IX	White	
R3-8a	31-0501	Left Arrow Only-Left & Vert Arrow-Vert Arrow-Vert Arrow-Right Arrow Only	78	30	2	SL,ML	IX	White	
R3-9b	31-0116	Center Lane With Double Left Turn Arrows Only (TWLTL)	24	36	1	SL,ML	IX	White	
R3-10	31-0903	(HOV Symbol) - HOV 2+ Only 2 or More Persons Per Vehicle	78	96	2	F	IX	White	
R3-10 (CT)	31-0905	(HOV Symbol) - HOV 2+ Only 2 or More Persons Per Vehicle	60	36	2	SL,ML	IX	White	
R3-11 (CT)	31-1612	Except Buses	24	18	1	SL,ML	IX	White	
R3-11 (CT)	31-1611	Buses Only	24	24	1	SP	XI	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**













Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-11 (CT)	31-1950	Buses Only w/Arrow	24	30	1	SL,ML	IX	White	
R3-11 (CT)	31-1956	Buses Only w/Down Arrow	36	36	2	LOC	XI	White	
R3-11 (CT)	31-1635	Buses Only	48	48	2	F	IX	White	
R3-11P	31-0904	Motorcycles Allowed (use with 31-0901)	78	36	2	F	IX	White	
R3-12a	31-0902	HOV Lane Ends	48	84	2	F	IX	White	
R3-12a (CT)	31-0901	HOV Lane Begins	48	84	2	F	IX	White	
R3-14b (CT)	31-0907	Access to Restricted Lane Prohibited	96	48	3	F	IX	White	
R3-14b (CT)	31-0906	Restricted Lane Crossing Divider Prohibited	96	60	3	F	IX	White	
R3-17	31-0564	Bike Symbol - Bike Lane	30	24	1	SL,ML	IX	White	
R3-17aP	31-6110	Ahead (plaque) (used for Bike Lanes)	30	12	1	SL,ML	IX	White	
R3-17bP	31-6111	Ends (plaque) (used for Bike Lanes)	30	12	1	SL,ML	IX	White	
R3-18	31-1633	Combination U-Turn & Left Turn Prohibition (for existing spans)	24	24	1	SP SL	XI IX	White	
R3-18	31-1634	Combination U-Turn & Left Turn Prohibition (for new spans)	36	36	2	SP ML,E	XI IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R3-33	31-0101	Right Lane Must Exit	78	36	2	E,F	IX	White	
R3-33	31-0102	Left Lane Must Exit	78	36	2	E,F	IX	White	
R3-33	31-0104	Right Lane Must Exit	42	66	2	E,F	IX	White	
R3-33	31-0128	Left Lane Must Exit	42	66	2	E,F	IX	White	
R4-1	31-1502	Do Not Pass	24	30	1	SL,ML	IX	White	
R4-3	31-1562	Slower Traffic Keep Right	24	30	1	SL,ML	IX	White	
R4-3	31-1564	Slower Traffic Keep Right	48	60	2	F	IX	White	
R4-4	31-0504	Begin Right Turn Lane - Yield to Bikes	36	30	2	SL,ML	IX	White	
R4-5	31-1505	Trucks Use Right Lane	24	30	1	SL,ML	IX	White	
R4-7	31-1526	Keep Right (Symbol)	24	30	1	SL,ML	IX	White	
R4-7	31-1536	Keep Right (Symbol)	36	48	2	E	IX	White	
R4-7	31-1546	Keep Right (Symbol)	48	60	2	F	IX	White	
R4-7 (CT)	31-1513	All Traffic w/Arrow	48	30	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R4-7c	31-1506	Narrow Keep Right (Symbol)	18	30	1	SL,ML	IX	White	
R4-9	31-1517	Stay In Lane	24	30	1	SL,ML	IX	White	
R4-9	31-1518	Stay In Lane	36	48	2	E	IX	White	
R4-9	31-1519	Stay In Lane	48	60	2	F	IX	White	
R4-9 (CT)	31-1507	Stay In Lane Do Not Stop In Tunnel	96	48	3	LOC	IX	White	
R4-10	31-1548	Runaway Vehicles Only	48	48	2	SL,ML	IX	White	
R4-14 (CT)	31-1503	Slow Vehicles Only w/Arrow	72	66	2	F	IX	White	
R4-17	31-1524	Do Not Drive On Shoulder	36	48	2	E	IX	White	
R4-17 (CT)	31-1525	Do Not Drive In Breakdown Lane	60	66	2	F	IX	White	
R5-(CT)	31-1913	Driver Use of Handheld Telephones Prohibited	42	36	2	E	IX	White	
R5-(CT)	31-1740	No Crossing To Exit 00	54	54	2	F	IX	White	
R5-(CT)	31-1748	No Crossing To Exit 00 or Exit 00	60	60	2	F	IX	White	
R5-(CT)	31-1914	Driver Use of Handheld Telephones Prohibited	78	66	2	F	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R5-1	31-1119	Do Not Enter	30	30	1	SL	XI	Red	
R5-1	31-1120	Do Not Enter	36	36	2	ML,E	XI	Red	
R5-1	31-1121	Do Not Enter	48	48	2	F	XI	Red	
R5-1 (CT)	31-5003	Red Retroreflective Strip (for use on DNE and WW signs)	4	48	1	A	XI	Red	
R5-1a	31-1122	Wrong Way	36	24	2	SL	XI	Red	
R5-1a	31-1123	Wrong Way	42	30	2	ML,E,F	XI	Red	
R5-1b	31-1798	(Bicycle Symbol) Wrong Way	12	18	1	P,SL,ML	XI	Red	
R5-2	31-1701	No Trucks Symbol	24	24	1	SL,ML	IX	White	
R5-2	31-1732	No Trucks Symbol	30	30	1	E	IX	White	
R5-2	31-1731	No Trucks Symbol	36	36	2	F	IX	White	
R5-2a	31-1712	No Trucks	24	24	1	SL,ML	IX	White	
R5-2a (CT)	31-1749	No Thru Trucks	24	30	1	SL,ML	IX	White	
R5-2a (CT)	31-1756	Thru Trucks (Right/Left) Turn Prohibited	36	24	2	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R5-2a (CT)	31-1751	Thru Trucks Prohibited	42	18	2	SL,ML	IX	White	
R5-2a (CT)	31-1752	Thru Trucks Prohibited Ahead	42	24	2	SL,ML	IX	White	
R5-2a (CT)	31-1759	Thru Trucks Left Turn Prohibited	48	30	2	SL,ML	IX	White	
R5-3	31-1727	No Motor Vehicles	24	24	1	SL,ML	IX	White	
R5-4	31-1726	No Commercial Vehicles	36	48	2	E,F	IX	White	
R5-6 (CT)	31-0678	Trail Use Limited to Pedestrians Only - Bicycles Prohibited	24	18	1	P	IX	White	
R5-10a (CT)	31-1775	No Pedestrians Bicycles Motor Bikes Motor Scooters	36	36	2	SL,ML	IX	White	
R5-10a (CT)	31-1719	Parkway On-Ramp Prohibition Sign	60	78	2	SL,ML	IX	White	
R5-10a (CT)	31-1720	Prohibited From Route 15 Sign	60	90	2	SL,ML	IX	White	
R5-10c	31-1774	No Pedestrians	24	12	1	SL,ML	IX	White	
R5-11	31-1790	Authorized Vehicles Only	30	24	1	SL,ML	IX	White	
R5-11	31-1792	Authorized Vehicles Only	48	36	2	E,F	IX	White	
R5-11 (CT)	31-1917	State Law - Reduce Speed Move Over For Stopped Emergency or Maint. Veh.	60	84	2	F	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R5-11 (CT)	31-0855	Authorized Vehicles Only Beyond This Point Violators Will Be Towed	96	48	3	NR	IX	White	
R6-1	31-1177	One Way (Right Arrow)	36	12	1	SL	XI	White	
R6-1	31-1178	One Way (Right Arrow)	54	18	2	ML,E,F	XI	White	
R6-1	31-1188	One Way (Left Arrow)	36	12	1	SL	XI	White	
R6-1	31-1189	One Way (Left Arrow)	54	18	2	ML,E,F	XI	White	
R6-2	31-1172	One Way with Variable Arrow	24	30	1	SL	IX	White	
R6-2	31-1171	One Way with Variable Arrow	30	36	1	ML	IX	White	
R6-3	31-1134	Divided Highway Crossing (4-Way Intersection)	30	24	1	SL,ML	IX	White	
R6-3	31-1136	Divided Highway Crossing (4-Way Intersection)	36	30	2	E	IX	White	
R6-3a	31-1135	Divided Highway Crossing (T Intersection)	30	24	1	SL,ML	IX	White	
R6-3a	31-1137	Divided Highway Crossing (T Intersection)	36	30	2	E	IX	White	
R6-4	31-1138	Roundabout Directional (2 Chevrons)	30	24	1	SL,ML	IX	White	
R6-4 (CT)	31-2215	White Retroreflective Strip (for use on roundabout directional signs only)	4	36	1	A	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**






Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R6-4a	31-1139	Roundabout Directional (3 Chevrons)	48	24	2	SL,ML	IX	White	
R6-4b	31-1140	Roundabout Directional (4 Chevrons)	60	24	2	SL,ML	IX	White	
R6-5P	31-1141	Roundabout Circulation Plaque	30	30	1	SL,ML	IX	White	
R7-(CT)	31-5470	Reserved Governors Office	12	18	1	NR	IX	White	
R7-(CT)	31-5472	Reserved Dir. Workmans Comp	12	18	1	NR	IX	White	
R7-(CT)	31-5473	Reserved Dir. Human Resources	12	18	1	NR	IX	White	
R7-(CT)	31-0662	Handicap Symbol - Reserved Parking Permit Required w/Arrow	12	24	1	SL,ML	IX	White	
R7-(CT)	31-0659	Handicap Symbol - Handicapped Drop Off Zone No Parking	18	24	1	SL,ML	IX	White	
R7-(CT)	31-6037	Park at Your Own Risk - Not Responsible for Property Lost or Stolen	36	18	1	NR	IX	White	
R7-1	31-0613	No Parking Here to Corner w/Arrow	12	18	1	SL,ML	IX	White	
R7-1	31-0625	No Parking Between Signs w/Arrow	12	18	1	SL,ML	IX	White	
R7-1	31-0630	No Parking Any Time w/Arrow	12	18	1	SL,ML	IX	White	
R7-1 (CT)	31-0626	No Parking (Time) to (Time) (Day - Variable) w/Arrow	12	21	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R7-1 (CT)	31-0627	No Parking (Time) to (Time) and All Day (Variable) - (Variable) w/Arrow	12	24	1	SL,ML	IX	White	
R7-1 (CT)	31-0688	No Parking (Time) to (Time) Saturdays - (Time) to (Time) Sundays w/Arrow	12	26	1	SL,ML	IX	White	
R7-1 (CT)	31-6003	No Parking Tractor Trailer Semitrailer w/Arrow	36	36	2	NR	IX	White	
R7-2	31-0693	No Parking Symbol w/Variable Times	12	18	1	SL,ML	IX	White	
R7-2a	31-0603	No Parking (Time) to (Time) w/Arrow	12	18	1	SL,ML	IX	White	
R7-2a (CT)	31-0604	No Parking (Time) to (Time) - (Time) to (Time) w/Arrow	12	24	1	SL,ML	IX	White	
R7-3	31-0620	No Parking Except (Variable) and (Variable) w/Arrow	12	18	1	SL,ML	IX	White	
R7-3 (CT)	31-0621	No Parking All Day (Variable) - (Variable) Holidays w/Arrow	12	21	1	SL,ML	IX	White	
R7-3 (CT)	31-0658	No Parking June 00 to Sept 00	12	21	1	SL,ML	IX	White	
R7-4	31-1916	No Standing Any Time w/Arrow	12	18	1	SL,ML	IX	White	
R7-4 (CT)	31-0623	No Stopping w/Arrow	12	18	1	SL,ML	IX	White	
R7-4 (CT)	31-0653	No Stopping or Discharging Passengers w/Arrow	12	18	1	SL,ML	IX	White	
R7-5	31-0645	(Variable) Hour Parking w/Arrow	12	18	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R7-5 (CT)	31-0631	Parallel Parking w/Arrow	12	18	1	SL,ML	IX	White	
R7-5 (CT)	31-0636	Diagonal Parking w/Arrow	12	18	1	SL,ML	IX	White	
R7-5 (CT)	31-0642	(Variable) Min Parking w/Arrow	12	18	1	SL,ML	IX	White	
R7-5 (CT)	31-0656	School Buses and Staff Only w/Arrow	12	18	1	SL,ML	IX	White	
R7-5 (CT)	31-0665	Pickup and Drop-Off Zone w/Arrow	12	18	1	SL,ML	IX	White	
R7-5 (CT)	31-0675	Bus Parking w/Arrow	12	18	1	SL,ML	IX	White	
R7-5 (CT)	31-0679	Visitors Parking Annex w/Arrow	12	18	1	NR	IX	White	
R7-5 (CT)	31-0697	Parking State and Municipal Vehicles Only w/Arrow	12	21	1	SL,ML	IX	White	
R7-6 (CT)	31-0607	No Parking Loading Zone w/Arrow	12	18	1	SL,ML	IX	White	
R7-8P	31-0648	Van Accessible (plaque)	18	9	1	SL,ML	IX	White	
R7-8P (CT)	31-0646	Except (Day - Variable) (Plaque)	12	6	1	SL,ML	IX	White	
R7-8P (CT)	31-0649	Except (Variable) - (Variable) Holidays (Plaque)	12	9	1	SL,ML	IX	White	
R7-8P (CT)	31-0651	Sat-Sun (Time) to (Time) (Plaque)	12	9	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R7-8P (CT)	31-0692	(Variable) Min Vehicle Charging (Plaque)	12	9	1	NR	IX	White	
R7-8P (CT)	31-0694	Except For Electric Vehicle Charging (plaque)	12	12	1	NR	IX	White	
R7-8P (CT)	31-0673	Back in Parking Only (Plaque)	18	18	1	SL,ML	IX	White	
R7-8P (CT)	31-0674	Permit Parking Only (Plaque)	18	18	1	NR	IX	White	
R7-23 (CT)	31-0699	Correctional Center Reserved Parking	30	24	1	NR	IX	White	
R7-107	31-0614	No Parking Bus Stop w/Arrow	12	18	1	SL,ML	IX	White	
R7-107 (CT)	31-0609	No Student Parking	12	18	1	NR	IX	White	
R7-107 (CT)	31-0610	No Parking Police Only w/Arrow	12	18	1	SL,ML	IX	White	
R7-107 (CT)	31-0611	No Parking State Vehicles Only	12	18	1	NR	IX	White	
R7-107 (CT)	31-0612	No Parking Taxi Stand w/Arrow	12	18	1	SL,ML	IX	White	
R7-107 (CT)	31-0624	No Parking School Bus Stop w/Arrow	12	18	1	SL,ML	IX	White	
R7-107 (CT)	31-0639	No Parking Reserved Space	12	18	1	NR	IX	White	
R7-107 (CT)	31-0650	No Parking Fire Lane w/Arrow	12	18	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R7-107 (CT)	31-0698	No Parking State Employees Only	12	18	1	NR	IX	White	
R7-108	31-0640	(Variable) Min Parking Time to Time w/Arrow	12	18	1	SL,ML	IX	White	
R7-108	31-0643	(Variable) Hr Parking Time to Time w/Arrow	12	18	1	SL,ML	IX	White	
R7-108 (CT)	31-0632	(Variable) Min Parking Parallel w/Arrow	12	18	1	SL,ML	IX	White	
R7-108 (CT)	31-0634	(Variable) Hr Parking Parallel w/Arrow	12	18	1	SL,ML	IX	White	
R7-108 (CT)	31-0691	15 Min Parking Except While Charging	12	18	1	SL,ML	IX	White	
R7-108 (CT)	31-0633	(Variable) Min Parking Parallel Time to Time w/Arrow	12	21	1	SL,ML	IX	White	
R7-108 (CT)	31-0635	(Variable) Hr Parking Parallel Time to Time w/Arrow	12	21	1	SL,ML	IX	White	
R7-108 (CT)	31-0637	(Variable) Min Parking Diagonal Time to Time w/Arrow	12	21	1	SL,ML	IX	White	
R7-108 (CT)	31-0638	(Variable) Hr Parking Diagonal Time to Time w/Arrow	12	21	1	SL,ML	IX	White	
R7-108 (CT)	31-0641	(Variable) Min Parking Time to Time & Time to Time w/Arrow	12	24	1	SL,ML	IX	White	
R7-108 (CT)	31-0644	(Variable) Hr Parking Time to Time & Time to Time w/Arrow	12	24	1	SL,ML	IX	White	
R7-108 (CT)	31-0668	(Variable) Hr Parking Diagonal Time to Time & Friday to Time w/Arrow	12	27	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R7-108 (CT)	31-0669	(Variable) Hr Parking Time to Time & Friday Time to Time w/Arrow	12	27	1	SL,ML	IX	White	
R7-112	31-0681	(Variable) Hr Parking Electric Vehicles Only w/Arrow	12	18	1	NR	IX	White	
R7-112 (CT)	31-0680	(Variable) Hr Parking Electric Vehicles Only	12	18	1	NR	IX	White	
R7-113aP (CT)	31-0682	EV Charging Available (plaque)	12	6	1	NR	IX	White	
R7-201aP	31-0602	Tow-Away Zone (plaque)	12	6	1	SL,ML	IX	White	
R7-203 (CT)	31-0622	No Parking During Winter Storms w/Arrow	12	18	1	SL,ML	IX	White	
R8-(CT)	31-1939	Trucks Set Brakes	24	30	1	NR	IX	White	
R8-1	31-0619	No Parking on Pavement	24	30	1	SL,ML	IX	White	
R8-3	31-0695	No Parking (Symbol)	12	12	1	TR	IX	White	
R8-3	31-0696	No Parking (Symbol)	24	24	1	SL	IX	White	
R8-3	31-0686	No Parking (Symbol)	30	30	1	ML	IX	White	
R8-3 (CT)	31-0671	Parking Official Business Only w/Arrow	18	12	1	NR	IX	White	
R8-3a (CT)	31-0689	No Parking Permitted - State Property - Commissioner of Trans.	30	18	1	NR	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R8-3bP (CT)	31-0652	Arrow (Double Right or Left) (To be submounted on R8-3 signs)	12	5	1	SL,ML	IX	White	
R8-3bP (CT)	31-0615	Except (Variable) (plaque)	12	6	1	SL,ML	IX	White	
R8-3bP (CT)	31-0617	Except (Variable) - (Variable) (Plaque)	12	6	1	SL,ML	IX	White	
R8-3bP (CT)	31-0647	Except (Variable) - (Variable) (Plaque)	12	6	1	SL,ML	IX	White	
R8-3bP (CT)	31-0618	Except Sat - Sun Holidays (plaque)	12	9	1	SL,ML	IX	White	
R8-3bP (CT)	31-0654	School Days Only (Plaque)	12	12	1	SL,ML	IX	White	
R8-3gP (CT)	31-0655	Student Drop Off - Visitor Parking w/Arrow	12	18	1	NR	XI	Green	
R8-3gP (CT)	31-0657	Loading Zone - Commercial Vehicles Only 0 AM - 0 PM	18	24	1	SL,ML	IX	White	
R8-3hP	31-0605	Time to Time (Plaque)	12	6	1	SL,ML	IX	White	
R8-3hP (CT)	31-0606	Time to Time - Time to Time (Plaque)	12	12	1	SL,ML	IX	White	
R8-3P (CT)	31-0684	Except While Waiting for Ferry	12	18	1	SL,ML	IX	White	
R8-4	31-0663	Emergency Parking Only	30	24	1	SL,ML, E	IX	White	
R8-4	31-0666	Emergency Parking Only	48	36	2	F	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R8-4 (CT)	31-1927	Idling of Vehicles is Prohibited	12	18	1	SL,ML	IX	White	
R8-4 (CT)	31-1972	No Fishing From Bridge	12	18	1	A	IX	White	
R8-4 (CT)	31-5477	No (Fishing/Hunting) - No Trespassing - Strictly Enforced State Property	12	18	1	NR	IX	White	
R8-4 (CT)	31-1973	No Climbing on Bridge	18	18	1	A	IX	White	
R8-4 (CT)	31-6001	No Camping Permitted	18	24	1	NR	IX	White	
R8-4 (CT)	31-0690	Do Not Stop On Bridge	24	30	1	A	IX	White	
R8-4 (CT)	31-1976	Fishing or Bathing From Bridge Prohibited	30	18	1	A	IX	White	
R8-4 (CT)	31-1977	No Fishing This Side of Bridge	30	18	1	A	IX	White	
R8-4 (CT)	31-5476	State Property No Trespassing	30	18	1	NR	IX	White	
R8-4 (CT)	31-1986	State Property Boat Launching Prohibited	36	18	1	NR	IX	White	
R8-4 (CT)	31-6002	Commuter Parking Only No Loitering	36	18	1	NR	IX	White	
R8-4 (CT)	31-6947	No Loitering Police Take Notice	36	18	1	NR	IX	White	
R8-4 (CT)	31-1348	Notice - Discharge of Plastic or Garbage Within 3 MI - etc	36	24	2	NR	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R8-4 (CT)	31-1980	Detached Trailers Prohibited Removal Will Be at Owners Expense	42	24	2	NR	IX	White	
R8-4 (CT)	31-5475	No Trespassing - State Property Police Take Notice	42	30	2	NR	IX	White	
R8-4 (CT)	31-1910	Swimming Prohibited	48	24	2	NR	IX	White	
R8-4 (CT)	31-0687	No Stopping On Pavement Use Grass Area	48	36	2	F	IX	White	
R8-4 (CT)	31-6901	Notice - Parking Restriction Strictly Enforced Violators Subject to Fine	48	36	2	NR	IX	White	
R8-4 (CT)	31-0664	Emergency Parking Only w/Arrow	54	42	2	F	IX	White	
R8-4 (CT)	31-1103	No Public Entry - Authorized Personnel Only	78	48	2	NR	IX	White	
R8-7	31-0670	Emergency Stopping Only	48	36	2	E,F	IX	White	
R8-8	31-2210	Do Not Stop On Tracks	24	30	1	SL,ML	IX	White	
R9-(CT)	31-6808	No Pets Allowed in Picnic Area	30	12	1	NR	IX	White	
R9-2	31-0829	Cross Only At Crosswalks	12	18	1	SL,ML	IX	White	
R9-2 (CT)	31-1709	Pedestrians Cross at Intersection w/Arrow	18	18	1	SL,ML	IX	White	
R9-2 (CT)	31-1708	Pedestrians Cross At Next Intersection w/Arrow	18	24	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**







Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R9-2 (CT)	31-1706	Pedestrians & Bicyclists Use Walk On Bridge	24	18	1	LOC	IX	White	
R9-3	31-1705	No Pedestrian Crossing (Symbol)	18	18	1	SL,ML	IX	White	
R9-3	31-1769	No Pedestrian Crossing (Symbol)	24	24	1	E	IX	White	
R9-3	31-1770	No Pedestrian Crossing (Symbol)	30	30	1	F	IX	White	
R9-3a	31-1702	No Pedestrian Crossing	12	18	1	SL,ML	IX	White	
R9-3cP	31-1799	Ride With Traffic	12	12	1	P,SL,ML	IX	White	
R9-5	31-1797	Bicycle (Symbol) Use Ped Signal	12	18	1	P,SL,ML	IX	White	
R9-6	31-1796	Bicycle (Symbol) Yield To Peds	12	18	1	P,SL,ML	IX	White	
R9-8	31-1904	Pedestrian Crosswalk	36	18	1	SL,ML	IX	White	
R10-3b	31-0838	To Cross Push Button w/Arrow w/Instructions	9	12	1	SL,ML	IX	White	
R10-3c	31-0837	To Cross Push Button w/Arrow w/Instructions (for sign replacement only)	9	12	1	SL,ML	IX	White	
R10-3e	31-0856	To Cross Push Button w/Arrow w/Instructions	9	15	1	SL,ML	IX	White	
R10-3e (CT)	31-0845	To Cross Push Button w/Arrow w/Instructions (for 9x12 push buttons)	9	12	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**






Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R10-4	31-0833	Push Button For Green Light w/Arrow	9	12	1	SL,ML	IX	White	
R10-4 (CT)	31-0831	Buses Push Button For Green Light	9	12	1	SL,ML	IX	White	
R10-4 (CT)	31-0835	Push Button For Green Light	9	12	1	SL,ML	IX	White	
R10-5	31-0850	Left On Green Arrow Only	30	36	1	SL,ML	IX	White	
R10-6	31-0801	Stop Here on Red w/Right Arrow	24	36	1	SL,ML	IX	White	
R10-6	31-0802	Stop Here on Red w/Left Arrow	24	36	1	SL,ML	IX	White	
R10-7	31-0806	Do Not Block Intersection	24	30	1	SL,ML	IX	White	
R10-7 (CT)	31-5517	Subject To Fine (for use with 31-0806)	24	18	1	SL,ML	IX	White	
R10-10L	31-0852	Left Turn Signal	30	36	1	SP SL,ML	XI IX	White	
R10-10R	31-0843	Right Turn Signal (for existing spans)	24	24	1	SP	XI	White	
R10-10R	31-0853	Right Turn Signal (for new spans)	30	36	1	SP SL,ML	XI IX	White	
R10-11a	31-0830	No Turn on Red	30	36	1	SL	IX	White	
R10-11a	31-0819	No Turn on Red	36	48	2	ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R10-11b	31-0823	No Turn on Red (for existing spans)	24	24	1	SP	XI	White	
R10-11b	31-0816	No Turn on Red (for new spans)	36	36	2	SP SL,ML	XI IX	White	
R10-11c (CT)	31-0847	Right Turn on Red From Right Lane Only	30	36	1	SL,ML	IX	White	
R10-11c (CT)	31-0849	Right Turn on Red From Right Lane Only	48	60	2	O	IX	White	
R10-13	31-0815	Emergency Signal	42	30	2	SL,ML	IX	White	
R10-15	31-1626	Turning Vehicles (Left Arrow) Yield to Pedestrians	30	30	1	SL,ML	XI	White	
R10-15	31-1625	Turning Vehicles (Right Arrow) Yield to Pedestrians	30	30	1	SL,ML	XI	White	
R10-20aP (CT)	31-1631	Time to Time - Time to Time (Plaque) (for use with turn restrictions)	30	18	1	SL,ML	IX	White	
R10-22	31-1795	To Request Green Wait on Bicycle Symbol	12	18	1	P,SL, ML	IX	White	
R10-23	31-0851	Crosswalk - Stop on Red (Red Ball)	24	30	1	SP SL,ML	XI IX	White	
R10-23 (CT)	31-0854	Crosswalk Stop On Red - Proceed On Flashing Red When Clear	30	36	1	LOC	IX	White	
R10-23 (CT)	31-0812	Stop Here On Red Signal	48	48	2	LOC	IX	White	
R10-25	31-0846	Push Button To Turn On Warning Lights	9	12	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**











Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R10-28	31-0810	One Vehicle Per Green	24	30	1	SL,ML	IX	White	
R11-(CT)	31-6948	Rest Area Closed Dusk to Dawn	54	30	2	NR	IX	White	
R11-(CT)	31-0676	Closed No Parking	96	48	3	NR	IX	White	
R11-1	31-1915	Keep Off Median	24	30	1	SL,ML	IX	White	
R11-1	31-1918	Keep Off Median	48	60	2	O	IX	White	
R11-3a (CT)	31-1772	Local Traffic Only	30	24	1	SL,ML	IX	White	
R11-4 (CT)	31-1912	Bike Route Closed From Dusk To Dawn	24	24	1	P	IX	White	
R11-4 (CT)	31-1771	No Thru Traffic	30	24	1	SL,ML	IX	White	
R11-4 (CT)	31-1349	Ferry Slip Closes at Sundown	42	30	2	SL,ML	IX	White	
R11-4 (CT)	31-1920	Closed to River Traffic Except Commercial Vessels (Listed Times)	120	60	3	NR	IX	White	
R12-1	31-1002	Weight Limit 0 Tons (Weight Variable)	24	30	1	SL,ML	IX	White	
R12-1	31-1003	Weight Limit 0 Tons (Weight Variable)	36	48	2	E,F	IX	White	
R12-1 (CT)	31-1039	Weight Limit (Tri-Axle) 00 Tons	30	36	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R12-1 (CT)	31-1012	Ferry Weight Limit 5 Tons	30	42	1	SL,ML	IX	White	
R12-1 (CT)	31-1010	End Load Restriction	36	30	2	SL,ML	IX	White	
R12-1 (CT)	31-1038	Bridge Ahead - Weight Limit (Tri-Axle) 00 Tons	36	36	2	SL,ML	IX	White	
R12-1 (CT)	31-1009	Right Lane Weight Limit 0 Tons	60	48	2	E,F	IX	White	
R12-1 (CT)	31-1958	No Buses No Trucks Over 00 Tons w/Times Mon Thru Fri	72	36	2	SL,ML	IX	White	
R12-1 (CT)	31-1058	Trucks Over 00 Tons Use Right Lane	72	42	2	LOC	IX	White	
R12-1 (CT)	31-1758	Thru Trucks Over 0 Tons Prohibited 0 Miles Ahead On Route 00	78	60	2	ML,E	IX	White	
R12-5 (CT)	31-1049	Weight Limit (Box) 00T (Semi) 00T	24	30	1	SL,ML	IX	White	
R12-5 (CT)	31-1040	Weight Limit (Box) 0T (Tri-Axle) 00T (Semi) 00T	30	36	1	SL,ML	IX	White	
R12-5 (CT)	31-1041	Weight Limit (Box) 0T (Semi) 00T (Tri-Axle) Prohibited	36	36	2	SL,ML	IX	White	
R12-5 (CT)	31-1043	Weight Limit 27 Tons (Tri-Axle) Prohibited	36	36	2	SL,ML	IX	White	
R12-5 (CT)	31-1050	Weight Limit (Box) 0T (Semi) 00T	48	48	2	F	IX	White	
R13-(CT)	31-0677	Maintain 000 FT Between Trucks	24	30	1	NR	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**












Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R13-(CT)	31-1020	Keep Moving Over Scale	24	30	1	NR	IX	White	
R13-(CT)	31-0672	Drivers - Have Ready Your License Registration etc.	36	30	2	NR	IX	White	
R13-(CT)	31-1019	Wait Here For Scales to Clear	36	42	2	NR	IX	White	
R13-(CT)	34-1025	Commercial Veh Failing to Stop Subject to \$100 Fine	60	42	2	SL,ML	IX	White	
R13-(CT)	31-1007	Trucks Use Right Shoulder When Scales Open	60	54	2	F	IX	White	
R13-1 (CT)	31-1951	All Commercial Vehicles w/Arrow (Temp Sign)	36	36	2	SL,ML	IX	White	
R13-1 (CT)	31-1952	Commercial Vehicle Inspection Ahead (Temp Sign)	36	36	2	SL,ML	IX	White	
R13-1 (CT)	31-1953	All Commercial Vehicles Stop Ahead (Temp Sign)	36	36	2	SL,ML	IX	White	
R13-1 (CT)	31-1954	Commercial Vehicle Inspection Next Right (Temp Sign)	48	48	2	E,F	IX	White	
R13-1 (CT)	31-1955	Commercial Vehicle Inspection Ahead (Temp Sign)	48	48	2	E,F	IX	White	
R13-1 (CT)	31-1011	All Trucks Commercial Veh Must Stop at Weighing Area	60	42	2	F	IX	White	
R15-(CT)	31-1301	Active Railroad No Trespassing	30	18	1	NR	IX	White	
R15-1	31-2211	Railroad Crossing (Crossbuck)	48	9	2	A	IX	White	



*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R15-1 (CT)	31-2214	White Retroreflective Strip (for use on Railroad Crossbucks only)	4	72	1	A	IX	White	
R15-2P	31-2212	3 Tracks (Plaque)(Number of Tracks is Variable)	27	18	1	A	IX	White	
R15-3P	31-2213	Exempt (Plaque)	24	12	1	A	IX	White	
R15-5a (CT)	31-1704	Emergency Exit	24	18	1	NR	IX	White	
R15-5a (CT)	31-2209	Do Not Cross When Flashers and Gates are Activated	24	18	1	SL,ML	IX	White	
S4-4P	31-5522	When Flashing	24	10	1	SL,ML	IX	White	
S5-1	31-5541	School Speed Limit XX When Flashing	24	48	1	SL,ML	IX	White	
S5-1	31-5542	School Speed Limit XX When Flashing	36	72	2	O	IX	White	
S5-1 (CT)	31-2101	School Zone Ahead Fines Doubled	36	24	2	SL,ML	IX	White	
S5-2	31-2103	End School Zone	24	30	1	SL,ML	IX	White	
S5-2	31-2105	End School Zone	36	48	2	O	IX	White	


40 SERIES



WARNING SIGNS

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
(CT)	44-5902	Caution Driver Training	24	24	1	SL,ML	XI	Yellow	
(CT)	44-5903	Caution Driver Training	48	36	2	E,F	XI	Yellow	
E13-1P	41-5575	Advisory Speed (plaque allowed to be mounted below exit gore sign)	72	24	2	E,F	XI	Yellow	
OM3	41-4267	Type 3 Object Markers	12	36	1	A	XI	Yellow	
OM3 (CT)	40-4266	Attenuator Reflector	Varies	Varies	0	A	XI	Yellow	
R6-3a (CT)	41-4239	Divided Highway w/Side Road - 2 Directions & Shields - Miller St	96	66	3	LOC	XI	Yellow	
S1-1	41-2112	School (Area/Zone/Crossing)	36	36	1	SL,ML	XI	Fluor Yel/Grn	
S1-1	41-2113	School (Area/Zone/Crossing)	48	48	2	O	XI	Fluor Yel/Grn	
S1-1 (CT)	41-5012	Retroreflective Strip	4	48	1	A	XI	Fluor Yel/Grn	
S1-1 (CT)	41-5010	Retroreflective Strip	4	72	1	A	XI	Fluor Yel/Grn	
S3-1	41-2166	School Bus Stop Ahead Symbol	36	36	1	SL,ML	XI	Fluor Yel/Grn	
S3-1	41-2167	School Bus Stop Ahead Symbol	48	48	2	O	XI	Fluor Yel/Grn	
S3-2	41-2104	School Bus Turn Ahead	36	36	1	SL,ML	XI	Fluor Yel/Grn	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**






Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
S4-3P	41-2101	School (Plaque)	24	8	1	SL,ML	XI	Fluor Yel/Grn	
S4-5a	41-2105	00 MPH School Zone Ahead	36	36	1	SL,ML	XI	Fluor Yel/Grn	
W1-1	41-4004	Turn Arrow (Left)	18	18	1	P	XI	Yellow	
W1-1	41-4006	Turn Arrow (Left)	30	30	1	SL	XI	Yellow	
W1-1	41-4031	Turn Arrow (Left)	36	36	1	ML,E,F	XI	Yellow	
W1-1	41-4056	Turn Arrow (Left)	48	48	2	O	XI	Yellow	
W1-1	41-4003	Turn Arrow (Right)	18	18	1	P	XI	Yellow	
W1-1	41-4005	Turn Arrow (Right)	30	30	1	SL	XI	Yellow	
W1-1	41-4160	Turn Arrow (Right)	36	36	1	ML,E,F	XI	Yellow	
W1-1	41-4055	Turn Arrow (Right)	48	48	2	O	XI	Yellow	
W1-2 (CT)	41-4024	Curve Sharpens (plaque)	30	18	1	SL,ML	XI	Yellow	
W1-2	41-4014	Curve Arrow (Left)	18	18	1	P	XI	Yellow	
W1-2	41-4029	Curve Arrow (Left)	30	30	1	SL	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-2	41-4169	Curve Arrow (Left)	36	36	1	ML,E,F	XI	Yellow	
W1-2	41-4068	Curve Arrow (Left)	48	48	2	O	XI	Yellow	
W1-2	41-4013	Curve Arrow (Right)	18	18	1	P	XI	Yellow	
W1-2	41-4168	Curve Arrow (Right)	30	30	1	SL	XI	Yellow	
W1-2	41-4032	Curve Arrow (Right)	36	36	1	ML,E,F	XI	Yellow	
W1-2	41-4067	Curve Arrow (Right)	48	48	2	O	XI	Yellow	
W1-2a	41-3998	Curve Arrow (Right) 50 MPH	75	75	2	LOC	XI	Yellow	
W1-3	41-4104	Reverse Turn (Left)	30	30	1	SL	XI	Yellow	
W1-3	41-4135	Reverse Turn (Left)	36	36	1	ML,E,F	XI	Yellow	
W1-3	41-4154	Reverse Turn (Left)	48	48	2	O	XI	Yellow	
W1-3	41-4181	Reverse Turn (Right)	18	18	1	P	XI	Yellow	
W1-3	41-4103	Reverse Turn (Right)	30	30	1	SL	XI	Yellow	
W1-3	41-4149	Reverse Turn (Right)	36	36	1	ML,E,F	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**




Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-3	41-4153	Reverse Turn (Right)	48	48	2	O	XI	Yellow	
W1-4	41-4198	Reverse Curve (Left)	18	18	1	P	XI	Yellow	
W1-4	41-4188	Reverse Curve (Left)	30	30	1	SL	XI	Yellow	
W1-4	41-4189	Reverse Curve (Left)	36	36	1	ML,E,F	XI	Yellow	
W1-4	41-4152	Reverse Curve (Left)	48	48	2	O	XI	Yellow	
W1-4	41-4111	Reverse Curve (Right)	18	18	1	P	XI	Yellow	
W1-4	41-4178	Reverse Curve (Right)	30	30	1	SL	XI	Yellow	
W1-4	41-4179	Reverse Curve (Right)	36	36	1	ML,E,F	XI	Yellow	
W1-4	41-4151	Reverse Curve (Right)	48	48	2	O	XI	Yellow	
W1-5	41-4167	Winding Road First Curve Left	18	18	1	P	XI	Yellow	
W1-5	41-4184	Winding Road First Curve Left	30	30	1	SL	XI	Yellow	
W1-5	41-4172	Winding Road First Curve Left	36	36	1	ML,E,F	XI	Yellow	
W1-5	41-4174	Winding Road First Curve Left	48	48	2	O	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-5	41-4194	Winding Road First Curve Right	18	18	1	P	XI	Yellow	
W1-5	41-4185	Winding Road First Curve Right	30	30	1	SL	XI	Yellow	
W1-5	41-4177	Winding Road First Curve Right	36	36	1	ML,E,F	XI	Yellow	
W1-5	41-4175	Winding Road First Curve Right	48	48	2	O	XI	Yellow	
W1-6	41-4223 (L)	One-Direction Large Arrow (Left)	48	24	2	SL,ML	XI	Fluor Yel	
W1-6	41-4262 (L)	One-Direction Large Arrow (Left)	60	30	2	E,F	XI	Fluor Yel	
W1-6	41-4223 (R)	One-Direction Large Arrow (Right)	48	24	2	SL,ML	XI	Fluor Yel	
W1-6	41-4262 (R)	One-Direction Large Arrow (Right)	60	30	2	E,F	XI	Fluor Yel	
W1-7	41-4207	Two-Direction Large Arrow	48	24	2	SL,ML	XI	Yellow	
W1-7	41-4208	Two-Direction Large Arrow	60	30	2	O	XI	Yellow	
W1-8 (CT)	41-5001	Retroreflective Strip	4	48	1	A	XI	Fluor Yel	
W1-8 (CT)	41-5006	Retroreflective Strip	4	72	1	A	XI	Fluor Yel	
W1-8	41-3951 (L)	Chevron Alignment (Left)	18	24	1	SL,ML	XI	Fluor Yel	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-8	41-4210 (L)	Chevron Alignment (Left)	24	30	1	O for SL,ML	XI	Fluor Yel	
W1-8	41-4211 (L)	Chevron Alignment (Left)	30	36	1	E	XI	Fluor Yel	
W1-8	41-4260 (L)	Chevron Alignment (Left)	36	48	2	F	XI	Fluor Yel	
W1-8	41-3951 (R)	Chevron Alignment (Right)	18	24	1	SL,ML	XI	Fluor Yel	
W1-8	41-4210 (R)	Chevron Alignment (Right)	24	30	1	O for SL,ML	XI	Fluor Yel	
W1-8	41-4211 (R)	Chevron Alignment (Right)	30	36	1	E	XI	Fluor Yel	
W1-8	41-4260 (R)	Chevron Alignment (Right)	36	48	2	F	XI	Fluor Yel	
W1-10	41-4039	Curve Left Side Road Left	36	36	1	SL,ML, E	XI	Yellow	
W1-10	41-4046	Curve Left Side Road Right Angle	36	36	1	SL,ML, E	XI	Yellow	
W1-10	41-4095	Curve Left Side Road Right	36	36	1	SL,ML, E	XI	Yellow	
W1-10	41-4132	Turn Left Side Road Left	36	36	1	SL,ML, E	XI	Yellow	
W1-10	41-4156	Turn Left Side Road Right	36	36	1	SL,ML, E	XI	Yellow	
W1-10	41-4047	Curve Right Side Road Left Angle	36	36	1	SL,ML, E	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-10	41-4054	Curve Right Side Road Left	36	36	1	SL,ML,E	XI	Yellow	
W1-10	41-4170	Curve Right Side Road Right	36	36	1	SL,ML,E	XI	Yellow	
W1-10	41-4126	Turn Right Side Road Left	36	36	1	SL,ML,E	XI	Yellow	
W1-10	41-4131	Turn Right Side Road Right	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-3985	Curve Left Two Side Roads Right	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4041	Curve Left Side Road Left Side Road Right Angle	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4080	Curve Left Two Side Roads Right Angle	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4144	Curve Left Side Road Right Side Road Left	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4183	Curve Left Cross Road	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4122	Turn Left Cross Road	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4130	Turn Left Cross Road	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-3943	Curve Right Two Side Roads Left	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4036	Curve Right Two Side Roads Left Angle	36	36	1	SL,ML,E	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-10a	41-4082	Curve Right Two Side Roads Left	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4143	Curve Right Side Road Right Side Road Left	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4182	Curve Right Cross Road	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4123	Turn Right Cross Road	36	36	1	SL,ML,E	XI	Yellow	
W1-10a	41-4138	Turn Right Cross Road	36	36	1	SL,ML,E	XI	Yellow	
W1-10b	41-4045	Curve Left Side Road Straight	36	36	1	SL,ML,E	XI	Yellow	
W1-10b	41-4044	Curve Right Side Road Straight	36	36	1	SL,ML,E	XI	Yellow	
W1-10c	41-3946	Turn Left Side Road Right Angle	36	36	1	SL,ML,E	XI	Yellow	
W1-10c	41-3959	Turn Right Side Road Left Angle	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3902	Reverse Curve Left Side Road Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3906	Reverse Curve Left Side Road Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3907	Reverse Curve Left Side Road Left Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3912	Reverse Curve Left Side Road Left Down	36	36	1	SL,ML,E	XI	Yellow	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-10d	41-3901	Reverse Curve Right Side Road Left Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3910	Reverse Curve Right Side Road Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3931	Reverse Curve Right Side Road Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-4161	Reverse Curve Right Side Road Left Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-4165	Reverse Turn Left Side Road Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-4166	Reverse Turn Left Side Road Left Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-4559	Reverse Turn Left Side Road Left Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-4561	Reverset Turn Left Side Road Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3947	Reverse Turn Right Side Road Left Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3948	Reverse Turn Right Side Road Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-4557	Reverse Turn Right Side Road Left Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-4558	Reverse Turn Right Side Road Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3909	Reverse Curve Left Side Road Left Down and Right Up	36	36	1	SL,ML,E	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-10e	41-3911	Reverse Curve Left Side Road Left Down and Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3908	Reverse Curve Right Side Road Left Up and Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10d	41-3930	Reverse Curve Right Side Road Left Up and Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3903	Reverse Curve Right Side Road Left Up and Right Down	48	48	2	F	XI	Yellow	
W1-10e	41-3916	Reverse Turn Left Two Side Roads Left	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3919	Reverse Turn Left Side Road Left Down and Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3920	Reverse Turn Left Side Road Left Down and Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3921	Reverse Turn Left Two Side Roads Right	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3924	Reverse Turn Left Side Road Left Down and Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3925	Reverse Turn Left Side Road Left Down and Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-4949	Reverse Turn Left Side Road Left Down and Right Up	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3914	Reverse Turn Right Side Road Left Up and Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3915	Reverse Turn Right Side Road Left Up and Right Down	36	36	1	SL,ML,E	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-10e	41-3922	Reverse Turn Right Two Side Roads Left	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3926	Reverse Turn Right Side Road Left Up and Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3928	Reverse Turn Right Side Road Left Up and Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-4947	Reverse Turn Right Side Road Left Up and Right Down	36	36	1	SL,ML,E	XI	Yellow	
W1-10e	41-3923	Reverse Turn Right Two Side Roads Right	36	36	1	SL,ML,E	XI	Yellow	
W1-11 (CT)	41-4190	Jughandle	48	48	2	LOC	XI	Yellow	
W1-11	41-3945	Hairpin Curve (Left)	30	30	1	SL,ML	XI	Yellow	
W1-11	41-4050	Hairpin Curve (Left)	36	36	1	E	XI	Yellow	
W1-11	41-3979	Hairpin Curve (Left)	48	48	2	F	XI	Yellow	
W1-11	41-3949	Hairpin Curve (Right)	30	30	1	SL,ML	XI	Yellow	
W1-11	41-3950	Hairpin Curve (Right)	36	36	1	E	XI	Yellow	
W1-11	41-4078	Hairpin Curve (Right)	48	48	2	F	XI	Yellow	
W1-13 (CT)	41-3904	Truck Rollover	48	48	2	LOC	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-13	41-4110	Truck Rollover (Right) Arrow Left	36	36	1	SL,ML,E	XI	Yellow	
W1-13	41-4105	Truck Rollover (Right) Arrow Left	48	48	2	F	XI	Yellow	
W1-13	41-4112	Truck Rollover (Left) Arrow Right	36	36	1	SL,ML,E	XI	Yellow	
W1-13	41-4106	Truck Rollover (Left) Arrow Right	48	48	2	F	XI	Yellow	
W1-15	41-4950	270-Degree Loop	48	48	2	F	XI	Yellow	
W2-1	41-4226	Cross Road	30	30	1	SL,ML	XI	Yellow	
W2-1	41-4236	Cross Road	36	36	1	E	XI	Yellow	
W2-1	41-4221	Cross Road	48	48	2	O	XI	Yellow	
W2-1 (CT)	41-4241 (L)	Offset Cross Road (Left)	30	30	1	SL,ML	XI	Yellow	
W2-1 (CT)	41-4229 (L)	Offset Cross Road (Left)	36	36	1	O	XI	Yellow	
W2-1 (CT)	41-4241 (R)	Offset Cross Road (Right)	30	30	1	SL,ML	XI	Yellow	
W2-1 (CT)	41-4229 (R)	Offset Cross Road (Right)	36	36	1	O	XI	Yellow	
W2-2	41-4225 (L)	Side Road (Left)	30	30	1	SL,ML	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit


**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W2-2	41-4235 (L)	Side Road (Left)	36	36	1	E	XI	Yellow	
W2-2	41-4225 (R)	Side Road (Right)	30	30	1	SL,ML	XI	Yellow	
W2-2	41-4235 (R)	Side Road (Right)	36	36	1	E	XI	Yellow	
W2-3	41-4219	Side Road Angle Right Up	30	30	1	SL,ML	XI	Yellow	
W2-3	41-3952	Side Road Angle Right Up	36	36	1	E	XI	Yellow	
W2-3	41-4220	Side Road Angle Left Up	30	30	1	SL,ML	XI	Yellow	
W2-3	41-3953	Side Road Angle Left Up	36	36	1	E	XI	Yellow	
W2-3	41-3956	Side Road Angle Right Down	36	36	1	E	XI	Yellow	
W2-3	41-3957	Side Road Angle Left Down	36	36	1	E	XI	Yellow	
W2-4	41-4217	T Intersection	30	30	1	SL,ML	XI	Yellow	
W2-4	41-4255	T Intersection	36	36	1	E	XI	Yellow	
W2-5	41-4218	Y Intersection	30	30	1	SL,ML	XI	Yellow	
W2-5	41-4258	Y Intersection	36	36	1	E	XI	Yellow	














**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W2-6	41-4672	Circular Intersection	30	30	1	SL,ML	XI	Yellow	
W2-6	41-4642	Circular Intersection	36	36	1	E	XI	Yellow	
W2-7 (CT)	41-4230	Triple Side Road 1 Left & 2 Right Offset	30	30	1	SL,ML	XI	Yellow	
W2-7	41-4234	Double Side Road Left & Right Offset	30	30	1	SL,ML	XI	Yellow	
W2-7	41-8238	Double Side Road Left & Right Offset	36	36	1	E	XI	Yellow	
W2-7	41-4233	Double Side Road Right & Left Offset	30	30	1	SL,ML	XI	Yellow	
W2-7	41-8237	Double Side Road Right & Left Offset	36	36	1	E	XI	Yellow	
W2-8	41-4249 (L)	Double Side Road 2 (Left)	30	30	1	SL,ML	XI	Yellow	
W2-8	41-4249 (R)	Double Side Road 2 (Right)	30	30	1	SL,ML	XI	Yellow	
W3-(CT)	41-5002	Retroreflective Strip	4	48	1	A	XI	Yellow	
W3-(CT)	41-5007	Retroreflective Strip	4	72	1	A	XI	Yellow	
W3-1	41-0507	Stop Ahead Symbol	18	18	1	P	XI	Yellow	
W3-1	41-0501	Stop Ahead Symbol	30	30	1	SL,ML	XI	Yellow	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**







Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W3-1	41-0503	Stop Ahead Symbol	48	48	2	E,F	XI	Yellow	
W3-2	41-0504	Yield Ahead Symbol	30	30	1	SL,ML	XI	Yellow	
W3-2	41-0506	Yield Ahead Symbol	48	48	2	E,F	XI	Yellow	
W3-3	41-0834	Signal Ahead Symbol	18	18	1	P	XI	Yellow	
W3-3	41-0835	Signal Ahead Symbol	30	30	1	SL,ML	XI	Yellow	
W3-3	41-0848	Signal Ahead Symbol	48	48	2	E,F	XI	Yellow	
W3-3 (CT)	41-0534	When Flashing Stop Ahead (used with flashers)	60	60	2	O	XI	Yellow	
W3-3 (CT)	41-0539	When Flashing Stop Ahead	90	30	3	E,F	XI	Yellow	
W3-3 (CT)	41-0812	Signal Under Study For Removal	60	60	2	A	XI	Yellow	
W3-4 (CT)	41-4664	Factory Entrance	30	30	1	LOC	XI	Yellow	
W3-4 (CT)	41-4653	Watch For Entering Traffic	36	36	1	LOC	XI	Yellow	
W3-4 (CT)	41-4661	Factory Entrance Ahead	36	36	1	LOC	XI	Yellow	
W3-4 (CT)	41-0533	Be Prepared to Stop	48	24	2	LOC	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**




Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W3-4 (CT)	41-0519	Watch For Stopped Traffic	48	48	2	LOC	XI	Yellow	
W3-4 (CT)	41-0509	Watch For Stopped Traffic	60	60	2	LOC	XI	Yellow	
W3-5	41-5502	Speed Limit Ahead 00 MPH	36	36	1	SL,ML	XI	Yellow	
W3-5	41-5503	Speed Limit Ahead 00 MPH	48	48	2	E,F	XI	Yellow	
W3-5a (CT)	41-5588	Reduce Speed Tunnel Ahead	72	54	2	LOC	XI	Yellow	
W3-6	41-4638	Draw Bridge	36	36	1	SL,ML	XI	Yellow	
W3-6 (CT)	41-1053	Route 66 West Closed at Arrigoni Bridge Use Alt Routes (Horiz Hinge at 2-ft)	48	48	2	LOC	XI	Orange	
W3-6 (CT)	41-4685	Swing Bridge Ahead	48	48	2	LOC	XI	Yellow	
W3-6 (CT)	41-0885	Caution - Swing Bridge - Stop When Light Flashes	84	60	2	A	XI	Yellow	
W3-6 (CT)	41-1036	Bridge Closed Between etc (for river traffic)	84	60	2	LOC	XI	Yellow	
W4-1 (CT)	41-4419	HOV - Merge (Left) - Narrow Version	36	60	2	E,F	XI	Yellow	
W4-1 (CT)	41-4479	HOV - Merge (Right) - Narrow Version	36	60	2	E,F	XI	Yellow	
W4-1 (CT)	41-4417	HOV - Merge (Left)	48	60	2	E,F	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W4-1 (CT)	41-4478	HOV - Merge (Right)	48	60	2	E,F	XI	Yellow	
W4-1	41-4448	Merge (Left)	36	36	1	SL,ML	XI	Yellow	
W4-1	41-4452	Merge (Left)	48	48	2	E,F	XI	Yellow	
W4-1	41-4449	Merge (Right)	36	36	1	SL,ML	XI	Yellow	
W4-1	41-4459	Merge (Right)	48	48	2	E,F	XI	Yellow	
W4-2	41-4442	Lane Ends (Merge Right)	36	36	1	SL,ML	XI	Yellow	
W4-2	41-4446	Lane Ends (Merge Right)	48	48	2	E,F	XI	Yellow	
W4-2	41-4441	Lane Ends (Merge Left)	36	36	1	SL,ML	XI	Yellow	
W4-2	41-4447	Lane Ends (Merge Left)	48	48	2	E,F	XI	Yellow	
W4-3	41-4468	Added Lane (Left)	36	36	1	SL,ML	XI	Yellow	
W4-3	41-4435	Added Lane (Left)	48	48	2	E,F	XI	Yellow	
W4-3	41-4470	Added Lane (Right)	36	36	1	SL,ML	XI	Yellow	
W4-3	41-4434	Added Lane (Right)	48	48	2	E,F	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W4-4aP (CT)	41-0543	Traffic From Right Does Not Stop (plaque)	30	18	1	SL,ML	XI	Yellow	
W4-4aP (CT)	41-0544	Traffic From Left Does Not Stop (plaque)	30	18	1	SL,ML	XI	Yellow	
W4-4bP (CT)	41-0565	Oncoming Traffic Does Not Stop (plaque)	30	18	1	SL,ML	XI	Yellow	
W4-4P (CT)	41-0564	Crossing Traffic Does Not Stop (plaque)	30	18	1	SL,ML	XI	Yellow	
W4-5 (CT)	41-4464	Entering From Right	42	24	2	E,F	XI	Yellow	
W4-5 (CT)	41-4465	Entering From Left	42	24	2	E,F	XI	Yellow	
W4-5	41-3978	Entering Roadway Merge (Left)	36	36	1	SL,ML	XI	Yellow	
W4-5	41-4017	Entering Roadway Merge (Left)	48	48	2	E,F	XI	Yellow	
W4-5	41-3917	Entering Roadway Merge (Right)	48	48	2	E,F	XI	Yellow	
W4-6	41-4486	Entering Roadway Added Lane (Left)	36	36	1	SL,ML	XI	Yellow	
W4-6	41-4485	Entering Roadway Added Lane (Left)	48	48	2	E,F	XI	Yellow	
W4-6	41-4474	Entering Roadway Added Lane (Right)	36	36	1	SL,ML	XI	Yellow	
W4-6	41-4475	Entering Roadway Added Lane (Right)	48	48	2	E,F	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W5-1	41-4492	Road Narrows	36	36	1	SL,ML	XI	Yellow	
W5-1	41-4493	Road Narrows	48	48	2	E,F	XI	Yellow	
W5-1 (CT)	41-4405	Shoulder Narrows	36	36	1	SL,ML	XI	Yellow	
W5-1 (CT)	41-4408	Shoulder Narrows	48	48	2	E,F	XI	Yellow	
W5-1 (CT)	41-0115	No Breakdown Lane Ahead	114	52	3	E,F	XI	Yellow	
W5-2	41-4403	Narrow Bridge	36	36	1	SL,ML	XI	Yellow	
W5-2	41-4411	Narrow Bridge	48	48	2	E,F	XI	Yellow	
W5-3	41-4416	One Lane Bridge	36	36	1	SL,ML	XI	Yellow	
W5-3 (CT)	41-4477	One Lane Tunnel	36	36	1	SL,ML	XI	Yellow	
W5-4a	41-1490	Path Narrows	18	18	1	P	XI	Yellow	
W6-1	41-4335 (B)	Divided Highway Begins	36	36	1	SL,ML	XI	Yellow	
W6-1	41-4330 (B)	Divided Highway Begins	48	48	2	E,F	XI	Yellow	
W6-2	41-4335 (E)	Divided Highway Ends	36	36	1	SL,ML	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W6-2	41-4330 (E)	Divided Highway Ends	48	48	2	E,F	XI	Yellow	
W6-3	41-4329	Two-Way Traffic	36	36	1	SL,ML	XI	Yellow	
W6-3	41-4331	Two-Way Traffic	48	48	2	E,F	XI	Yellow	
W7-(CT)	41-1703	No Truck Access To I-95 (Shield)	42	54	2	LOC	XI	Yellow	
W7-(CT)	41-1704	No Truck Access To Route 80 (Shield)	42	54	2	LOC	XI	Yellow	
W7-1	41-4506	Hill (Symbol)	30	30	1	SL	XI	Yellow	
W7-1	41-4530	Hill (Symbol)	36	36	1	ML,E,F	XI	Yellow	
W7-1	41-4508	Hill (Symbol)	48	48	2	O	XI	Yellow	
W7-1 (CT)	41-4509	Steep Ramp	48	48	2	F	XI	Yellow	
W7-1 (CT)	41-4552	Trucks Test Brakes	36	36	1	SL,ML	XI	Yellow	
W7-1 (CT)	41-4510	Trucks Test Brakes	48	48	2	E,F	XI	Yellow	
W7-1a	41-4527	Hill (Symbol) w/Grade	36	36	1	ML,E,F	XI	Yellow	
W7-1a	41-4551	Hill (Symbol) w/Grade	48	48	2	O	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W7-3aP	41-6141	Next 00 Miles (plaque)	24	18	1	SL,ML	XI	Yellow	
W7-3aP (CT)	41-2168	Next 000 Miles (plaque)	30	24	1	O	XI	Yellow	
W7-3aP (CT)	41-4502	0 Miles Ahead (plaque)	30	24	1	O	XI	Yellow	
W7-3bP (CT)	41-4550	Percent Grade Next 0 Miles Trucks Use Low Gear	60	48	2	LOC	XI	Yellow	
W7-3P	41-4505	0% Grade (plaque)	24	18	1	SL,ML	XI	Yellow	
W7-4	41-4593	Runaway Truck Ramp 0 Mile	78	48	2	A	XI	Fluor Yel	
W7-4 (CT)	41-4596	Runaway Truck Ramp 1000 FT	78	48	2	A	XI	Fluor Yel	
W7-4b	41-4595	Runaway Truck Ramp w/Arrow	78	60	2	A	XI	Fluor Yel	
W7-5	41-1491	Hill Symbol (Bike Route)	18	18	1	P	XI	Yellow	
W8-(CT)	41-4669	CTDOT Communication Conduit Buried Below CBYD	3	12	1	A	XI	Orange	
W8-(CT)	41-5948	Danger High Voltage Ground	18	12	1	A	IX	White	
W8-1	41-4592	Bump	30	30	1	SL	XI	Yellow	
W8-1	41-4532	Bump	36	36	1	ML,E	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W8-3	41-4512	Pavement Ends	18	18	1	P	XI	Yellow	
W8-4	41-4534	Soft Shoulder	36	36	1	SL,ML	XI	Yellow	
W8-4 (CT)	41-4533	Paved Shoulder Ends	48	48	2	E,F	XI	Yellow	
W8-5	41-4519	Slippery When Wet	30	30	1	SL	XI	Yellow	
W8-5	41-4520	Slippery When Wet	36	36	1	ML,E	XI	Yellow	
W8-5	41-4521	Slippery When Wet	48	48	2	F	XI	Yellow	
W8-8 (CT)	41-4515	Frost Heave	36	36	1	SL,ML, E	XI	Yellow	
W8-8 (CT)	41-4650	Caution - Depressed Storm Drains	48	18	2	LOC	XI	Yellow	
W8-10	41-4541	Bicycle Surface Condition	18	18	1	P	XI	Yellow	
W8-10	41-4542	Bicycle Surface Condition	30	30	1	SL,ML	XI	Yellow	
W8-10 (CT)	41-1392	Bicycle Symbol - Cyclists Dismount	30	30	1	SL,ML	XI	Yellow	
W8-10 (CT)	41-4836	Bicyclist - Hazard Riding on RR Tracks Symbol	30	30	1	LOC	XI	Yellow	
W8-10P (CT)	41-1393	Walk Bike Across Tracks (plaque)	30	18	1	SL,ML	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W8-13	41-4549	Bridge Ices Before Road	48	48	2	F	XI	Yellow	
W8-14 (CT)	41-4615	Falling Rock	30	30	1	SL	XI	Yellow	
W8-15	41-4513	Grooved Pavement	48	48	2	F	XI	Yellow	
W8-15 (CT)	41-4514	Grooved Pavement Ahead	48	48	2	F	XI	Yellow	
W8-16	41-4522	Metal Deck Bridge	30	30	1	SL	XI	Yellow	
W8-16	41-4523	Metal Deck Bridge	36	36	1	ML,E	XI	Yellow	
W8-16	41-4525	Metal Deck Bridge	48	48	2	F	XI	Yellow	
W8-18	41-4602	Road May Flood	36	36	1	SL,ML,E	XI	Yellow	
W8-22	41-4655	Fog Area	36	36	1	SL,ML,E	XI	Yellow	
W8-22	41-4656	Fog Area	48	48	2	F	XI	Yellow	
W8-22 (CT)	41-4675	Remove Sunglasses at Tunnel	84	54	2	LOC	XI	Yellow	
W9-1	41-4443	Left Lane Ends	36	36	1	SL,ML,E	XI	Yellow	
W9-1	41-4444	Left Lane Ends	48	48	2	F	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W9-1	41-4440	Right Lane Ends	36	36	1	SL,ML, E	XI	Yellow	
W9-1	41-4445	Right Lane Ends	48	48	2	F	XI	Yellow	
W9-2	41-4454	Lane Ends Merge Left	36	36	1	SL,ML, E	XI	Yellow	
W9-2	41-4456	Lane Ends Merge Left	48	48	2	F	XI	Yellow	
W9-2	41-4453	Lane Ends Merge Right	36	36	1	SL,ML, E	XI	Yellow	
W9-2	41-4455	Lane Ends Merge Right	48	48	2	F	XI	Yellow	
W9-7	41-4476	Right Lane Exit Only Ahead	132	72	4	A	XI	Yellow	
W10-1	41-2201	Railroad Crossing (Lollipop)	36	36	1	SL,ML	XI	Fluor Yel	
W10-1 (CT)	41-2203	No Salt (plaque)	30	18	1	SL,ML	XI	Fluor Yel	
W10-1a (CT)	41-2220	Exempt (Plaque)	24	12	1	SL,ML	XI	Fluor Yel	
W10-2	41-2205	Crossroad w/RR Parallel (Right or Left)	36	36	1	SL,ML	XI	Fluor Yel	
W10-2 (CT)	41-2209	T Intersection w/RR Parallel (Top and Right)	36	36	1	SL,ML	XI	Fluor Yel	
W10-2 (CT)	41-2211	Intersection w/RR Angled (Top and Right)	36	36	1	SL,ML	XI	Fluor Yel	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W10-3	41-2206	Sideroad w/RR Parallel (Right or Left)	36	36	1	SL,ML	XI	Fluor Yel	
W10-4	41-2212	T Intersection w/RR Parallel (Left)	36	36	1	SL,ML	XI	Fluor Yel	
W10-4	41-2207	T Intersection w/RR Parallel (Right)	36	36	1	SL,ML	XI	Fluor Yel	
W10-7 (CT)	41-2217	Train Approaching When Flashing	48	30	2	SL,ML	XI	Fluor Yel	
W10-11a	41-2240	00 Feet Between Tracks and Highway	30	36	1	SL,ML	XI	Fluor Yel	
W10-12	41-2204	Skewed Crossing	36	36	1	SL,ML	XI	Fluor Yel	
W11-(CT)	41-1310	Ferry Slip Ahead	30	30	1	SL,ML	XI	Yellow	
W11-(CT)	41-2145	University Campus Ahead	48	48	2	A	XI	Yellow	
W11-(CT)	41-4666	Do Not Stop Correctional Facility Area	72	60	2	LOC	XI	Yellow	
W11-1	41-4840	Bicycle Symbol	30	30	1	SL,ML	XI	Fluor Yel/Grn	
W11-1 (CT)	41-2232	Bicycles (Plaque)	36	12	1	SL,ML	XI	Fluor Yel/Grn	
W11-2	41-4810	Pedestrian Symbol (for use on local roads - state roads use 41-4829)	30	30	1	SL	XI	Fluor Yel	
W11-2	41-4811	Pedestrian Symbol (for use on local roads - state roads use 41-4830)	36	36	1	ML,E	XI	Fluor Yel	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W11-2	41-4829	Pedestrian Symbol	30	30	1	SL	XI	Fluor Yel/Grn	
W11-2	41-4830	Pedestrian Symbol	36	36	1	ML,E	XI	Fluor Yel/Grn	
W11-2 (CT)	41-4601	Deaf Pedestrian Area	36	36	1	LOC	XI	Fluor Yel/Grn	
W11-2 (CT)	41-4607	Deaf Child Area	36	36	1	LOC	XI	Fluor Yel/Grn	
W11-5	41-4818	Farm Machinery Symbol	30	30	1	SL	XI	Yellow	
W11-7	41-4857	Equestrian	30	30	1	SL	XI	Yellow	
W11-7	41-4859	Equestrian	36	36	1	ML,E	XI	Yellow	
W11-8	41-4680	Fire Station	30	30	1	SL	XI	Yellow	
W11-8	41-4681	Fire Station	36	36	1	ML,E	XI	Yellow	
W11-9	41-4841	Handicapped Symbol	30	30	1	SL	XI	Fluor Yel/Grn	
W11-9	41-4842	Handicapped Symbol	36	36	1	ML,E	XI	Fluor Yel/Grn	
W11-10	41-4837	Truck Symbol	30	30	1	SL	XI	Yellow	
W11-11	41-4825	Golf Cart Crossing	48	48	2	O	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W11-12P	41-0840	Emergency Signal Ahead (plaque) (for use with Emergency Vehicle signs)	36	30	2	SL,ML,E	XI	Yellow	
W11-15	41-4832	Bicycle/Pedestrian Symbol (for use on local roads only - state roads use 41-4828)	30	30	1	SL	XI	Fluor Yel	
W11-15	41-4831	Bicycle/Pedestrian Symbol (for use on local roads only - state roads use 41-4827)	36	36	1	ML,E	XI	Fluor Yel	
W11-15	41-4828	Bicycle/Pedestrian Symbol	30	30	1	SL	XI	Fluor Yel/Grn	
W11-15	41-4827	Bicycle/Pedestrian Symbol	36	36	1	ML,E	XI	Fluor Yel/Grn	
W11-15P	41-4839	Trail Crossing (plaque)	24	18	1	SL,ML	XI	Fluor Yel/Grn	
W12-1	41-4213	Double Arrow	30	30	1	SL	XI	Yellow	
W12-1	41-4215	Double Arrow	36	36	1	ML,E	XI	Yellow	
W12-1	41-4214	Double Arrow	48	48	2	F	XI	Yellow	
W12-2	41-4706	00 FT 00 IN w/Arrow (Low Clearance Symbol)	36	36	1	SL,ML	XI	Yellow	
W12-2	41-4708	00 FT 00 IN w/Arrow (Low Clearance Symbol)	48	48	2	E,F	XI	Yellow	
W12-2a	41-4718	00 FT 0 IN (Low Clearance)	84	24	2	SL,ML	XI	Yellow	
W12-2a (CT)	41-4747	All Trucks Over 00'-00" w/Arrow	48	36	2	SL,ML	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**













Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W12-2a (CT)	41-4767	Height Warning Device Ahead	48	48	2	A	XI	Yellow	
W12-2a (CT)	41-4786	Low Clearance - Left Lane 00FT 00IN - Right Lane 00FT 00IN	144	36	4	LOC	XI	Yellow	
W12-2a (CT)	41-4791	Low Clearance Ahead - Left Lane 00FT 00IN - Right Lane 00FT 00IN	144	36	4	LOC	XI	Yellow	
W12-2a (CT)	41-4766	Vehicle Over Height When Flashing	36	36	1	SL,ML	XI	Yellow	
W12-2a (CT)	41-4768	Vehicle Over Height When Flashing	48	48	2	E,F	XI	Yellow	
W12-2P (CT)	41-1058	Trucks Use Route 00 w/Arrow	36	36	2		XI	Yellow	
W12-2P (CT)	41-4712	Next Left	30	24	1	A	XI	Yellow	
W12-2P (CT)	41-4721	Left Lane (plaque) (used with low clearance signs)	30	24	1	A	XI	Yellow	
W12-2P (CT)	41-4711	Next Right	30	24	1	A	XI	Yellow	
W12-2P (CT)	41-4722	Left Lane (plaque) (used with low clearance signs)	30	24	1	A	XI	Yellow	
W13-1P	41-5566	00 MPH (advisory speed plaque)	18	18	1	SL,ML	XI	Yellow	
W13-1P	41-5567	00 MPH (advisory speed plaque)	24	24	1	E	XI	Yellow	
W13-1P	41-5574	00 MPH (advisory speed plaque)	30	30	1	F	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**



Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W13-2	41-5586	Exit 00 MPH (advisory speed)	36	48	2	E,F	XI	Yellow	
W13-2	41-5596	Exit 00 MPH (advisory speed)	48	60	2	O	XI	Yellow	
W13-3	41-5581	Ramp 00 MPH (advisory speed)	36	48	2	E,F	XI	Yellow	
W13-3	41-5598	Ramp 00 MPH (advisory speed)	48	60	2	O	XI	Yellow	
W13-6	41-5585	Combination Horizontal Alignment/Advisory Exit Speed	36	60	2	E,F	XI	Yellow	
W13-6	41-5590	Combination Horizontal Alignment/Advisory Exit Speed	36	60	2	E,F	XI	Yellow	
W13-7	41-5589	Combination Horizontal Alignment/Advisory Ramp Speed	36	60	2	E,F	XI	Yellow	
W13-7	41-5591	Combination Horizontal Alignment/Advisory Ramp Speed	36	60	2	E,F	XI	Yellow	
W13-7	41-5584	Combination Horizontal Alignment/Advisory Ramp Speed	36	72	2	E,F	XI	Yellow	
W14-1	41-4606	Dead End	30	30	1	SL	XI	Yellow	
W14-1 (CT)	41-4623	Gate Closed	24	24	1	NR	XI	Yellow	
W14-2	41-4605	No Outlet	30	30	1	SL	XI	Yellow	
W14-3	41-1503	No Passing Zone (Pennant)	48	36	1	SL,ML	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W16-1P (CT)	41-4849	In Lane (plaque)	24	12	1	SL,ML	XI	Fluor Yel/Grn	
W16-2aP	41-6140	000 FT (plaque) (used with pedestrian related signs)	24	12	1	SL,ML	XI	Fluor Yel/Grn	
W16-2aP	41-6142	000 FT (plaque) (used with pedestrian related signs)	30	18	1	O	XI	Fluor Yel/Grn	
W16-2aP	41-6130	000 FT (plaque)	24	12	1	SL,ML	XI	Yellow	
W16-2aP	41-6134	0000 FT (plaque)	30	18	1	O	XI	Yellow	
W16-3aP	41-6106	0 Miles (plaque)	30	12	1	SL,ML	XI	Yellow	
W16-3P	41-6108	0 Miles (plaque)	30	24	1	SL,ML	XI	Yellow	
W16-4P	41-6117	Next 0000 FT (plaque)	30	24	1	SL,ML	XI	Yellow	
W16-4P (CT)	41-4732	Ramp (plaque)	30	18	1	E,F	XI	Yellow	
W16-4P (CT)	41-4730	Ramp Lane (plaque) (Merritt Parkway Only)	30	24	1	E,F	XI	Yellow	
W16-4P (CT)	41-4731	Shoulder (plaque)	42	18	2	E,F	XI	Yellow	
W16-5P	41-2611 (L)	Supplemental Turn Arrow (plaque) (Left)	30	18	1	O	XI	Yellow	
W16-5P	41-2611 (R)	Supplemental Turn Arrow (plaque) (Right)	30	18	1	O	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W16-6P	41-2612	Supplemental Advance Right Turn Arrow (plaque)	30	24	1	O	XI	Yellow	
W16-6P	41-2613	Supplemental Advance Left Turn Arrow (plaque)	30	24	1	O	XI	Yellow	
W16-7P	41-2607	Downward Diagonal Left Arrow (plaque) (for use on local roads only)	24	12	1	SL,ML	XI	Fluor Yel	
W16-7P	41-2617	Downward Diagonal Left Arrow (plaque)	24	12	1	SL,ML	XI	Fluor Yel/Grn	
W16-7P	41-2609	Downward Diagonal Right Arrow (plaque) (for use on local roads only)	24	12	1	SL,ML	XI	Fluor Yel	
W16-7P	41-2619	Downward Diagonal Right Arrow (plaque)	24	12	1	SL,ML	XI	Fluor Yel/Grn	
W16-8aP (CT)	41-6503	Variable Street w/Arrow (2 lines)	48	24	2	SL,ML	XI	Yellow	
W16-8P (CT)	41-6501	Variable Street w/Arrow (1 line)	48	12	2	SL,ML	XI	Yellow	
W16-9P	41-6127	Ahead (plaque) (used with pedestrian related signs for local roads only)	24	12	1	SL,ML	XI	Fluor Yel	
W16-9P	41-6126	Ahead (plaque) (used with pedestrian related signs)	24	12	1	SL,ML	XI	Fluor Yel/Grn	
W16-9P	41-6137	Ahead (plaque) (used with pedestrian related signs)	30	18	1	E	XI	Fluor Yel/Grn	
W16-9P	41-6125	Ahead (plaque)	24	12	1	SL,ML	XI	Yellow	
W16-9P	41-6107	Ahead (plaque)	30	18	1	E	XI	Yellow	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W16-9P	41-6116	Ahead (plaque)	36	24	2	O	XI	Yellow	
W16-12P	41-4670	Traffic Circle (plaque)	24	18	1	SL,ML	XI	Yellow	
W16-13P	41-6148	When Flashing (plaque)	24	18	1	SL,ML	XI	Yellow	
W16-13P (CT)	41-5905	Urgent Message When Flashing	144	18	4	LOC	XI	Yellow	
W16-15P	41-0815	New (plaque)	24	12	1	SL,ML	XI	Yellow	
W17-1	41-4591	Speed Hump	30	30	1	SL	XI	Yellow	
W17-1 (CT)	41-4535	Raised Crosswalk (plaque)	24	18	1	SL,ML	XI	Fluor Yel/Grn	
W19-2	41-5560	Expressway Ends 0 Mile	144	48	4	E	XI	Yellow	
W19-5	41-5554	All Traffic Must Exit	90	48	3	E,F	XI	Yellow	
W25-1	41-0808	Oncoming Traffic Has Extended Green (for 24x24 existing replacements only)	24	24	1	SP	XI	Yellow	
W25-1	41-0809	Oncoming Traffic Has Extended Green (for new traffic signal installations)	24	30	1	SP,SL,ML	XI	Yellow	
W25-2	41-0807	Oncoming Traffic May Have Extended Green	24	30	1	SP,SL,ML	XI	Yellow	


50 SERIES



GUIDE & INFORMATIONAL SIGNS

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
(CT)	51-5438	Connecticut DOT Administration Office	72	48	2	LOC	XI	Blue	
(CT)	51-1443	New Haven Rail Properties	72	60	2	LOC	XI	Blue	
(CT)	51-5437	Connecticut DOT District 1 Administration Office	102	72	3	LOC	XI	Blue	
D1-(CT)	51-6897	Gillette Castle State Park - Via Ferry w/Arrow - Via Bridge w/Arrow	60	24	2	LOC	XI	Brown	
D1-(CT)	51-4603	Right Lane Factory Entrance	36	36	2	LOC	XI	Green	
D1-1	51-1475	Destination w/Arrow (1 line)	24	6	1	P	XI	Green	
D1-1	51-5199	Destination w/Fish-hook Arrow (1 line)	60	18	2	SL,ML	XI	Green	
D1-1 (CT)	51-5202	Destination w/Arrow (1 line)	60	12	2	SL,ML	XI	Green	
D1-1 (CT)	51-1337	Transportation Center - Ferries w/Arrow	96	48	3	LOC	XI	Green	
D1-1d	51-5107	Roundabout Exit Destination	48	18	2	SL,ML	XI	Green	
D1-1e	51-5108	Roundabout Exit Route/Destination	66	42	2	SL,ML	XI	Green	
D1-1e (CT)	51-5109	Roundabout Exit Route/Destination	66	42	2	SL,ML	XI	Green	
D1-2	51-1476	Destination w/Arrow (2 lines)	24	12	1	P	XI	Green	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
D1-2 (CT)	51-7847	Variable Rd (plaque used for lane use/destination assemblies)	24	18	1	SL,ML	XI	Green	
D1-2 (CT)	51-5203	Destination w/Arrow (2 lines)	60	24	2	SL,ML	XI	Green	
D1-2 (CT)	51-5339	Riverside St Directional	72	54	2	LOC	XI	Green	
D1-3 (CT)	51-5201	Destination w/Arrow (3 lines)	60	36	2	SL,ML	XI	Green	
D3-1	51-2010	Street Name (1 line)	48	12	2	SL,ML	XI	Green	
D3-1	51-2011	Street Name (1 line)	60	12	2	SL,ML	XI	Green	
D3-1	51-2012	Street Name (1 line)	72	12	2	SL,ML	XI	Green	
D3-1	51-2013	Street Name (1 line)	84	12	2	SL,ML	XI	Green	
D3-1 (CT)	51-2015	Bridge ID Plaque (vertical)	4	18	2	A	XI	Green	
D3-1 (CT)	51-2014	Bridge ID Plaque (horizontal)	12	4	0	A	XI	Green	
D3-1	51-2004	Street Name (1 line)	48	18	2	E,F	XI	Green	
D3-1	51-2001	Street Name (1 line)	60	18	2	E,F	XI	Green	
D3-1	51-2002	Street Name (1 line)	72	18	2	E,F	XI	Green	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
D3-1	51-2003	Street Name (1 line)	84	18	2	E,F	XI	Green	
D3-1	51-2091	Street Name (1 line) (Merritt Parkway only)	60	12	2	E,F	XI	Worboys Green	
D3-1 (CT)	51-2092	Street Name (2 lines) (Merritt Parkway only)	60	24	2	E,F	XI	Worboys Green	
D3-2	51-5498	Street Name - Next Signal w/Arrow	96	36	3	SL,ML	XI	Green	
D4-1	51-6919	Parking w/Arrow	30	24	1	SL,ML	IX	White	
D4-2	51-6006	Park - Ride w/Arrow (Car Symbol)	24	30	1	NR	XI	Green	
D4-2	51-6009	Park - Ride (Car Symbol)	24	30	1	NR	XI	Green	
D4-2	51-6033	Park - Ride w/Arrow (Bus and Car Symbol)	24	30	1	NR	XI	Green	
D4-2	51-6047	Park - Ride w/Arrow (Ferry Symbol)	24	30	1	NR	XI	Green	
D4-2	51-6050	Park - Ride w/Arrow (Train and Bus Symbol)	24	30	1	NR	XI	Green	
D4-2	51-6007	Park - Ride w/Arrow (Car Symbol)	30	36	1	SL,ML	XI	Green	
D4-2	51-6034	Park - Ride w/Arrow (Bus and Car Symbol)	30	36	1	SL,ML	XI	Green	
D4-2	51-6045	Park - Ride w/Arrow (Train and Car Symbol)	30	36	1	SL,ML	XI	Green	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**


Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
D4-2	51-6048	Park - Ride w/Arrow (Ferry Symbol)	30	36	1	SL,ML	XI	Green	
D4-2	51-6051	Park - Ride w/Arrow (Train and Bus Symbol)	30	36	1	SL,ML	XI	Green	
D4-2 (CT)	51-6039	Limited Rail Patron Parking Available See Attendant w/Arrow	30	30	1	NR	XI	Green	
D4-2 (CT)	51-6061	Additional Free Commuter Parking w/Arrow	30	30	1	NR	XI	Green	
D4-2 (CT)	51-2080	Exit 000 - (Ferry-Car) Park-Ride (Channels Required)	84	66	2	E,F	XI	Green	
D4-2 (CT)	51-2082	Exit 000 - (Train-Car) Park-Ride (Channels Required)	84	66	2	E,F	XI	Green	
D4-2 (CT)	51-2095	Exit 000 - (Train-Bus-Car) Park-Ride (Channels Required)	84	66	2	E,F	XI	Green	
D4-2 (CT)	51-2097	Exit 000 - (Car) Park-Ride (Channels Required)	84	66	2	E,F	XI	Green	
D4-2 (CT)	51-2099	Exit 000 - (Bus-Car) Park-Ride (Channels Required)	84	66	2	E,F	XI	Green	
D4-3	51-0603	Bicycle Parking w/Arrow	12	18	1	SL,ML	IX	White	
D5-1	51-6989	Rest Area 0 Mile - Advance Guide	132	60	3	E,F	XI	Blue	
D5-2	51-6911	Rest Area w/Arrow (channels required) - Exit Direction	132	66	2	E,F	XI	Blue	
D5-2a	51-6901	Rest Area w/Arrow (channels required) - Gore	78	78	2	E,F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
D5-2a	51-6988	Scenic Overlook w/Arrow	90	60	3	E,F	XI	Green	
D5-2a (CT)	51-6902	State Police w/Arrow (channels required)	78	84	1	E,F	XI	Blue	
D6-4 (CT)	51-6892	Scenic Road	42	30	2	SL,ML	XI	Blue	
D6-4 (CT)	51-6893	Next 00 Miles (used with 51-6892)	24	18	1	SL,ML	XI	Blue	
D7-(CT)	51-6802	Recreational or Cultural Interest Area Destination w/Arrow (1 line)	60	12	2	SL,ML	XI	Brown	
D7-(CT)	51-6803	Recreational or Cultural Interest Area Destination w/Arrow (2 lines)	60	24	2	SL,ML	XI	Brown	
D7-(CT)	51-6819	Recreational or Cultural Interest Area Destination w/Arrow (3 lines)	60	36	2	SL,ML	XI	Brown	
D8-1 (CT)	51-1020	Weigh Station - Not an Exit	120	60	3	E,F	IX	White	
D8-3	50-1024	Weigh Station w/Arrow	48	42	2	NR	XI	Green	
D8-3	51-1059	Weigh Station w/Arrow	66	60	2	SL,ML	XI	Green	
D9-2	51-6788	Hospital	24	24	1	SL,ML	XI	Blue	
D9-2	51-7785	Hospital (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-2 (CT)	51-6780	Variable Hospital Name (plaque can be used with 51-6788)	24	6	1	SL,ML	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
D9-2P (CT)	51-6113	00 MI (plaque used with 51-6788)	24	12	1	SL,ML	XI	Blue	
D9-3	51-7786	Camping (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-3 (CT)	51-6714	Camping w/Arrow	36	9	1	SL,ML	XI	Green	
D9-4 (CT)	51-6912	Deposit Trash in Dumpster	36	12	1	NR	XI	Blue	
D9-6	51-6795	Handicapped	24	24	1	SL,ML	XI	Blue	
D9-7	51-7780	Gas (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-7 (CT)	51-6708	Gas w/Arrow	36	9	1	SL,ML	XI	Blue	
D9-8	51-7782	Food (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-8 (CT)	51-6706	Food w/Arrow	36	9	1	SL,ML	XI	Blue	
D9-9	51-7783	Lodging (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-9 (CT)	51-6709	Lodging w/Arrow	36	9	1	SL,ML	XI	Blue	
D9-10	51-7787	Info (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-10 (CT)	51-6960	Info w/Arrow	36	9	1	SL,ML	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**











Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
D9-11	51-7781	Diesel (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-11 (CT)	51-6705	Diesel w/Arrow	36	9	1	SL,ML	XI	Blue	
D9-11a	51-7761	Compressed Natural Gas - CNG (used with 51-7767 & 51-7768)	24	24	1	E,F	XI	Blue	
D9-11b	51-7766	Electric Vehicle Charging - EV (used with 51-7767 & 51-7768)	24	24	1	E,F	XI	Blue	
D9-11b	51-7769	Electric Vehicle Charging - EV (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-11b (CT)	51-6961	EV Charging	36	9	1	SL,ML	XI	Blue	
D9-11e	51-7762	Liquid Petroleum Gas (used with 51-7767 & 51-7768)	24	24	1	E,F	XI	Blue	
D9-12	51-6816	RV Sanitary Station	24	24	1	SL,ML	XI	Blue	
D9-13	51-7792	Emergency Medical Services	24	24	1	SL,ML	XI	Blue	
D9-13	51-7794	Emergency Medical Services (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	
D9-13cP	51-7789	Emergency Medical Care (plaque used with 51-7792)	30	24	1	SL,ML	XI	Blue	
D9-13P (CT)	51-7793	00 AM - 00 PM (plaque used with 51-7792)	30	12	1	SL,ML	XI	Blue	
D9-14 (CT)	51-5403	State Police (overlay for use with 51-6741 & 51-6742)	24	24	0	E,F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
D9-14 (CT)	51-5405	State Police w/Arrow	36	9	1	SL,ML	XI	Blue	
D9-18	51-6742	General Service Sign 6 Panels	96	60	3	E,F	XI	Blue	
D9-18 (CT)	51-6741	General Service Sign 3 Panels	96	30	3	E,F	XI	Blue	
D10-1	51-5291	Mile Marker (1 digit) (Merritt Parkway only)	12	24	1	E,F	XI	Worboys Green	
D10-1a (CT)	51-5103	Mile Marker - Cardinal Direction - 1 Digit w/Decimal	12	36	1	E,F	XI	Green	
D10-2	51-5292	Mile Marker (2 digits) (Merritt Parkway only)	12	36	1	E,F	XI	Worboys Green	
D10-2a (CT)	51-5104	Mile Marker - Cardinal Direction - 2 Digits w/Decimal	12	48	1	E,F	XI	Green	
D10-3a (CT)	51-5105	Mile Marker - Cardinal Direction - 3 Digits w/Decimal	12	60	1	E,F	XI	Green	
D10-4	51-5307	Mile Marker - Cardinal Direction - Route - Mile - 3 Digits	18	54	1	E,F	XI	Green	
D11-1	51-1354	Bike Route	24	18	1	P,SL,ML	XI	Green	
D11-1 (CT)	51-1346	Pedestrian and Bike Route to Bridge	24	24	1	P	XI	Green	
D12-1 (CT)	51-5910	Highway Advisory Radio Tune to 530 AM	144	60	4	E,F	XI	Blue	
D12-2 (CT)	51-6010	Free Commuter Services Call CTrides at 1-877-CT-RIDES	72	30	2	E,F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
D12-2 (CT)	51-6017	Free Commuter Services Call CTrides at 1-877-CT-RIDES (Merritt Parkway)	78	30	2	E,F	XI	Blue	
D12-4	51-6786	Emergency Dial 911	96	48	3	E,F	XI	Blue	
D14-2 (CT)	51-5960 A	Connecticut Adopt-A-Highway Program	24	18	1	SL,ML	XI	Green	
D14-2 (CT)	51-5960 B	Client Panel (used with 51-5960A)	24	18	1	SL,ML	XI	Green	
D14-3 (CT)	51-5961 A	Connecticut Adopt-A-Highway Program	48	36	2	E,F	XI	Green	
D14-3 (CT)	51-5961 B	Client Panel (used with 51-5961A)	48	36	2	E,F	XI	Green	
D15-1 (CT)	51-5195	Combination Lane Use/Destination	96	60	3	LOC	XI	Green	
D15-1 (CT)	51-5294	Combination Lane Use/Destination (Channels Required)	102	72	3	LOC	XI	Green	
D18-1	51-7768	Alternative Fuels Corridor (used with 51-7767 & fuel symbols)	36	36	2	E,F	XI	Blue	
DE	51-5028	Delineator	4	4	1	A	IX	White	
DE	51-5029	Delineator	4	4	1	A	XI	Yellow	
E1-5	51-6151	Exit 00 (Crown used with 51-6741 & 51-6742)	84	24	2	E,F	XI	Blue	
E1-5 (CT)	51-6152	Exit 00A (Crown used with 51-6741 & 51-6742)	90	24	3	E,F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
E1-5 (CT)	51-6153	Left Exit 00 (Crown used with 51-6741 & 51-6742)	90	48	3	E,F	XI	Blue	
E1-5 (CT)	51-6160	Left Exit 00A (Crown used with 51-6741 & 51-6742)	90	48	3	E,F	XI	Blue	
E5-1 (CT)	51-5427	Conn DOT Maintenance Facility w/Arrow	96	48	3	LOC	XI	Green	
E5-1a	51-6124	Exit 00 w/Right Arrow (1 or 2 digits)	78	60	2	E,F	XI	Green	
E5-1a	51-6125	Exit 00 w/Left Arrow (1 or 2 digits)	78	60	2	E,F	XI	Green	
E5-1a	51-6130	Exit 0A w/Right Arrow (1 digit 1 letter)	90	60	2	E,F	XI	Green	
E5-1a	51-6131	Exit 0A w/Left Arrow (1 digit 1 letter)	90	60	2	E,F	XI	Green	
E5-1a	51-6126	Exit 00B w/Right Arrow (2 digits 1 letter)	108	60	3	E,F	XI	Green	
E5-1a	51-6127	Exit 00B w/Left Arrow (2 digits 1 letter)	108	60	3	E,F	XI	Green	
E5-1a	51-6128	Exit 00A-B w/Right Arrow (1 or 2 digits)	138	60	4	E,F	XI	Green	
E5-1a	51-6129	Exit 00A-B w/Left Arrow (1 or 2 digits)	138	60	4	E,F	XI	Green	
E5-1a (CT)	51-6172	Exit 2B w/Vert Arrow - Exit 2A w/Right Arrow	72	60	2	E,F	XI	Green	
E5-1a (CT)	51-6118	Exit 00 w/Vert Arrow (Channels Required)	72	66	2	E,F	XI	Green	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
E5-1a (CT)	51-6116	Old Exit 000	78	42	2	E,F	XI	Green	
E5-1a (CT)	51-6117	New Exit 000	78	42	2	E,F	XI	Green	
E5-1a (CT)	51-6110	Exit 00 w/Right Arrow (1 or 2 digits) (Merritt Parkway Only)	78	60	2	E,F	XI	Worboys Green	
E5-1a (CT)	51-6111	Exit 00B w/Right Arrow (1 or 2 digits) (Merritt Parkway Only)	108	60	3	E,F	XI	Worboys Green	
E5-1c	51-6109	Exit 00B w/Arrow (Narrow)	60	90	2	E,F	XI	Green	
E5-1c (CT)	51-6108	Exit 00 w/Arrow (Narrow)	54	90	2	E,F	XI	Green	
E5-1	51-6148	Exit - Left Angled Arrow (no exit number)	72	60	2	E,F	XI	Green	
E5-1	51-6150	Exit - Right Angled Arrow (no exit number)	72	60	2	E,F	XI	Green	
E6-2a (CT)	51-5131	Variable Road w/Arrow	42	66	2	SL,ML	XI	Green	
E6-2a (CT)	51-5231	Cardinal Direction - Route Shield - Arrow (All Variable)	42	66	2	SL,ML	XI	Green	
E6-2a (CT)	51-5308	Cardinal Direction - Route - Arrow (for existing only - new use 51-5231)	48	60	2	LOC	XI	Green	
E6-2a (CT)	51-5229	Cardinal Direction - Route - Cardinal Direction - Route - (All Variable) - Down Arrow	66	60	2	SL,ML	XI	Green	
E6-2a (CT)	51-6678	To West Route 2A To I-395 w/Down Arrow (Overhead)	78	84	2	LOC	XI	Green	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
E8-2 (CT)	51-0920	HOV - Cardinal Direction - Route - HOV Lane w/Arrow	48	96	2	SL,ML	XI	Green	
E8-3 (CT)	51-0921	HOV - Cardinal Direction - Route - HOV Lane w/Advance Arrow	48	96	2	SL,ML	XI	Green	
E8-4	51-0923	HOV - Exit w/Left Arrow	60	78	2	E,F	XI	Green	
E8-4	51-0924	HOV - Exit w/Right Arrow	60	78	2	E,F	XI	Green	
EM (CT)	51-5943	Fire Hydrant	18	24	1	SL,ML	XI	Blue	
EM (CT)	51-6504	Variable (plaque used with 51-5943)	18	6	1	SL,ML	XI	Blue	
EM (CT)	51-6505	Variable (plaque used with 51-5943)	18	12	1	SL,ML	XI	Blue	
G20 (CT)	50-5934	Business Access w/Arrow	36	36	2	SL,ML	XI	Blue	
I-(CT)	51-6090	Carpool (overlay)	30	30	0	E,F	XI	Green	
I-(CT)	51-5937	Parking Area Patrolled	36	30	2	NR	XI	Green	
I-(CT)	51-5942	Parking Lot Patrolled Video Cameras in Use	42	30	2	NR	XI	Green	
I-2 (CT)	51-5449	Governor Name (plaque used with 51-5448)	66	12	2	SL,ML	XI	Blue	
I-2 (CT)	51-5448	Welcome to Connecticut	66	24	2	SL,ML	XI	Blue	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
I-2 (CT)	51-5909	Governor Name (overlay panel used on 52-5908)	168	30	0	LOC	XI	Blue	
I-2 (CT)	51-2020	Town Name - Incorporated (or Settled) 0000 - Town Line	48	36	2	A	XI	Green	
I-2 (CT)	51-2005	Variable Town Name (Merritt Parkway Only)	96	24	3	E,F	XI	Worboys Green	
I-3	51-2007	Variable River	36	18	1	SL,ML	XI	Green	
I-3	51-2051	Variable River	48	36	2	E,F	XI	Green	
I-3 (CT)	51-2009	Variable Watercourse	18	12	1	A	XI	Green	
I-3 (CT)	51-2018	Naromiyocknowhusunkatank shunk Brook	42	12	2	LOC	XI	Green	
I-5	51-1362	Airport	24	24	1	SL,ML	XI	Green	
I-5	51-1364	Airport	30	30	1	E,F	XI	Green	
I-5	51-6094	Airport (overlay)	30	30	0	E,F	XI	Green	
I-5 (CT)	51-1384	Bradley International Airport w/Arrow	60	48	2	SL,ML	XI	Blue	
I-5 (CT)	51-1401	Lot X - Long Term Parking Keep Right (or Arrow)	84	60	2	SL,ML	XI	Blue	
I-5 (CT)	51-1442	Terminal A - Parking w/Arrow	96	60	3	SL,ML	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
I-5 (CT)	51-4701	Overheight Exit w/Arrow	60	36	2	LOC	XI	Green	
I-5 (CT)	51-1419	Tweed Airport (trailblazer)	24	24	1	SL,ML	IX	White	
I-5 (CT)	51-1407	Bradley International Airport (trailblazer)	30	36	1	LOC	IX	White	
I-5 (CT)	51-1406	Bradley International Airport (trailblazer)	36	42	2	E,F	IX	White	
I-6	51-1449	Bus Station	24	24	1	SL,ML	XI	Green	
I-6	51-1446	Bus Station	30	30	1	E,F	XI	Green	
I-6	51-6091	Bus Station (overlay)	30	30	0	E,F	XI	Green	
I-7	51-1448	Train Station	24	24	1	SL,ML	XI	Green	
I-7	51-6092	Train Station (overlay)	30	30	0	E,F	XI	Green	
I-8	51-5927	Library	24	24	1	SL,ML	XI	Green	
I-9	51-1447	Vehicle Ferry Terminal	24	24	1	SL,ML	XI	Green	
I-9	51-6093	Vehicle Ferry Terminal (overlay)	30	30	0	E,F	XI	Green	
I-9 (CT)	51-1377	Hinged Panel for Ferry Guide Sign 51-1376	26	36	2	SL,ML	XI	Brown	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
I-9 (CT)	51-1376	Ferry Guide Sign (used with 51-1377)	48	36	2	SL,ML	XI	Brown	
I-9 (CT)	51-1380	Route 148 via Ferry Only - 5 Ton Wt Limit	42	72	2	LOC	XI	Green	
I-9 (CT)	51-1378	Ferry Operates Daily - Request a Receipt - Truck Limit 5 Tons Gross	48	48	2	SL,ML	XI	Green	
I-9 (CT)	51-1317	Stopping at This Point Will Call Ferry w/Arrow	24	30	1	SL,ML	IX	White	
I-11	51-5926	Recycling Collection Center	30	48	1	SL,ML	XI	Green	
I-13	51-5902	Railroad Crossing Emergency Notification Sign	15	9	1	A	XI	Blue	
LEGISLATIVE	51-2071	Memorial and Commemorative Sign (2 lines)	48	24	2	SL,ML	XI	Brown	
LEGISLATIVE	51-2078	Memorial and Commemorative Sign (3 lines)	48	30	2	SL,ML	XI	Brown	
LEGISLATIVE	51-2073	Memorial and Commemorative Sign (2 lines)	72	30	2	E,F	XI	Brown	
LEGISLATIVE	51-2075	Memorial and Commemorative Sign (3 lines)	72	42	2	E,F	XI	Brown	
LEGISLATIVE	51-7825	Memorial and Commemorative Sign (1 line w/exit number)	72	30	2	E,F	XI	Brown	
LEGISLATIVE	51-7824	Memorial and Commemorative Sign (2 lines w/exit number)	72	42	2	E,F	XI	Brown	
LEGISLATIVE	51-7827	Memorial and Commemorative Sign (1 line)	72	30	2	E,F	XI	Green	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
LEGISLATIVE	51-7826	Memorial and Commemorative Sign (2 lines)	72	42	2	E,F	XI	Green	
LEGISLATIVE	51-2616	Exit 47 St. Margaret's Shrine	84	48	2	LOC	XI	Brown	
LOGO-A	51-6758	Attraction Exit 00 - Temporary Attraction Sign for up to Two Panels	60	96	2	E,F	XI	Blue	
LOGO-A	51-6753	Attraction Logo Panel (Off-Ramps and Conventional Road Trailblazing)	30	18	0	SL,ML,F	XI	Blue	
LOGO-A	51-6749	Attraction Logo Panel	60	36	0	F	XI	Blue	
LOGO-A	51-6737	Attraction Logo Panel (Off-Ramps and Conventional Road Trailblazing)	30	18	0	SL,ML,F	XI	Brown	
LOGO-A	51-6731	Attraction Logo Panel	60	36	0	F	XI	Brown	
LOGO-A	51-6740	Attraction Logo Panel (Off-Ramps and Conventional Road Trailblazing)	30	18	0	SL,ML,F	XI	Green	
LOGO-A	51-6733	Attraction Logo Panel	60	36	0	F	XI	Green	
LOGO-A	51-6755	Attraction (Main Panel w/Arrow - Conventional Road Trailblazing Only)	48	24	2	SL,ML	XI	Blue	
LOGO-A	51-6751	Attraction (Top Panel - Off-Ramps Only)	48	18	2	F	XI	Blue	
LOGO-A	51-6752	Attraction (Main Panel w/Arrow and Mileage - Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-A	51-6732	Attraction 3-Panel (Off-Ramps Only)	48	90	2	F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
LOGO-A	51-6734	Attraction 4-Panel (Off-Ramps Only) (Channels Required)	96	66	3	F	XI	Blue	
LOGO-A	51-6739	Attraction 6-Panel (Off-Ramps Only) (Channels Required)	96	90	3	F	XI	Blue	
LOGO-A	51-6743	Direction Panel (overlay for Off-Ramps Only)	9	18	0	F	XI	Blue	
M1-1	51-6662	Interstate Route Sign (1 or 2 digits)	24	24	1	SL,ML	XI	Blue	
M1-1	51-6666	Interstate Route Sign (1 or 2 digits)	36	36	1	E,F	XI	Blue	
M1-1	51-6663	Interstate Route Sign (3 digits)	30	24	1	SL,ML	XI	Blue	
M1-1	51-6667	Interstate Route Sign (3 digits)	45	36	1	E,F	XI	Blue	
M1-4	51-6615	US Route Sign (1 or 2 digits)	24	24	1	SL,ML	IX	White	
M1-4	51-6635	US Route Sign (1 or 2 digits)	36	36	2	E,F	IX	White	
M1-4	51-6644	US Route Sign (3 digits)	30	24	1	SL,ML	IX	White	
M1-4	51-6645	US Route Sign (3 digits)	45	36	2	E,F	IX	White	
M1-5	51-6616	State Route Sign (1 or 2 digits)	24	24	1	SL,ML	IX	White	
M1-5	51-6636	State Route Sign (1 or 2 digits)	36	36	2	E,F	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit Page 88 of 125

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M1-5	51-6647	State Route Sign (3 digits)	30	24	1	SL,ML	IX	White	
M1-5	51-6646	State Route Sign (3 digits)	45	36	2	E,F	IX	White	
M1-10	51-6560	Eisenhower Interstate System	36	36	2	E,F	XI	Blue	
M1-10 (CT)	51-6525	Merritt Parkway Shield	24	24	1	A	XI	Blue	
M1-10 (CT)	51-6589	Washington Rochambeau Route	30	31	1	LOC	XI	Blue	
M1-10 (CT)	51-6526	Wilbur Cross Parkway Shield	36	36	1	E,F	XI	Blue	
M1-10 (CT)	51-6588	Rochambeau - June 1781	25	33	1	LOC	IX	White	
M1-10 (CT)	51-6593	Delauzun - Winter 1781	25	33	1	LOC	IX	White	
M1-10 (CT)	51-6595	Rochambeau - November 1782	25	33	1	LOC	IX	White	
M1-10 (CT)	51-6599	Rochambeau - October 1782	25	33	1	LOC	IX	White	
M2-1	51-6640	JCT (Interstate)	21	15	1	SL,ML	XI	Blue	
M2-1	51-6610	JCT (US or State Routes)	21	15	1	SL,ML	IX	White	
M3-1	51-6651	North (Interstate Cardinal Direction)	24	12	1	SL,ML	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**





Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M3-1	51-6655	North (Interstate Cardinal Direction)	36	18	1	E,F	XI	Blue	
M3-1	51-6611	North (US or State Route Cardinal Direction)	24	12	1	SL,ML	IX	White	
M3-1	51-6625	North (US or State Route Cardinal Direction)	36	18	1	E,F	IX	White	
M3-2	51-6652	East (Interstate Cardinal Direction)	24	12	1	SL,ML	XI	Blue	
M3-2	51-6656	East (Interstate Cardinal Direction)	36	18	1	E,F	XI	Blue	
M3-2	51-6612	East (US or State Route Cardinal Direction)	24	12	1	SL,ML	IX	White	
M3-2	51-6626	East (US or State Route Cardinal Direction)	36	18	1	E,F	IX	White	
M3-3	51-6653	South (Interstate Cardinal Direction)	24	12	1	SL,ML	XI	Blue	
M3-3	51-6657	South (Interstate Cardinal Direction)	36	18	1	E,F	XI	Blue	
M3-3	51-6613	South (US or State Route Cardinal Direction)	24	12	1	SL,ML	IX	White	
M3-3	51-6627	South (US or State Route Cardinal Direction)	36	18	1	E,F	IX	White	
M3-4	51-6654	West (Interstate Cardinal Direction)	24	12	1	SL,ML	XI	Blue	
M3-4	51-6658	West (Interstate Cardinal Direction)	36	18	1	E,F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M3-4	51-6614	West (US or State Route Cardinal Direction)	24	12	1	SL,ML	IX	White	
M3-4	51-6628	West (US or State Route Cardinal Direction)	36	18	1	E,F	IX	White	
M4-2	51-6638	By-Pass	24	12	1	SL,ML	IX	White	
M4-4	51-6670	Truck	24	12	1	SL,ML	IX	White	
M4-5	51-6650	To (Interstate)	24	12	1	SL,ML	XI	Blue	
M4-5	51-6649	To (Interstate)	36	18	1	E,F	XI	Blue	
M4-5	51-6620	To (US or State Route)	24	12	1	SL,ML	IX	White	
M4-5	51-6622	To (US or State Route)	36	18	1	E,F	IX	White	
M4-6	51-6621	End	24	12	1	SL,ML	IX	White	
M4-6 (CT)	51-1356	End (used with 51-1354)	24	6	1	SL,ML	XI	Green	
M4-14	51-7767	Begin	36	18	1	E,F	XI	Blue	
M4-14 (CT)	51-1355	Begin (used with 51-1354)	24	6	1	SL,ML	XI	Green	
M5-1	51-2690	Advance Turn Arrow - Left	21	15	1	SL,ML	XI	Blue	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M5-1	51-2679	Advance Turn Arrow - Left	30	21	1	E,F	XI	Blue	
M5-1	51-2691	Advance Turn Arrow - Right	21	15	1	SL,ML	XI	Blue	
M5-1	51-2680	Advance Turn Arrow - Right	30	21	1	E,F	XI	Blue	
M5-1	51-2710	Advance Turn Arrow - Left	21	15	1	SL,ML	XI	Brown	
M5-1	51-2711	Advance Turn Arrow - Right	21	15	1	SL,ML	XI	Brown	
M5-1	51-2670	Advance Turn Arrow - Left (Bicycle Route Only)	12	9	1	P,SL,ML	XI	Green	
M5-1	51-2650	Advance Turn Arrow - Left	21	15	1	SL,ML	XI	Green	
M5-1	51-2671	Advance Turn Arrow - Right (Bicycle Route Only)	12	9	1	P,SL,ML	XI	Green	
M5-1	51-2651	Advance Turn Arrow - Right	21	15	1	SL,ML	XI	Green	
M5-1	51-2630	Advance Turn Arrow - Left	21	15	1	SL,ML	IX	White	
M5-1	51-2610	Advance Turn Arrow - Left	30	21	1	E,F	IX	White	
M5-1	51-2631	Advance Turn Arrow - Right	21	15	1	SL,ML	IX	White	
M5-1	51-2611	Advance Turn Arrow - Right	30	21	1	E,F	IX	White	



**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M5-2	51-2692	Advance Turn Arrow - Vertical and 45 Degree Left	21	15	1	SL,ML	XI	Blue	
M5-2	51-2678	Advance Turn Arrow - Vertical and 45 Degree Left	30	21	1	E,F	XI	Blue	
M5-2	51-2693	Advance Turn Arrow - Vertical and 45 Degree Right	21	15	1	SL,ML	XI	Blue	
M5-2	51-2681	Advance Turn Arrow - Vertical and 45 Degree Right	30	21	1	E,F	XI	Blue	
M5-2	51-2632	Advance Turn Arrow - Vertical and 45 Degree Left	21	15	1	SL,ML	IX	White	
M5-2	51-2612	Advance Turn Arrow - Vertical and 45 Degree Left	30	21	1	E,F	IX	White	
M5-2	51-2633	Advance Turn Arrow - Vertical and 45 Degree Right	21	15	1	SL,ML	IX	White	
M5-2	51-2613	Advance Turn Arrow - Vertical and 45 Degree Right	30	21	1	E,F	IX	White	
M5-3	51-2618	Advance Turn Arrow - Fishhook Arrow	21	15	1	SL,ML	XI	Blue	
M5-3	51-2619	Advance Turn Arrow - Fishhook Arrow	21	15	1	SL,ML	XI	Brown	
M5-3	51-2621	Advance Turn Arrow - Fishhook Arrow	21	15	1	SL,ML	XI	Green	
M5-3	51-2617	Advance Turn Arrow - Fishhook Arrow	21	15	1	SL,ML	IX	White	
M5-4	51-6602	Left Lane	24	18	1	SL,ML	XI	Blue	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M5-4	51-6664	Left Lane	36	24	2	E,F	XI	Blue	
M5-4	51-6699	Left Lane	24	18	1	SL,ML	IX	White	
M5-4	51-6642	Left Lane	36	24	2	E,F	IX	White	
M5-4 (CT)	51-6155	Next Left	24	18	1	SL,ML	IX	White	
M5-4 (CT)	51-6184	Next Left	36	24	2	E,F	IX	White	
M5-5	51-6659	Center Lane	36	24	2	E,F	XI	Blue	
M5-5	51-6660	Center Lane	24	18	1	SL,ML	IX	White	
M5-5	51-6665	Center Lane	36	24	2	E,F	IX	White	
M5-6	51-6603	Right Lane	24	18	1	SL,ML	XI	Blue	
M5-6	51-6661	Right lane	36	24	2	E,F	XI	Blue	
M5-6	51-6156	Right Lane	24	18	1	SL,ML	IX	White	
M5-6	51-6641	Right Lane	36	24	2	E,F	IX	White	
M5-6 (CT)	51-6185	Next Right	36	24	2	E,F	IX	White	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M5-6 (CT)	51-6643	First Right	36	24	2	E,F	IX	White	
M6-1 (CT)	51-2652	Directional Arrow - U-Turn (Left)	21	15	1	SL,ML	XI	Green	
M6-1	51-2686 (L)	Directional Arrow - Left	21	15	1	SL,ML	XI	Blue	
M6-1	51-2682 (L)	Directional Arrow - Left	30	21	1	E,F	XI	Blue	
M6-1	51-2706 (L)	Directional Arrow - Left	21	15	1	SL,ML	XI	Brown	
M6-1	51-2666 (L)	Directional Arrow - Left (Bicycle Route Only)	12	9	1	P,SL,ML	XI	Green	
M6-1	51-2646 (L)	Directional Arrow - Left	21	15	1	SL,ML	XI	Green	
M6-1	51-2626 (L)	Directional Arrow - Left	21	15	1	SL,ML	IX	White	
M6-1	51-2606 (L)	Directional Arrow - Left	30	21	1	E,F	IX	White	
M6-1	51-2686 (R)	Directional Arrow - Right	21	15	1	SL,ML	XI	Blue	
M6-1	51-2682 (R)	Directional Arrow - Right	30	21	1	E,F	XI	Blue	
M6-1	51-2706 (R)	Directional Arrow - Right	21	15	1	SL,ML	XI	Brown	
M6-1	51-2666 (R)	Directional Arrow - Right (Bicycle Route Only)	12	9	1	P,SL,ML	XI	Green	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M6-1	51-2646 (R)	Directional Arrow - Right	21	15	1	SL,ML	XI	Green	
M6-1	51-2626 (R)	Directional Arrow - Right	21	15	1	SL,ML	IX	White	
M6-1	51-2606 (R)	Directional Arrow - Right	30	21	1	E,F	IX	White	
M6-2	51-2688	Directional Arrow - 45 Degree Left	21	15	1	SL,ML	XI	Blue	
M6-2	51-2683	Directional Arrow - 45 Degree Left	30	21	1	E,F	XI	Blue	
M6-2	51-2689	Directional Arrow - 45 Degree Right	21	15	1	SL,ML	XI	Blue	
M6-2	51-2614	Directional Arrow - 45 Degree Right	30	21	1	E,F	XI	Blue	
M6-2	51-2708	Directional Arrow - 45 Degree Left	21	15	1	SL,ML	XI	Brown	
M6-2	51-2709	Directional Arrow - 45 Degree Right	21	15	1	SL,ML	XI	Brown	
M6-2	51-2668	Directional Arrow - 45 Degree Left (Bicycle Route Only)	12	9	1	P,SL, ML	XI	Green	
M6-2	51-2648	Directional Arrow - 45 Degree Left	21	15	1	SL,ML	XI	Green	
M6-2	51-2669	Directional Arrow - 45 Degree Right (Bicycle Route Only)	12	9	1	P,SL, ML	XI	Green	
M6-2	51-2649	Directional Arrow - 45 Degree Right	21	15	1	SL,ML	XI	Green	



**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M6-2	51-2629	Directional Arrow - 45 Degree Left	21	15	1	SL,ML	IX	White	
M6-2	51-2608	Directional Arrow - 45 Degree Left	30	21	1	E,F	IX	White	
M6-2	51-2628	Directional Arrow - 45 Degree Right	21	15	1	SL,ML	IX	White	
M6-2	51-2609	Directional Arrow - 45 Degree Right	30	21	1	E,F	IX	White	
M6-3	51-2685	Directional Arrow - Vertical	21	15	1	SL,ML	XI	Blue	
M6-3	51-2684	Directional Arrow - Vertical	30	21	1	E,F	XI	Blue	
M6-3	51-2705	Directional Arrow - Vertical	21	15	1	SL,ML	XI	Brown	
M6-3	51-2665	Directional Arrow - Vertical (Bicycle Route Only)	12	9	1	P,SL,ML	XI	Green	
M6-3	51-2645	Directional Arrow - Vertical	21	15	1	SL,ML	XI	Green	
M6-3	51-2625	Directional Arrow - Vertical	21	15	1	SL,ML	IX	White	
M6-3	51-2605	Directional Arrow - Vertical	30	21	1	E,F	IX	White	
M6-4	51-2687	Double Directional Arrow - Right and Left	21	15	1	SL,ML	XI	Blue	
M6-4	51-2667	Double Directional Arrow - Right and Left (Bicycle Route Only)	12	9	1	P,SL,ML	XI	Green	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M6-4	51-2647	Double Directional Arrow - Right and Left	21	15	1	SL,ML	XI	Green	
M6-4	51-2627	Double Directional Arrow - Right and Left	21	15	1	SL,ML	IX	White	
M6-4	51-2607	Double Directional Arrow - Right and Left	30	21	1	E,F	IX	White	
M6-5	51-2695	Double Directional Arrow - 45 Degree Right	21	15	1	SL,ML	XI	Blue	
M6-5	51-2635	Double Directional Arrow - 45 Degree Right	21	15	1	SL,ML	IX	White	
M6-5	51-2694	Double Directional Arrow - 45 Degree Left	21	15	1	SL,ML	XI	Blue	
M6-5	51-2634	Double Directional Arrow - 45 Degree Left	21	15	1	SL,ML	IX	White	
M6-6	51-2696	Double Directional Arrow - Left and Vertical	21	15	1	SL,ML	XI	Blue	
M6-6	51-2697	Double Directional Arrow - Right and Vertical	21	15	1	SL,ML	XI	Blue	
M6-6	51-2676	Double Directional Arrow - Left and Vertical (Bicycle Route Only)	12	9	1	P,SL, ML	XI	Green	
M6-6	51-2677	Double Directional Arrow - Right and Vertical (Bicycle Route Only)	12	9	1	P,SL, ML	XI	Green	
M6-6	51-2636	Double Directional Arrow - Left and Vertical	21	15	1	SL,ML	IX	White	
M6-6	51-2637	Double Directional Arrow - Right and Vertical	21	15	1	SL,ML	IX	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M6-7	51-2698	Double Directional Arrow - 45 Degree Left and Vertical	21	15	1	SL,ML	XI	Blue	
M6-7	51-2699	Double Directional Arrow - 45 Degree Right and Vertical	21	15	1	SL,ML	XI	Blue	
M6-7	51-2638	Double Directional Arrow - 45 Degree Left and Vertical	21	15	1	SL,ML	IX	White	
M6-7	51-2639	Double Directional Arrow - 45 Degree Right and Vertical	21	15	1	SL,ML	IX	White	
R5-10a (CT)	51-6863	Bicycle (plaque used on 31-1719 and 31-1720)	9	9	0	SL,ML	IX	White	
R5-10a (CT)	51-6871	Pedestrian (plaque used on 31-1719 and 31-1720)	9	9	0	SL,ML	IX	White	
R14-1 (CT)	51-6669	Best Truck Route	24	24	1	SL,ML	IX	White	
REST AREA	51-6900	Cars w/Arrow (Rest Areas)	42	18	2	LOC	XI	Blue	
REST AREA	51-6943	Parking Keep Left (Rest Areas)	48	30	2	LOC	XI	Blue	
REST AREA	51-6927	Campers w/Arrow (Rest Areas)	54	18	2	LOC	XI	Blue	
REST AREA	51-6917	Buses Campers w/Arrow (Rest Areas)	54	30	2	LOC	XI	Blue	
REST AREA	51-6915	Buses Campers w/Arrow (Rest Areas)	60	30	2	LOC	XI	Blue	
REST AREA	51-6936	Campers w/Arrow - Cars w/Arrow (Rest Areas)	60	36	2	LOC	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
REST AREA	51-6909	Cars - Campers w/Arrow (Rest Areas)	60	42	2	LOC	XI	Blue	
REST AREA	51-6905	Trucks Buses w/Arrow - Cars Campers w/Arrow (Rest Areas)	60	48	2	LOC	XI	Blue	
REST AREA	51-6925	Trucks Buses Campers w/Arrow - Cars w/Arrow (Rest Areas)	60	48	2	LOC	XI	Blue	
REST AREA	51-6928	Interstate Route w/Arrow - Campers w/Arrow (Rest Areas)	60	48	2	LOC	XI	Blue	
REST AREA	51-6908	Trucks Buses Campers w/Arrow - Cars w/Arrow (Rest Areas)	60	54	2	LOC	XI	Blue	
REST AREA	51-6914	Trucks w/Arrow - Cars Buses Campers w/Arrow (Rest Areas)	60	54	2	LOC	XI	Blue	
REST AREA	51-6933	Trucks w/Arrow - Cars Buses Campers w/Arrow (Rest Areas)	60	54	2	LOC	XI	Blue	
REST AREA	51-6907	Cars Lot 2 w/Arrow - Campers w/Arrow (Rest Areas)	72	36	2	LOC	XI	Blue	
REST AREA	51-6926	Trucks-Buses Parking - Campers w/Arrow (Rest Areas)	72	42	2	LOC	XI	Blue	
REST AREA	51-6935	Cars Lot 2 w/Arrow - Buses Campers w/Arrow (Rest Areas)	72	42	2	LOC	XI	Blue	
REST AREA	51-6904	Interstate Route w/Arrow - Cars Lot 2 w/Arrow (Rest Areas)	72	48	2	LOC	XI	Blue	
REST AREA	51-6906	Campers w/Arrow - Cars Lot 2 w/Arrow - Cars Lot 1 w/Arrow (Rest Areas)	72	48	2	LOC	XI	Blue	
REST AREA	51-6934	Cars Lot 2 Buses Campers w/Arrow - Cars Lot 1 w/Arrow (Rest Areas)	72	48	2	LOC	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**






Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
RS-013 (CT)	51-5928	Public Drinking Water Protection Area Next 0 Mi	24	36	1	SL,ML	XI	Green	
RS-013 (CT)	51-5930	Leaving Public Drinking Water Protection Area	24	36	1	SL,ML	XI	Green	
RS-013 (CT)	51-5929	Public Drinking Water Protection Area Next 0 Mi	60	72	2	E,F	XI	Green	
RS-013 (CT)	51-5931	Leaving Public Drinking Water Protection Area	60	72	2	E,F	XI	Green	
RS-017 (CT)	51-6979	Canine Rest Area	30	36	1	SL,ML	XI	Brown	
RS-044	51-6890	Picnic Site	24	24	1	SL,ML	XI	Brown	
RS-046	51-6887	Cross Country Skiing	24	24	1	SL,ML	XI	Brown	
RS-047	51-6889	Downhill Skiing	24	24	1	SL,ML	XI	Brown	
RS-048	51-6888	Ski Jumping	24	24	1	SL,ML	XI	Brown	
RS-054	51-6873	Boat Ramp	24	24	1	SL,ML	XI	Brown	
RS-068	51-6878	Hiking Trail	24	24	1	SL,ML	XI	Brown	
RS-076 (CT)	51-6898	Beardsley Zoo Exit 00 (Merritt Parkway Only)	108	60	3	LOC	XI	Brown	
RS-103 (CT)	51-6815	Water Pick Up w/Arrow	24	24	1	NR	XI	Blue	



*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
RS-117	51-7828	Hand Launch/Small Boat Launch	24	24	1	SL,ML	XI	Brown	
RS-128 (CT)	51-6821	Public Golf Course	24	24	1	SL,ML	XI	Brown	
W14-3 (CT)	51-5007	Passing Zone Bi-Directional Reference Marker	4	6	1	SL,ML	IX	Yellow	
W14-3 (CT)	51-5008	Passing Zone Directional Reference Marker	4	6	1	SL,ML	IX	Yellow	
W14-3 (CT)	51-5009	Passing Zone Do Not Pass Reference Marker	4	6	1	SL,ML	IX	Yellow	

70 SERIES



SIGNS
MAINTAINED BY
OTHERS

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
(CT)	71-5431	Bur. of Collection Serv	48	9	2	LOC	XI	Blue	
(CT)	71-5432	Bur. of Collection Services - Bldg. 00	48	15	2	LOC	XI	Blue	
(CT)	71-5430	State of Connecticut Russel Road	48	30	2	LOC	XI	Blue	
(CT)	71-1020	Exempt - Delivery or Service on This Street (plaque for 31-1002) - Town Roads only	24	24	1	SL,ML	IX	White	
COLLEGIATE	71-2168	Variable College - NCAA National Champions - Year and Sport	120	48	3	LOC	XI	Blue	
DMHAS	71-5901	Suicide Prevention - There is Hope There is Help	24	30	1	NR	XI	Blue	
I-3 (CT)	71-6509	Grand Army Highway (US 6 only)	24	16	1	LOC	IX	White	
LOGO	71-1029	Trailblazer for Right Turns	48	24	2	SL,ML	XI	Blue	
LOGO	71-1030	Trailblazer for Left Turns	48	24	2	SL,ML	XI	Blue	
LOGO	71-1031	Trailblazer for Throughs (on the approach to a roundabout only)	48	24	2	SL,ML	XI	Blue	
LOGO	71-1051	Trailblazer for Right Angled at 45	48	24	2	SL,ML	XI	Blue	
LOGO	71-1052	Trailblazer for Left Angled at 45	48	24	2	SL,ML	XI	Blue	
LOGO	71-1035	Business Logo Panel for Trailblazers	30	18	0	SL,ML, F	XI	Custom	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**








Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
LOGO	71-1023	Business Logo Panel (Mainline - Old 6 Panel)	48	36	0	F	XI	Custom	
LOGO	71-1022	Business Logo Panel (Mainline - Old 4 Panel and New 6 Panel)	60	36	0	F	XI	Custom	
LOGO-C	71-1028	Camping (header for Ramps)	48	18	2	F	XI	Blue	
LOGO-C	71-1032	Trailblazer for Throughs (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-C	71-1033	Trailblazer for Left Turns (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-C	71-1034	Trailblazer for Right Turns (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-C	71-1036	Trailblazer for Right Angled at 45 (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-C	71-1050	Trailblazer for Left Angled at 45 (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-C	71-1047	Camping 3-Panel (Off-Ramps Only)	48	90	2	F	XI	Blue	
LOGO-C	71-1048	Camping 4-Panel (Off-Ramps Only) (Channels Required)	96	66	3	F	XI	Blue	
LOGO-C	71-1049	Camping 6-Panel (Off-Ramps Only) (Channels Required)	96	90	3	F	XI	Blue	
LOGO-C	71-1040	Direction Panel (overlay for Off-Ramps Only)	9	18	0	F	XI	Blue	
LOGO-F	71-1026	Food (header for Ramps)	48	18	2	F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**


Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
LOGO-F	71-1032	Trailblazer for Throughs (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-F	71-1033	Trailblazer for Left Turns (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-F	71-1034	Trailblazer for Right Turns (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-F	71-1036	Trailblazer for Right Angled at 45 (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-F	71-1050	Trailblazer for Left Angled at 45 (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-F	71-1037	Food 3-Panel (Off-Ramps Only)	48	90	2	F	XI	Blue	
LOGO-F	71-1038	Food 4-Panel (Off-Ramps Only) (Channels Required)	96	66	3	F	XI	Blue	
LOGO-F	71-1039	Food 6-Panel (Off-Ramps Only) (Channels Required)	96	90	3	F	XI	Blue	
LOGO-F	71-1040	Direction Panel (overlay for Off-Ramps Only)	9	18	0	F	XI	Blue	
LOGO-G	71-1025	Gas (header for Ramps)	48	18	2	F	XI	Blue	
LOGO-G	71-1032	Trailblazer for Throughs (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-G	71-1033	Trailblazer for Left Turns (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-G	71-1034	Trailblazer for Right Turns (Off-Ramps Only)	48	24	2	F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
LOGO-G	71-1036	Trailblazer for Right Angled at 45 (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-G	71-1050	Trailblazer for Left Angled at 45 (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-G	71-1041	Gas 3-Panel (Off-Ramps Only)	48	90	2	F	XI	Blue	
LOGO-G	71-1042	Gas 4-Panel (Off-Ramps Only) (Channels Required)	96	66	3	F	XI	Blue	
LOGO-G	71-1043	Gas 6-Panel (Off-Ramps Only) (Channels Required)	96	90	3	F	XI	Blue	
LOGO-G	71-1040	Direction Panel (overlay for Off-Ramps Only)	9	18	0	F	XI	Blue	
LOGO-L	71-1027	Lodging (header for Ramps)	48	18	2	F	XI	Blue	
LOGO-L	71-1032	Trailblazer for Throughs (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-L	71-1033	Trailblazer for Left Turns (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-L	71-1034	Trailblazer for Right Turns (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-L	71-1036	Trailblazer for Right Angled at 45 (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-L	71-1050	Trailblazer for Left Angled at 45 (Off-Ramps Only)	48	24	2	F	XI	Blue	
LOGO-L	71-1044	Lodging 3-Panel (Off-Ramps Only)	48	90	2	F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
LOGO-L	71-1045	Lodging 4-Panel (Off-Ramps Only) (Channels Required)	96	66	3	F	XI	Blue	
LOGO-L	71-1046	Lodging 6-Panel (Off-Ramps Only) (Channels Required)	96	90	3	F	XI	Blue	
LOGO-L	71-1040	Direction Panel (overlay for Off-Ramps Only)	9	18	0	F	XI	Blue	
R15-1 (CT)	71-1021	Private RR Crossing - Subject to Control of Owner	18	24	1	SL,ML	IX	White	
SERVICE	71-6738	Service Area 00 MI	60	48	2	E,F	XI	Blue	
SERVICE	71-6158	Service Area w/Arrow (Channels Required)	72	78	2	E,F	XI	Blue	
SERVICE	71-6765	Service Plaza - Cars Only w/Arrow (Channels Required)	84	84	2	LOC	XI	Blue	
SERVICE	71-6945	Cars w/Arrow - Trucks Buses w/Arrow (Channels Required)	90	66	3	E,F	XI	Blue	
SERVICE	71-7713	Service Area Food Fuel ATM 3/4 Mile	96	60	3	E,F	XI	Blue	
SERVICE	71-6766	Service Plaza - Trucks Buses w/Arrow (Channels Required)	96	84	3	LOC	XI	Blue	
SERVICE	71-7722	Open 24 Hours (Merritt Parkway Only)	144	24	4	E,F	XI	Blue	
SERVICE	71-7723	Next Plaza 00 Miles (Merritt Parkway Only)	144	42	4	E,F	XI	Blue	
SERVICE	71-7720	Service Plaza - Fuel-Food w/Arrow (Merritt Parkway Only) (Channels Required)	144	90	4	E,F	XI	Blue	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
SERVICE	71-7721	Service Plaza - Four Logos - 0 Mile (Merritt Parkway Only) (Channels Required)	144	162	4	E,F	XI	Blue	
TOURISM	71-6974	Tour Vineyard & Winery w/Arrow	60	20	2	SL,ML	XI	Blue	
TOURISM	71-6975	Connecticut Wine Trail w/Arrow	60	20	2	SL,ML	XI	Blue	
TOURISM	71-7902	CT Grown - Maple Syrup	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7903	CT Grown - Honey	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7904	CT Grown - Tree Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7905	CT Grown - Vegetable Farm - Pick Your Own	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7906	CT Grown - Vegetable Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7907	CT Grown - Fruit Farm - Pick Your Own	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7908	CT Grown - Fruit Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7909	CT Grown - Flower Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7910	CT Grown - Pumpkin Patch	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7911	CT Grown - Apple Orchard - Pick Your Own	12	12	0	SL,ML	XI	Brown	

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
TOURISM	71-7912	CT Grown - Apple Orchard	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7913	CT Grown - Peach Farm - Pick Your Own	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7914	CT Grown - Peach Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7915	CT Grown - Strawberry Farm - Pick Your Own	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7916	CT Grown - Strawberry Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7917	CT Grown - Blueberry Farm - Pick Your Own	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7918	CT Grown - Blueberry Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7919	CT Grown - Apple Cider	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7920	CT Grown - Dairy	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7921	CT Grown - Raw Milk Products	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7922	CT Grown - Eggs	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7923	CT Grown - Horse Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7924	CT Grown - Fishery	12	12	0	SL,ML	XI	Brown	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
TOURISM	71-7926	CT Grown - Llama Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7928	CT Grown - Garlic Farm	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7929	CT Grown - Lumber	12	12	0	SL,ML	XI	Brown	
TOURISM	71-7927	Deer & Animal Farm	24	24	1	SL,ML	XI	Brown	
TOURISM	71-7925	Variable Legend (plaque for use on Connecticut Grown Signs)	60	6	2	SL,ML	XI	Brown	
TOURISM	71-6976	Freedom Trail w/Arrow	60	10	2	SL,ML	XI	Brown	
TOURISM	71-6981	Antiques Trail w/Arrow	60	18	2	SL,ML	XI	Brown	
TOURISM	71-6972	Connecticut Brewery Trail w/Arrow	60	20	2	SL,ML	XI	Brown	
TOURISM	71-7901	Connecticut Grown w/Arrow (2 Commodity Symbols)	60	24	2	SL,ML	XI	Brown	
TOURISM	71-7931	Connecticut Grown w/Arrow (2 Commodity Symbols)	60	24	2	SL,ML	XI	Brown	
TRAIL	71-6982	Farmington Canal Heritage Trail East Coast Greenway	108	42	3	LOC	XI	Brown	
TRAIL	71-6510	Appalachian Trail	24	12	1	SL,ML	XI	Green	
TRAIL	71-6511	Trail Sign	24	12	1	SL,ML	XI	Green	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
LOC = Specific Location NR = Non-Roadway TR = Transit









80 SERIES



CONSTRUCTION,
MAINTENANCE &
INCIDENT
MANAGEMENT SIGNS

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
16-E	80-1605	Construction Ahead Road Use Restricted State Liability Limited	84	60	2	see MPT spec	VIII	Orange	
16-H	80-1608	Construction Ahead Road Use Restricted State Liability Limited	60	42	2	see MPT spec	VIII	Orange	
16-M	80-1613	Construction Ahead Road Use Restricted State Liability Limited	30	24	1	see MPT spec	VIII	Orange	
16-S	80-1619	Construction Ahead Sidewalk Use Restricted State Liability Limited	48	30	2	see MPT spec	VIII	Orange	
D3-1	80-9919	Variable Road Name (used with 80-9710)	30	10	1	SL,ML	VIII	Orange	
D3-1	80-9920	Variable Road Name (used with 80-9710)	30	18	1	SL,ML	VIII	Orange	
D3-1	80-9916	Blank (Variable Legend)	48	10	2	SL,ML	VIII	Orange	
D3-1	80-9913	Blank (Variable Legend)	60	10	2	SL,ML	VIII	Orange	
D3-1	80-9914	Blank (Variable Legend)	96	18	3	E,F	VIII	Orange	
EM-(CT)	80-9605	Traffic Incident Ahead	42	48	2	A	VIII	Orange	
EM-2 (CT)	80-9864	Area Closed by State Police	72	36	2	NR	VIII	Orange	
G20-1 (CT)	80-9720	Next 0 Miles (plaque)	72	14	2	SL,ML	VIII	Orange	
G20-1 (CT)	80-9728	Road Work Next 0 Mile Be Prepared To Stop	120	108	3	E,F	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
G20-2	80-9611	End Road Work	36	18	1	SL,ML	VIII	Orange	
G20-2	80-9612	End Road Work	48	24	2	E,F	VIII	Orange	
M4-8	80-9707	Detour (for use with route marker)	24	12	1	SL,ML	VIII	Orange	
M4-8 (CT)	80-9850 (L)	Next Left	24	18	1	SL,ML	VIII	Orange	
M4-8 (CT)	80-9850 (R)	Next Right	24	18	1	SL,ML	VIII	Orange	
M4-8a	80-9708	End Detour	24	18	1	SL,ML	VIII	Orange	
M4-9	80-9710	Detour w/Arrow	30	24	1	SL,ML	VIII	Orange	
M4-9a	80-9713	Bicycle & Pedestrian Detour w/Arrow	30	24	1	SL,ML	VIII	Orange	
M4-9b	80-9703	Pedestrian Detour w/Arrow	30	24	1	SL,ML	VIII	Orange	
M4-9b (CT)	80-9706	Pedestrian Detour w/Arrow	30	30	1	SL,ML	VIII	Orange	
M4-10	80-9702	Detour Arrow (Left)	48	18	2	SL,ML	VIII	Orange	
M4-10	80-9701	Detour Arrow (Right)	48	18	2	sL,ML	VIII	Orange	
R1-1	80-9950	Reversible Stop/Slow (paddle)	18	18	1	SL,ML	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R9-9	80-9076	Sidewalk Closed	30	18	1	O	VIII	White	
R9-11	80-9074	Sidewalk Closed Ahead w/Arrow - Cross Here	24	18	1	SL,ML	VIII	White	
R9-11a	80-9075	Sidewalk Closed w/Arrow - Cross Here	24	12	1	SL,ML	VIII	White	
R10-28 (CT)	80-9908	3 Cars at a Time	36	36	2	SL,ML	VIII	White	
R11-2	80-9080	Road Closed	48	30	2	SL,ML	VIII	White	
R11-2 (CT)	80-9001	Ramp Closed	48	30	2	SL,ML	VIII	White	
R11-2 (CT)	80-9072	Driveway Closed	48	30	2	SL,ML	VIII	White	
R11-2 (CT)	80-9082	Bridge Closed	48	30	2	P	VIII	White	
R11-2 (CT)	80-9058	Trail to be Closed From 00/00 to 00/00	72	30	2	NR	VIII	White	
R11-3a	80-9077	Road Closed 00 Miles Ahead Local Traffic Only	60	30	2	SL,ML	VIII	White	
R11-3a (CT)	80-9083	Road Close at Railroad Crossing Local Traffic Only	60	30	2	SL,ML	VIII	White	
R11-3a (CT)	80-9084	Starting 00/00 Railroad Crossing Closed For 00 Days	60	42	2	SL,ML	VIII	White	
R11-3b	80-9078	Bridge Closed 00 Miles Ahead Local Traffic Only	60	30	2	SL,ML	VIII	White	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**


Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
R11-3b	80-9081	Road Closed to Thru Traffic	60	30	2	SL,ML	VIII	White	
R11-4 (CT)	80-9079	Variable Street Closed to Thru Traffic From 00/00 to 00/00	72	48	2	SL,ML	VIII	White	
W1-4	80-9432	Reverse Curve (Left)	36	36	1	SL,ML	VIII	Orange	
W1-4	80-9452	Reverse Curve (Left)	48	48	2	E,F	VIII	Orange	
W1-4	80-9431	Reverse Curve (Right)	36	36	1	SL,ML	VIII	Orange	
W1-4	80-9451	Reverse Curve (Right)	48	48	2	E,F	VIII	Orange	
W1-4b (CT)	80-9433	Both Lanes Shift Left Ahead w/Arrows	48	48	2	E,F	VIII	Orange	
W1-4b (CT)	80-9434	Both Lanes Shift Left w/Arrows	48	48	2	E,F	VIII	Orange	
W1-4b (CT)	80-9443	2 Lane Shift (Left) Ahead	60	60	2	O	VIII	Orange	
W1-4b (CT)	80-9444	2 Lane Shift (Left)	60	60	2	O	VIII	Orange	
W1-4b (CT)	80-9435	Both Lanes Shift Right Ahead w/Arrows	48	48	2	E,F	VIII	Orange	
W1-4b (CT)	80-9436	Both Lanes Shift Right w/Arrows	48	48	2	E,F	VIII	Orange	
W1-4b (CT)	80-9445	2 Lane Shift (Right) Ahead	60	60	2	O	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-4b (CT)	80-9446	2 Lane Shift (Right)	60	60	2	O	VIII	Orange	
W1-4c (CT)	80-9483	3 Lane Shift (Left) Ahead	60	60	2	O	VIII	Orange	
W1-4c (CT)	80-9484	3 Lane Shift (Left)	60	60	2	O	VIII	Orange	
W1-4c (CT)	80-9489	4 Lane Shift (Left)	72	48	2	E,F	VIII	Orange	
W1-4c (CT)	80-9487	4 Lane Shift (Left) Ahead	72	60	2	O	VIII	Orange	
W1-4c (CT)	80-9485	3 Lane Shift (Right) Ahead	60	60	2	O	VIII	Orange	
W1-4c (CT)	80-9486	3 Lane Shift (Right)	60	60	2	O	VIII	Orange	
W1-4c (CT)	80-9490	4 Lane Shift (Right)	72	48	2	E,F	VIII	Orange	
W1-4c (CT)	80-9488	4 Lane Shift (Right) Ahead	72	60	2	O	VIII	Orange	
W1-4c	80-9494	Reverse Curve (Left) 3 Lanes	48	48	2	E,F	VIII	Orange	
W1-4c	80-9496	Reverse Curve (Right) 3 Lanes	48	48	2	E,F	VIII	Orange	
W1-6	80-9424 (L)	One-Direction Large Arrow (Left)	48	24	2	SL,ML	VIII	Orange	
W1-6	80-9423 (L)	One-Direction Large Arrow (Left)	60	30	2	E,F	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W1-6	80-9424 (R)	One-Direction Large Arrow (Right)	48	24	2	SL,ML	VIII	Orange	
W1-6	80-9423 (R)	One-Direction Large Arrow (Right)	60	30	2	E,F	VIII	Orange	
W1-8	80-9401 (L)	Chevron Alignment (Left)	18	24	1	SL,ML	VIII	Orange	
W1-8	80-9403 (L)	Chevron Alignment (Left)	24	30	1	O for SL,ML	VIII	Orange	
W1-8	80-9404 (L)	Chevron Alignment (Left)	30	36	1	E,F	VIII	Orange	
W1-8	80-9401 (R)	Chevron Alignment (Right)	18	24	1	SL,ML	VIII	Orange	
W1-8	80-9403 (R)	Chevron Alignment (Right)	24	30	1	O for SL,ML	VIII	Orange	
W1-8	80-9404 (R)	Chevron Alignment (Right)	30	36	1	E,F	VIII	Orange	
W3-1	80-9050	Stop Ahead	36	36	1	SL,ML	VIII	Orange	
W3-1	80-9051	Stop Ahead	48	48	2	E,F	VIII	Orange	
W3-2	80-9054	Yield Ahead	36	36	1	SL,ML	VIII	Orange	
W3-2	80-9055	Yield Ahead	48	48	2	E,F	VIII	Orange	
W3-3	80-9052	Signal Ahead	36	36	1	SL,ML	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W3-3	80-9053	Signal Ahead	48	48	2	E,F	VIII	Orange	
W3-5	80-9520	Speed Limit Ahead 00	36	36	1	SL,ML	VIII	Orange	
W3-5	80-9521	Speed Limit Ahead 00	48	48	2	E,F	VIII	Orange	
W4-1	80-9924	Merge (Left)	48	48	2	E,F	VIII	Orange	
W4-1	80-9923	Merge (Right)	48	48	2	E,F	VIII	Orange	
W4-2	80-9921	Lane Ends (Merge Left)	36	36	1	SL,ML	VIII	Orange	
W4-2	80-9917	Lane Ends (Merge Left)	48	48	2	E,F	VIII	Orange	
W4-2	80-9922	Lane Ends (Merge Right)	36	36	1	SL,ML	VIII	Orange	
W4-2	80-9918	Lane Ends (Merge Right)	48	48	2	E,F	VIII	Orange	
W5-2	80-9944	Narrow Bridge	48	48	2	E,F	VIII	Orange	
W5-4	80-9927	Ramp Narrows	48	48	3	E,F	VIII	Orange	
W6-3	80-9947	Two-Way Traffic	36	36	1	SL,ML	VIII	Orange	
W6-3	80-9945	Two-Way Traffic	48	48	2	E,F	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**














Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W8-(CT)	80-9956	Use Shoulder	48	48	2	E,F	VIII	Orange	
W8-1	80-9901	Bump	36	36	1	SL,ML	VIII	Orange	
W8-1	80-9902	Bump	48	48	2	E,F	VIII	Orange	
W8-1 (CT)	80-9801	Bump Ahead	36	36	1	SL,ML	VIII	Orange	
W8-1 (CT)	80-9802	Bump Ahead	48	48	2	E,F	VIII	Orange	
W8-25 (CT)	80-9958	Shoulder Closed	36	36	1	SL,ML	VIII	Orange	
W8-25 (CT)	80-9959	Shoulder Closed	48	48	2	E,F	VIII	Orange	
W8-25 (CT)	80-9955	Shoulder Closed Ahead	36	36	1	SL,ML	VIII	Orange	
W8-25 (CT)	80-9957	Shoulder Closed Ahead	48	48	2	E,F	VIII	Orange	
W9-1 (CT)	80-9852	Left Lane Closed Ahead	36	36	1	SL,ML	VIII	Orange	
W9-1 (CT)	80-9836	Left Lanes Closed	48	48	2	E,F	VIII	Orange	
W9-1 (CT)	80-9837	2 Left Lanes Closed Ahead	48	48	2	E,F	VIII	Orange	
W9-1 (CT)	80-9846	Left Lane Closed	48	48	2	E,F	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W9-1 (CT)	80-9847	Left Lane Closed Ahead	48	48	2	E,F	VIII	Orange	
W9-1 (CT)	80-9851	Right Lane Closed Ahead	36	36	1	SL,ML	VIII	Orange	
W9-1 (CT)	80-9838	2 Right Lanes Closed Ahead	48	48	2	E,F	VIII	Orange	
W9-1 (CT)	80-9839	Right Lanes Closed	48	48	2	E,F	VIII	Orange	
W9-1 (CT)	80-9848	Right Lane Closed Ahead	48	48	2	E,F	VIII	Orange	
W9-1 (CT)	80-9849	Right Lane Closed	48	48	2	E,F	VIII	Orange	
W9-2	80-9910	Lane Ends Merge Left	48	48	2	E,F	VIII	Orange	
W9-2	80-9911	Lane Ends Merge Right	48	48	2	E,F	VIII	Orange	
W9-3a (CT)	80-9903	Divided Highway - 1 Lane Left 2 Lanes Right	48	48	2	E,F	VIII	Orange	
W9-3a (CT)	80-9904	Divided Highway - 2 Lanes Left 1 Lane Right	48	48	2	E,F	VIII	Orange	
W9-3a(CT)	80-9905	Divided Highway - 1 Lane Left 1 Lane Right	48	48	2	E,F	VIII	Orange	
W13-1 (CT)	80-9508	Reduce Speed to 00 MPH	48	48	2	E,F	VIII	Orange	
W13-1 (CT)	80-9519	Speed Limit Ahead 00 MPH	72	24	2	SL,ML	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W13-1P	80-9569	00 MPH (advisory speed plaque)	24	24	1	SL,ML	VIII	Orange	
W13-1P	80-9567	00 MPH (advisory speed plaque)	30	30	1	E,F	VIII	Orange	
W13-4P	80-9926	On Ramp (plaque)	36	36	2	E,F	VIII	Orange	
W14-3	80-9915	No Passing Zone (Pennant)	48	36	1	SL,ML	VIII	Orange	
W16-3aP	80-9872	1/2 Mile (plaque)	30	12	1	SL,ML	VIII	Orange	
W16-3aP	80-9874	0 Miles (plaque)	30	12	1	SL,ML	VIII	Orange	
W16-3aP	80-9873	0 Mile (plaque)	36	18	1	E,F	VIII	Orange	
W16-9P	80-9870	Ahead (plaque)	24	12	1	SL,ML	VIII	Orange	
W16-9P	80-9871	Ahead (plaque)	30	18	1	E,F	VIII	Orange	
W16-15P	80-9049	New (plaque)	24	12	1	SL,ML	VIII	Orange	
W20-(CT)	80-9933	Blank (Variable Legend)	36	36	1	SL,ML	VIII	Orange	
W20-(CT)	80-9934	Blank (Variable Legend)	48	48	2	E,F	VIII	Orange	
W20-(CT)	80-9928	Blank (Variable Legend)	60	30	2	SL,ML	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W20-(CT)	80-9929	Blank (Variable Legend)	72	48	2	E,F	VIII	Orange	
W20-(CT)	80-9961	Litter Removal Road Use Restricted State Liability Limited	36	36	2	SL,ML	VIII	Orange	
W20-1	80-9602	Road Work Ahead	30	30	1	P	VIII	Orange	
W20-1	80-9603	Road Work Ahead	36	36	1	SL,ML	VIII	Orange	
W20-1	80-9614	Road Work 0000 FT	36	36	1	SL,ML	VIII	Orange	
W20-1	80-9604	Road Work Ahead	48	48	2	E,F	VIII	Orange	
W20-1	80-9615	Road Work 0000 FT	48	48	2	E,F	VIII	Orange	
W20-1 (CT)	80-9616	Road Work 0 Mile	36	36	1	SL,ML	VIII	Orange	
W20-1 (CT)	80-9711	Work Area Be Prepared To Stop	36	36	1	SL,ML	VIII	Orange	
W20-1 (CT)	80-9617	Road Work 0 Mile	48	48	2	E,F	VIII	Orange	
W20-1 (CT)	80-9712	Work Area Be Prepared To Stop	48	48	2	E,F	VIII	Orange	
W20-2	80-9805	Detour 0000 FT	36	36	1	SL,ML	VIII	Orange	
W20-2	80-9806	Detour 0000 FT	48	48	2	E,F	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W20-3	80-9810	Road Closed 0000 FT	36	36	1	SL,ML	VIII	Orange	
W20-4	80-9834	One Lane Road Ahead	36	36	1	SL,ML	VIII	Orange	
W20-4	80-9835	One Lane Road Ahead	48	48	2	E,F	VIII	Orange	
W20-5	80-9841	Left Lane Closed 0000 FT	48	48	2	E,F	VIII	Orange	
W20-5	80-9842	Right Lane Closed 0000 FT	48	48	2	E,F	VIII	Orange	
W20-7	80-9803	Flagger (symbol)	36	36	1	SL,ML	VIII	Orange	
W20-7	80-9804	Flagger (symbol)	48	48	2	E,F	VIII	Orange	
W21-2 (CT)	80-9613	Fresh Asphalt	36	36	1	SL,ML	VIII	Orange	
W21-4 (CT)	80-9816	Slow Moving Trucks Ahead (used on DOT trucks)	88	48	3	A	VIII	Orange	
W21-4 (CT)	80-9815	Slow Moving Trucks Ahead	96	48	3	E,F	VIII	Orange	
W21-6	80-9607	Survey Crew	36	36	1	SL,ML	VIII	Orange	
W21-8 (CT)	80-9609	Mowing	36	36	1	SL,ML	VIII	Orange	
W21-8 (CT)	80-9610	Mowing	48	48	2	E,F	VIII	Orange	

*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**



Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W22-1	80-9620	Blasting Zone Ahead	36	36	1	SL,ML	VIII	Orange	
W22-1	80-9625	Blasting Zone Ahead	48	48	2	E,F	VIII	Orange	
W22-2	80-9623	Turn Off 2-Way Radio and Cell Phone	42	36	2	SL,ML	VIII	Orange	
W22-3	80-9621	End Blasting Zone	42	36	2	SL,ML	VIII	Orange	
W23-1 (CT)	80-5901	Liquid Anti-Icer Stay Back 300 Feet Spraying (used on back of trucks only)	48	36	2	A	VIII	Orange	
W23-1 (CT)	80-5902	Line Painting Do Not Cross Wet Paint (used on back of trucks only)	60	42	2	A	VIII	Orange	
W23-1 (CT)	80-9909	Line Painting (used on back of trucks only)	88	18	3	A	VIII	Orange	
W24-1	80-9056	Double Reverse Curve (1 Lane) Left	36	36	1	SL,ML	VIII	Orange	
W24-1	80-9065	Double Reverse Curve (2 Lane) Left	36	36	1	SL,ML	VIII	Orange	
W24-1	80-9057	Double Reverse Curve (1 Lane) Left	48	48	2	E,F	VIII	Orange	
W24-1	80-9064	Double Reverse Curve (2 Lane) Left	48	48	2	E,F	VIII	Orange	
W24-1	80-9059	Double Reverse Curve (1 Lane) Right	36	36	1	SL,ML	VIII	Orange	
W24-1	80-9063	Double Reverse Curve (2 Lane) Right	36	36	1	SL,ML	VIII	Orange	


*A = All P = Path SL = Single Lane ML = Multi-Lane E = Expressway F = Freeway SP = Span Mounted O = Oversized
 LOC = Specific Location NR = Non-Roadway TR = Transit

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
W24-1	80-9062	Double Reverse Curve (2 Lane) Right	48	48	2	E,F	VIII	Orange	
W24-1	80-9067	Double Reverse Curve (1 Lane) Right	48	48	2	E,F	VIII	Orange	






90 SERIES



DURATIONAL SIGNS -
SHORT TERM,
ONE (1) YEAR OR LESS

**CONNECTICUT DEPARTMENT OF TRANSPORTATION
SIGN CATALOG**

Revised 10/12/21

MUTCD No.	Catalog No.	Legend	Width	Height	No. of Posts	Road Type *	Sheeting Type	Background Color	Sign Detail (click image for sign detail)
M1-1 (CT)	90-6697	Notice - Interstate 00 is Now Interstate 00	60	120	2	E,F	XI	Green	
M1-5 (CT)	90-6694	Notice - 00 is Now 00	36	84	2	A	XI	Green	
M1-5 (CT)	90-6695	Notice - 00 is Now 000	48	108	2	A	XI	Green	
M4-7	90-6639	Temporary (plaque used with route shields)	24	12	1	SL,ML	IX	White	
PARKWAY	91-1793	Passenger Vehicles Only	90	30	3	SL,ML	XI	Yellow	
ROW	90-1024	For Sale - State of Connecticut - Property Management Division	36	36	2	NR	IX	White	