

Updated Reportable Diseases and Laboratory Significant Findings Changes for 2023

The end of the federal Public Health Emergency (PHE) declaration for COVID-19 is May 11, 2023. Changes are needed to the List of Reportable Diseases, Emergency Illnesses and Health Conditions and the List of Reportable Laboratory Findings to ensure continuity of surveillance data and to align with federal reporting requirements.

Effective May 11, 2023, pursuant to Section 19a-2a of the Connecticut General Statutes and Sections 19a-215 and 19a-36-A7 of the Regulations of Connecticut State Agencies, Manisha Juthani, MD, Commissioner of the Connecticut Department of Public Health (DPH) will amend the List of Reportable Diseases, Emergency Illnesses and Health Conditions and the List of Reportable Laboratory Findings as follows:

1. Adding 'COVID-19 Deaths' to the List of Reportable Diseases

Previously COVID-19 deaths were reportable to the Office of the Chief Medical Examiner (OCME) due to the ongoing PHE. With the expiration of the federal PHE, OCME will transition COVID-19 death reporting to DPH.

COVID-19 deaths shall be a Category 2 condition and must be reported electronically or by fax within 12 hours. A hospital infection preventionist entering a case in CTEDSS (where applicable) satisfies the reporting requirement. The DPH Reportable Disease Confidential Case Report Form [PD-23](#) shall be used to collect initial information on cases where COVID-19 is certified as the cause of death. Providers should continue using CDC guidance for [Certifying Deaths due to COVID-19](#) when evaluating if COVID-19 is the cause of death in patients infected with SARS-CoV-2 virus. DPH will share the

INSIDE

	Page
Updated Reportable Diseases and Laboratory Significant Findings Changes for 2023	10
Updated List of Reportable Diseases, Emergency Illnesses and Health Conditions—2023	12
Updated List of Reportable Laboratory Findings—2023	13
Persons Required to Report Significant Findings	14

report with the local health department for the town where the case patient resides and will follow up with the provider as needed to collect additional information. Completed PD-23 Case Report Forms may be reported by fax to (860) 920-3131.

2. Removing 'Negative SARS-CoV-2' results from List of Reportable Laboratory Findings

On June 4, 2020, the US Department of Health and Human Services issued guidance requiring the reporting of positive and negative test results for SARS-CoV-2; this guidance will expire with the end of the federal PHE on May 11. Negative SARS-CoV-2 results will be removed from the List of Reportable Laboratory Findings. No change will be made to the reporting of positive SARS-CoV-2 results. Positive antigen and PCR/NAAT results will continue to be reportable. Locations testing for SARS-CoV-2 are encouraged to use electronic reporting methods to send positive results to DPH.

Healthcare providers can refer questions about COVID-19 reporting to the DPH Epidemiology and Emerging Infections Program at (860) 509-7994 or DPH.eeip@ct.gov. Questions related to electronic laboratory reporting may be directed to DPH.InformaticsLab@ct.gov.

CONTACT INFORMATION

Connecticut Department of Public Health
Infectious Diseases Section
410 Capitol Avenue/MS#11FDS
Hartford, CT 06134
Phone: 860-509-7995
Fax: 860-509-7910

REPORTABLE DISEASES, EMERGENCY ILLNESSES and HEALTH CONDITIONS – 2023

PART A: REPORTABLE DISEASES

Physicians, and other professionals are required to report using the Reportable Disease Confidential Case Report form (PD-23), other disease specific form or authorized method (see page 4 for additional information). Forms can be found on the DPH ["Forms" webpage](#). Changes for 2023 are in **bold font**.

Category 1 Diseases: For diseases marked with a (☎) report to DPH at 860-509-7994 the day of recognition or strong suspicion. On evenings, weekends, and holidays call (860) 509-8000. A PD-23 must also be submitted within 12 hours.

Category 2 Diseases: All other diseases do not require a phone call but must be reported electronically or by fax within 12 hours.

Acquired Immunodeficiency Syndrome (1,2)	Hepatitis B:	☎ Poliomyelitis
Acute flaccid myelitis	▪ acute infection (2)	Powassan virus infection
☎ HIV infection (Acute)	▪ HBsAg positive pregnant women	☎ Q fever
☎ Anthrax	Hepatitis C:	☎ Rabies
Babesiosis	▪ acute infection (2)	☎ Ricin poisoning
<i>Borrelia miyamotoi</i> disease	▪ perinatal infection	Rocky Mountain spotted fever
☎ Botulism	▪ positive rapid antibody test result	Rubella (including congenital)
☎ Brucellosis	HIV-1 / HIV-2 infection in: (1)	Salmonellosis
California group arbovirus infection	▪ persons with active tuberculosis disease	☎ Severe Acute Respiratory Syndrome (SARS)
Campylobacteriosis	▪ persons with a latent tuberculous infection (history or tuberculin skin test ≥ 5 mm induration by Mantoux technique)	Shiga toxin-related disease (gastroenteritis)
<i>Candida auris</i>	▪ persons of any age	Shigellosis
Chancroid	▪ pregnant women	Silicosis
Chickenpox	HPV: biopsy proven CIN 2, CIN 3 or AIS or their equivalent (1)	☎ Smallpox
Chickenpox-related death	Influenza-associated death (6)	St. Louis encephalitis virus infection
Chikungunya	Influenza-associated hospitalization (6)	☎ Staphylococcal enterotoxin B pulmonary poisoning
Chlamydia (<i>C. trachomatis</i>) (all sites)	Legionellosis	☎ <i>Staphylococcus aureus</i> disease, reduced or resistant susceptibility to vancomycin (1)
☎ Cholera	Listeriosis	<i>Staphylococcus aureus</i> methicillin-resistant disease, invasive, community acquired (3,9)
☎ Congenital Syphilis	Lyme disease	<i>Staphylococcus epidermidis</i> disease, reduced or resistant susceptibility to vancomycin (1)
COVID-19 (SARS-CoV-2 Coronavirus)	Malaria	Syphilis
COVID-19 Deaths	☎ Measles	Tetanus
COVID-19 Hospitalizations	☎ Melioidosis	Trichinosis
Cryptosporidiosis	☎ Meningococcal disease	☎ Tuberculosis
Cyclosporiasis	Mercury poisoning	☎ Tularemia
Dengue	Mpox disease	Typhoid fever
☎ Diphtheria	Multisystem inflammatory syndrome in children (MIS-C)	Vaccinia disease
E-cigarette or vaping product use associated lung injury (EVALI)	Mumps	☎ Venezuelan equine encephalitis virus infection
Eastern equine encephalitis virus infection	Neonatal bacterial sepsis (7)	<i>Vibrio</i> infection (<i>parahaemolyticus</i> , <i>vulnificus</i> , other)
<i>Ehrlichia chaffeensis</i> infection	Occupational asthma	☎ Viral hemorrhagic fever
<i>Escherichia coli</i> O157:H7 infection	☎ Outbreaks:	West Nile virus infection
Gonorrhea	▪ Foodborne (involving ≥ 2 persons)	☎ Yellow fever
Group A Streptococcal disease, invasive (3)	▪ Institutional	Zika virus infection
Group B Streptococcal disease, invasive (3)	▪ Unusual disease or illness (8)	
<i>Haemophilus influenzae</i> disease, invasive (3)	Pertussis	
Hansen's disease (Leprosy)	☎ Plague	
Healthcare-associated Infections (4)	Pneumococcal disease, invasive (3)	
Hemolytic-uremic syndrome (5)		
Hepatitis A		

FOOTNOTES: (NOTE: a footnote was removed, and they have been renumbered)

- Report only to DPH.
- As described in the CDC case definition (<https://ndc.services.cdc.gov/>).
- Invasive disease: from sterile fluid (blood, CSF, pericardial, pleural, peritoneal, joint, or vitreous), bone, internal body sites, or other normally sterile site including muscle.
- Report HAIs according to current CMS pay-for-reporting or pay-for-performance requirements. Detailed instructions on the types of HAIs, facility types and locations, and methods of reporting are available on the DPH website.
- On request from the DPH and if adequate serum is available, send serum from patients with HUS to the DPH Laboratory for antibody testing.
- Reporting requirements are satisfied by hospitals IPs entering cases into CTEDSS. Please email dph.ctedss@ct.gov with questions
- Clinical sepsis and blood or CSF isolate obtained from an infant ≤ 72 hours of age.
- Individual cases of "significant unusual illness" are also reportable.
- Community-acquired: infection present on admission to hospital, and person has no previous hospitalizations or regular contact with the health-care setting.

How to report: The PD-23 is the general disease reporting form and should be used if other specialized forms are not available. The PD-23 can be found on the DPH "Forms" webpage (<https://portal.ct.gov/DPH/Communications/Forms/Forms>). Specialized reporting forms are also available on the DPH "Forms" webpage and should be used for the following: Hospitalized and Fatal Cases of Influenza, National Healthcare Safety Network, Adult HIV Confidential Case Report, Chickenpox (Varicella) Case Report, Physician's Report of Occupational Disease, Sexually Transmitted Diseases (STD-23), Tuberculosis Surveillance Report, and the E-cigarette or Vaping Product Associated Lung Injury Case Report.

Telephone reports of Category 1 disease should be made to the local Director of Health for the town in which the patient resides, and to the Epidemiology and Emerging Infections Program (860-509-7994). Tuberculosis cases should be directly reported to the Tuberculosis Control Program (860-509-7722). For the name, address, or telephone number of the local Director of Health for a specific town contact the Office of Local Health Administration (860-509-7660).

For public health emergencies on evenings, weekends, and holidays call 860-509-8000.

REPORTABLE LABORATORY FINDINGS – 2023

The director of a clinical laboratory must report laboratory evidence suggestive of reportable diseases (see page 4 for additional information). The Laboratory Report of Significant Findings form (OL-15C) can be found on the DPH ["Forms" webpage](#). Changes for 2023 are in **bold font**.

Anaplasma phagocytophilum by PCR only
Babesia: IFA IgM (titer) _____ IgG (titer) _____
 Blood smear PCR Other _____
 microti *divergens* *duncani* Unspecified
Bordetella pertussis (titer) _____
 Culture (1) Non-pertussis *Bordetella* (1) (specify) _____
 DFA PCR
Borrelia burgdorferi
Borrelia miyamotoi
California group virus (2) spp _____
Campylobacter (2) spp _____ Culture PCR EIA
Candida auris [report samples from all sites] (1)
Candida spp. [blood isolates only]: _____ (1,2)
Carbapenem-resistant *Acinetobacter baumannii* (CRAB) (1,3)
Carbapenem-resistant Enterobacteriaceae (CRE) (1,2,3)
Genus _____ spp _____
Carbapenem-resistant *Pseudomonas aeruginosa* (CRPA) (1,3)
Carboxyhemoglobin \geq 5% _____ % COHb
Chikungunya virus
Chlamydia trachomatis (test type) _____
Clostridium difficile (4)
Corynebacterium diphtheria (1)
Cryptosporidium spp (2) _____ PCR DFA EIA
 Microscopy Other: _____
Cyclospora spp (2) _____ PCR Microscopy Other: _____
Dengue virus
Eastern equine encephalitis virus
Ehrlichia chaffeensis PCR IgG titers \geq 1:128 only Culture
Enterotoxigenic *Escherichia coli* (ETEC) Culture PCR
Escherichia coli O157 (1) Culture PCR
Giardia spp (2) _____
Group A *Streptococcus*, invasive (1,3) Culture Other _____
Group B *Streptococcus*, invasive (1,3) Culture Other _____
Haemophilus ducreyi
Haemophilus influenzae, invasive (1,3) Culture Other _____
Hepatitis A virus (HAV): IgM anti-HAV (7) NAAT Positive (5)
ALT _____ Total Bilirubin _____ Not Done
Hepatitis B HBsAg Positive Negative (6)
 IgM anti-HBc HBsAg HBV DNA
anti-HBs (6) Positive (titer) _____ Negative
Hepatitis C virus (HCV) (7) Antibody _____
 PCR/NAAT/RNA Genotype specify _____
Herpes simplex virus (infants \leq 60 days of age)
 Culture PCR IFA Ag detection
HIV Related Testing (report only to the State) (8)
 Detectable Screen (IA)
Antibody Confirmation (WB/IFA/Type-diff) (8)
HIV 1 Positive Neg/Ind HIV 2 Positive Neg/Ind
 HIV NAAT (or qualitative RNA) Detectable Not Detectable
 HIV Viral Load (all results) (8) _____ copies/mL
 HIV genotype (8)
 CD4 count: _____ cells/uL; _____ % (8)
HPV (report only to the State) (10)
Biopsy proven CIN 2 CIN 3 AIS
or their equivalent, (specify) _____
Influenza virus: (report only to State) Rapid antigen RT-PCR
 Type A Type B Type Unknown
 Subtype _____
Lead poisoning (blood lead \geq 3.5 μ g/dL < 48 hrs; 0-3.5 μ g/dL monthly) (11)
 Finger stick level _____ μ g/dL Venous level _____ μ g/dL
Legionella spp (1) _____
 Culture DFA Ag positive
 Four-fold serologic change (titers) _____
Listeria monocytogenes (1) Culture PCR
Mercury poisoning
 Urine \geq 35 μ g/g creatinine _____ μ g/g
 Blood \geq 15 μ g/L _____ μ g/L
 Monkeypox virus PCR IgM anti-MPVX Sequencing
 Orthopoxvirus PCR IHC Sequencing
 Non-variola orthopoxvirus PCR
Mumps virus (11) (titer) _____ PCR
Mycobacterium leprae
Mycobacterium tuberculosis Related Testing (1)
AFB Smear Positive Negative
If positive Rare Few Numerous
NAAT Positive Negative Indeterminate
Culture *Mycobacterium tuberculosis*
 Non-TB mycobacterium. (specify *M.* _____)
Neisseria gonorrhoeae (test type) _____
Neisseria meningitidis, invasive (1,3)
 Culture Other _____
Neonatal bacterial sepsis (3,12) Genus _____ spp _____
Plasmodium (1,2) spp _____
Poliovirus
Powassan virus
Rabies virus
Rickettsia rickettsia PCR IgG titers \geq 1:128 only Culture
Respiratory syncytial virus
Rubella virus (11) (titer) _____
Rubeola virus (Measles) (11) (titer) _____ PCR
St. Louis encephalitis virus
Salmonella (1,2) (serogroup & type) _____ Culture PCR
SARS-CoV (1) IgM/IgG
 PCR Other _____
SARS-CoV-2 PCR Antigen
Shiga toxin (1) Stx1 Stx2 Type Unknown
 PCR EIA
Shigella (1,2) (serogroup/spp) _____ Culture PCR
Staphylococcus aureus, invasive (4) Culture Other _____
 methicillin-resistant methicillin-sensitive
Staphylococcus aureus, vancomycin MIC \geq 4 μ g/mL (1)
MIC to vancomycin _____ μ g/mL
Staphylococcus epidermidis, vancomycin MIC \geq 32 μ g/mL (1)
MIC to vancomycin _____ μ g/mL
Streptococcus pneumoniae
 Culture (1,3) Urine antigen Other (4) _____
Treponema pallidum RPR (titer) _____ FTA EIA
 VDRL (titer) _____ TPPA
Trichinella
Varicella-zoster virus
 Culture PCR DFA Other _____
Vibrio (1,2) spp _____ Culture PCR
West Nile virus
Yellow fever virus
Yersinia, not *pestis* (1,2) spp _____ Culture PCR
Zika virus
BIOTERRORISM AGENTS at first clinical suspicion (13)
Bacillus anthracis (1) *Brucella* spp (1)
Burkholderia mallei (1) *Burkholderia pseudomallei* (1)
Clostridium botulinum *Coxiella burnetii*
Francisella tularensis Ricin
Staphylococcus aureus - enterotoxin B Variola virus (1)
Venezuelan equine encephalitis virus *Yersinia pestis* (1)
Viral agents of hemorrhagic fevers

- Send isolate/specimen to DPH Laboratory. Send laboratory report (electronic or paper) on first identification of an organism. For CRE/CRAB, and CRPA, send laboratory report if carbapenem resistance is suggested by laboratory antimicrobial testing; include antimicrobial test results with report. For GBS, send isolate for cases < 1 year of age. For *Salmonella*, *Shigella*, *Vibrio*, and *Yersinia* (not *pestis*) tested by non-culture methods, send isolate if available; send stool specimen if no isolate available. For Shiga toxin-related disease, send positive broth or stool specimen.
- Specify species/serogroup/serotype.
- Sterile site: sterile fluids (blood, CSF, pericardial, pleural, peritoneal, joint, or vitreous), bone, internal body site (lymph node, brain, heart, liver, spleen, kidney, pancreas, or ovary), or other normally sterile site including muscle. For CRE, CRAB, and CRPA also include urine or sputum; for CRAB and CRPA also include wounds.
- Upon request from the DPH, report all *C. difficile* positive stool samples.
- Report peak ALT and Total Bilirubin results if conducted within one week of HAV positive test, if available. Otherwise, check "Not Done".
- Negative HBsAg and all anti-HBs results only reportable for children \leq 2 years old.
- Report positive Antibody, and all RNA and Genotype results. Negative RNA results only reportable by electronic reporting.
- Report all positive HIV antibody, antigen, viral load, and qualitative NAAT results. HIV genotype (DNA sequence) and all CD4 results are only reportable by electronic file reporting.
- Upon request from the DPH, send fixed tissue from the diagnostic specimen for HPV typing.
- Report results \geq 3.5 μ g/dL within 48 hours to the Local Health Department and DPH; submit ALL lead results at least monthly to DPH only.
- Report all IgM positive titers, only report IgG titers considered significant by laboratory performing the test.
- Report all bacterial isolates from blood or CSF from infants \leq 72 hours of age.
- Call the DPH, weekdays 860-509-7994; evenings, weekends, and holidays 860-509-8000.

Persons Required to Report Reportable Diseases, Emergency Illnesses and Health Conditions

1. Every health care provider who treats or examines any person who has or is suspected to have a reportable disease, emergency illness or health condition shall report the case to the local director of health or other health authority within whose jurisdiction the patient resides and to the Department of Public Health.
2. If the case or suspected case of reportable disease, emergency illness or health condition is in a health care facility, the person in charge of such facility shall ensure that reports are made to the local director of health and the Department of Public Health. The person in charge shall designate appropriate infection control or record keeping personnel for this purpose.
3. If the case or suspected case of reportable disease, emergency illness or health condition is not in a health care facility, and if a health care provider is not in attendance or is not known to have made a report within the appropriate time, such report of reportable disease, emergency illness or health condition shall be made to the local director of health or other health authority within whose jurisdiction the patient lives and the Department of Public Health by:
 - a. the administrator serving a public or private school or day care center attended by any person affected or apparently affected with such disease, emergency illness or health condition;
 - b. the person in charge of any camp;
 - c. the master or any other person in charge of any vessel lying within the jurisdiction of the state;
 - d. the master or any other person in charge of any aircraft landing within the jurisdiction of the state;
 - e. the owner or person in charge of any establishment producing, handling, or processing dairy products, other food or non-alcoholic beverages for sale or distribution;
 - f. morticians and funeral directors

Persons Required to Report Reportable Laboratory Findings

The director of a laboratory that receives a primary specimen or sample, which yields a reportable laboratory finding, shall be responsible for reporting such findings within 48 hours to the local director of health of the town in which the affected person normally resides. In the absence of such information, the reports should go to the town from which the specimen originated and to the Department of Public Health. Reports must include name, address, contact phone number, date of birth, race, ethnicity, gender, and occupation of patient.

IMPORTANT NOTICE

The Reportable Disease Confidential Case Report Form PD-23 can be used to report conditions on the current list, unless there is a specialized form or other authorized method. The Laboratory Report of Significant Findings form OL-15C can be used by staff of clinical laboratories to report evidence suggestive of reportable diseases or other approved format by DPH. Reporting forms can be found at: (<https://portal.ct.gov/DPH/Communications/Forms/Forms>). Please follow these guidelines when submitting written reports:

- Forms must include name, address, and phone number of person reporting and healthcare provider, infectious agent, test method, date of onset of illness, and name, address, date of birth, race, ethnicity, gender, and occupation of patient.
- Send the completed form to DPH via fax (860-920-3131)

Connecticut Department of Public Health

Manisha Juthani, MD
Commissioner of Public Health

Lynn Sosa, MD
Acting State Epidemiologist

Infectious Diseases Programs

Epidemiology and Emerging Infections
860-509-7994

Healthcare Associated Infections & Antimicrobial Resistance
860-509-7995

HIV & Viral Hepatitis
860-509-7900

Immunizations
860-509-7929

Sexually Transmitted Diseases
860-509-7920

Tuberculosis Control
860-509-7722

The Connecticut Epidemiologist Newsletter - (Telecommunications Relay Service 7-1-1)

Editor: Susan Petit, MPH

Assistant Editor: Amanda Durante, PhD, MSc

Assistant Editor/Producer: Chris Heneghan, MPH