Connecticut Epidemiologist



July 2022 INSIDE Page

Changes to the List of Reportable Diseases, Emergency Illnesses and Health Conditions, and the List of Reportable Laboratory Findings

Beginning in May 2022, an unprecedented rapid increase in monkeypox cases has occurred in countries where the virus is not endemic and occurring in people without traditional risk factors for monkeypox virus infection. Effective July 1, 2022, pursuant to Section 19a-2a of the Connecticut General Statutes and Sections 19a-215 and 19a-36-A7 of the Regulations of Connecticut State Agencies, Manisha Juthani, MD, Commissioner of the Connecticut Department of Public Health (DPH) amended the List of Reportable Diseases, Emergency Illnesses and Health Conditions and the List of Reportable Laboratory Findings by adding monkeypox disease and orthopoxvirus and nonvariola orthopoxvirus laboratory findings to such lists. This action was taken to leverage surveillance data collection to describe the extent of the problem and use case reporting to facilitate control and response actions to reduce the spread monkeypox.

Monkeypox disease shall be a Category 1 disease and reportable immediately by phone to DPH and the local department of health in the case patient's town of residence on the day of recognition or strong suspicion of the disease. To report, call DPH at (860) 509-7994 on weekdays or (860) 509-8000 after hours. The DPH Reportable Disease Confidential Case Report Form PD-23 shall be used to collect initial information on suspect and confirmed cases. DPH will share the report with the local health department for the town where the case patient resides and will follow up with the provider and patient as needed to collect additional information.

Currently, laboratory testing for orthopoxvirus is available through public health laboratories that are part of the Laboratory Response Network (LRN).

Changes to the List of Reportable Diseases, Emergency Illnesses and Health Conditions and the List of Reportable Laboratory Findings 10

When testing is expanded beyond the LRN, laboratories will be required to report the following laboratory findings:

- Detection of monkeypox virus (MPXV) or orthopoxvirus nucleic acid by molecular testing in a clinical specimen
- Detection of presence of orthopoxvirus by immunohistochemistry in tissue
- Detection of MPXV or orthopoxvirus by genomic sequencing in a clinical specimen
- Detection of anti-orthopoxvirus IgM antibody using a validated assay on a serum sample drawn 4-56 days after rash onset with no recent history (last 60 days) of smallpox or monkeypox vaccination

Laboratory findings should be reported immediately by phone to DPH at (860) 509-7994, followed by a fax to (860) 920-3131. DPH will provide updated instructions for electronic reporting of laboratory results once CDC guidance for such reporting is published. For information on how to report laboratory results in electronic format please email DPH.InformaticsLab@ct.gov.

Healthcare providers can refer questions about reporting monkeypox to the DPH Epidemiology and Emerging Infections Program at (860) 509-7994 or (860) 509-8000 after hours. Additional information on the 2022 U.S. monkeypox outbreak can be found on the Centers for Disease Control and Prevention website.

CONTACT INFORMATION

Connecticut Department of Public Health Infectious Diseases Division 410 Capitol Avenue/MS#11FDS Hartford, CT 06134

Phone: 860-509-7995 Fax: 860-509-7910

REPORTABLE DISEASES, EMERGENCY ILLNESSES and HEALTH CONDITIONS - 2022 PART A: REPORTABLE DISEASES

Physicians, and other professionals are required to report using the Reportable Disease Confidential Case Report form (PD-23), other disease specific form or authorized method (see page 4 for additional information). Forms can be found on the DPH "Forms" webpage or by calling 860-509-7994. Mailed reports must be sent in envelopes marked "CONFIDENTIAL." Changes for 2022 are in **bold font**.

Category 1 Diseases: Report immediately by telephone (860-509-7994) on the day of recognition or strong suspicion of disease

for those diseases marked with a telephone (2). On evenings, weekends, and holidays call 860-509-8000.

These diseases must also be reported by mail within 12 hours.

Category 2 Diseases: All other diseases not marked with a telephone must be reported by mail within 12 hours of

recognition or strong suspicion of disease.

Acquired Immunodeficiency Syndrome (1,2) Acute flaccid myelitis

■ Acute HIV infection

Anthrax

Babesiosis Borrelia miyamotoi disease

T Botulism

Brucellosis

California group arbovirus infection

Campylobacteriosis

Candida auris

Chancroid

Chickenpox

Chickenpox-related death

Chikungunya

Chlamydia (C. trachomatis) (all sites)

Cholera Cholera

Coronavirus disease 2019 (COVID-19)

COVID-19 Hospitalizations

Cryptosporidiosis Cyclosporiasis

Dengue

Tiphtheria

E-cigarette or vaping product use associated lung injury (EVALI)

Eastern equine encephalitis virus infection

Ehrlichia chaffeensis infection

Escherichia coli O157:H7 gastroenteritis

Gonorrhea

Group A Streptococcal disease, invasive (3)

Group B Streptococcal disease, invasive (3)

Haemophilus influenzae disease, invasive (3)

Hansen's disease (Leprosy) Healthcare-associated Infections (4)

Hemolytic-uremic syndrome (5)

Hepatitis A

Hepatitis B:

• acute infection (2)

HBsAg positive pregnant women

Hepatitis C:

- acute infection (2)
- perinatal infection
- positive rapid antibody test result

HIV-1 / HIV-2 infection in: (1)

- persons with active tuberculosis disease
- persons with a latent tuberculous infection (history or tuberculin skin test ≥5mm induration by Mantoux technique)
- persons of any age
- pregnant women

HPV: biopsy proven CIN 2, CIN 3 or AIS or their equivalent (1)

Influenza-associated death (6)

Influenza-associated hospitalization (6)

Legionellosis

Listeriosis

Lyme disease

Malaria

- Measles
- Melioidosis
- Meningococcal disease Mercury poisoning

Monkeypox disease

Multisystem inflammatory syndrome in children (MIS-C)

Mumps

Neonatal bacterial sepsis (7)

Neonatal herpes (≤ 60 days of age)

Occupational asthma

2 Outbreaks:

- Foodborne (involving ≥ 2 persons)
- Institutional
- Unusual disease or illness (8)

Pertussis

Plague

Pneumococcal disease, invasive (3)

Poliomyelitis

Powassan virus infection

- **2** Q fever
- Rabies
- Ricin poisoning Rocky Mountain spotted fever Rubella (including congenital)

Salmonellosis

SARS-CoV

Shiga toxin-related disease (gastroenteritis) Shigellosis

Silicosis

Smallpox

St. Louis encephalitis virus infection

- Staphylococcal enterotoxin B pulmonary poisoning
- Staphylococcus aureus disease, reduced or resistant susceptibility to vancomycin (1)

Staphylococcus aureus methicillinresistant disease, invasive, community acquired (3,9)

Staphylococcus epidermidis disease, reduced or resistant susceptibility to vancomycin (1)

Syphilis

Tetanus

Trichinosis

Tuberculosis

Tularemia

Typhoid fever Vaccinia disease

■ Venezuelan equine encephalitis virus infection

Vibrio infection (parahaemolyticus, vulnificus, other)

★ Viral hemorrhagic fever West Nile virus infection

Yellow fever
Zika virus infection

FOOTNOTES: (NOTE: a footnote was removed, and they have been renumbered)

- Report only to State.
- As described in the CDC case definition.
- Invasive disease: from sterile fluid (blood, CSF, pericardial, pleural, peritoneal, joint, or vitreous) bone, internal body sites, or other normally sterile site including muscle.
- Report HAIs according to current CMS pay-for-reporting or pay-for-performance requirements. Detailed instructions on the types of HAIs, facility types and locations, and methods of reporting are available on the DPH website: https://portal.ct.gov/DPH/Infectious-Diseases/HAI/Healthcare-Associated-Infections-and-Antimicrobial-Resistance.
- 5. On request from the DPH and if adequate serum is available, send serum from patients with HUS to the DPH Laboratory for antibody testing.
- 6. Submit the Hospitalized and Fatal Cases of Influenza form as specified. For influenza Hospitalizations, Electronic Medical Record access is required.
- Clinical sepsis and blood or CSF isolate obtained from an infant ≤ 72 hours of age.
- 8. Individual cases of "significant unusual illness" are also reportable.
- Community-acquired: infection present on admission to hospital, and person has no previous hospitalizations or regular contact with the health-care setting.

How to report: The PD-23 is the general disease reporting form and should be used if other specialized forms are not available. The PD-23 can be found on the DPH "Forms" webpage (https://portal.ct.gov/DPH/Communications/Forms/Forms). It can also be ordered by writing the Department of Public Health, 410 Capitol Ave., MS#11FDS, P.O. Box 340308, Hartford, CT 06134-0308 or by calling the Epidemiology and Emerging Infections Program (860-509-7994). Specialized reporting forms are available on the DPH "Forms" webpage or by calling the following programs: Epidemiology and Emerging Infections Program (860-509-7994) - Hospitalized and Fatal Cases of Influenza, Healthcare Associated Infections (860-509-7995) - National Healthcare Safety Network, HIV/AIDS Surveillance (860-509-7900) - Adult HIV Confidential Case Report form, Immunizations Program (860-509-7929) - Chickenpox Case Report (Varicella) form, Occupational Health Surveillance Program (860-509-7740) - Physician's Report of Occupational Disease, Sexually Transmitted Disease Program (860-509-7920), and Tuberculosis Control Program (860-509-7722). National notifiable disease case definitions are found on the CDC website.

Telephone reports of Category 1 disease should be made to the local Director of Health for the town in which the patient resides, and to the Epidemiology and Emerging Infections Program (860-509-7994). Tuberculosis cases should be directly reported to the Tuberculosis Control Program (860-509-7722). For the name, address, or telephone number of the local Director of Health for a specific town contact the Office of Local Health Administration (860-509-7660).

REPORTABLE LABORATORY FINDINGS - 2022

The director of a clinical laboratory must report laboratory evidence suggestive of reportable diseases (see page 4 for additional information). The Laboratory Report of Significant Findings form (OL-15C) can be found on the DPH "Forms" webpage or by calling 860-509-7994. Changes for

2022 are in bold font .		
Anaplasma phagocytophilum by PCR only	Mercury poisoning	
Babesia: ☐ IFA IgM (titer) IgG (titer) ☐ Blood smear ☐ PCR ☐ Other	\Box Urine ≥ 35 μg/g creatinine $\underline{\qquad}$ μg/g	
□ microti □ divergens □ duncani □ Unspeciated	□ Blood ≥ 15 µg/L $ µg$ /L Monkeypox virus $□$ PCR $□$ IgM anti-MPXV $□$ Sequencing	
Bordetella pertussis (titer)		
Culture (1) Non-pertussis Bordetella (1) (specify)	Orthopoxvirus PCR IHC Sequencing	
□ DFA □ PCR	Non-variola orthopoxvirus PCR	
Borrelia burgdorferi (2)	Mumps virus (12) (titer) PCR	
Borrelia miyamotoi	Mycobacterium leprae Mycobacterium tuberculosis Related Testing (1)	
California group virus (3) spp □ Culture □ PCR □ EIA	AFB Smear □ Positive □ Negative	
Campylobacter (3) spp	AFB Smear □ Positive □ Negative If positive □ Rare □ Few □ Numerous NAAT □ Positive □ Negative □ Indeterminate Culture □ Mycobacterium tuberculosis	
Candida spp. [blood isolates only]: (1,3)	NAAT	
Candida spp. [blood isolates only]: (1,3) Carbapenem-resistant Acinetobacter baumannii (CRAB) (1,4)	Culture	
Carbapenem-resistant Enterobacteriaceae (CRE) (1,3,4)	□ Non-TB mycobacterium. (specify M)	
Genus spp % COHb	Neisseria gonorrhoeae (test type)	
Carboxyhemoglobin \geq 5% (2)% COHb	Neisseria gonorrhoeae (test type) Neisseria meningitidis, invasive (1,4)	
Chikungunya virus Chlamydia trachomatis (test type)	☐ Culture ☐ Other	
Chamyala trachomatis (lest type) Clostridium difficile (5)	Neonatal bacterial sepsis (3,13) spp	
Corvnehacterium dinhtheria (1)	Plasmodium (1,3) spp	
Cryptosporidium spp (3) \square PCR \square DFA \square EIA	Poliovirus	
Cryptosporidium spp (3)	Powassan virus	
Cyclospora spp (3) \square PCR \square Microscopy \square Other:	Rabies virus **Rickettsia rickettsia □ PCR □ IgG titers ≥1:128 only □ Culture	
Dengue virus	Respiratory syncytial virus (2)	
Eastern equine encephalitis virus	Rubella virus (12) (titer)	
Ehrlichia chaffeensis □ PCR □ IgG titers ≥1:128 only □ Culture Enterotoxigenic Escherichia coli (ETEC) □ Culture □ PCR	Rubeola virus (Measles) (12) (titer)	
Escherichia coli O157(1) Culture PCR	St. Louis encephalitis virus	
Giardia spp (3)	Salmonella $(1,3)$ (serogroup & type) \square Culture \square PCR	
Group A Streptococcus, invasive (1,4)	SARS-CoV (1) \Box IgM/IgG	
Group B Streptococcus, invasive (1,4)	□ PCR (specimen) □ Other	
Haemophilus ducreyi	Salmonella (1,3)(serogroup & type)	
Haemophilus influenzae, invasive (1,4) ☐ Culture ☐ Other	1 ostave 1 regative	
Hepatitis A virus (HAV): ☐ IgM anti-HAV (7) ☐ NAAT Positive (6)	Shiga toxin (1) \square Stx1 \square Stx2 \square Type Unknown	
ALT Total Bilirubin Not Done	□ PCR □ EIA	
Hepatitis B HBsAg	Shigella (1,3) (serogroup/spp)	
☐ IgM anti-HBc ☐ HBeAg (2) ☐ HBV DNA (2)	Staphylococcus aureus, invasive (4)	
anti-HBs (7) ☐ Positive (titer) ☐ Negative Hepatitis C virus (HCV) (8) ☐ Antibody ☐	☐ methicillin-resistant ☐ methicillin-sensitive	
☐ PCR/NAAT/RNA ☐ ☐ Genotype specify	Staphylococcus aureus, vancomycin MIC ≥ 4 μg/mL (1)	
Herpes simplex virus (infants \leq 60 days of age)	MIC to vancomycin μ g/mL Staphylococcus epidermidis, vancomycin MIC \geq 32 μ g/mL (1)	
☐ Culture ☐ PCR ☐ IFA ☐ Ag detection	MIC to vancomycin µg/mL	
HIV Related Testing (report only to the State) (9)	Streptococcus pneumoniae	
□ Detectable Screen (IA)	Culture (1,4) Urine antigen Other (4)	
Antibody Confirmation (WB/IFA/Type-diff) (9)	Treponema pallidum □ RPR (titer) □ FTA □ EIA	
HIV 1 □ Positive □ Neg/Ind □ HIV 2 □ Positive □ Neg/Ind □ HIV NAAT (or qualitative RNA) □ Detectable □ Not Detectable	□ VDRL (titer) □ TPPA	
☐ HIV Viral Load (all results) (9) copies/mL	Trichinella	
☐ HIV genotype (9)	Varicella-zoster virus, acute	
□ CD4 count: cells/uL;% (9)	□ Culture □ PCR □ DFA □ Other	
HPV (report only to the State) (10)	Vibrio (1,3) spp □ Culture □ PCR	
Biopsy proven \square CIN 2 \square CIN 3 \square AIS	West Nile virus Yellow fever virus	
or their equivalent, (specify)		
Influenza virus: (report only to State) ☐ Rapid antigen (2) ☐ RT-PCR	Yersinia, not pestis (1,3) spp □ Culture □ PCR Zika virus	
☐ Type A ☐ Type B ☐ Type Unknown☐ Subtype		
Lead poisoning (blood lead $\geq 10 \mu g/dL < 48 \text{ hrs}$; 0-9 $\mu g/dL \text{ monthly}$) (11)	BIOTERRORISM at first clinical suspicion (14)	
$\Box \text{ Finger stick level } \underline{\qquad} \mu g/dL \Box \text{ Venous level } \underline{\qquad} \mu g/dL$	Bacillus anthracis (1) Brucella spp (1) Brukholdonia malloi (1)	
Legionella spp (1)	Burkholderia mallei (1) Burkholderia pseudomallei (1) Clostridium botulinum Coxiella burnetii	
☐ Culture ☐ DFA ☐ Ag positive	Francisella tularensis Ricin	
☐ Four-fold serologic change (titers)	Staphylococcus aureus - enterotoxin B Variola virus (1)	
Listeria monocytogenes (1) ☐ Culture ☐ PCR	Venezuelan equine encephalitis virus	
	Viral agents of hemorrhagic fevers Yersinia pestis (1)	
Send isolate/specimen to DPH Laboratory. Send laboratory report For CRE and CRAB, also	include urine or sputum; for CRAB 10. Upon request from the DPH, send fixed tissue from the	
(electronic or paper) on first identification of an organism. For CRE/CRAB, also include wounds.	diagnostic specimen for HPV typing.	
send laboratory report if carbapenem resistance is suggested by laboratory 5. Upon request from the antimicrobial testing. For GBS, send isolate for cases <1 year of age. For stool samples.	DPH, report all <i>C. difficile</i> positive 11. Report results ≥ 10 µg/dL within 48 hours to the Local Health Department and DPH; submit ALL lead results at least monthly	
	otal Bilirubin results if conducted to DPH only.	
and the contract of the contra	the state of the s	

- methods, send isolate if available; send stool specimen if no isolate available. For Shiga toxin-related disease, send positive broth or stool specimen.
- 2. Only laboratories with electronic file reporting are required to report positive results.
- Specify species/serogroup/serotype.
- Sterile site: sterile fluids (blood, CSF, pericardial, pleural, peritoneal, joint, or vitreous), bone, internal body site (lymph node, brain, heart, liver, spleen, kidney, pancreas, or ovary), or other normally sterile site including muscle
- check "Not Done".
- Negative HBsAg and all anti-HBs results only reportable for $children \leq 2 \ years \ old.$
- 8. Report positive Antibody, and all RNA and Genotype results. Negative RNA results only reportable by electronic reporting.
- Report all HIV antibody, antigen, viral load, and qualitative NAAT results. HIV genotype (DNA sequence) and all CD4 results are only reportable by electronic file.
- Report all IgM positive titers, only report IgG titers considered significant by laboratory performing the test.
- Report all bacterial isolates from blood or CSF from infants < 72 hours of age.
- Call the DPH, weekdays 860-509-7994; evenings, weekends, and holidays 860-509-8000.
- Report positive and negative results. Electronic reporting

Persons Required to Report Reportable Diseases, Emergency Illnesses and Health Conditions

- 1. Every health care provider who treats or examines any person who has or is suspected to have a reportable disease, emergency illness or health condition shall report the case to the local director of health or other health authority within whose jurisdiction the patient resides and to the Department of Public Health.
- 2. If the case or suspected case of reportable disease, emergency illness or health condition is in a health care facility, the person in charge of such facility shall ensure that reports are made to the local director of health and Department of Public Health. The person in charge shall designate appropriate infection control or record keeping personnel for this purpose.
- 3. If the case or suspected case of reportable disease, emergency illness or health condition is not in a health care facility, and if a health care provider is not in attendance or is not known to have made a report within the appropriate time, such report of reportable disease, emergency illness or health condition shall be made to the local director of health or other health authority within whose jurisdiction the patient lives and the Department of Public Health by:
 - a. the administrator serving a public or private school or day care center attended by any person affected or apparently affected with such disease, emergency illness or health condition;
 - b. the person in charge of any camp;
 - c. the master or any other person in charge of any vessel lying within the jurisdiction of the state;
 - d. the master or any other person in charge of any aircraft landing within the jurisdiction of the state;
 - e. the owner or person in charge of any establishment producing, handling, or processing dairy products, other food or non-alcoholic beverages for sale or distribution;
 - f. morticians and funeral directors

Persons Required to Report Reportable Laboratory Findings

The director of a laboratory that receives a primary specimen or sample, which yields a reportable laboratory finding, shall be responsible for reporting such findings within 48 hours to the local director of health of the town in which the affected person normally resides. In the absence of such information, the reports should go to the town from which the specimen originated and to the Department of Public Health. Reports must include name, address, contact phone number, date of birth, race, ethnicity, gender, and occupation of patient.

IMPORTANT NOTICE

The Reportable Disease Confidential Case Report Form PD-23 can be used to report conditions on the current list, unless there is a specialized form or other authorized method. The Laboratory Report of Significant Findings Form OL-15C can be used by staff of clinical laboratories to report evidence suggestive of reportable diseases or other approved format by DPH. Reporting forms can be found at: (https://portal.ct.gov/DPH/Communications/Forms/Forms) or by calling 860-509-7994. Please follow these guidelines when submitting written reports:

- Forms must include name, address, and phone number of person reporting and healthcare provider, infectious agent, test method, date of onset of illness, and name, address, date of birth, race, ethnicity, gender, and occupation of patient.
- Send the white copy of completed form to DPH via fax (860-509-7910), or mail to: Connecticut Department of Public Health, 410 Capitol Ave., MS#11FDS, P.O. Box 340308, Hartford, CT 06134-0308. Mark envelope with "CONFIDENTIAL".
- Unless otherwise noted, send the yellow copy of the completed report to the Director of Health of the patient's town of residence.
- Keep the pink copy in the patient's medical record.

Connecticut Department of Public Health			
Manisha Juthani, MD Commissioner of Public Health		Lynn Sosa, MD Deputy State Epidemiologist	
Infectious Diseases Programs			
Epidemiology and Emerging Infections 860-509-7994	Healthcare Associated Infections & Antimicrobial Resistance 860-509-7995	HIV & Viral Hepatitis 860-509-7900	
Immunizations 860-509-7929	Sexually Transmitted Diseases 860-509-7920	Tuberculosis Control 860-509-7722	

The Connecticut Epidemiologist Newsletter - (Telecommunications Relay Service 7-1-1)

Editor: Meghan Maloney, MPH Assistant Editor: Amanda Durante, PhD, MSc Assistant Editor/Producer: Chris Heneghan, MPH