


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, March 2020




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Three\* (3) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Middlesex Hospital; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center



# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, April 2020




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Three\* (3) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Middlesex Hospital; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center



# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, May 2020




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Three\* (3) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Middlesex Hospital; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center




# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, June 2020




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.

# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, July 2020




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.

# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, August 2020




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.

# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, September 2020



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, October 2020



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.




# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, November 2020




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.

# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, December 2020




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.

# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, January 2021



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.

# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, February 2021



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. All of the 38 ED facilities participating in EpiCenter were sending data for 75% to 100% of the days in the specified three-month time frame.