

Connecticut Department of Public Health Drug Overdose Monthly Report

Fatal Unintentional and Undetermined Intent Drug Overdose Report

Key Findings About Drug Overdose Decedents, 2019 - August 2023*

- The current monthly report is based on confirmed fatal drug overdose cases from 2019 to the 1st week of August 2023. Data from 2023 are preliminary and may change due to pending cases. The period of analysis includes January 2020 through July 2023.
- 2023* data overview: As of the 1st week of August there were 825 overdose-related deaths in 2023, with 111 in January, 128 in February, 107 in March, 116 in April, 130 in May, 105 in June and 103 in July. Approximately 83.3% of these deaths involved fentanyl. Data are subject to change due to pending cases.
- **2022 data overview:** From January to December 2022, there were 1,464 confirmed unintentional and undetermined intent fatal drug overdoses.
- Comparison between 2020-2022: There were 1,531 confirmed deaths for 2021, which represents an increase of 11.4% compared to the previous year, 2020 (N=1,374). Final data from 2022 suggest a decrease in drug overdose deaths by 4.3%, compared to 2021.
- **Demographic data for 2022:** Males had a higher mortality rate than females in 2022 (60.0 vs. 21.1 per 100,000 population, respectively). In 2022, the mortality rate was highest for the non-Hispanic Black population and for 35–44-year-olds.
- Place of death in 2021 and 2022: Most of the decedents died at a residence (either their own or someone else's) in 2021 (60%) and in 2022 (63%).
- **Fentanyl-involved drug overdose deaths:** The average percentage of fentanyl- or fentanyl analog-involved deaths was 85% for 2020, 2021 and 2022. Approximately 83.3% of 2023 deaths involved fentanyl. 2023 data are subject to change due to pending cases.
- **Xylazine, an animal tranquilizer, in drug overdose deaths:** For the first time in 2019, xylazine/fentanyl combinations were found to be involved in drug overdoses and this lethal combination continued to be a problem in 2020 (N=141;10.2%), 2021 (N=298; 19.8%), and in 2022 (N=354, 24.2%). In preliminary data of 2023, there were 172 deaths (20.8%) involving a xylazine/fentanyl combination.
- New and emerging substances: Para-fluorofentanyl, a fentanyl analog, emerged in 2020 and
 was present in 13 overdose deaths that year, 94 in 2021, 32 in 2022, and 24 in 2023. The Injury
 and Violence Surveillance Unit (IVSU) from the Department of Public Health (DPH) continues to
 monitor for other new emerging substances which include but are not limited to Flualprazolam
 (benzodiazepine family) and the Nitazene family of substances (novel synthetic opioids).

Updated on 9-20-2023; Data Source: Connecticut Office of the Chief Medical Examiner (OCME), per CDC-SUDORS grant guidelines.


For substance use disorder information visit: https://www.drugfreect.org.


For information on the CT DPH Opioids and Prescription Drug Overdose Prevention Program in the Office of Injury and Violence Prevention, visit: https://www.ct.gov/dph/injuryprevention.

^{*}Data subject to change due to pending cases.


1: Number of Unintentional and Undetermined Intent Drug Overdose Deaths,


Connecticut, 2019-July 2023*. Based on final 2022 data there was a decrease of 4.3% in drug overdose deaths compared to the previous year of 2021. The charts below represent counts of confirmed drug overdose deaths by quarter (Figure 1a) and by month (Figure 1b). Quarterly drug overdose data show that for the years 2019, 2020 and 2022, Quarter 1 had the lowest number of unintentional and undetermined intent drug overdose deaths within that specific year. Overall, Quarters 2 and 3 were generally highest with the exception of 2022. In 2022, Quarter 4 had the highest number however those numbers were substantially lower than the number that occurred during Q3 of 2021. Monthly data show that July and August of 2021 had the highest number of deaths. In 2022, October had the highest number of deaths for that year. Data for 2023 may change due to the processing of pending cases.







2: Percentage of Fentanyl-Involved Unintentional and Undetermined Intent Drug Overdose Deaths, Connecticut, 2019-July 2023*. The average percentage of fentanyl-involved deaths remained high between 2019 and July 2023*. The charts below represent the percentage of fentanyl-involved drug overdose deaths by quarter (Figure 2a) and by month (Figure 2b). The average percentage of fentanyl- or fentanyl analog-involved deaths was 80% for 2019 and subsequently increased to 85% in 2020, 2021, 2022 and 2023*. Data for 2023 may change due to the processing of pending cases.






3: Number of Xylazine-Involved Unintentional and Undetermined Intent Drug Overdose Deaths, Connecticut, 2019-July 2023*. To enhance drug effects, recreational drugs are often adulterated with other pharmacological agents such as xylazine, a veterinary sedative not intended for human use. In Connecticut, xylazine was first identified as a novel and emerging adulterant in fatal drug overdoses in March 2019, and the number of xylazine-involved deaths has increased each year between 2019 and July 2023*. The charts below represent the number of xylazine-involved drug overdose deaths by quarter (Figure 3a) and by month (Figure 3b). Quarter 2 of 2022 had the highest number of xylazine-involved deaths and this number dropped substantially during Q3 and Q4. By month, the highest number of xylazine-involved deaths occurred during March and April of 2022 (N=40). Overall, 2023 shows a lower trend for monthly numbers compared to 2022, although 2023 data are subject to change due to pending cases.






Drug overdose death rates were higher in males compared to females during 2020 through 2022. Rates of unintentional and undetermined intent drug overdose-related deaths were consistently higher among males when compared to females. The bar graph below represents rates of unintentional and undetermined intent drug overdose death by sex (rate per 100,000 sex-specific population) during 2020 through 2022.



Drug overdose death rates were higher among the non-Hispanic Black and Hispanic populations compared to the non-Hispanic White population.

Between 2021 to 2022, the drug overdose mortality rate substantially increased in the non-Hispanic Black and Hispanic populations compared to 2020. The chart below represents the unintentional and undetermined intent drug overdose mortality rate in Connecticut, by race/ethnicity for years 2020-2022.




*All races of Hispanic ethnicity

Note: Counts for 'Other Non-Hispanic' population, which includes American Indian or Alaska Native, Asian or Pacific Islander, were lower than 20 and therefore the rates were not calculated.

Drug overdose death rates were highest in the 35-44-year-old age group in Connecticut, 2020-2022.

Drug overdose death rates were calculated per 100,000 age-specific population and were highest among the 35–44-year-old age group, followed by the 45–54 and 55–64-year-old age groups in 2021 and 2022. The chart below represents the unintentional and undetermined intent drug overdose mortality rate in Connecticut, by age group, by year for 2020-2022. There is an increasing trend in drug overdose death rate from 2020 through 2022 for the 65+ year-old age group.



Drug overdose death rates in Connecticut, by County of Injury, 2020-2022

The chart below represents the unintentional and undetermined intent drug overdose mortality rate in Connecticut, by injury county, for 2020-2022. The data suggest that in 2022, New London County (57.9) had the highest drug overdose death rate followed by New Haven County (48.1) and Hartford County (44.8). The lowest rates were seen in Tolland County (18.7) followed by Middlesex County (23.8) for 2022.

