

**Connecticut Department of Public Health HIV Surveillance Program
HIV Infection Cases by Year of Diagnosis, Sex, Race, Risk, and Age Group, New Haven EMA, 2002 - 2017**

| | Total | Sex | | Race/ethnicity | | | |
|-----------------------|-------|--------|------------|------------------------|-----------------|------------|-------------|
| | | Male | Female | Black/African American | Hispanic/Latino | White | Other races |
| | | Number | % of Total | % of Total | % of Total | % of Total | % of Total |
| Diagnosis Year | | | | | | | |
| 2002 | 450 | 58.4 | 41.6 | 30.0 | 31.6 | 35.8 | 2.7 |
| 2003 | 369 | 66.1 | 33.9 | 31.4 | 35.0 | 33.1 | 0.5 |
| 2004 | 354 | 67.2 | 32.8 | 34.2 | 35.6 | 29.1 | 1.1 |
| 2005 | 275 | 68.0 | 32.0 | 32.0 | 36.4 | 29.1 | 2.5 |
| 2006 | 290 | 67.9 | 32.1 | 38.3 | 32.4 | 28.6 | 0.7 |
| 2007 | 255 | 69.4 | 30.6 | 34.5 | 31.0 | 30.6 | 3.9 |
| 2008 | 220 | 69.5 | 30.5 | 44.5 | 27.7 | 26.4 | 1.4 |
| 2009 | 211 | 72.0 | 28.0 | 47.9 | 26.1 | 24.2 | 1.9 |
| 2010 | 203 | 68.5 | 31.5 | 48.3 | 27.1 | 23.6 | 1.0 |
| 2011 | 186 | 73.7 | 26.3 | 45.2 | 25.8 | 27.4 | 1.6 |
| 2012 | 171 | 73.7 | 26.3 | 47.4 | 25.7 | 24.6 | 2.3 |
| 2013 | 180 | 81.1 | 18.9 | 40.0 | 31.1 | 26.1 | 2.8 |
| 2014 | 188 | 71.8 | 28.2 | 50.5 | 25.0 | 21.3 | 3.2 |
| 2015 | 148 | 76.4 | 23.6 | 43.2 | 29.1 | 25.0 | 2.7 |
| 2016 | 169 | 79.9 | 20.1 | 43.8 | 29.0 | 23.7 | 3.6 |
| 2017 | 149 | 71.1 | 28.9 | 49.7 | 27.5 | 20.8 | 2.0 |
| Total | 3,818 | 69.4 | 30.6 | 39.3 | 30.6 | 28.1 | 2.0 |

This table presents HIV Infection cases using the year the person was first diagnosed.

The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 - persons with a diagnosis of HIV infection (not AIDS)**
- 2 - a diagnosis of HIV infection and a later diagnosis of AIDS**
- 3 - concurrent diagnoses of HIV and AIDS.**

Data supplied from eHARS of cases reported through 2018

**Connecticut Department of Public Health HIV Surveillance Program
HIV Infection Cases by Year of Diagnosis, Sex, Race, Risk, and Age Group, New Haven EMA, 2002 - 2017**

| Diagnosis Year | Transmission Category | | | | | | | | | Age at diagnosis | | | | | |
|----------------|-----------------------|------------|-------------|----------------------|------------|-------------------------------|------------|------------|------------|------------------|------------|------------|------------|------------|--|
| | MSM | PWID | MSM and IDU | Heterosexual contact | Perinatal | Presumed Heterosexual contact | Other | Unknown | <20 | 20-29 | 30-39 | 40-49 | 50-59 | 60+ | |
| | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | |
| 2002 | 17.3 | 38.4 | 2.0 | 28.9 | 0.4 | 3.6 | 0 | 9.3 | 1.3 | 11.6 | 33.1 | 35.1 | 13.3 | 5.6 | |
| 2003 | 26.0 | 35.5 | 0.3 | 27.1 | 0 | 2.2 | 0 | 8.9 | 0.5 | 13.8 | 27.1 | 33.3 | 19.0 | 6.2 | |
| 2004 | 28.5 | 28.0 | 0.6 | 23.2 | 0.3 | 1.1 | 0.3 | 18.1 | 1.1 | 18.1 | 26.8 | 34.2 | 14.4 | 5.4 | |
| 2005 | 26.5 | 25.5 | 1.8 | 28.7 | 1.1 | 3.3 | 0 | 13.1 | 2.5 | 19.3 | 29.8 | 28.7 | 15.3 | 4.4 | |
| 2006 | 29.0 | 16.9 | 1.7 | 28.3 | 0 | 3.4 | 0 | 20.7 | 1.7 | 14.8 | 27.9 | 32.8 | 17.9 | 4.8 | |
| 2007 | 27.8 | 21.2 | 1.6 | 19.6 | 0.4 | 4.7 | 0.4 | 24.3 | 3.5 | 15.3 | 25.1 | 29.8 | 19.6 | 6.7 | |
| 2008 | 38.2 | 6.8 | 1.4 | 28.2 | 0 | 8.2 | 0 | 17.3 | 2.7 | 22.3 | 26.4 | 30.0 | 14.5 | 4.1 | |
| 2009 | 38.4 | 10.9 | 1.9 | 31.3 | 0.9 | 7.1 | 0 | 9.5 | 3.8 | 19.4 | 30.3 | 31.3 | 10.4 | 4.7 | |
| 2010 | 36.5 | 11.3 | 1.0 | 34.5 | 0 | 6.9 | 0 | 9.9 | 4.9 | 25.1 | 19.7 | 31.0 | 11.3 | 7.9 | |
| 2011 | 41.4 | 7.0 | 2.2 | 30.6 | 0.5 | 4.8 | 0 | 13.4 | 3.2 | 30.1 | 18.8 | 26.3 | 14.5 | 7.0 | |
| 2012 | 45.6 | 8.2 | 1.8 | 31.6 | 0 | 3.5 | 0 | 9.4 | 4.1 | 25.1 | 29.2 | 20.5 | 13.5 | 7.6 | |
| 2013 | 50.0 | 9.4 | 0.6 | 29.4 | 1.1 | 0.6 | 0 | 8.9 | 6.1 | 31.1 | 16.7 | 24.4 | 15.6 | 6.1 | |
| 2014 | 48.9 | 5.9 | 1.1 | 31.9 | 0 | 4.3 | 0 | 8.0 | 3.7 | 29.8 | 24.5 | 18.1 | 14.9 | 9.0 | |
| 2015 | 55.4 | 4.1 | 2.7 | 27.0 | 0 | 4.1 | 0 | 6.8 | 2.7 | 33.8 | 20.9 | 21.6 | 14.9 | 6.1 | |
| 2016 | 57.4 | 3.6 | 2.4 | 23.7 | 0.6 | 1.8 | 0 | 10.7 | 3.6 | 35.5 | 23.1 | 18.3 | 11.2 | 8.3 | |
| 2017 | 47.7 | 6.0 | 2.0 | 33.6 | 0 | 2.0 | 0 | 8.7 | 5.4 | 31.5 | 19.5 | 23.5 | 11.4 | 8.7 | |
| Total | 34.8 | 18.7 | 1.5 | 28.2 | 0.3 | 3.7 | 0.1 | 12.8 | 2.8 | 21.2 | 26.0 | 29.0 | 14.8 | 6.2 | |

This table presents HIV Infection cases using the year the person was first diagnosed.

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS.

Data supplied from eHARS of cases reported through 2018