

**Connecticut Department of Public Health HIV Surveillance Program
Recently Diagnosed HIV cases by Risk, Sex, Race, and Age Group, Bridgeport, 2015 - 2019**

	Mode of Transmission													
	Total		MSM		PWID		MSM and IDU		Heterosexual contact		Presumed Heterosexual contact		Unknown	
	N	% of total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total
Total	141	100.0	63	44.7	5	3.5	1	0.7	50	35.5	5	3.5	17	12.1
Sex														
Male	95	67.4	63	66.3	2	2.1	1	1.1	16	16.8	0	0	13	13.7
Female	46	32.6	0	0	3	6.5	0	0	34	73.9	5	10.9	4	8.7
Race/ethnicity														
Black/African American	77	54.6	34	44.2	2	2.6	1	1.3	30	39.0	4	5.2	6	7.8
Hispanic/Latino	42	29.8	19	45.2	2	4.8	0	0	15	35.7	0	0	6	14.3
White	18	12.8	9	50.0	1	5.6	0	0	3	16.7	1	5.6	4	22.2
Other races	4	2.8	1	25.0	0	0	0	0	2	50.0	0	0	1	25.0
Age at diagnosis														
<20	4	2.8	3	75.0	0	0	0	0	0	0	0	0	1	25.0
20-29	51	36.2	35	68.6	0	0	1	2.0	11	21.6	1	2.0	3	5.9
30-39	27	19.1	12	44.4	2	7.4	0	0	10	37.0	0	0	3	11.1
40-49	27	19.1	5	18.5	1	3.7	0	0	17	63.0	2	7.4	2	7.4
50+	32	22.7	8	25.0	2	6.3	0	0	12	37.5	2	6.3	8	25.0

This table presents HIV Infection cases using the year the person was first diagnosed. The term HIV Infection is used to refer to three categories of diagnoses collectively:
1 - persons with a diagnosis of HIV infection (not AIDS)
2 - a diagnosis of HIV infection and a later diagnosis of AIDS
3 - concurrent diagnoses of HIV and AIDS.
Source: HIV Surveillance Registry for cases reported through December 23, 2020