Connecticut Department of Public Health HIV Surveillance Program Recently Diagnosed HIV cases by Risk, Sex, Race, and Age Group, Bridgeport, 2016 - 2020

			Mode of Transmission											
	Total		MSM		PWID		MSM and IDU		Heterosexual contact		Other		Unknown	
	N	% of total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total
Total	135	100.0	61	45.2	5	3.7	2	1.5	47	34.8	5	3.7	15	11.1
Sex														
Male	93	68.9	61	65.6	2	2.2	2	2.2	17	18.3	0	0	11	11.8
Female	42	31.1	0	0	3	7.1	0	0	30	71.4	5	11.9	4	9.5
Race/ethncity														
Black/African American	66	48.9	28	42.4	2	3.0	2	3.0	26	39.4	4	6.1	4	6.1
Hispanic/Latino	49	36.3	24	49.0	3	6.1	0	0	16	32.7	0	0	6	12.2
White	17	12.6	8	47.1	0	0	0	0	4	23.5	1	5.9	4	23.5
Other races	3	2.2	1	33.3	0	0	0	0	1	33.3	0	0	1	33.3
Age at diagnosis														
<20	4	3.0	2	50.0	0	0	1	25.0	0	0	0	0	1	25.0
20-29	46	34.1	32	69.6	0	0	1	2.2	10	21.7	1	2.2	2	4.3
30-39	28	20.7	15	53.6	1	3.6	0	0	10	35.7	0	0	2	7.1
40-49	24	17.8	4	16.7	1	4.2	0	0	15	62.5	2	8.3	2	8.3
50+	33	24.4	8	24.2	3	9.1	0	0	12	36.4	2	6.1	8	24.2

This table presents HIV Infection cases using the year the person was first diagnosed.

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS.

Source: HIV Surveillance Registry for cases reported through December 22, 2021