Connecticut Department of Public Health HIV Surveillance Program HIV Infection Cases by Year of Diagnosis, Sex, Race, Risk, and Age, New Britain, 2010 - 2019

		Sex		Race/ethnicity				Transmission Category				
	Total	Male	Female	Black/African American	Hispanic/Latino	White	Other races	мѕм	PWID	Heterosexual contact	Presumed Heterosexual contact	Unknown
	Number	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total
Diagnosis Year												
2010	12	75.0	25.0	16.7	66.7	8.3	8.3	33.3	0	41.7	25.0	0
2011	13	61.5	38.5	30.8	69.2	0	0	38.5	7.7	38.5	0	15.4
2012	13	84.6	15.4	23.1	61.5	15.4	0	53.8	7.7	38.5	0	0
2013	14	57.1	42.9	35.7	42.9	21.4	0	28.6	28.6	42.9	0	0
2014	10	60.0	40.0	70.0	20.0	0	10.0	30.0	10.0	50.0	10.0	0
2015	8	75.0	25.0	0	62.5	37.5	0	50.0	12.5	37.5	0	0
2016	8	75.0	25.0	0	62.5	37.5	0	62.5	0	25.0	12.5	0
2017	12	75.0	25.0	33.3	41.7	25.0	0	50.0	25.0	25.0	0	0
2018	5	60.0	40.0	40.0	40.0	20.0	0	20.0	0	60.0	0	20.0
2019	9	77.8	22.2	55.6	11.1	22.2	11.1	66.7	0	22.2	0	11.1
Total	104	70.2	29.8	30.8	49.0	17.3	2.9	43.3	10.6	37.5	4.8	3.8

This table presents HIV Infection cases using the year the person was first diagnosed. The term HIV Infection is used to refer to three categories of diagnoses collectively:

3 - concurrent diagnoses of HIV and AIDS.

Source: HIV Surveillance Registry for cases reported through December 23, 2020

^{1 -} persons with a diagnosis of HIV infection (not AIDS)

^{2 -} a diagnosis of HIV infection and a later diagnosis of AIDS