

**Connecticut Department of Public Health HIV Surveillance Program
Recently Diagnosed HIV Cases by Sex, Race, Age and Risk, Stamford, 2012 - 2016**

| | N | % of total |
|-------------------------------|----|------------|
| Total | 67 | 100.0 |
| Sex | | |
| Male | 54 | 80.6 |
| Female | 13 | 19.4 |
| Race/ethnicity | | |
| Black/African American | 29 | 43.3 |
| Hispanic/Latino | 23 | 34.3 |
| White | 12 | 17.9 |
| Other/Multiple races | 3 | 4.5 |
| Age at diagnosis | | |
| <20 | 2 | 3.0 |
| 20-29 | 25 | 37.3 |
| 30-39 | 12 | 17.9 |
| 40-49 | 13 | 19.4 |
| 50+ | 15 | 22.4 |
| Mode of Transmission | | |
| MSM | 31 | 46.3 |
| IDU | 5 | 7.5 |
| MSM and IDU | 2 | 3.0 |
| Heterosexual contact | 17 | 25.4 |
| Presumed Heterosexual contact | 4 | 6.0 |
| Unknown | 8 | 11.9 |

This table presents HIV Infection cases using the year the person was first diagnosed.

The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 - persons with a diagnosis of HIV infection (not AIDS)**
- 2 - a diagnosis of HIV infection and a later diagnosis of AIDS**
- 3 - concurrent diagnoses of HIV and AIDS.**

Data supplied from HIV Surveillance for cases reported through 2017