

**Connecticut Department of Public Health HIV Surveillance Program
People Living with HIV Infection by Last Known Resident City, Sex, Race and Risk, Connecticut, 2017**

| City of Residence | Total | Sex | | Race/Ethnicity | | | | Transmission Category | | | | | | | |
|-------------------|-------|------------|------------|------------------------|-----------------|------------|-------------|-----------------------|------------|-------------|----------------------|------------|-------------------------------|------------|------------|
| | | Male | Female | Black/African American | Hispanic/Latino | White | Other races | MSM | PWID | MSM and IDU | Heterosexual contact | Perinatal | Presumed Heterosexual contact | Other | Unknown |
| | | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total |
| Ansonia | 53 | 58.5 | 41.5 | 41.5 | 22.6 | 34.0 | 1.9 | 22.6 | 22.6 | 1.9 | 32.1 | 1.9 | 1.9 | 0 | 17.0 |
| Bloomfield | 94 | 73.4 | 26.6 | 68.1 | 9.6 | 19.1 | 3.2 | 26.6 | 22.3 | 4.3 | 28.7 | 1.1 | 3.2 | 0 | 13.8 |
| Bridgeport | 1,264 | 58.9 | 41.1 | 45.2 | 41.2 | 12.5 | 1.1 | 21.1 | 27.5 | 2.1 | 35.6 | 1.7 | 3.5 | 0 | 8.5 |
| Bristol | 95 | 69.5 | 30.5 | 15.8 | 29.5 | 54.7 | 0 | 44.2 | 27.4 | 0 | 23.2 | 1.1 | 0 | 0 | 4.2 |
| Danbury | 211 | 65.4 | 34.6 | 21.3 | 41.2 | 32.2 | 5.2 | 32.7 | 23.2 | 0.9 | 29.4 | 0.5 | 2.8 | 0 | 10.4 |
| East Hartford | 263 | 59.3 | 40.7 | 46.4 | 31.2 | 20.2 | 2.3 | 25.9 | 26.2 | 3.0 | 30.0 | 1.1 | 4.2 | 0 | 9.5 |
| East Haven | 60 | 73.3 | 26.7 | 18.3 | 26.7 | 53.3 | 1.7 | 43.3 | 26.7 | 0 | 20.0 | 1.7 | 0 | 0 | 8.3 |
| Enfield | 51 | 78.4 | 21.6 | 9.8 | 23.5 | 62.7 | 3.9 | 35.3 | 27.5 | 2.0 | 17.6 | 2.0 | 2.0 | 0 | 13.7 |
| Fairfield | 63 | 73.0 | 27.0 | 11.1 | 17.5 | 71.4 | 0 | 41.3 | 15.9 | 1.6 | 17.5 | 3.2 | 1.6 | 3.2 | 15.9 |
| Greenwich | 80 | 83.8 | 16.3 | 7.5 | 17.5 | 71.3 | 3.8 | 67.5 | 3.8 | 2.5 | 8.8 | 1.3 | 3.8 | 0 | 12.5 |
| Groton | 69 | 76.8 | 23.2 | 18.8 | 15.9 | 62.3 | 2.9 | 56.5 | 13.0 | 1.4 | 18.8 | 5.8 | 0 | 0 | 4.3 |
| Hamden | 204 | 69.6 | 30.4 | 52.9 | 15.2 | 26.5 | 5.4 | 26.5 | 30.4 | 1.0 | 31.4 | 2.5 | 1.5 | 0 | 6.9 |
| Hartford | 1,446 | 64.4 | 35.6 | 38.2 | 51.0 | 9.3 | 1.5 | 20.3 | 39.2 | 2.6 | 26.7 | 2.1 | 2.3 | 0.1 | 6.6 |
| Manchester | 142 | 58.5 | 41.5 | 33.8 | 24.6 | 38.0 | 3.5 | 32.4 | 20.4 | 1.4 | 26.8 | 1.4 | 7.0 | 0 | 10.6 |
| Meriden | 216 | 65.3 | 34.7 | 16.7 | 52.8 | 30.1 | 0.5 | 26.9 | 27.3 | 3.7 | 28.2 | 2.8 | 3.2 | 0 | 7.9 |
| Middletown | 188 | 71.8 | 28.2 | 33.0 | 25.5 | 41.5 | 0 | 36.2 | 29.3 | 2.1 | 22.9 | 1.6 | 1.1 | 0 | 6.9 |
| Milford | 70 | 71.4 | 28.6 | 8.6 | 12.9 | 75.7 | 2.9 | 48.6 | 11.4 | 1.4 | 15.7 | 1.4 | 7.1 | 0 | 14.3 |

(Continued)

This table presents HIV Infection cases using the year the person was first diagnosed

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS.

Data supplied from HIV Surveillance for cases reported through 2018

**Connecticut Department of Public Health HIV Surveillance Program
People Living with HIV Infection by Last Known Resident City, Sex, Race and Risk, Connecticut, 2017**

| City of Residence | Sex | | Race/Ethnicity | | | | Transmission Category | | | | | | | | |
|-------------------|--------|------------|----------------|------------------------|-----------------|------------|-----------------------|------------|------------|-------------|----------------------|------------|-------------------------------|------------|------------|
| | Total | Male | Female | Black/African American | Hispanic/Latino | White | Other races | MSM | PWID | MSM and IDU | Heterosexual contact | Perinatal | Presumed Heterosexual contact | Other | Unknown |
| | Number | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total |
| Naugatuck | 67 | 73.1 | 26.9 | 26.9 | 23.9 | 49.3 | 0 | 43.3 | 20.9 | 1.5 | 25.4 | 0 | 4.5 | 0 | 4.5 |
| New Britain | 393 | 61.8 | 38.2 | 16.3 | 62.6 | 20.1 | 1.0 | 25.4 | 27.0 | 3.1 | 31.3 | 2.3 | 3.1 | 0 | 7.9 |
| New Haven | 1,403 | 64.0 | 36.0 | 50.5 | 29.4 | 17.2 | 2.9 | 24.4 | 35.5 | 2.9 | 28.7 | 1.4 | 1.7 | 0.2 | 5.1 |
| New London | 166 | 54.8 | 45.2 | 36.7 | 33.1 | 28.3 | 1.8 | 20.5 | 28.9 | 4.2 | 38.6 | 0.6 | 1.8 | 0 | 5.4 |
| Norwalk | 291 | 62.9 | 37.1 | 35.4 | 27.5 | 33.7 | 3.4 | 31.6 | 21.0 | 1.7 | 29.6 | 2.7 | 4.8 | 0.3 | 8.2 |
| Norwich | 147 | 55.1 | 44.9 | 39.5 | 19.7 | 38.1 | 2.7 | 25.2 | 25.2 | 0.7 | 32.7 | 1.4 | 7.5 | 0.7 | 6.8 |
| Shelton | 61 | 80.3 | 19.7 | 21.3 | 26.2 | 52.5 | 0 | 52.5 | 14.8 | 1.6 | 19.7 | 3.3 | 1.6 | 0 | 6.6 |
| Stamford | 455 | 73.0 | 27.0 | 41.1 | 33.4 | 20.9 | 4.6 | 34.3 | 22.4 | 1.3 | 27.7 | 1.1 | 4.2 | 0.2 | 8.8 |
| Stratford | 124 | 66.1 | 33.9 | 51.6 | 20.2 | 25.8 | 2.4 | 26.6 | 16.9 | 2.4 | 33.1 | 0.8 | 3.2 | 0 | 16.9 |
| Torrington | 78 | 78.2 | 21.8 | 17.9 | 14.1 | 66.7 | 1.3 | 37.2 | 24.4 | 3.8 | 24.4 | 2.6 | 0 | 0 | 7.7 |
| Vernon | 54 | 59.3 | 40.7 | 25.9 | 11.1 | 61.1 | 1.9 | 31.5 | 29.6 | 1.9 | 22.2 | 1.9 | 5.6 | 0 | 7.4 |
| Waterbury | 717 | 60.5 | 39.5 | 31.8 | 45.9 | 20.8 | 1.5 | 22.6 | 34.4 | 2.2 | 28.9 | 1.4 | 2.4 | 0 | 8.1 |
| West Hartford | 99 | 66.7 | 33.3 | 18.2 | 31.3 | 47.5 | 3.0 | 37.4 | 20.2 | 4.0 | 26.3 | 2.0 | 3.0 | 0 | 7.1 |
| West Haven | 260 | 65.8 | 34.2 | 43.5 | 25.8 | 27.7 | 3.1 | 30.8 | 23.5 | 3.1 | 32.7 | 1.9 | 1.5 | 0.4 | 6.2 |
| Windham | 115 | 61.7 | 38.3 | 20.0 | 53.9 | 26.1 | 0 | 14.8 | 52.2 | 0.9 | 23.5 | 1.7 | 3.5 | 0 | 3.5 |
| Windsor | 75 | 64.0 | 36.0 | 52.0 | 18.7 | 28.0 | 1.3 | 40.0 | 17.3 | 0 | 32.0 | 0 | 1.3 | 0 | 9.3 |

(Continued)

This table presents HIV Infection cases using the year the person was first diagnosed

The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 - persons with a diagnosis of HIV infection (not AIDS)**
- 2 - a diagnosis of HIV infection and a later diagnosis of AIDS**
- 3 - concurrent diagnoses of HIV and AIDS.**

Data supplied from HIV Surveillance for cases reported through 2018

**Connecticut Department of Public Health HIV Surveillance Program
People Living with HIV Infection by Last Known Resident City, Sex, Race and Risk, Connecticut, 2017**

| | Total | Sex | | Race/Ethnicity | | | | Transmission Category | | | | | | | |
|--------------------------|--------|------------|------------|------------------------|-----------------|------------|-------------|-----------------------|------------|-------------|----------------------|------------|-------------------------------|------------|------------|
| | | Male | Female | Black/African American | Hispanic/Latino | White | Other races | MSM | PWID | MSM and IDU | Heterosexual contact | Perinatal | Presumed Heterosexual contact | Other | Unknown |
| | | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total | % of Total |
| City of Residence | | | | | | | | | | | | | | | |
| other towns | 1,486 | 78.7 | 21.3 | 11.3 | 16.8 | 68.5 | 3.4 | 48.7 | 15.1 | 2.4 | 18.3 | 1.1 | 2.3 | 0.4 | 11.6 |
| Total | 10,560 | 66.3 | 33.7 | 34.0 | 33.9 | 29.8 | 2.3 | 29.8 | 27.6 | 2.3 | 27.5 | 1.6 | 2.7 | 0.2 | 8.2 |

This table presents HIV Infection cases using the year the person was first diagnosed
The term HIV Infection is used to refer to three categories of diagnoses collectively:
1 - persons with a diagnosis of HIV infection (not AIDS)
2 - a diagnosis of HIV infection and a later diagnosis of AIDS
3 - concurrent diagnoses of HIV and AIDS.
Data supplied from HIV Surveillance for cases reported through 2018