

**Connecticut Department of Public Health HIV Surveillance Program
Hispanic/Latino People Living with HIV Infection by Sex, Race, and Risk, Connecticut, 2020**

	Total		Mode of Transmission															
			MSM		PWID		MSM and IDU		Heterosexual contact		Perinatal		Presumed Heterosexual contact		Other		Unknown	
	N	% of total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total
Total	3,619	100.0	961	26.6	1,121	31.0	81	2.2	1,035	28.6	75	2.1	87	2.4	3	0.1	256	7.1
Sex																		
Male	2,340	64.7	961	41.1	756	32.3	81	3.5	309	13.2	39	1.7	--	--	2	0.1	192	8.2
Female	1,279	35.3	--	--	365	28.5	--	--	726	56.8	36	2.8	87	6.8	1	0.1	64	5.0
Current Age																		
<20	10	0.3	1	10.0	--	--	--	--	2	20.0	6	60.0	--	--	--	--	1	10.0
20-29	221	6.1	150	67.9	3	1.4	2	0.9	13	5.9	42	19.0	2	0.9	--	--	9	4.1
30-39	457	12.6	228	49.9	40	8.8	18	3.9	94	20.6	27	5.9	14	3.1	1	0.2	35	7.7
40-49	758	20.9	227	29.9	197	26.0	16	2.1	237	31.3	--	--	23	3.0	--	--	58	7.7
50-59	1,209	33.4	249	20.6	453	37.5	30	2.5	363	30.0	--	--	26	2.2	--	--	88	7.3
60+	964	26.6	106	11.0	428	44.4	15	1.6	326	33.8	--	--	22	2.3	2	0.2	65	6.7

Data based on last known address as of 2020

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS

Source: HIV Surveillance Registry for cases reported through December 22, 2021