

**Connecticut Department of Public Health HIV Surveillance Program  
Hispanic/Latino People Living with HIV Infection by Sex, Race, and Risk, Connecticut, 2019**

	Mode of Transmission																	
	Total		MSM		PWID		MSM and IDU		Heterosexual contact		Perinatal		Presumed Heterosexual contact		Other		Unknown	
	N	% of total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total
<b>Total</b>	3,602	100.0	917	25.5	1,156	32.1	84	2.3	1,039	28.8	72	2.0	79	2.2	2	0.1	253	7.0
<b>Sex</b>																		
<b>Male</b>	2,328	64.6	917	39.4	784	33.7	84	3.6	311	13.4	36	1.5	--	--	1	0.0	195	8.4
<b>Female</b>	1,274	35.4	--	--	372	29.2	--	--	728	57.1	36	2.8	79	6.2	1	0.1	58	4.6
<b>Current Age</b>																		
<b>&lt;20</b>	14	0.4	4	28.6	--	--	--	--	2	14.3	7	50.0	--	--	--	--	1	7.1
<b>20-29</b>	231	6.4	150	64.9	4	1.7	2	0.9	17	7.4	47	20.3	1	0.4	--	--	10	4.3
<b>30-39</b>	447	12.4	214	47.9	48	10.7	16	3.6	102	22.8	18	4.0	16	3.6	1	0.2	32	7.2
<b>40-49</b>	808	22.4	230	28.5	224	27.7	17	2.1	254	31.4	--	--	23	2.8	--	--	60	7.4
<b>50-59</b>	1,231	34.2	232	18.8	482	39.2	38	3.1	366	29.7	--	--	23	1.9	--	--	90	7.3
<b>60+</b>	871	24.2	87	10.0	398	45.7	11	1.3	298	34.2	--	--	16	1.8	1	0.1	60	6.9

Data based on last known address as of 2019

The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 - persons with a diagnosis of HIV infection (not AIDS)
- 2 - a diagnosis of HIV infection and a later diagnosis of AIDS
- 3 - concurrent diagnoses of HIV and AIDS

Source: HIV Surveillance Registry for cases reported through December 23, 2020