

**Connecticut Department of Public Health HIV Surveillance Program
Hispanic/Latino People Living with HIV Infection by Sex, Race, and Risk, Connecticut, 2017**

	Mode of Transmission																Total	
	MSM		PWID		MSM and IDU		Heterosexual contact		Perinatal		Presumed Heterosexual contact		Other		Unknown			
	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total
Total	837	23.4	1,221	34.1	79	2.2	1,030	28.8	79	2.2	79	2.2	2	0.1	253	7.1	3,580	100.0
Sex																		
Male	837	36.3	837	36.3	79	3.4	313	13.6	40	1.7	--	--	1	0.0	198	8.6	2,305	64.4
Female	--	--	384	30.1	--	--	717	56.2	39	3.1	79	6.2	1	0.1	55	4.3	1,275	35.6
Current Age																		
<20	7	36.8	--	--	--	--	1	5.3	10	52.6	--	--	--	--	1	5.3	19	0.5
20-29	135	57.2	6	2.5	2	0.8	27	11.4	56	23.7	1	0.4	--	--	9	3.8	236	6.6
30-39	201	42.2	65	13.7	18	3.8	125	26.3	13	2.7	19	4.0	1	0.2	34	7.1	476	13.3
40-49	225	24.7	301	33.1	19	2.1	270	29.7	--	--	24	2.6	--	--	71	7.8	910	25.4
50-59	202	16.2	532	42.6	30	2.4	379	30.3	--	--	20	1.6	--	--	86	6.9	1,249	34.9
60+	67	9.7	317	45.9	10	1.4	228	33.0	--	--	15	2.2	1	0.1	52	7.5	690	19.3

Data based on last known address as of 2017

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS

Data supplied from HIV Surveillance for cases reported through 2018