

**Connecticut Department of Public Health HIV Surveillance Program  
Rate of Newly Diagnosed HIV Cases by Age at Diagnosis, Connecticut, 2013-2017**

| Age group | Year diagnosed |      |      |      |      |      |      |      |      |      |
|-----------|----------------|------|------|------|------|------|------|------|------|------|
|           | 2013           |      | 2014 |      | 2015 |      | 2016 |      | 2017 |      |
|           | N              | rate | N    | rate | N    | rate | N    | rate | N    | rate |
| <20       | 18             | 2.0  | 11   | 1.2  | 13   | 1.5  | 9    | 1.0  | 14   | 1.7  |
| 20-29     | 93             | 20.3 | 85   | 18.3 | 84   | 18.0 | 91   | 19.4 | 83   | 17.6 |
| 30-39     | 59             | 13.9 | 64   | 15.0 | 63   | 14.6 | 58   | 13.3 | 59   | 13.5 |
| 40-49     | 76             | 14.9 | 58   | 11.8 | 53   | 11.0 | 46   | 10.0 | 59   | 13.1 |
| 50-59     | 59             | 10.7 | 53   | 9.6  | 44   | 8.0  | 36   | 6.6  | 44   | 8.1  |
| 60+       | 24             | 3.2  | 25   | 3.2  | 23   | 2.9  | 26   | 3.2  | 22   | 2.6  |

**This table presents HIV infection cases using the year the person was first diagnosed with HIV**

**The term HIV infection is used to refer to three categories of diagnoses collectively:**

- (1) persons with a diagnosis of HIV infection (not AIDS)**
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS**
- (3) concurrent diagnoses of HIV and AIDS**

**Rate per 100,000 population based on corresponding years' census estimates**

**Rates based on reported numbers less than 12 should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable**