

**Connecticut Department of Public Health HIV Surveillance Program  
Rate of Newly Diagnosed HIV Cases by Age at Diagnosis and Sex, Connecticut, 2015-2019**

Age group		Sex		Year diagnosed									
				2015		2016		2017		2018		2019	
				N	rate	N	rate	N	rate	N	rate	N	rate
<20	Male	10	2.2	6	1.4	12	2.8	10	2.3	13	3.1		
	Female	**	**	**	**	**	**	**	**	**	**		
20-29	Male	77	32.1	83	34.3	75	30.8	65	27.0	58	24.2		
	Female	8	3.5	10	4.4	10	4.4	8	3.6	12	5.3		
30-39	Male	43	19.6	45	20.9	39	17.9	42	19.2	36	16.3		
	Female	19	8.9	14	6.4	20	9.1	13	5.9	14	6.3		
40-49	Male	39	17.1	32	14.3	34	15.5	40	18.7	20	9.5		
	Female	12	4.7	14	5.9	25	10.8	18	8.0	7	3.1		
50-59	Male	31	11.6	25	9.4	29	11.1	29	11.3	29	11.5		
	Female	15	5.3	11	3.9	13	4.7	9	3.3	9	3.4		
60+	Male	12	3.4	22	6.1	13	3.5	11	2.9	9	2.3		
	Female	10	2.3	**	**	8	1.7	10	2.1	7	1.5		

This table presents HIV infection cases using the year the person was first diagnosed with HIV

The term HIV infection is used to refer to three categories of diagnoses collectively:

- (1) persons with a diagnosis of HIV infection (not AIDS)
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS
- (3) concurrent diagnoses of HIV and AIDS

Source: Preliminary data from the HIV Surveillance Registry for cases reported through July 2020 and State-level Bridged Race Estimates for Connecticut

Rate per 100,000 population based on corresponding years' State-level Bridged Race Estimate

Rates based on reported numbers less than 12 should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable

\*\*= suppressed data due to small cell size