

**Connecticut Department of Public Health HIV Surveillance Program
Rate of Newly Diagnosed HIV Cases by Age at Diagnosis and Sex, Connecticut, 2013-2017**

Age Sex group		Year diagnosed									
		2013		2014		2015		2016		2017	
		N	rate	N	rate	N	rate	N	rate	N	rate
<20	F	5	1.1	5	1.2	**	**	**	**	**	**
	M	13	2.8	6	1.3	9	2.0	6	1.4	12	2.8
20-29	F	10	4.5	13	5.8	9	4.0	9	4.0	11	4.8
	M	83	35.1	72	30.0	75	31.2	82	33.9	72	29.6
30-39	F	13	6.0	16	7.4	19	8.9	14	6.4	20	9.1
	M	46	22.0	48	22.7	44	20.1	44	20.4	39	17.9
40-49	F	18	6.9	20	7.9	12	4.7	13	5.5	22	9.5
	M	58	23.4	38	15.8	41	18.0	33	14.8	37	16.9
50-59	F	14	5.0	19	6.7	14	5.0	13	4.6	15	5.4
	M	45	16.8	34	12.6	30	11.2	23	8.7	29	11.1
60+	F	8	1.9	7	1.6	12	2.7	**	**	9	1.9
	M	16	4.8	18	5.2	11	3.1	22	6.1	13	3.5

This table presents HIV infection cases using the year the person was first diagnosed with HIV. The term HIV infection is used to refer to three categories of diagnoses collectively:

- (1) persons with a diagnosis of HIV infection (not AIDS)
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS
- (3) concurrent diagnoses of HIV and AIDS

Rate per 100,000 population based on corresponding years' census estimates

Rates based on reported numbers less than 12 should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable

**= suppressed data due to small cell size