

Number and percentage of persons with HIV viral suppression^e among persons who were
 >=13 years old on 12/31/2016, resided in Connecticut (based on most recent residence),
 diagnosed with HIV infection through 12/31/2016 and living with HIV on 12/31/2017, by selected characteristics
 - based on HIV surveillance data reported through 12/21/2018.

Characteristics	No. of persons diagnosed with HIV infection through 12/31/2016 and living with HIV on 12/31/2017 (overall population) ^f	No. of persons with >=1 VL test between 01/01/2017 through 12/31/2017	No. of persons with HIV viral suppression	% of persons with HIV viral suppression among the overall population	% of persons with HIV viral suppression among persons with >=1 VL test between 01/01/2017 through 12/31/2017
Sex					
Male	6730	5309	4854	72.12	91.43
Female	3887	3123	2742	70.54	87.8
Age on 12/31/2016					
13-24	249	188	145	58.23	77.13
25-34	1070	801	681	63.64	85.02
35-44	1772	1382	1195	67.44	86.47
45-54	3480	2794	2512	72.18	89.91
55-64	3027	2457	2292	75.72	93.28
>=65	1019	810	771	75.66	95.19
Race/ethnicity					
Black/African American	3601	2877	2533	70.34	88.04
Hispanic/Latino ^b	3642	2812	2496	68.53	88.76
White	3128	2539	2383	76.18	93.86
Other races	246	204	184	74.8	90.2
Transmission category					
Male-to-male sexual contact (MSM)	2987	2451	2275	76.16	92.82
Injection drug use (IDU)	2988	2322	2069	69.24	89.1
MSM and IDU	231	195	171	74.03	87.69
Heterosexual contact ^c	3067	2549	2272	74.08	89.13
NIR/NRR (unknown)	1158	781	717	61.92	91.81
Other ^d	186	134	92	49.46	68.66
MSM					
Black/African American	634	508	442	69.72	87.01
Hispanic/Latino ^b	784	625	585	74.62	93.6
White	1491	1249	1185	79.48	94.88
Other races	78	69	63	80.77	91.3
Subtotal	2987	2451	2275	76.16	92.82
Injection drug use (male)					
Black/African American	644	517	469	72.83	90.72
Hispanic/Latino ^b	827	585	520	62.88	88.89
White	348	283	264	75.86	93.29
Other races	23	19	17	73.91	89.47
Subtotal	1842	1404	1270	68.95	90.46
Injection drug use (female)					
Black/African American	386	320	279	72.28	87.19
Hispanic/Latino ^b	431	336	282	65.43	83.93
White	306	242	219	71.57	90.5
Other races	23	20	19	82.61	95
Subtotal	1146	918	799	69.72	87.04
Heterosexual contact (male)					
Black/African American	431	351	308	71.46	87.75
Hispanic/Latino ^b	304	248	221	72.7	89.11
White	180	144	136	75.56	94.44
Other races	25	21	20	80	95.24
Subtotal	940	764	685	72.87	89.66
Heterosexual contact (female)					
Black/African American	914	760	674	73.74	88.68
Hispanic/Latino ^b	811	692	609	75.09	88.01
White	357	295	271	75.91	91.86
Other races	45	38	33	73.33	86.84
Subtotal	2127	1785	1587	74.61	88.91
Total	10617	8432	7596	71.55	90.09

^bHispanics/Latinos can be of any race.

^cHeterosexual contact with person known to have, or to be at high risk for, HIV infection.

^dIncludes hemophilia, blood transfusion, and persons (160 cases) who were exposed perinatally but were aged >13 at most recent year.

^ePersons who have most recent viral load test result <200 copies/ml between 01/01/2017 through 12/31/2017 are considered as HIV viral suppression.

^fThe overall population is overestimated because cases are only followed up for 11 months after 12/31/2017. CDC suggests that every case should be followed up at least 18 months to collect death certificate information.