

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------|----------------------------|-------------------------|------------------------|
| 17-17 | Q1 | How old a | re you? | | |
| | | 1 | 12 years old or younger | 4 | 0.2 |
| | | 2 | 13 years old | 0 | 0.0 |
| | | 3 | 14 years old | 329 | 15.6 |
| | | 4 | 15 years old | 513 | 24.3 |
| | | 5 | 16 years old | 445 | 23.0 |
| | | 6 | 17 years old | 485 | 25.4 |
| | | 7 | 18 years old or older | 230 | 11.5 |
| | | | Missing | 9 | |
| 18-18 | Q2 | What is yo | our sex? | | |
| | | 1 | Female | 979 | 48.9 |
| | | 2 | Male | 1,025 | 51.1 |
| | | | Missing | 11 | |
| 19-19 | Q3 | In what gr | ade are you? | | |
| | | 1 | 9th grade | 567 | 26.0 |
| | | 2 | 10th grade | 510 | 25.5 |
| | | 3 | 11th grade | 466 | 24.2 |
| | | 4 | 12th grade | 459 | 24. |
| | | 5 | Ungraded or other grade | 4 | 0.2 |
| | | | Missing | 9 | |
| 20-20 | Q4 | Are you H | lispanic or Latino? | | |
| | | 1 | Yes | 618 | 23.1 |
| | | 2 | No | 1,381 | 76.9 |
| | | | Missing | 16 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 21-28 | Q5 | What is your race? | | |
| | | Н | 2 | 0.1 |
| | | Е | 1,218 | 68.8 |
| | | D | 51 | 1.9 |
| | | DE | 3 | 0.2 |
| | | С | 282 | 16.9 |
| | | CE | 44 | 1.8 |
| | | CD | 6 | 0.3 |
| | | CDE | 2 | 0.1 |
| | | В | 108 | 4.4 |
| | | BE | 26 | 1.1 |
| | | B D | 3 | 0.1 |
| | | B DE | 2 | 0.1 |
| | | BC | 6 | 0.2 |
| | | BC E | 3 | 0.1 |
| | | Α | 42 | 1.7 |
| | | A E | 19 | 0.8 |
| | | A D | 4 | 0.2 |
| | | A C | 6 | 0.2 |
| | | ACE | 9 | 0.4 |
| | | A CDE | 2 | 0.1 |
| | | ABC | 1 | 0.0 |
| | | ABCD | 1 | 0.0 |
| | | ABCDE | 12 | 0.4 |
| | | | 163 | |
| 29-32 | Q6 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 33-38 | Q7 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------|---|-------------------------|------------------------|
| 39-39 | Q8 | How often someone el | do you wear a seat belt when riding in a car driven by se? | | |
| | | 1 | Never | 40 | 2.0 |
| | | 2 | Rarely | 77 | 3.7 |
| | | 3 | Sometimes | 186 | 9.0 |
| | | 4 | Most of the time | 532 | 25.9 |
| | | 5 | Always | 1,176 | 59.4 |
| | | | Missing | 4 | |
| 40-40 | Q9 | | past 30 days, how many times did you ride in a car or other ven by someone who had been drinking alcohol? | | |
| | | 1 | 0 times | 1,715 | 85.9 |
| | | 2 | 1 time | 124 | 6.0 |
| | | 3 | 2 or 3 times | 98 | 4.6 |
| | | 4 | 4 or 5 times | 21 | 1.1 |
| | | 5 | 6 or more times | 48 | 2.4 |
| | | | Missing | 9 | |
| 41-41 | Q10 | | past 30 days, how many times did you drive a car or other en you had been drinking alcohol? | | |
| | | 1 | I did not drive a car or other vehicle during the past 30 days | 983 | 51.1 |
| | | 2 | 0 times | 821 | 46.2 |
| | | 3 | 1 time | 13 | 0.9 |
| | | 4 | 2 or 3 times | 16 | 1.0 |
| | | 5 | 4 or 5 times | 1 | 0.1 |
| | | 6 | 6 or more times | 16 | 0.9 |
| | | | Missing | 165 | |
| 42-42 | Q11 | | past 30 days, on how many days did you text or e-mail ng a car or other vehicle? | | |
| | | 1 | I did not drive a car or other vehicle during the past 30 days | 981 | 50.9 |
| | | 2 | 0 days | 608 | 33.3 |
| | | 3 | 1 or 2 days | 88 | 5.1 |
| | | 4 | 3 to 5 days | 58 | 3.4 |
| | | 5 | 6 to 9 days | 32 | 2.1 |
| | | 6 | 10 to 19 days | 28 | 1.8 |
| | | 7 | 20 to 29 days | 14 | 0.8 |
| | | 8 | All 30 days | 44 | 2.5 |
| | | | Missing | 162 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 44-44 | Q13 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 days | 1,931 | 96.5 |
| | | 2 1 day | 22 | 1.1 |
| | | 3 2 or 3 days | 10 | 0.5 |
| | | 4 4 or 5 days | 9 | 0.4 |
| | | 5 6 or more days | 33 | 1.: |
| | | Missing | 10 | |
| 46-46 | Q15 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | | |
| | | 1 0 days | 1,857 | 92. |
| | | 2 1 day | 69 | 3. |
| | | 3 2 or 3 days | 45 | 2. |
| | | 4 4 or 5 days | 11 | 0. |
| | | 5 6 or more days | 22 | 1. |
| | | Missing | 11 | |
| 47-47 | Q16 | During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 times | 1,866 | 93. |
| | | 2 1 time | 73 | 3. |
| | | 3 2 or 3 times | 34 | 1. |
| | | 4 4 or 5 times | 14 | 0. |
| | | 5 6 or 7 times | 4 | 0. |
| | | 6 8 or 9 times | 0 | 0. |
| | | 7 10 or 11 times | 1 | 0. |
| | | 8 12 or more times | 16 | 0. |
| | | Missing | 7 | |
| 48-48 | Q17 | During the past 12 months, how many times were you in a physical fight? | | |
| | | 1 0 times | 1,591 | 79. |
| | | 2 1 time | 204 | 9. |
| | | 3 2 or 3 times | 131 | 6. |
| | | 4 4 or 5 times | 29 | 1. |
| | | 5 6 or 7 times | 10 | 0. |
| | | 6 8 or 9 times | 6 | 0. |
| | | 7 10 or 11 times | 3 | 0. |
| | | 8 12 or more times | 30 | 1.: |
| | | Missing | 11 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 50-50 | Q19 | Have you ever been physically forced to have sexual intercourse when you did not want to? | | |
| | | 1 Yes | 129 | 6.2 |
| | | 2 No | 1,872 | 93.8 |
| | | Missing | 14 | |
| 52-52 | Q21 | During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? | | |
| | | 1 I did not date or go out with anyone during the past 12 months | 709 | 36.8 |
| | | 2 0 times | 1,098 | 55. |
| | | 3 1 time | 63 | 3. |
| | | 4 2 or 3 times | 35 | 1. |
| | | 5 4 or 5 times | 12 | 0. |
| | | 6 6 or more times | 34 | 1. |
| | | Missing | 64 | |
| 53-53 | Q22 | During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? | | |
| | | 1 I did not date or go out with anyone during the past 12 months | 704 | 36. |
| | | 2 0 times | 1,140 | 58. |
| | | 3 1 time | 37 | 1. |
| | | 4 2 or 3 times | 25 | 1. |
| | | 5 4 or 5 times | 11 | 0. |
| | | 6 6 or more times | 28 | 1. |
| | | Missing | 70 | |
| 54-54 | Q23 | During the past 12 months, have you ever been bullied on school property? | | |
| | | 1 Yes | 359 | 17. |
| | | 2 No | 1,642 | 82.1 |
| | | Missing | 14 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 55-55 | Q24 | During the past 12 months, have you ever been electronically bullied? | | |
| | | 1 Yes | 289 | 14.3 |
| | | 2 No | 1,710 | 85.7 |
| | | Missing | 16 | |
| 56-56 | Q25 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? | | |
| | | 1 Yes | 634 | 30.6 |
| | | 2 No | 1,359 | 69.4 |
| | | Missing | 22 | |
| 57-57 | Q26 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 Yes | 262 | 12.7 |
| | | 2 No | 1,730 | 87.3 |
| | | Missing | 23 | |
| 59-59 | Q28 | During the past 12 months, how many times did you actually attempt suicide? | | |
| | | 1 0 times | 1,861 | 93.3 |
| | | 2 1 time | 79 | 3.8 |
| | | 3 2 or 3 times | 37 | 1.7 |
| | | 4 4 or 5 times | 4 | 0.2 |
| | | 5 6 or more times | 20 | 0.9 |
| | | Missing | 14 | |
| 62-62 | Q31 | How old were you when you first tried cigarette smoking, even one or two puffs? | | |
| | | 1 I have never tried cigarette smoking, not even one or two puffs | 1,713 | 86.4 |
| | | 2 8 years old or younger | 48 | 2.2 |
| | | 3 9 or 10 years old | 23 | 1.1 |
| | | 4 11 or 12 years old | 37 | 1.8 |
| | | 5 13 or 14 years old | 72 | 3.2 |
| | | 6 15 or 16 years old | 75 | 4.0 |
| | | 7 17 years old or older | 27 | 1.4 |
| | | Missing | 20 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------------------|---|-------------------------|------------------------|
| 63-63 | Q32 | During the pas | t 30 days, on how many days did you smoke cigarettes? | | |
| | | 1 | 0 days | 1,921 | 96.3 |
| | | 2 | 1 or 2 days | 27 | 1.4 |
| | | 3 | 3 to 5 days | 12 | 0.7 |
| | | 4 | 6 to 9 days | 2 | 0.1 |
| | | 5 | 10 to 19 days | 5 | 0.3 |
| | | 6 | 20 to 29 days | 3 | 0. |
| | | 7 | All 30 days | 25 | 1. |
| | | | Missing | 20 | |
| 65-65 | Q34 | Have you ever | used an electronic vapor product? | | |
| | | 1 | Yes | 885 | 44.3 |
| | | 2 | No | 1,092 | 55. |
| | | | Missing | 38 | |
| 66-66 | Q35 | During the pas vapor product? | t 30 days, on how many days did you use an electronic | | |
| | | 1 | 0 days | 1,376 | 73. |
| | | 2 | 1 or 2 days | 168 | 8. |
| | | 3 | 3 to 5 days | 79 | 4. |
| | | 4 | 6 to 9 days | 44 | 2. |
| | | 5 | 10 to 19 days | 63 | 3. |
| | | 6 | 20 to 29 days | 42 | 2. |
| | | 7 | All 30 days | 111 | 6. |
| | | | Missing | 132 | |
| 67-67 | Q36 | During the pas vapor products | t 30 days, how did you usually get your own electronic ? | | |
| | | 1 | I did not use any electronic vapor products during the past 30 days | 1,366 | 73. |
| | | 2 | I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store | 90 | 4. |
| | | 3 | I got them on the Internet | 10 | 0. |
| | | 4 | I gave someone else money to buy them for me | 76 | 4. |
| | | 5 | I borrowed them from someone else | 214 | 11. |
| | | 6 | A person who can legally buy these products gave them to me | 55 | 2. |
| | | 7 | I took them from a store or another person | 8 | 0. |
| | | 8 | I got them some other way | 47 | 2.0 |
| | | | Missing | 149 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 68-68 | Q37 | During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? | | |
| | | 1 0 days | 1,934 | 97.4 |
| | | 2 1 or 2 days | 17 | 0.8 |
| | | 3 3 to 5 days | 8 | 0.5 |
| | | 4 6 to 9 days | 4 | 0.2 |
| | | 5 10 to 19 days | 1 | 0.1 |
| | | 6 20 to 29 days | 3 | 0.2 |
| | | 7 All 30 days | 18 | 0.8 |
| | | Missing | 30 | |
| 69-69 | Q38 | During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars? | | |
| | | 1 0 days | 1,907 | 96.1 |
| | | 2 1 or 2 days | 32 | 1.7 |
| | | 3 3 to 5 days | 9 | 0.5 |
| | | 4 6 to 9 days | 7 | 0.4 |
| | | 5 10 to 19 days | 6 | 0.3 |
| | | 6 20 to 29 days | 3 | 0.2 |
| | | 7 All 30 days | 17 | 0.8 |
| | | Missing | 34 | |
| 71-71 | Q40 | How old were you when you had your first drink of alcohol other than a few sips? | | |
| | | 1 I have never had a drink of alcohol other than a few sips | 984 | 50.2 |
| | | 2 8 years old or younger | 89 | 4.3 |
| | | 3 9 or 10 years old | 57 | 2.8 |
| | | 4 11 or 12 years old | 83 | 4.6 |
| | | 5 13 or 14 years old | 281 | 14.7 |
| | | 6 15 or 16 years old | 354 | 18.9 |
| | | 7 17 years old or older | 84 | 4.5 |
| | | Missing | 83 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 72-72 | Q41 | During the past 30 days, on how many days did you have at least one drink of alcohol? | | |
| | | 1 0 days | 1,430 | 74.1 |
| | | 2 1 or 2 days | 292 | 15.7 |
| | | 3 3 to 5 days | 102 | 5.4 |
| | | 4 6 to 9 days | 47 | 2.0 |
| | | 5 10 to 19 days | 18 | 0.9 |
| | | 6 20 to 29 days | 11 | 0.0 |
| | | 7 All 30 days | 17 | 0.3 |
| | | Missing | 98 | |
| 73-73 | Q42 | During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)? | | |
| | | 1 0 days | 1,701 | 87. |
| | | 2 1 day | 99 | 5. |
| | | 3 2 days | 66 | 3. |
| | | 4 3 to 5 days | 42 | 2.1 |
| | | 5 6 to 9 days | 18 | 0. |
| | | 6 10 to 19 days | 6 | 0. |
| | | 7 20 or more days | 15 | 0. |
| | | Missing | 68 | |
| 6-76 | Q45 | During your life, how many times have you used marijuana? | | |
| | | 1 0 times | 1,232 | 64. |
| | | 2 1 or 2 times | 167 | 8. |
| | | 3 3 to 9 times | 152 | 8.4 |
| | | 4 10 to 19 times | 70 | 3. |
| | | 5 20 to 39 times | 72 | 3. |
| | | 6 40 to 99 times | 84 | 4. |
| | | 7 100 or more times | 143 | 7.4 |
| | | Missing | 95 | |
| 7-77 | Q46 | How old were you when you tried marijuana for the first time? | | |
| | | 1 I have never tried marijuana | 1,228 | 63.9 |
| | | 2 8 years old or younger | 27 | 1. |
| | | 3 9 or 10 years old | 13 | 0.: |
| | | 4 11 or 12 years old | 40 | 1.9 |
| | | 5 13 or 14 years old | 228 | 11.7 |
| | | 6 15 or 16 years old | 316 | 16.9 |
| | | 7 17 years old or older | 68 | 3.2 |
| | | Missing | 95 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 78-78 | Q47 | During the past 30 days, how many times did you use marijuana? | | |
| | | 1 0 times | 1,514 | 78.3 |
| | | 2 1 or 2 times | 146 | 7.6 |
| | | 3 3 to 9 times | 92 | 4.6 |
| | | 4 10 to 19 times | 63 | 3.3 |
| | | 5 20 to 39 times | 50 | 2.6 |
| | | 6 40 or more times | 72 | 3.6 |
| | | Missing | 78 | |
| 79-79 | Q48 | During your life, how many times have you used synthetic marijuana? | | |
| | | 1 0 times | 1,833 | 93.5 |
| | | 2 1 or 2 times | 53 | 2.0 |
| | | 3 3 to 9 times | 29 | 1.7 |
| | | 4 10 to 19 times | 15 | 0.3 |
| | | 5 20 to 39 times | 5 | 0.1 |
| | | 6 40 or more times | 23 | 1.1 |
| | | Missing | 57 | |
| 80-80 | Q49 | During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? | | |
| | | 1 0 times | 1,744 | 89.9 |
| | | 2 1 or 2 times | 104 | 5.2 |
| | | 3 3 to 9 times | 43 | 1.9 |
| | | 4 10 to 19 times | 25 | 1.1 |
| | | 5 20 to 39 times | 6 | 0.1 |
| | | 6 40 or more times | 32 | 1.: |
| | | Missing | 61 | |
| 81-81 | Q50 | During your life, how many times have you used any form of cocaine, including powder, crack, or freebase? | | |
| | | 1 0 times | 1,901 | 97.4 |
| | | 2 1 or 2 times | 20 | 1. |
| | | 3 3 to 9 times | 6 | 0.4 |
| | | 4 10 to 19 times | 2 | 0. |
| | | 5 20 to 39 times | 3 | 0. |
| | | 6 40 or more times | 19 | 0.9 |
| | | Missing | 64 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 83-83 | Q52 | During your life, how many times have you used heroin (also called smack, junk, or China White)? | | |
| | | 1 0 times | 1,911 | 98.2 |
| | | 2 1 or 2 times | 4 | 0.2 |
| | | 3 3 to 9 times | 5 | 0.3 |
| | | 4 10 to 19 times | 1 | 0.1 |
| | | 5 20 to 39 times | 4 | 0.2 |
| | | 6 40 or more times | 22 | 1.0 |
| | | Missing | 68 | |
| 84-84 | Q53 | During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)? | | |
| | | 1 0 times | 1,906 | 97.3 |
| | | 2 1 or 2 times | 6 | 0.4 |
| | | 3 3 to 9 times | 7 | 0.4 |
| | | 4 10 to 19 times | 1 | 0. |
| | | 5 20 to 39 times | 5 | 0. |
| | | 6 40 or more times | 23 | 1. |
| | | Missing | 67 | |
| 85-85 | Q54 | During your life, how many times have you used ecstasy (also called MDMA)? | | |
| | | 1 0 times | 1,901 | 97. |
| | | 2 1 or 2 times | 8 | 0. |
| | | 3 3 to 9 times | 5 | 0.1 |
| | | 4 10 to 19 times | 5 | 0.1 |
| | | 5 20 to 39 times | 5 | 0. |
| | | 6 40 or more times | 22 | 1. |
| | | Missing | 69 | |
| 37-87 | Q56 | During your life, how many times have you used a needle to inject any illegal drug into your body? | | |
| | | 1 0 times | 1,911 | 98. |
| | | 2 1 time | 12 | 0. |
| | | 3 2 or more times | 26 | 1.1 |
| | | Missing | 66 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------|---|-------------------------|------------------------|
| 88-88 | Q57 | | past 12 months, has anyone offered, sold, or given you an g on school property? | | |
| | | 1 | Yes | 374 | 19.2 |
| | | 2 | No | 1,569 | 80.8 |
| | | | Missing | 72 | |
| 89-89 | Q58 | Have you e | ever had sexual intercourse? | | |
| | | 1 | Yes | 621 | 34. |
| | | 2 | No | 1,179 | 65. |
| | | | Missing | 215 | |
| 90-90 | Q59 | How old w | ere you when you had sexual intercourse for the first time? | | |
| | | 1 | I have never had sexual intercourse | 1,177 | 65. |
| | | 2 | 11 years old or younger | 45 | 2. |
| | | 3 | 12 years old | 20 | 1. |
| | | 4 | 13 years old | 37 | 1. |
| | | 5 | 14 years old | 129 | 6. |
| | | 6 | 15 years old | 173 | 10. |
| | | 7 | 16 years old | 146 | 8. |
| | | 8 | 17 years old or older | 65 | 3. |
| | | | Missing | 223 | |
| 91-91 | Q60 | During you intercourse | Ir life, with how many people have you had sexual ? | | |
| | | 1 | I have never had sexual intercourse | 1,173 | 65. |
| | | 2 | 1 person | 264 | 14. |
| | | 3 | 2 people | 139 | 7. |
| | | 4 | 3 people | 79 | 4. |
| | | 5 | 4 people | 44 | 2. |
| | | 6 | 5 people | 23 | 1. |
| | | 7 | 6 or more people | 62 | 3. |
| | | | Missing | 231 | |
| 92-92 | Q61 | During the intercourse | past 3 months, with how many people did you have sexual ? | | |
| | | 1 | I have never had sexual intercourse | 1,173 | 65. |
| | | 2 | I have had sexual intercourse, but not during the past 3 months | 170 | 9. |
| | | 3 | 1 person | 348 | 19. |
| | | 4 | 2 people | 52 | 3. |
| | | 5 | 3 people | 15 | 0. |
| | | 6 | 4 people | 5 | 0. |
| | | 7 | 5 people | 2 | 0. |
| | | 8 | 6 or more people | 20 | 1. |
| | | | Missing | 230 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 93-93 | Q62 | Did you drink alcohol or use drugs before you had sexual intercourse the last time? | | |
| | | 1 I have never had sexual intercourse | 1,169 | 65.8 |
| | | 2 Yes | 122 | 6.6 |
| | | 3 No | 490 | 27.6 |
| | | Missing | 234 | |
| 94-94 | Q63 | The last time you had sexual intercourse, did you or your partner use a condom? | | |
| | | 1 I have never had sexual intercourse | 1,167 | 66.2 |
| | | 2 Yes | 346 | 19.7 |
| | | 3 No | 255 | 14.1 |
| | | Missing | 247 | |
| 95-95 | Q64 | The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? | | |
| | | 1 I have never had sexual intercourse | 1,165 | 66.2 |
| | | 2 No method was used to prevent pregnancy | 84 | 4.7 |
| | | 3 Birth control pills | 131 | 7.5 |
| | | 4 Condoms | 257 | 14.7 |
| | | 5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) | 34 | 1.8 |
| | | 6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) | 11 | 0.5 |
| | | 7 Withdrawal or some other method | 59 | 3.2 |
| | | 8 Not sure | 24 | 1.3 |
| | | Missing | 250 | |
| 96-96 | Q65 | During your life, with whom have you had sexual contact? | | |
| | | 1 I have never had sexual contact | 939 | 50.4 |
| | | 2 Females | 474 | 26.0 |
| | | 3 Males | 343 | 18.9 |
| | | 4 Females and males | 96 | 4.8 |
| | | Missing | 163 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------|---|-------------------------|------------------------|
| 97-97 | Q66 | Which of | the following best describes you? | | |
| | | 1 | Heterosexual (straight) | 1,537 | 80.3 |
| | | 2 | Gay or lesbian | 60 | 2.9 |
| | | 3 | Bisexual | 202 | 9.9 |
| | | 4 | Not sure | 124 | 6.9 |
| | | | Missing | 92 | |
| 100-100 | Q69 | | e past 7 days, how many times did you drink 100% fruit h as orange juice, apple juice, or grape juice? | | |
| | | 1 | I did not drink 100% fruit juice during the past 7 days | 614 | 31.8 |
| | | 2 | 1 to 3 times during the past 7 days | 723 | 37.9 |
| | | 3 | 4 to 6 times during the past 7 days | 247 | 13.2 |
| | | 4 | 1 time per day | 117 | 6.4 |
| | | 5 | 2 times per day | 91 | 4.8 |
| | | 6 | 3 times per day | 40 | 2.0 |
| | | 7 | 4 or more times per day | 83 | 3.8 |
| | | | Missing | 100 | |
| 101-101 | Q70 | During the | e past 7 days, how many times did you eat fruit? | | |
| | | 1 | I did not eat fruit during the past 7 days | 254 | 13.1 |
| | | 2 | 1 to 3 times during the past 7 days | 587 | 29.9 |
| | | 3 | 4 to 6 times during the past 7 days | 391 | 20.4 |
| | | 4 | 1 time per day | 218 | 12.0 |
| | | 5 | 2 times per day | 234 | 12.4 |
| | | 6 | 3 times per day | 98 | 5.6 |
| | | 7 | 4 or more times per day | 128 | 6.6 |
| | | | Missing | 105 | |
| 102-102 | Q71 | During the | e past 7 days, how many times did you eat green salad? | | |
| | | 1 | I did not eat green salad during the past 7 days | 766 | 39.0 |
| | | 2 | 1 to 3 times during the past 7 days | 690 | 37.6 |
| | | 3 | 4 to 6 times during the past 7 days | 210 | 10.9 |
| | | 4 | 1 time per day | 131 | 7.2 |
| | | 5 | 2 times per day | 49 | 2.6 |
| | | 6 | 3 times per day | 21 | 1.0 |
| | | 7 | 4 or more times per day | 29 | 1.0 |
| | | | Missing | 119 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------|---|-------------------------|------------------------|
| 103-103 | Q72 | During th | e past 7 days, how many times did you eat potatoes? | | |
| | | 1 | I did not eat potatoes during the past 7 days | 710 | 37.0 |
| | | 2 | 1 to 3 times during the past 7 days | 861 | 45.7 |
| | | 3 | 4 to 6 times during the past 7 days | 176 | 9.3 |
| | | 4 | 1 time per day | 68 | 3.7 |
| | | 5 | 2 times per day | 36 | 1.7 |
| | | 6 | 3 times per day | 17 | 0.9 |
| | | 7 | 4 or more times per day | 31 | 1.6 |
| | | | Missing | 116 | |
| 104-104 | Q73 | During th | e past 7 days, how many times did you eat carrots? | | |
| | | 1 | I did not eat carrots during the past 7 days | 970 | 50.6 |
| | | 2 | 1 to 3 times during the past 7 days | 662 | 35.0 |
| | | 3 | 4 to 6 times during the past 7 days | 121 | 7.0 |
| | | 4 | 1 time per day | 73 | 4.0 |
| | | 5 | 2 times per day | 29 | 1.5 |
| | | 6 | 3 times per day | 12 | 0.6 |
| | | 7 | 4 or more times per day | 25 | 1.3 |
| | | | Missing | 123 | |
| 105-105 | Q74 | During th | e past 7 days, how many times did you eat other vegetables? | | |
| | | 1 | I did not eat other vegetables during the past 7 days | 345 | 18.0 |
| | | 2 | 1 to 3 times during the past 7 days | 653 | 34.4 |
| | | 3 | 4 to 6 times during the past 7 days | 427 | 22.4 |
| | | 4 | 1 time per day | 216 | 12.3 |
| | | 5 | 2 times per day | 141 | 7.5 |
| | | 6 | 3 times per day | 51 | 2.7 |
| | | 7 | 4 or more times per day | 51 | 2.6 |
| | | | Missing | 131 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------|--|-------------------------|------------------------|
| 106-106 | Q75 | | ast 7 days, how many times did you drink a can, bottle, or or pop, such as Coke, Pepsi, or Sprite? | | |
| | | 1 | I did not drink soda or pop during the past 7 days | 641 | 35.7 |
| | | 2 | 1 to 3 times during the past 7 days | 739 | 38.6 |
| | | 3 | 4 to 6 times during the past 7 days | 255 | 13.1 |
| | | 4 | 1 time per day | 101 | 5.0 |
| | | 5 | 2 times per day | 60 | 3.2 |
| | | 6 | 3 times per day | 34 | 1.7 |
| | | 7 | 4 or more times per day | 54 | 2.7 |
| | | | Missing | 131 | |
| 108-108 | Q77 | During the pa | st 7 days, on how many days did you eat breakfast? | | |
| | | 1 | 0 days | 289 | 15.7 |
| | | 2 | 1 day | 170 | 9.1 |
| | | 3 | 2 days | 252 | 13.1 |
| | | 4 | 3 days | 201 | 10.3 |
| | | 5 | 4 days | 132 | 6.8 |
| | | 6 | 5 days | 140 | 7.4 |
| | | 7 | 6 days | 106 | 5.8 |
| | | 8 | 7 days | 596 | 31.7 |
| | | | Missing | 129 | |
| 109-109 | Q78 | | st 7 days, on how many days were you physically active at least 60 minutes per day? | | |
| | | 1 | 0 days | 342 | 17.7 |
| | | 2 | 1 day | 129 | 6.6 |
| | | 3 | 2 days | 179 | 9.5 |
| | | 4 | 3 days | 224 | 11.6 |
| | | 5 | 4 days | 223 | 11.9 |
| | | 6 | 5 days | 228 | 11.9 |
| | | 7 | 6 days | 131 | 7.5 |
| | | 8 | 7 days | 425 | 23.2 |
| | | | Missing | 134 | |
| 110-110 | Q79 | On an averag | e school day, how many hours do you watch TV? | | |
| | | 1 | I do not watch TV on an average school day | 549 | 27.8 |
| | | 2 | Less than 1 hour per day | 344 | 18.4 |
| | | 3 | 1 hour per day | 243 | 13.2 |
| | | 4 | 2 hours per day | 327 | 17.9 |
| | | 5 | 3 hours per day | 195 | 10.5 |
| | | 6 | 4 hours per day | 99 | 5.8 |
| | | 7 | 5 or more hours per day | 120 | 6.3 |
| | | | Missing | 138 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 11-111 | Q80 | On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? | | |
| | | 1 I do not play video or computer games or use a computer for something that is not school work | 321 | 17.6 |
| | | 2 Less than 1 hour per day | 180 | 10.2 |
| | | 3 1 hour per day | 172 | 9.5 |
| | | 4 2 hours per day | 274 | 14.8 |
| | | 5 3 hours per day | 267 | 13.7 |
| | | 6 4 hours per day | 188 | 10.4 |
| | | 7 5 or more hours per day | 466 | 23. |
| | | Missing | 147 | |
| 14-114 | Q83 | During the past 12 months, how many times did you have a concussion from playing a sport or being physically active? | | |
| | | 1 0 times | 1,558 | 83. |
| | | 2 1 time | 167 | 8. |
| | | 3 2 times | 57 | 2. |
| | | 4 3 times | 29 | 1. |
| | | 5 4 or more times | 57 | 2. |
| | | Missing | 147 | |
| 15-115 | Q84 | Have you ever been tested for HIV, the virus that causes AIDS? | | |
| | | 1 Yes | 186 | 9. |
| | | 2 No | 1,304 | 70. |
| | | 3 Not sure | 378 | 20. |
| | | Missing | 147 | |
| 16-116 | Q85 | During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea? | | |
| | | 1 Yes | 184 | 10. |
| | | 2 No | 1,450 | 78.4 |
| | | 3 Not sure | 220 | 11. |
| | | Missing | 161 | |
| 17-117 | Q86 | When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work? | | |
| | | 1 During the past 12 months | 1,418 | 77. |
| | | 2 Between 12 and 24 months ago | 184 | 9.4 |
| | | 3 More than 24 months ago | 98 | 5.: |
| | | 4 Never | 35 | 1.9 |
| | | 5 Not sure | 106 | 5.: |
| | | Missing | 174 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------------------|---|-------------------------|------------------------|
| 119-119 | Q88 | On an average s | school night, how many hours of sleep do you get? | | |
| | | 1 | 4 or less hours | 184 | 9.5 |
| | | 2 | 5 hours | 291 | 16.2 |
| | | 3 | 6 hours | 506 | 26.7 |
| | | 4 | 7 hours | 473 | 26.6 |
| | | 5 | 8 hours | 312 | 17.1 |
| | | 6 | 9 hours | 53 | 2.7 |
| | | 7 | 10 or more hours | 23 | 1.2 |
| | | | Missing | 173 | |
| 120-120 | Q89 | During the past school? | 12 months, how would you describe your grades in | | |
| | | 1 | Mostly A's | 690 | 39.0 |
| | | 2 | Mostly B's | 730 | 40.2 |
| | | 3 | Mostly C's | 245 | 13.0 |
| | | 4 | Mostly D's | 53 | 2.7 |
| | | 5 | Mostly F's | 29 | 1.6 |
| | | 6 | None of these grades | 14 | 0.7 |
| | | 7 | Not sure | 51 | 2.7 |
| | | | Missing | 203 | |
| 121-121 | Q90 | During the past phone while dri | 30 days, on how many days did you talk on a cell ving a car or other vehicle? | | |
| | | 1 | I did not drive a car or other vehicle during the past 30 days | 1,064 | 51.2 |
| | | 2 | 0 days | 610 | 30.8 |
| | | 3 | 1 or 2 days | 138 | 7.1 |
| | | 4 | 3 to 5 days | 68 | 3.8 |
| | | 5 | 6 to 9 days | 38 | 2.1 |
| | | 6 | 10 to 19 days | 38 | 2.3 |
| | | 7 | 20 to 29 days | 16 | 1.0 |
| | | 8 | All 30 days | 37 | 1.9 |
| | | | Missing | 6 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 122-122 | Q91 | During the past 12 months, how many times did someone you were dating or going out with purposely try to control you or emotionally hurt you? | | |
| | | 1 I did not date or go out with anyone during the past 12 months | 733 | 37.0 |
| | | 2 0 times | 947 | 46.5 |
| | | 3 1 time | 109 | 5.5 |
| | | 4 2 or 3 times | 98 | 5.0 |
| | | 5 4 or 5 times | 27 | 1.4 |
| | | 6 6 or more times | 89 | 4.5 |
| | | Missing | 12 | |
| 123-123 | Q92 | During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose? | | |
| | | 1 0 times | 1,677 | 84.6 |
| | | 2 1 time | 106 | 4.9 |
| | | 3 2 or 3 times | 106 | 5.0 |
| | | 4 4 or 5 times | 37 | 1.7 |
| | | 5 6 or more times | 76 | 3.8 |
| | | Missing | 13 | |
| 124-124 | Q93 | When you feel sad, empty, hopeless, angry, or anxious, how often do you get the kind of help you need? | | |
| | | 1 I do not feel sad, empty, hopeless, angry, or anxious | 519 | 26.4 |
| | | 2 Never | 383 | 19.5 |
| | | 3 Rarely | 356 | 17.4 |
| | | 4 Sometimes | 385 | 18.9 |
| | | 5 Most of the time | 237 | 11.9 |
| | | 6 Always | 117 | 5.9 |
| | | Missing | 18 | |
| 125-125 | Q94 | During the past 30 days, on the days you used an electronic vapor product, how many times did you vape per day? | | |
| | | 1 I did not use any electronic vapor products during the past 30 days | 1,423 | 73.4 |
| | | 2 1 or 2 times per day | 250 | 12.8 |
| | | 3 3 to 5 times per day | 106 | 5.3 |
| | | 4 6 to 9 times per day | 39 | 2.1 |
| | | 5 10 or more times per day | 119 | 6.5 |
| | | Missing | 78 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------|---|-------------------------|------------------------|
| 126-126 | Q95 | | ast 30 days, on how many days did you use an electronic ct on school property? | | |
| | | 1 | 0 days | 1,735 | 88.7 |
| | | 2 | 1 or 2 days | 78 | 3.9 |
| | | 3 | 3 to 5 days | 22 | 1.1 |
| | | 4 | 6 to 9 days | 28 | 1.4 |
| | | 5 | 10 to 19 days | 24 | 1.1 |
| | | 6 | 20 to 29 days | 20 | 1.1 |
| | | 7 | All 30 days | 55 | 2.7 |
| | | | Missing | 53 | |
| 27-127 | Q96 | What is the r | nain reason you have used electronic vapor products? | | |
| | | 1 | I have never tried an electronic vapor product | 1,145 | 59.3 |
| | | 2 | Friend or family member used them | 248 | 12.9 |
| | | 3 | To try to quit using other tobacco products | 17 | 1.0 |
| | | 4 | They cost less than other tobacco products | 7 | 0.3 |
| | | 5 | They are easier to get than other tobacco products | 14 | 0.7 |
| | | 6 | They are less harmful than other forms of tobacco | 43 | 2.2 |
| | | 7 | They are available in flavors, such as mint, candy, fruit, or chocolate | 101 | 5.2 |
| | | 8 | I used them for some other reason | 357 | 18.2 |
| | | 0 | Missing | 83 | 10.2 |
| 28-128 | Q97 | | ast 30 days, on how many days did you smoke tobacco in a ghile, or other type of waterpipe? | | |
| | | 1 | 0 days | 1,886 | 95.2 |
| | | 2 | 1 or 2 days | 50 | 2.2 |
| | | 3 | 3 to 5 days | 14 | 0.8 |
| | | 4 | 6 to 9 days | 9 | 0.5 |
| | | 5 | 10 to 19 days | 5 | 0.3 |
| | | 6 | 20 to 29 days | 4 | 0.2 |
| | | 7 | All 30 days | 18 | 0.9 |
| | | | Missing | 29 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 129-129 | Q98 | During the past 30 days, on how many days did you smoke tobacco from a pipe that was not a hookah, narghile, or other type of waterpipe? | | |
| | | 1 0 days | 1,912 | 97.1 |
| | | 2 1 or 2 days | 22 | 1.0 |
| | | 3 3 to 5 days | 15 | 0.7 |
| | | 4 6 to 9 days | 5 | 0.3 |
| | | 5 10 to 19 days | 2 | 0.1 |
| | | 6 20 to 29 days | 4 | 0.2 |
| | | 7 All 30 days | 15 | 0.7 |
| | | Missing | 40 | |
| 130-130 | Q99 | cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products, in a store during the past 30 days, were you asked to show proof of age? | | |
| | | 1 I did not try to buy any tobacco products in a store during the past 30 days | 1,815 | 91.8 |
| | | 2 Yes, I was asked to show proof of age | 71 | 3.4 |
| | | 3 No, I was not asked to show proof of age | 89 | 4.9 |
| | | Missing | 40 | |
| 131-131 | Q100 | During the past 7 days, on how many days did you breathe the smoke or aerosol from someone who was smoking or vaping tobacco products indoors or outdoors? | | |
| | | 1 0 days | 1,362 | 69.5 |
| | | 2 1 day | 224 | 11.0 |
| | | 3 2 days | 120 | 6.0 |
| | | 4 3 days | 76 | 3.9 |
| | | 5 4 days | 42 | 2.2 |
| | | 6 5 days | 28 | 1.4 |
| | | 7 6 days | 13 | 0.6 |
| | | 8 7 days | 109 | 5.4 |
| | | Missing | 41 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------|--|-------------------------|------------------------|
| 132-132 | Q101 | prescriptio | ne you took prescription pain medicine without a doctor's n or differently than how a doctor told you to use it, how did e prescription pain medicine? | | |
| | | 1 | I have never taken prescription pain medicine without a doctor's prescription or differently than how a doctor told me to use it | 1,707 | 88.6 |
| | | 2 | It was my prescription | 113 | 5.6 |
| | | 3 | I bought it from someone without having a prescription | 14 | 0.6 |
| | | 4 | I gave someone money to buy it for me without having a prescription | 6 | 0.3 |
| | | 5 | Someone gave it to me | 38 | 1.8 |
| | | 6 | I took it without permission from someone in my home | 29 | 1.3 |
| | | 7 | I took it without permission from someone else's home | 8 | 0.3 |
| | | 8 | I got it some other way Missing | 26 74 | 1.3 |
| 133-133 | Q102 | During you drug to get | ar life, how many times have you taken an over-the-counter high? | | |
| | | 1 | 0 times | 1,858 | 95.6 |
| | | 2 | 1 or 2 times | 49 | 2.4 |
| | | 3 | 3 to 9 times | 11 | 0.6 |
| | | 4 | 10 to 19 times | 7 | 0.4 |
| | | 5 | 20 to 39 times | 3 | 0.1 |
| | | 6 | 40 or more times | 21 | 1.0 |
| | | | Missing | 66 | |
| 134-134 | Q103 | affect how | appearance, style, dress, or the way they walk or talk may people describe them. How do you think other people at ald describe you? | | |
| | | 1 | Very feminine | 276 | 14.9 |
| | | 2 | Mostly feminine | 399 | 21.8 |
| | | 3 | Somewhat feminine | 171 | 8.8 |
| | | 4 | Equally feminine and masculine | 187 | 9.6 |
| | | 5 | Somewhat masculine | 163 | 8.5 |
| | | 6 | Mostly masculine | 347 | 18.4 |
| | | 7 | Very masculine | 344 | 18.0 |
| | | | Missing | 128 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------|--|-------------------------|------------------------|
| 135-135 | Q104 | During the with your | past 7 days, on how many days did you eat at least one meal family? | | |
| | | 1 | 0 days | 298 | 15.8 |
| | | 2 | 1 day | 157 | 8.5 |
| | | 3 | 2 days | 177 | 9.1 |
| | | 4 | 3 days | 166 | 8.3 |
| | | 5 | 4 days | 167 | 9.4 |
| | | 6 | 5 days | 179 | 9.1 |
| | | 7 | 6 days | 116 | 6.0 |
| | | 8 | 7 days | 619 | 33.1 |
| | | | Missing | 136 | |
| 136-136 | Q105 | How do yo | bu describe your health in general? | | |
| | | 1 | Excellent | 342 | 19.3 |
| | | 2 | Very good | 699 | 38.0 |
| | | 3 | Good | 562 | 29.7 |
| | | 4 | Fair | 219 | 11.3 |
| | | 5 | Poor | 35 | 1.8 |
| | | | Missing | 158 | |
| 137-137 | Q106 | During the good? | past 30 days, on how many days was your mental health not | | |
| | | 1 | 0 days | 555 | 30.4 |
| | | 2 | 1 or 2 days | 392 | 21.3 |
| | | 3 | 3 to 6 days | 258 | 14.2 |
| | | 4 | 7 to 13 days | 281 | 14.6 |
| | | 5 | 14 to 29 days | 220 | 11.8 |
| | | 6 | All 30 days | 141 | 7.6 |
| | | | Missing | 168 | |
| 138-138 | Q107 | | the last time you saw a doctor or nurse for a check-up or am when you were not sick or injured? | | |
| | | 1 | During the past 12 months | 1,268 | 69.4 |
| | | 2 | Between 12 and 24 months ago | 207 | 11.1 |
| | | 3 | More than 24 months ago | 55 | 2.8 |
| | | 4 | Never | 73 | 4.2 |
| | | 5 | Not sure | 236 | 12.6 |
| | | | Missing | 176 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 139-139 | Q108 | Have you ever had the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)? | | |
| | | 1 Yes | 736 | 41.3 |
| | | 2 No | 426 | 23.5 |
| | | 3 Not sure | 670 | 35.2 |
| | | Missing | 183 | |
| 140-140 | Q109 | Do you agree or disagree that your family loves you and gives you and support when you need it? | ı help | |
| | | 1 Strongly agree | 918 | 50.8 |
| | | 2 Agree | 631 | 34.2 |
| | | 3 Not sure | 174 | 9.2 |
| | | 4 Disagree | 71 | 3.0 |
| | | 5 Strongly disagree | 42 | 2.2 |
| | | Missing | 179 | |
| 141-141 | Q110 | How often do your parents or other adults in your family ask when are going or with whom you will be? | re you | |
| | | 1 Never | 93 | 5.0 |
| | | 2 Rarely | 121 | 7.0 |
| | | 3 Sometimes | 229 | 12.8 |
| | | 4 Most of the time | 470 | 25.9 |
| | | 5 Always | 904 | 49.3 |
| | | Missing | 198 | |
| 142-142 | Q111 | During the past 30 days, where did you usually sleep? | | |
| | | 1 In my parent's or guardian's home | 1,731 | 94.9 |
| | | 2 In the home of a friend, family member, or oth person because I had to leave my home or my p or guardian cannot afford housing | | 1.7 |
| | | 3 In a shelter or emergency housing | 14 | 0.9 |
| | | 4 In a motel or hotel | 11 | 0.6 |
| | | 5 In a car, park, campground, or other public place | ce 5 | 0.3 |
| | | 6 I do not have a usual place to sleep | 12 | 0.7 |
| | | 7 Somewhere else | 14 | 0.9 |
| | | Missing | 195 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--------------|--|-------------------------|------------------------|
| 143-143 | Q112 | | past 30 days, did you ever sleep away from your parents or because you were kicked out, ran away, or were abandoned? | | |
| | | 1 | Yes | 87 | 4.5 |
| | | 2 | No | 1,729 | 95.5 |
| | | | Missing | 199 | |
| 144-144 | Q113 | During the | past 30 days, on how many days did you miss school? | | |
| | | 1 | 0 days | 769 | 42.4 |
| | | 2 | 1 day | 374 | 20.5 |
| | | 3 | 2 days | 250 | 14.0 |
| | | 4 | 3 days | 162 | 8.6 |
| | | 5 | 4 days | 97 | 5.6 |
| | | 6 | 5 days | 60 | 3.1 |
| | | 7 | 6 or more days | 109 | 5.8 |
| | | | Missing | 194 | |
| 145-145 | Q114 | | least one teacher or other adult in your school that you can ou have a problem? | | |
| | | 1 | Yes | 1,156 | 63.5 |
| | | 2 | No | 358 | 19.9 |
| | | 3 | Not sure | 299 | 16.6 |
| | | | Missing | 202 | |
| 146-146 | Q115 | | ceiving special education services as part of an individual plan or IEP? | | |
| | | 1 | Yes | 210 | 11.3 |
| | | 2 | No | 1,421 | 79.4 |
| | | 3 | Not sure | 177 | 9.3 |
| | | | Missing | 207 | |
| 147-147 | Q116 | school, even | any of the past 7 days did you take part in organized after ening, or weekend activities (such as school clubs; sports; y center groups; music, art, or dance lessons; drama; church; pervised activities)? | | |
| | | 1 | 0 days | 737 | 39.3 |
| | | 2 | 1 day | 231 | 12.7 |
| | | 3 | 2 days | 182 | 9.6 |
| | | 4 | 3 days | 140 | 7.7 |
| | | 5 | 4 days | 110 | 6.3 |
| | | 6 | 5 days | 144 | 8.5 |
| | | 7 | 6 days | 91 | 5.2 |
| | | 8 | 7 days | 192 | 10.7 |
| | | | Missing | 188 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 148-148 | Q117 | How likely is it that you will complete a post high school program such as a vocational training program, military service, community college, or 4-year college? | | |
| | | 1 Definitely will not | 145 | 8.2 |
| | | 2 Probably will not | 137 | 7.3 |
| | | 3 Probably will | 424 | 22.9 |
| | | 4 Definitely will | 914 | 51.6 |
| | | 5 Not sure | 193 | 9.9 |
| | | Missing | 202 | |
| 149-149 | Q118 | During the past 12 months, how many times have you gambled on a sports team, gambled when playing cards or a dice game, played one of your state's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game? | | |
| | | 1 0 times | 1,354 | 74.6 |
| | | 2 1 or 2 times | 253 | 14.5 |
| | | 3 3 to 9 times | 105 | 5.8 |
| | | 4 10 to 19 times | 35 | 1.9 |
| | | 5 20 to 39 times | 19 | 1.1 |
| | | 6 40 or more times | 41 | 2.2 |
| | | Missing | 208 | |
| 185-185 | QN8 | Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else) | | |
| | | 1 Yes | 117 | 5.6 |
| | | 2 No | 1,894 | 94.4 |
| | | Missing | 4 | |
| 186-186 | QN9 | Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey) | | |
| | | 1 Yes | 291 | 14.1 |
| | | 2 No | 1,715 | 85.9 |
| | | Missing | 9 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 187-187 | QN10 | Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | |
| | | 1 Yes 2 No Missing | 46 821 1.148 | 5.6 94.4 |
| 188-188 | QN11 | Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | |
| | | 1 Yes 2 No Missing | 264 608 1,143 | 32.1 67.9 |
| 190-190 | QN13 | Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes 2 No Missing | 74 1,931 10 | 3.5 96.5 |
| 192-192 | QN15 | Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes 2 No Missing | 147 1,857 11 | 7.1 92.9 |
| 193-193 | QN16 | Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey) | | |
| | | 1 Yes 2 No Missing | 142 1,866 7 | 6.8 93.2 |
| 194-194 | QN17 | Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) | | |
| | | 1 Yes 2 No Missing | 413 1,591 11 | 20.2 79.8 |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 196-196 | QN19 | Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to) | | |
| | | 1 Yes | 129 | 6.2 |
| | | 2 No | 1,872 | 93.8 |
| | | Missing | 14 | |
| 198-198 | QN21 | Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey) | | |
| | | 1 Yes | 144 | 11.8 |
| | | 2 No | 1,098 | 88.2 |
| | | Missing | 773 | |
| 199-199 | QN22 | Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey) | | |
| | | 1 Yes | 101 | 8.0 |
| | | 2 No | 1,140 | 92.0 |
| | | Missing | 774 | |
| 200-200 | QN23 | Percentage of students who were bullied on school property (ever during the 12 months before the survey) | | |
| | | 1 Yes | 359 | 17.8 |
| | | 2 No | 1,642 | 82.2 |
| | | Missing | 14 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 201-201 | QN24 | Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey) | | |
| | | 1 Yes | 289 | 14.3 |
| | | 2 No Missing | 1,710 16 | 85.7 |
| 202-202 | QN25 | Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey) | | |
| | | 1 Yes | 634 | 30.6 |
| | | 2 No | 1,359 | 69.4 |
| | | Missing | 22 | |
| 203-203 | QN26 | Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey) | | |
| | | 1 Yes | 262 | 12.7 |
| | | 2 No | 1,730 | 87.3 |
| | | Missing | 23 | |
| 205-205 | QN28 | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 140 | 6.7 |
| | | 2 No | 1,861 | 93.3 |
| | | Missing | 14 | |
| 208-208 | QN31 | Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs) | | |
| | | 1 Yes | 108 | 5.0 |
| | | 2 No | 1,887 | 95.0 |
| | | Missing | 20 | |
| 209-209 | QN32 | Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 74 | 3.7 |
| | | 2 No | 1,921 | 96.3 |
| | | Missing | 20 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 211-211 | QN34 | Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo]) | | |
| | | 1 Yes | 885 | 44.8 |
| | | 2 No | 1,092 | 55.2 |
| | | Missing | 38 | |
| 212-212 | QN35 | Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 507 | 27.0 |
| | | 2 No | 1,376 | 73.0 |
| | | Missing | 132 | |
| 213-213 | QN36 | Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years) | | |
| | | 1 Yes | 51 | 11.9 |
| | | 2 No | 372 | 88.1 |
| | | Missing | 1,592 | |
| 214-214 | QN37 | Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 51 | 2.6 |
| | | 2 No | 1,934 | 97.4 |
| | | Missing | 30 | |
| 215-215 | QN38 | Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 74 | 3.9 |
| | | 2 No | 1,907 | 96.1 |
| | | Missing | 34 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 217-217 | QN40 | Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips) | | |
| | | 1 Yes | 229 | 11.7 |
| | | 2 No | 1,703 | 88.3 |
| | | Missing | 83 | |
| 218-218 | QN41 | Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 487 | 25.9 |
| | | 2 No | 1,430 | 74.1 |
| | | Missing | 98 | |
| 219-219 | QN42 | Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 246 | 12.9 |
| | | 2 No | 1,701 | 87.1 |
| | | Missing | 68 | |
| 222-222 | QN45 | Percentage of students who ever used marijuana (one or more times during their life) | | |
| | | 1 Yes | 688 | 35.9 |
| | | 2 No | 1,232 | 64.1 |
| | | Missing | 95 | |
| 223-223 | QN46 | Percentage of students who tried marijuana for the first time before age 13 years | | |
| | | 1 Yes | 80 | 3.8 |
| | | 2 No | 1,840 | 96.2 |
| | | Missing | 95 | |
| 224-224 | QN47 | Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) | | |
| | | 1 Yes | 423 | 21.7 |
| | | 2 No | 1,514 | 78.3 |
| | | Missing | 78 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 225-225 | QN48 | Percentage of students who ever used synthetic marijuana (one or more times during their life) | | |
| | | 1 Yes | 125 | 6.5 |
| | | 2 No | 1,833 | 93.5 |
| | | Missing | 57 | |
| 226-226 | QN49 | Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life) | | |
| | | 1 Yes | 210 | 10.1 |
| | | 2 No | 1.744 | 89.9 |
| | | Missing | 61 | 0)., |
| 227-227 | QN50 | Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life) | | |
| | | 1 Yes | 50 | 2.0 |
| | | 2 No | 1,901 | 97.4 |
| | | Missing | 64 | |
| 229-229 | QN52 | Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life) | | |
| | | 1 Yes | 36 | 1.8 |
| | | 2 No | 1,911 | 98.2 |
| | | Missing | 68 | |
| 230-230 | QN53 | Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life) | | |
| | | 1 Yes | 42 | 2.2 |
| | | 2 No | 1,906 | 97.8 |
| | | Missing | 67 | |
| 231-231 | QN54 | Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life) | | |
| | | 1 Yes | 45 | 2.3 |
| | | 2 No | 1,901 | 97.7 |
| | | Missing | 69 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 233-233 | QN56 | Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life) | | |
| | | 1 Yes | 38 | 1.8 |
| | | 2 No | 1,911 | 98.2 |
| | | Missing | 66 | |
| 234-234 | QN57 | Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey) | | |
| | | 1 Yes | 374 | 19.2 |
| | | 2 No | 1,569 | 80.8 |
| | | Missing | 72 | |
| 235-235 | QN58 | Percentage of students who ever had sexual intercourse | | |
| | | 1 Yes | 621 | 34.3 |
| | | 2 No | 1,179 | 65.7 |
| | | Missing | 215 | |
| 236-236 | QN59 | Percentage of students who had sexual intercourse for the first time before age 13 years | | |
| | | 1 Yes | 65 | 3.5 |
| | | 2 No | 1,727 | 96.5 |
| | | Missing | 223 | |
| 237-237 | QN60 | Percentage of students who had sexual intercourse with four or more persons during their life | | |
| | | 1 Yes | 129 | 7.3 |
| | | 2 No | 1,655 | 92.7 |
| | | Missing | 231 | |
| 238-238 | QN61 | Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey) | | |
| | | 1 Yes | 442 | 24.6 |
| | | 2 No | 1,343 | 75.4 |
| | | Missing | 230 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 239-239 | QN62 | Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active) | | |
| | | 1 Yes | 100 | 21.7 |
| | | 2 No | 339 | 78.3 |
| | | Missing | 1,576 | |
| 240-240 | QN63 | Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active) | | |
| | | 1 Yes | 232 | 55.0 |
| | | 2 No | 199 | 45.0 |
| | | Missing | 1,584 | |
| 241-241 | QN64 | Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 102 | 24.6 |
| | | 2 No | 328 | 75.4 |
| | | Missing | 1,585 | |
| 246-246 | QN69 | Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 614 | 31.8 |
| | | 2 No | 1,301 | 68.2 |
| | | Missing | 100 | |
| 247-247 | QN70 | Percentage of students who did not eat fruit (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 254 | 13.1 |
| | | 2 No | 1,656 | 86.9 |
| | | Missing | 105 | |
| 248-248 | QN71 | Percentage of students who did not eat green salad (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 766 | 39.0 |
| | | 2 No | 1,130 | 61.0 |
| | | Missing | 119 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 249-249 | QN72 | Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 710 | 37.0 |
| | | 2 No | 1,189 | 63.0 |
| | | Missing | 116 | |
| 250-250 | QN73 | Percentage of students who did not eat carrots (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 970 | 50.6 |
| | | 2 No | 922 | 49.4 |
| | | Missing | 123 | |
| 251-251 | QN74 | Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 345 | 18.0 |
| | | 2 No | 1,539 | 82.0 |
| | | Missing | 131 | |
| 252-252 | QN75 | Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes | 641 | 35.7 |
| | | 2 No | 1.243 | 64.3 |
| | | Missing | 131 | |
| 254-254 | QN77 | Percentage of students who did not eat breakfast (during the 7 days before the survey) | | |
| | | 1 Yes | 289 | 15.7 |
| | | 2 No | 1,597 | 84.3 |
| | | Missing | 129 | |
| 255-255 | QN78 | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes | 784 | 42.6 |
| | | 2 No | 1,097 | 57.4 |
| | | Missing | 134 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 256-256 | QN79 | Percentage of students who watched television 3 or more hours per day (on an average school day) | | |
| | | 1 Yes | 414 | 22.7 |
| | | 2 No | 1,463 | 77.3 |
| | | Missing | 138 | |
| 257-257 | QN80 | Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day) | | |
| | | 1 Yes | 921 | 47.9 |
| | | 2 No | 947 | 52.1 |
| | | Missing | 147 | |
| 260-260 | QN83 | Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 310 | 16.1 |
| | | 2 No | 1,558 | 83.9 |
| | | Missing | 147 | |
| 261-261 | QN84 | Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood) | | |
| | | 1 Yes | 186 | 9.6 |
| | | 2 No | 1,682 | 90.4 |
| | | Missing | 147 | |
| 262-262 | QN85 | Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey) | | |
| | | 1 Yes | 184 | 10.1 |
| | | 2 No | 1,670 | 89.9 |
| | | Missing | 161 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 263-263 | | Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey) | | |
| | | 1 Yes | 1,418 | 77.7 |
| | | 2 No | 423 | 22.3 |
| | | Missing | 174 | |
| 265-265 | QN88 | Percentage of students who got 8 or more hours of sleep (on an average school night) | | |
| | | 1 Yes | 388 | 21.0 |
| | | 2 No | 1,454 | 79.0 |
| | | Missing | 173 | |
| 266-266 | QN89 | Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey) | | |
| | | 1 Yes | 1,420 | 79.2 |
| | | 2 No | 392 | 20.8 |
| | | Missing | 203 | |
| 267-267 | QN90 | Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle) | | |
| | | 1 Yes | 335 | 37.0 |
| | | 2 No | 610 | 63.0 |
| | | Missing | 1,070 | |
| 268-268 | QN91 | Percentage of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (such things as being told who they could and could not spend time with, being humiliated in front of others, or being threatened if they did not do what they wanted, during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey) | | |
| | | 1 Yes | 323 | 26.1 |
| | | 2 No | 947 | 73.9 |
| | | Missing | 745 | 13.9 |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 269-269 | QN92 | Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 325 | 15.4 |
| | | 2 No Missing | 1,677 13 | 84.6 |
| 270-270 | QN93 | Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious) | | |
| | | 1 Yes | 354 | 24.1 |
| | | 2 No | 1,124 | 75.9 |
| | | Missing | 537 | |
| 271-271 | QN94 | Percentage of students who vaped 6 or more times per day (on the days they used an electronic product during the 30 days before the survey) | | |
| | | 1 Yes | 158 | 8.5 |
| | | 2 No | 1,779 | 91.5 |
| | | Missing | 78 | |
| 272-272 | QN95 | Percentage of students who currently used an electronic vapor product on school property (on one or more days during the 30 days before the survey) | | |
| | | 1 Yes | 227 | 11.3 |
| | | 2 No | 1,735 | 88.7 |
| | | Missing | 53 | |
| 273-273 | QN96 | Percentage of students who used electronic-vapor products mainly because a friend or family member used them | | |
| | | 1 Yes | 248 | 12.9 |
| | | 2 No Missing | 1,684 83 | 87.1 |
| 274-274 | QN97 | Percentage of students who smoked tobacco in a hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 100 | 4.8 |
| | | 2 No | 1,886 | 95.2 |
| | | Missing | 29 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 275-275 | QN98 | Percentage of students who smoked tobacco from a pipe that was not hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 63 | 2.9 |
| | | 2 No Missing | 1,912 40 | 97. |
| 276-276 | QN99 | Percentage of students who were asked to show proof of age when they bought or tried to buy tobacco products in a store (including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products, among students who were aged <18 years and bought or tried to buy any tobacco product in a store during the 30 days before the survey) | | |
| | | 1 Yes | 39 | 32. |
| | | 2 No | 72 | 67. |
| | | Missing | 1,904 | |
| 277-277 | QN100 | Percentage of students who breathed the smoke or aerosol from someone who was smoking or vaping tobacco products indoors or outdoors (on one or more days during the 7 days before the survey) | | |
| | | 1 Yes | 612 | 30.: |
| | | 2 No | 1,362 | 69. |
| | | Missing | 41 | |
| 278-278 | QN101 | Percentage of students who obtained prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it the last time by someone giving it to them or by taking it from their home or someone else's home without permission (among students who had ever taken prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it) | | |
| | | 1 Yes | 75 | 30. |
| | | 2 No | 159 | 69.4 |
| | | Missing | 1,781 | |
| 279-279 | QN102 | Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life) | | |
| | | 1 Yes | 91 | 4. |
| | | 2 No | 1,858 | 95. |
| | | Missing | 66 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|---|---|-------------------------|------------------------|
| 280-280 | QN103 Percentage of students who think other people at school would describe them as equally feminine and masculine | | | |
| | | 1 Yes | 187 | 9.6 |
| | | 2 No | 1,700 | 90.4 |
| | | Missing | 128 | |
| 281-281 | QN104 | Percentage of students who ate at least one meal with their family (on three or more days during the 7 days before the survey) | | |
| | | 1 Yes | 1,247 | 66.6 |
| | | 2 No | 632 | 33.4 |
| | | Missing | 136 | |
| 282-282 | QN105 | Percentage of students who described their health in general as excellent or very good | | |
| | | 1 Yes | 1,041 | 57.3 |
| | | 2 No | 816 | 42.7 |
| | | Missing | 158 | |
| 283-283 | QN106 | Percentage of students who reported their mental health was not good (including stress, depression, and problems with emotions, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 1,292 | 69.6 |
| | | 2 No | 555 | 30.4 |
| | | Missing | 168 | |
| 284-284 | QN107 | Percentage of students who saw a doctor or nurse (for a check-up or physical exam when they were not sick or injured during the 12 months before the survey) | | |
| | | 1 Yes | 1.268 | 69.4 |
| | | 2 No | 571 | 30.6 |
| | | Missing | 176 | |
| 285-285 | QN108 | Percentage of students who have had the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL) | | |
| | | 1 Yes | 736 | 41.3 |
| | | 2 No | 1,096 | 58.7 |
| | | Missing | 183 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 286-286 | QN109 | QN109 Percentage of students who strongly agree or agree that their family loves them and gives them help and support when they need it | | |
| | | 1 Yes | 1,549 | 84.9 |
| | | 2 No Missing | 287 179 | 15.1 |
| 287-287 | QN110 | Percentage of students who reported their parents or other adults in their family most of the time or always ask where they are going or with whom they will be | | |
| | | 1 Yes | 1,374 | 75.1 |
| | | 2 No | 443 | 24.9 |
| | | Missing | 198 | |
| 288-288 | QN111 | Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey) | | |
| | | 1 Yes | 75 | 4.2 |
| | | 2 No Missing | 1,745 195 | 95.8 |
| 289-289 | QN112 | Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey) | | |
| | | 1 Yes | 87 | 4.5 |
| | | 2 No | 1,729 | 95.: |
| | | Missing | 199 | |
| 290-290 | QN113 | Percentage of students who missed school on one or more days (counting days with or without permission, days they were sick, or days missed due to a school suspension, during the 30 days before the survey) | | |
| | | 1 Yes | 1,052 | 57.0 |
| | | 2 No | 769 | 42.4 |
| | | Missing | 194 | |
| 291-291 | QN114 | Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem | | |
| | | 1 Yes | 1,156 | 63.5 |
| | | 2 No | 657 | 36. |
| | | Missing | 202 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|--|--|-------------------------|------------------------|
| 292-292 | QN115 Percentage of students who are receiving special education services (as part of an individual education plan or IEP) | | | |
| | | 1 Yes | 210 | 11.3 |
| | | 2 No | 1,598 | 88.7 |
| | | Missing | 207 | |
| 293-293 | QN116 | Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs; sports; community center groups; music, art, or dance lessons; drama; church; or other supervised activities, on at least one day during the 7 days before the survey) | | |
| | | 1 Yes | 1,090 | 60.7 |
| | | 2 No | 737 | 39.3 |
| | | Missing | 188 | |
| 294-294 | QN117 | Percentage of students who probably or definitely will complete a post high school program (such as a vocational training program, military service, community college, or 4-year college) | | |
| | | 1 Yes | 1,338 | 74.5 |
| | | 2 No | 475 | 25.5 |
| | | Missing | 202 | |
| 295-295 | QN118 | Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of their state's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 453 | 25.4 |
| | | 2 No | 1,354 | 74.6 |
| | | Missing | 208 | |
| 350-350 | QNFRCIG | Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey) | | |
| | | 1 Yes | 28 | 1.3 |
| | | 2 No | 1,967 | 98.7 |
| | | Missing | 20 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|---|--|-------------------------|------------------------|
| 351-351 | QNDAYCIG Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey) | | | |
| | | 1 Yes | 25 | 1.1 |
| | | 2 No | 1,970 | 98.9 |
| | | Missing | 20 | |
| 352-352 | QNFREVP | Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey) | | |
| | | 1 Yes | 153 | 8.5 |
| | | 2 No | 1,730 | 91.5 |
| | | Missing | 132 | |
| 353-353 | QNDAYEVP | Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey) | | |
| | | 1 Yes | 111 | 6.1 |
| | | 2 No | 1,772 | 93.9 |
| | | Missing | 132 | |
| 354-354 | QNTB2 | Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 109 | 5.6 |
| | | 2 No | 1,870 | 94.4 |
| | | Missing | 36 | |
| 355-355 | QNTB3 | Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 122 | 6.3 |
| | | 2 No | 1,858 | 93.7 |
| | | Missing | 35 | |
| 356-356 | QNTB4 | Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 537 | 28.7 |
| | | 2 No | 1,344 | 71.3 |
| | | Missing | 134 | |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 357-357 | QNTB5 | Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 520 | 27.7 |
| | | 2 No Missing | 1,367 128 | 72.3 |
| 358-358 | QNIUDIMP | Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 27 | 6.3 |
| | | 2 No | 403 | 93.7 |
| | | Missing | 1,585 | |
| 359-359 | QNOTHHPL | Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 137 | 32.4 |
| | | 2 No | 293 | 67.6 |
| | | Missing | 1,585 | |
| 360-360 | QNDUALBC | Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 46 | 11.6 |
| | | 2 No | 383 | 88.4 |
| | | Missing | 1,586 | 00.1 |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 361-361 | QNBCNONE | Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active) | | |
| | | 1 Yes | 60 | 13.5 |
| | | 2 No | 370 | 86.5 |
| | | Missing | 1,585 | |
| 362-362 | QNFR0 | Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 138 | 7.1 |
| | | 2 No | 1,767 | 92.9 |
| | | Missing | 110 | |
| 363-363 | QNFR1 | Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 1,110 | 59.5 |
| | | 2 No | 795 | 40.5 |
| | | Missing | 110 | |
| 364-364 | QNFR2 | Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 586 | 31.2 |
| | | 2 No | 1,319 | 68.8 |
| | | Missing | 110 | |
| 365-365 | QNVEG0 | Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | |
| | | 1 Yes | 161 | 8.6 |
| | | 2 No | 1,706 | 91.4 |
| | | Missing | 148 | , |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 366-366 | QNVEG1 | Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 1,119 748 148 | 60.6 39.4 |
| 367-367 | QNVEG2 | Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 545 1,322 148 | 29.6 70.4 |
| 368-368 | QNVEG3 | Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 284 1,583 148 | 15.2 84.8 |
| 369-369 | QNSODA1 | Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 249 1,635 131 | 12.7 87.3 |
| 370-370 | QNSODA2 | Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 148 1,736 131 | 7.6 92.4 |

Connecticut High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 373-373 | QNBK7DAY | Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey) | | |
| | | 1 Yes | 596 | 31.7 |
| | | 2 No | 1,290 | 68.3 |
| | | Missing | 129 | |
| 374-374 | QNPA0DAY | Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes | 342 | 17.7 |
| | | 2 No | 1,539 | 82.3 |
| | | Missing | 134 | |
| 375-375 | QNPA7DAY | Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes | 425 | 23.2 |
| | | 2 No | 1,456 | 76.8 |
| | | Missing | 134 | |
| 377-377 | QNNODNT | Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work) | | |
| | | 1 Yes | 35 | 1.9 |
| | | 2 No | 1,806 | 98.1 |
| | | Missing | 174 | |
| 384-384 | QNOBESE | Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) | | |
| | | 1 Yes | 279 | 14.4 |
| | | 2 No | 1,546 | 85.6 |
| | | Missing | 190 | |

Connecticut High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|--|---|----------------------------|-------------------------|------------------------|
| 385-385 | 5-385 QNOWT <95th percentile for body mass index, base | e of students who were overweight (>= 85th percentile but centile for body mass index, based on sex- and age-specific data from the 2000 CDC growth charts) | | | |
| | | 1 | Yes | 269 | 14.9 |
| | | 2 | No | 1,556 | 85.1 |
| | | | Missing | 190 | |
| 386-395 | WEIGHT | | | _ | |
| 396-398 | STRATUM | | | | |
| 399-404 | PSU | | | | |
| 407-411 | BMIPCT | | | | |
| 412-413 | RACEETH | | | | |
| | | 1 | Am Indian/Alaska Native | 6 | 0.2 |
| | | 2 | Asian | 95 | 3.7 |
| | | 3 | Black or African American | 188 | 12.5 |
| | | 4 | Native Hawaiian/Other PI | 1 | 0.1 |
| | | 5 | White | 977 | 56.4 |
| | | 6 | Hispanic/Latino | 144 | 5.4 |
| | | 7 | Multiple - Hispanic | 472 | 17.6 |
| | | 8 | Multiple - Non-Hispanic | 109 | 4.1 |
| | | | Missing | 23 | |
| 14-416 | Q6ORIG | | | | |
| 417-419 | Q7ORIG | - | | _ | |