

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN7: Percentage of students who described their general health as fair or poor

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.2	( 6.4 - 10.0)	2,246	6.3	( 4.7 - 7.8)	1,123	10.2	( 7.1 - 13.2)	1,109
<b>Age</b>									
15 or younger	7.2	( 5.1 - 9.3)	840	5.5	( 2.8 - 8.2)	392	8.7	( 5.6 - 11.8)	444
16 or 17	9.1	( 6.4 - 11.8)	1,120	6.2	( 4.1 - 8.3)	557	12.1	( 8.1 - 16.2)	559
18 or older	7.3	( 3.9 - 10.7)	280	8.0	( 2.8 - 13.2)	173	6.4	( 0.4 - 12.3)	106
<b>Grade</b>									
9th	7.7	( 5.2 - 10.2)	641	6.2	( 3.3 - 9.1)	320	9.2	( 5.2 - 13.3)	316
10th	6.9	( 4.1 - 9.6)	592	4.6	( 1.7 - 7.5)	273	9.2	( 5.4 - 12.9)	319
11th	8.4	( 5.1 - 11.7)	544	5.5	( 3.2 - 7.8)	273	11.4	( 6.1 - 16.7)	271
12th	9.3	( 5.4 - 13.3)	441	7.9	( 4.0 - 11.8)	242	11.0	( 4.6 - 17.3)	196
<b>Race/Ethnicity</b>									
Black	8.9	( 5.9 - 11.9)	274	7.8	( 3.5 - 12.2)	140	10.2	( 4.7 - 15.7)	132
Hispanic/ Latino	10.0	( 7.8 - 12.3)	424	7.5	( 4.3 - 10.7)	185	12.2	( 8.2 - 16.2)	238
White	7.5	( 5.3 - 9.7)	1,270	5.5	( 3.5 - 7.5)	647	9.8	( 6.1 - 13.4)	621
All other races	11.9	( 7.8 - 16.0)	139	-	-	79	-	-	57
Multiple races	12.1	( 4.9 - 19.4)	127	-	-	67	-	-	58

Note: There were 10 students who did not provide usable data for QN7.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	76.2	( 70.8 - 81.6)	1,421	77.0	( 71.3 - 82.7)	829	75.5	( 68.7 - 82.3)	582
<b>Age</b>									
15 or younger	71.3	( 64.3 - 78.2)	609	71.6	( 63.5 - 79.7)	332	71.3	( 62.2 - 80.5)	274
16 or 17	80.0	( 74.3 - 85.8)	661	80.4	( 74.4 - 86.3)	396	79.7	( 72.2 - 87.2)	262
18 or older	79.3	( 70.0 - 88.6)	146	81.0	( 73.2 - 88.7)	100	-	-	46
<b>Grade</b>									
9th	71.9	( 63.6 - 80.2)	472	71.7	( 62.7 - 80.7)	275	72.2	( 60.5 - 84.0)	194
10th	78.9	( 71.7 - 86.2)	385	79.4	( 72.7 - 86.1)	215	78.3	( 67.8 - 88.8)	170
11th	80.8	( 73.2 - 88.3)	316	81.7	( 73.5 - 89.8)	188	79.4	( 70.0 - 88.8)	128
12th	74.6	( 66.5 - 82.8)	225	76.3	( 68.7 - 83.9)	138	-	-	85
<b>Race/Ethnicity</b>									
Black	92.3	( 87.9 - 96.7)	168	91.6	( 85.6 - 97.5)	105	-	-	62
Hispanic/ Latino	89.9	( 86.2 - 93.6)	255	90.8	( 86.2 - 95.4)	128	88.9	( 81.6 - 96.1)	127
White	70.6	( 64.3 - 76.8)	828	71.5	( 64.7 - 78.3)	487	69.2	( 61.1 - 77.3)	339
All other races	-	-	75	-	-	50	-	-	23
Multiple races	-	-	87	-	-	54	-	-	31

Note: There were 835 students who were excluded from this analysis or who did not provide usable data for QN8.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.4	( 9.1 - 13.7)	2,232	15.0	( 12.2 - 17.9)	1,115	7.5	( 5.5 - 9.4)	1,102
<b>Age</b>									
15 or younger	11.3	( 8.2 - 14.4)	828	12.9	( 9.6 - 16.3)	385	9.5	( 5.4 - 13.7)	439
16 or 17	10.7	( 8.3 - 13.2)	1,117	14.3	( 10.5 - 18.1)	556	7.1	( 5.2 - 9.0)	557
18 or older	13.9	( 8.8 - 19.0)	280	22.1	( 15.7 - 28.5)	173	2.4	( 0.0 - 5.6)	106
<b>Grade</b>									
9th	12.0	( 8.4 - 15.7)	632	11.8	( 8.3 - 15.4)	315	12.2	( 6.6 - 17.9)	312
10th	10.2	( 6.8 - 13.6)	590	13.8	( 8.2 - 19.5)	271	6.4	( 3.5 - 9.3)	319
11th	10.1	( 7.9 - 12.2)	542	14.6	( 10.8 - 18.5)	272	5.4	( 2.8 - 8.0)	269
12th	12.4	( 7.4 - 17.5)	438	19.4	( 11.7 - 27.1)	241	4.7	( 2.3 - 7.2)	195
<b>Race/Ethnicity</b>									
Black	18.0	( 12.8 - 23.1)	273	19.5	( 12.3 - 26.8)	139	16.6	( 8.6 - 24.6)	131
Hispanic/ Latino	15.1	( 12.4 - 17.7)	424	20.3	( 15.2 - 25.5)	185	10.9	( 7.0 - 14.7)	237
White	9.1	( 6.5 - 11.7)	1,262	12.9	( 9.5 - 16.3)	642	4.9	( 3.0 - 6.7)	618
All other races	23.3	( 13.1 - 33.4)	136	-	-	78	-	-	56
Multiple races	10.9	( 6.3 - 15.5)	125	-	-	66	-	-	57

Note: There were 24 students who did not provide usable data for QN9.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN10: Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	29.7	( 27.4 - 32.1 )	2,228	27.5	( 24.2 - 30.9 )	1,112	31.9	( 29.0 - 34.9 )	1,102
<b>Age</b>									
15 or younger	25.0	( 21.8 - 28.1 )	829	20.0	( 17.1 - 23.0 )	386	29.5	( 24.6 - 34.4 )	440
16 or 17	31.9	( 28.1 - 35.6 )	1,113	30.8	( 25.6 - 36.0 )	552	33.0	( 29.0 - 37.0 )	557
18 or older	34.1	( 29.1 - 39.1 )	279	33.5	( 28.3 - 38.8 )	173	35.3	( 26.2 - 44.3 )	105
<b>Grade</b>									
9th	25.1	( 21.7 - 28.4 )	631	21.4	( 18.2 - 24.5 )	314	28.8	( 22.7 - 35.0 )	312
10th	26.0	( 22.6 - 29.4 )	588	21.3	( 16.3 - 26.3 )	268	30.7	( 25.1 - 36.2 )	320
11th	33.2	( 29.2 - 37.3 )	541	32.8	( 27.5 - 38.0 )	272	33.8	( 29.0 - 38.5 )	268
12th	35.5	( 29.8 - 41.2 )	440	35.9	( 28.9 - 42.8 )	242	34.9	( 28.3 - 41.5 )	195
<b>Race/Ethnicity</b>									
Black	27.1	( 21.2 - 33.1 )	271	28.3	( 22.1 - 34.6 )	138	26.3	( 15.8 - 36.7 )	131
Hispanic/ Latino	32.9	( 28.5 - 37.2 )	416	26.9	( 20.9 - 32.8 )	179	37.3	( 31.5 - 43.1 )	235
White	29.6	( 27.0 - 32.2 )	1,264	27.3	( 23.2 - 31.4 )	643	32.0	( 28.5 - 35.5 )	619
All other races	34.4	( 23.9 - 44.9 )	139	-	-	80	-	-	57
Multiple races	30.2	( 20.7 - 39.8 )	126	-	-	67	-	-	57

Note: There were 28 students who did not provide usable data for QN10.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	11.0	( 9.1 - 12.8 )	2,209	13.5	( 10.5 - 16.4 )	1,097	8.2	( 6.6 - 9.8 )	1,098
<b>Age</b>									
15 or younger	5.8	( 4.1 - 7.6 )	824	7.2	( 4.4 - 9.9 )	383	4.3	( 1.6 - 6.9 )	438
16 or 17	12.1	( 9.4 - 14.9 )	1,103	14.5	( 10.2 - 18.7 )	543	9.7	( 7.4 - 11.9 )	556
18 or older	20.4	( 14.8 - 26.0 )	275	24.3	( 17.8 - 30.8 )	170	15.0	( 8.2 - 21.8 )	104
<b>Grade</b>									
9th	6.3	( 4.3 - 8.3 )	627	7.2	( 4.2 - 10.2 )	313	5.3	( 2.0 - 8.6 )	309
10th	6.0	( 3.7 - 8.3 )	587	6.6	( 3.3 - 9.9 )	267	5.4	( 3.0 - 7.8 )	320
11th	12.2	( 9.1 - 15.4 )	536	15.4	( 10.2 - 20.5 )	267	9.0	( 6.3 - 11.8 )	268
12th	20.9	( 15.9 - 25.9 )	431	26.8	( 19.3 - 34.3 )	235	14.1	( 10.7 - 17.5 )	194
<b>Race/Ethnicity</b>									
Black	6.1	( 2.4 - 9.8 )	270	5.1	( 0.4 - 9.8 )	136	6.7	( 2.3 - 11.1 )	131
Hispanic/ Latino	6.6	( 4.1 - 9.1 )	412	8.3	( 4.6 - 12.0 )	178	5.2	( 1.2 - 9.3 )	232
White	12.7	( 10.4 - 15.0 )	1,258	15.7	( 12.0 - 19.4 )	637	9.2	( 7.0 - 11.4 )	619
All other races	21.2	( 9.5 - 32.8 )	134	-	-	76	-	-	57
Multiple races	9.0	( 4.7 - 13.3 )	125	-	-	67	-	-	56

Note: There were 47 students who did not provide usable data for QN11.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	16.3	( 13.8 - 18.9 )	2,207	25.2	( 21.9 - 28.4 )	1,095	6.8	( 4.8 - 8.9 )	1,098
<b>Age</b>									
15 or younger	15.9	( 12.0 - 19.8 )	820	26.0	( 21.1 - 30.9 )	382	6.2	( 3.0 - 9.3 )	436
16 or 17	15.3	( 12.5 - 18.0 )	1,107	23.5	( 19.0 - 28.0 )	546	6.7	( 4.2 - 9.2 )	556
18 or older	20.7	( 15.8 - 25.6 )	273	29.0	( 23.6 - 34.4 )	166	9.7	( 4.5 - 14.8 )	106
<b>Grade</b>									
9th	17.1	( 13.1 - 21.0 )	628	26.5	( 21.8 - 31.3 )	314	6.7	( 3.1 - 10.3 )	309
10th	15.5	( 12.1 - 18.8 )	586	25.0	( 19.2 - 30.8 )	268	5.8	( 2.8 - 8.8 )	318
11th	15.8	( 13.4 - 18.2 )	537	23.3	( 18.4 - 28.3 )	268	8.0	( 4.7 - 11.4 )	268
12th	15.3	( 9.7 - 21.0 )	429	23.9	( 17.1 - 30.6 )	231	6.3	( 2.3 - 10.3 )	196
<b>Race/Ethnicity</b>									
Black	23.3	( 16.7 - 29.8 )	264	31.6	( 24.9 - 38.4 )	132	14.3	( 7.2 - 21.4 )	129
Hispanic/ Latino	17.7	( 13.7 - 21.6 )	419	29.3	( 22.0 - 36.7 )	182	7.6	( 5.0 - 10.2 )	235
White	14.3	( 11.4 - 17.2 )	1,251	22.9	( 18.7 - 27.0 )	634	5.1	( 2.9 - 7.3 )	616
All other races	26.6	( 11.9 - 41.3 )	137	-	-	78	-	-	57
Multiple races	23.4	( 16.3 - 30.5 )	125	-	-	65	-	-	58

Note: There were 49 students who did not provide usable data for QN12.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	6.4	( 4.7 - 8.0)	2,202	9.5	( 7.1 - 11.9)	1,095	3.0	( 1.9 - 4.0)	1,093
<b>Age</b>									
15 or younger	6.5	( 4.3 - 8.6)	819	10.1	( 6.7 - 13.5)	383	3.0	( 1.7 - 4.3)	434
16 or 17	5.4	( 3.6 - 7.2)	1,104	7.9	( 5.1 - 10.7)	545	2.7	( 0.9 - 4.4)	554
18 or older	9.4	( 5.4 - 13.3)	272	13.3	( 7.4 - 19.1)	166	4.1	( 0.6 - 7.6)	105
<b>Grade</b>									
9th	6.8	( 4.5 - 9.0)	628	10.8	( 7.1 - 14.6)	316	2.5	( 1.4 - 3.6)	307
10th	5.8	( 3.5 - 8.1)	585	8.0	( 4.5 - 11.5)	266	3.6	( 1.4 - 5.8)	319
11th	4.9	( 2.8 - 6.9)	533	7.5	( 3.8 - 11.3)	267	2.1	( 0.1 - 4.1)	265
12th	7.3	( 3.6 - 11.0)	429	10.7	( 5.3 - 16.0)	232	3.4	( 0.5 - 6.3)	195
<b>Race/Ethnicity</b>									
Black	11.3	( 6.0 - 16.6)	263	16.4	( 8.7 - 24.0)	132	5.4	( 1.3 - 9.6)	128
Hispanic/ Latino	8.0	( 5.2 - 10.7)	416	12.6	( 7.9 - 17.2)	181	4.2	( 1.7 - 6.7)	233
White	4.9	( 3.4 - 6.5)	1,252	7.3	( 4.8 - 9.8)	636	2.3	( 1.3 - 3.4)	615
All other races	11.4	( 0.0 - 22.8)	135	-	-	77	-	-	56
Multiple races	8.4	( 3.4 - 13.5)	125	-	-	65	-	-	58

Note: There were 54 students who did not provide usable data for QN14.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.4	( 5.6 - 9.1)	2,246	8.5	( 6.1 - 10.9)	1,124	5.9	( 3.8 - 7.9)	1,107
<b>Age</b>									
15 or younger	6.8	( 4.6 - 9.0)	836	6.3	( 3.4 - 9.2)	390	6.7	( 3.6 - 9.8)	442
16 or 17	6.5	( 4.7 - 8.2)	1,123	7.6	( 5.3 - 9.9)	560	5.3	( 2.8 - 7.7)	559
18 or older	11.9	( 6.4 - 17.5)	280	16.3	( 9.4 - 23.2)	173	5.8	( 0.0 - 11.9)	106
<b>Grade</b>									
9th	6.3	( 4.2 - 8.4)	638	5.6	( 2.6 - 8.6)	319	6.6	( 2.7 - 10.5)	314
10th	7.4	( 4.6 - 10.2)	594	7.5	( 3.3 - 11.7)	274	7.3	( 4.0 - 10.6)	320
11th	7.1	( 3.9 - 10.3)	544	9.1	( 5.1 - 13.2)	273	5.0	( 1.9 - 8.1)	270
12th	8.5	( 4.6 - 12.3)	441	11.8	( 6.5 - 17.1)	242	3.9	( 0.3 - 7.5)	196
<b>Race/Ethnicity</b>									
Black	10.6	( 5.8 - 15.5)	274	11.7	( 3.5 - 19.9)	140	9.6	( 1.9 - 17.4)	132
Hispanic/ Latino	10.0	( 7.6 - 12.4)	425	10.7	( 7.1 - 14.4)	185	8.8	( 5.6 - 12.0)	238
White	6.0	( 4.3 - 7.8)	1,269	7.2	( 4.8 - 9.7)	647	4.4	( 2.3 - 6.5)	620
All other races	21.4	( 9.5 - 33.3)	139	-	-	80	-	-	56
Multiple races	4.2	( 0.8 - 7.6)	127	-	-	67	-	-	58

Note: There were 10 students who did not provide usable data for QN15.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	9.1	( 7.3 - 10.9 )	2,248	12.2	( 9.6 - 14.7 )	1,123	5.6	( 4.1 - 7.1 )	1,109
<b>Age</b>									
15 or younger	9.3	( 6.7 - 11.9 )	839	11.2	( 8.0 - 14.3 )	392	7.2	( 4.4 - 9.9 )	443
16 or 17	8.2	( 6.1 - 10.3 )	1,122	11.2	( 7.8 - 14.6 )	557	5.0	( 3.1 - 6.9 )	560
18 or older	11.5	( 7.0 - 16.1 )	280	17.6	( 10.6 - 24.6 )	173	3.0	( 0.0 - 6.0 )	106
<b>Grade</b>									
9th	8.2	( 5.9 - 10.5 )	639	9.2	( 6.4 - 12.1 )	319	7.1	( 3.5 - 10.8 )	315
10th	9.9	( 6.7 - 13.1 )	592	13.5	( 9.2 - 17.7 )	272	6.3	( 2.4 - 10.2 )	320
11th	7.6	( 5.4 - 9.9 )	545	10.1	( 6.5 - 13.6 )	273	5.1	( 2.3 - 8.0 )	271
12th	9.6	( 6.1 - 13.2 )	442	15.3	( 10.2 - 20.5 )	243	2.6	( 0.2 - 5.0 )	196
<b>Race/Ethnicity</b>									
Black	12.5	( 7.9 - 17.1 )	272	14.2	( 8.4 - 20.1 )	138	10.3	( 6.0 - 14.6 )	131
Hispanic/ Latino	8.6	( 5.6 - 11.7 )	425	12.9	( 7.1 - 18.6 )	185	5.2	( 2.7 - 7.8 )	238
White	8.1	( 6.1 - 10.1 )	1,272	11.1	( 8.1 - 14.0 )	648	4.6	( 2.7 - 6.6 )	622
All other races	23.9	( 9.6 - 38.2 )	140	-	-	80	-	-	57
Multiple races	11.9	( 7.1 - 16.7 )	127	-	-	67	-	-	58

Note: There were 8 students who did not provide usable data for QN16.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN17: Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	30.8	( 28.6 - 33.1 )	2,228	32.9	( 30.0 - 35.9 )	1,117	28.5	( 25.3 - 31.7 )	1,096
<b>Age</b>									
15 or younger	31.5	( 28.6 - 34.3 )	827	33.6	( 30.0 - 37.2 )	388	29.2	( 23.7 - 34.8 )	436
16 or 17	30.4	( 27.0 - 33.8 )	1,113	32.3	( 28.3 - 36.3 )	554	28.4	( 23.2 - 33.6 )	554
18 or older	30.6	( 24.8 - 36.3 )	281	33.7	( 27.4 - 39.9 )	174	26.4	( 17.8 - 35.1 )	106
<b>Grade</b>									
9th	31.6	( 28.2 - 35.1 )	630	33.0	( 27.7 - 38.2 )	317	30.3	( 24.9 - 35.8 )	308
10th	29.0	( 24.6 - 33.4 )	590	31.6	( 25.8 - 37.4 )	272	26.4	( 20.5 - 32.4 )	318
11th	33.9	( 29.3 - 38.6 )	539	34.8	( 27.5 - 42.0 )	270	33.1	( 25.4 - 40.7 )	268
12th	28.5	( 23.6 - 33.4 )	440	33.0	( 27.0 - 39.1 )	242	23.0	( 17.5 - 28.6 )	195
<b>Race/Ethnicity</b>									
Black	33.7	( 27.4 - 40.0 )	268	36.3	( 25.8 - 46.8 )	137	30.9	( 23.1 - 38.6 )	128
Hispanic/ Latino	28.0	( 23.3 - 32.7 )	418	28.9	( 22.2 - 35.5 )	181	27.5	( 20.4 - 34.7 )	235
White	30.9	( 28.4 - 33.3 )	1,266	33.1	( 29.9 - 36.2 )	647	28.3	( 24.5 - 32.1 )	617
All other races	35.2	( 26.8 - 43.6 )	139	-	-	80	-	-	57
Multiple races	31.1	( 22.3 - 39.9 )	125	-	-	67	-	-	56

Note: There were 28 students who did not provide usable data for QN17.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	32.7	( 29.9 - 35.5 )	2,185	38.5	( 34.4 - 42.6 )	1,083	26.6	( 23.3 - 29.9 )	1,088
<b>Age</b>									
15 or younger	36.0	( 31.7 - 40.4 )	813	42.8	( 36.4 - 49.2 )	379	29.5	( 23.0 - 36.0 )	431
16 or 17	30.8	( 26.9 - 34.7 )	1,100	35.4	( 30.0 - 40.8 )	539	26.2	( 21.9 - 30.4 )	556
18 or older	30.5	( 25.4 - 35.6 )	266	38.9	( 31.1 - 46.6 )	164	19.1	( 11.0 - 27.2 )	101
<b>Grade</b>									
9th	38.6	( 33.6 - 43.6 )	620	44.4	( 37.1 - 51.7 )	308	32.5	( 25.5 - 39.4 )	307
10th	31.0	( 25.8 - 36.2 )	580	38.2	( 31.1 - 45.2 )	267	23.7	( 17.6 - 29.7 )	313
11th	31.8	( 26.8 - 36.8 )	534	33.8	( 26.3 - 41.3 )	264	29.9	( 23.0 - 36.7 )	269
12th	27.5	( 22.8 - 32.2 )	424	35.6	( 26.4 - 44.7 )	230	18.9	( 13.2 - 24.6 )	192
<b>Race/Ethnicity</b>									
Black	35.5	( 28.7 - 42.2 )	265	42.8	( 34.0 - 51.5 )	133	27.9	( 18.6 - 37.2 )	129
Hispanic/ Latino	36.7	( 32.3 - 41.0 )	411	40.4	( 32.2 - 48.5 )	179	33.3	( 27.6 - 39.0 )	230
White	31.0	( 27.4 - 34.7 )	1,242	36.9	( 31.8 - 42.1 )	627	24.7	( 20.7 - 28.8 )	614
All other races	36.1	( 24.7 - 47.4 )	133	-	-	74	-	-	56
Multiple races	38.7	( 31.8 - 45.5 )	123	-	-	65	-	-	56

Note: There were 71 students who did not provide usable data for QN18.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN19: Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.8	( 2.8 - 4.8 )	2,185	5.7	( 3.8 - 7.5 )	1,088	1.7	( 1.0 - 2.4 )	1,084
<b>Age</b>									
15 or younger	3.7	( 2.1 - 5.4 )	818	5.9	( 2.5 - 9.3 )	383	1.4	( 0.6 - 2.1 )	432
16 or 17	3.2	( 2.2 - 4.3 )	1,092	4.2	( 2.5 - 5.9 )	539	2.3	( 1.0 - 3.6 )	549
18 or older	5.8	( 2.8 - 8.9 )	269	10.0	( 5.1 - 14.8 )	165	0.1	( 0.0 - 0.4 )	103
<b>Grade</b>									
9th	3.6	( 2.0 - 5.1 )	625	5.4	( 2.5 - 8.3 )	312	1.2	( 0.1 - 2.3 )	308
10th	4.2	( 2.1 - 6.4 )	580	6.2	( 3.3 - 9.1 )	267	2.3	( 0.3 - 4.3 )	313
11th	3.5	( 2.2 - 4.9 )	529	4.6	( 2.4 - 6.7 )	262	2.5	( 0.6 - 4.4 )	266
12th	3.4	( 1.4 - 5.5 )	426	5.9	( 2.0 - 9.7 )	232	0.5	( 0.0 - 1.4 )	191
<b>Race/Ethnicity</b>									
Black	4.1	( 1.0 - 7.2 )	263	6.0	( 1.7 - 10.3 )	133	2.1	( 0.0 - 5.2 )	128
Hispanic/ Latino	6.9	( 4.4 - 9.5 )	412	11.1	( 6.2 - 15.9 )	182	2.9	( 0.4 - 5.5 )	228
White	2.9	( 2.0 - 3.8 )	1,241	4.3	( 2.7 - 5.9 )	626	1.3	( 0.6 - 2.0 )	613
All other races	14.5	( 2.2 - 26.7 )	134	-	-	76	-	-	56
Multiple races	1.9	( 0.0 - 4.2 )	124	-	-	66	-	-	56

Note: There were 71 students who did not provide usable data for QN19.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	10.5	( 9.1 - 11.9 )	2,208	13.7	( 11.8 - 15.7 )	1,096	7.0	( 5.5 - 8.4 )	1,097
<b>Age</b>									
15 or younger	12.5	( 10.6 - 14.3 )	824	17.8	( 14.4 - 21.2 )	382	7.4	( 4.9 - 9.8 )	439
16 or 17	8.6	( 6.6 - 10.5 )	1,104	10.0	( 7.3 - 12.7 )	545	6.9	( 4.8 - 9.0 )	554
18 or older	12.0	( 7.0 - 17.1 )	273	16.6	( 9.6 - 23.6 )	168	5.8	( 1.6 - 10.1 )	104
<b>Grade</b>									
9th	13.0	( 10.9 - 15.0 )	631	17.8	( 14.1 - 21.5 )	313	8.0	( 5.6 - 10.4 )	313
10th	9.6	( 6.6 - 12.6 )	582	12.6	( 8.5 - 16.6 )	268	6.6	( 3.9 - 9.4 )	314
11th	9.3	( 7.1 - 11.5 )	535	10.9	( 7.0 - 14.9 )	266	7.7	( 4.8 - 10.7 )	268
12th	8.4	( 5.3 - 11.4 )	431	11.5	( 7.6 - 15.5 )	234	4.6	( 2.2 - 7.0 )	195
<b>Race/Ethnicity</b>									
Black	15.0	( 9.5 - 20.5 )	267	20.2	( 12.8 - 27.6 )	133	9.2	( 2.7 - 15.7 )	131
Hispanic/ Latino	15.4	( 12.7 - 18.1 )	414	18.2	( 13.8 - 22.6 )	181	13.2	( 9.5 - 16.9 )	231
White	8.4	( 6.8 - 10.0 )	1,255	11.3	( 9.1 - 13.6 )	636	5.1	( 3.4 - 6.8 )	618
All other races	19.9	( 6.5 - 33.3 )	136	-	-	76	-	-	57
Multiple races	15.7	( 9.5 - 22.0 )	124	-	-	65	-	-	57

Note: There were 48 students who did not provide usable data for QN20.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN21: Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	16.0	( 14.3 - 17.7 )	2,207	17.8	( 15.4 - 20.3 )	1,094	14.1	( 12.0 - 16.2 )	1,101
<b>Age</b>									
15 or younger	13.7	( 11.0 - 16.4 )	824	14.6	( 10.7 - 18.5 )	382	12.9	( 9.6 - 16.2 )	440
16 or 17	16.0	( 13.5 - 18.6 )	1,102	18.4	( 15.4 - 21.4 )	542	13.7	( 10.5 - 16.9 )	556
18 or older	21.7	( 17.1 - 26.4 )	275	23.0	( 15.3 - 30.8 )	169	20.0	( 11.2 - 28.9 )	105
<b>Grade</b>									
9th	12.9	( 10.5 - 15.3 )	630	13.6	( 9.9 - 17.2 )	312	12.2	( 9.2 - 15.2 )	313
10th	15.0	( 11.5 - 18.5 )	585	15.0	( 10.5 - 19.5 )	268	15.0	( 10.8 - 19.3 )	317
11th	16.7	( 13.8 - 19.6 )	536	20.5	( 14.8 - 26.3 )	266	12.8	( 9.1 - 16.6 )	269
12th	20.1	( 16.9 - 23.3 )	430	23.4	( 17.3 - 29.5 )	233	16.4	( 9.9 - 22.8 )	195
<b>Race/Ethnicity</b>									
Black	17.1	( 12.2 - 22.0 )	269	20.6	( 13.3 - 27.9 )	135	13.7	( 8.9 - 18.4 )	132
Hispanic/ Latino	17.6	( 13.2 - 21.9 )	414	20.4	( 12.2 - 28.6 )	178	15.4	( 10.3 - 20.4 )	234
White	15.1	( 13.1 - 17.1 )	1,256	16.5	( 13.9 - 19.0 )	636	13.6	( 10.5 - 16.6 )	619
All other races	29.7	( 16.2 - 43.1 )	134	-	-	77	-	-	55
Multiple races	20.9	( 13.7 - 28.1 )	123	-	-	63	-	-	58

Note: There were 49 students who did not provide usable data for QN21.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	24.8	( 23.0 - 26.6 )	2,207	18.3	( 16.1 - 20.5 )	1,098	31.4	( 28.4 - 34.3 )	1,097
<b>Age</b>									
15 or younger	25.1	( 21.7 - 28.5 )	823	17.3	( 13.0 - 21.6 )	382	32.2	( 27.6 - 36.9 )	440
16 or 17	24.1	( 21.3 - 26.8 )	1,104	17.7	( 15.2 - 20.2 )	547	30.6	( 25.6 - 35.7 )	553
18 or older	26.7	( 22.8 - 30.5 )	273	22.6	( 16.9 - 28.2 )	168	31.8	( 24.2 - 39.5 )	104
<b>Grade</b>									
9th	25.0	( 20.7 - 29.3 )	630	17.6	( 13.5 - 21.7 )	313	32.8	( 26.9 - 38.6 )	313
10th	25.5	( 21.2 - 29.8 )	583	17.6	( 13.0 - 22.3 )	266	33.4	( 27.9 - 38.8 )	317
11th	24.6	( 20.1 - 29.1 )	536	18.4	( 12.9 - 24.0 )	268	30.9	( 22.1 - 39.7 )	267
12th	23.8	( 20.6 - 27.1 )	431	19.5	( 14.7 - 24.3 )	236	27.9	( 21.9 - 33.8 )	193
<b>Race/Ethnicity</b>									
Black	30.5	( 25.3 - 35.7 )	268	26.9	( 22.2 - 31.7 )	136	34.0	( 25.8 - 42.2 )	130
Hispanic/ Latino	32.2	( 27.0 - 37.5 )	415	26.6	( 20.5 - 32.6 )	179	36.8	( 28.7 - 44.8 )	235
White	22.1	( 20.2 - 24.0 )	1,251	14.6	( 12.7 - 16.5 )	634	29.8	( 26.2 - 33.4 )	616
All other races	34.3	( 25.5 - 43.0 )	135	-	-	78	-	-	55
Multiple races	24.9	( 18.2 - 31.6 )	126	-	-	66	-	-	58

Note: There were 49 students who did not provide usable data for QN23.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	15.1	( 13.1 - 17.2 )	2,204	12.3	( 10.0 - 14.5 )	1,093	18.0	( 14.4 - 21.6 )	1,100
<b>Age</b>									
15 or younger	15.7	( 12.6 - 18.8 )	824	11.8	( 7.8 - 15.8 )	383	19.3	( 15.0 - 23.6 )	440
16 or 17	14.0	( 10.7 - 17.4 )	1,101	10.9	( 8.5 - 13.2 )	544	17.2	( 11.7 - 22.7 )	554
18 or older	17.6	( 13.1 - 22.0 )	272	17.9	( 10.7 - 25.2 )	165	17.2	( 10.3 - 24.1 )	106
<b>Grade</b>									
9th	15.4	( 12.0 - 18.8 )	632	12.1	( 7.9 - 16.4 )	315	18.9	( 14.1 - 23.7 )	313
10th	13.1	( 9.9 - 16.3 )	583	9.1	( 5.3 - 12.8 )	265	17.1	( 12.3 - 21.8 )	318
11th	16.0	( 11.2 - 20.7 )	535	9.9	( 5.8 - 14.0 )	267	22.2	( 13.8 - 30.5 )	267
12th	16.0	( 11.8 - 20.3 )	427	18.2	( 11.5 - 24.9 )	231	13.5	( 7.4 - 19.6 )	195
<b>Race/Ethnicity</b>									
Black	16.4	( 12.3 - 20.4 )	266	16.2	( 10.8 - 21.6 )	133	16.8	( 10.4 - 23.1 )	131
Hispanic/ Latino	16.3	( 11.6 - 21.1 )	417	15.6	( 10.4 - 20.8 )	180	17.0	( 10.8 - 23.2 )	236
White	14.3	( 12.3 - 16.4 )	1,250	10.4	( 7.7 - 13.2 )	631	18.3	( 14.1 - 22.4 )	618
All other races	23.4	( 14.5 - 32.2 )	133	-	-	78	-	-	54
Multiple races	21.8	( 13.2 - 30.5 )	126	-	-	66	-	-	58

Note: There were 52 students who did not provide usable data for QN24.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.8	( 11.6 - 16.0)	2,197	11.6	( 9.2 - 14.0)	1,090	15.9	( 12.8 - 18.9)	1,096
<b>Age</b>									
15 or younger	13.1	( 10.4 - 15.8)	822	10.0	( 6.5 - 13.5)	384	15.9	( 11.3 - 20.6)	437
16 or 17	13.5	( 10.3 - 16.7)	1,097	10.4	( 7.4 - 13.5)	541	16.5	( 12.5 - 20.6)	553
18 or older	16.1	( 12.1 - 20.1)	271	18.8	( 13.1 - 24.5)	164	12.6	( 7.7 - 17.5)	106
<b>Grade</b>									
9th	12.9	( 9.0 - 16.8)	630	8.5	( 4.5 - 12.4)	316	17.5	( 11.7 - 23.4)	310
10th	13.6	( 9.8 - 17.3)	580	11.5	( 7.2 - 15.8)	262	15.6	( 9.9 - 21.3)	318
11th	14.6	( 10.8 - 18.5)	532	10.4	( 6.6 - 14.2)	266	19.0	( 12.5 - 25.4)	265
12th	13.5	( 10.3 - 16.6)	428	15.8	( 11.4 - 20.1)	231	10.7	( 7.2 - 14.3)	196
<b>Race/Ethnicity</b>									
Black	14.5	( 10.8 - 18.3)	264	13.9	( 9.2 - 18.6)	132	15.4	( 9.0 - 21.9)	130
Hispanic/ Latino	14.5	( 9.6 - 19.5)	413	13.8	( 9.1 - 18.5)	179	15.1	( 8.6 - 21.6)	233
White	13.1	( 10.9 - 15.3)	1,249	10.2	( 7.6 - 12.8)	630	16.0	( 12.3 - 19.7)	618
All other races	22.8	( 11.0 - 34.7)	133	-	-	77	-	-	55
Multiple races	17.3	( 8.3 - 26.3)	126	-	-	67	-	-	57

Note: There were 59 students who did not provide usable data for QN25.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	12.1	( 10.0 - 14.1)	2,228	12.0	( 9.3 - 14.7)	1,115	11.8	( 9.3 - 14.4)	1,099
<b>Age</b>									
15 or younger	13.4	( 10.6 - 16.2)	831	12.6	( 9.2 - 15.9)	388	13.9	( 10.3 - 17.5)	440
16 or 17	10.4	( 8.2 - 12.6)	1,114	10.5	( 7.8 - 13.2)	555	10.2	( 7.1 - 13.4)	555
18 or older	13.9	( 9.7 - 18.1)	276	15.4	( 8.6 - 22.3)	171	11.8	( 5.6 - 18.1)	104
<b>Grade</b>									
9th	13.3	( 10.3 - 16.4)	635	12.8	( 8.9 - 16.6)	318	13.6	( 9.7 - 17.4)	312
10th	10.7	( 6.9 - 14.5)	592	10.5	( 5.8 - 15.2)	273	10.9	( 6.2 - 15.5)	319
11th	10.6	( 7.9 - 13.3)	540	8.0	( 4.4 - 11.7)	268	13.2	( 9.5 - 17.0)	271
12th	12.8	( 8.7 - 16.9)	434	16.0	( 9.0 - 23.0)	241	9.0	( 5.2 - 12.8)	190
<b>Race/Ethnicity</b>									
Black	11.5	( 8.4 - 14.7)	273	13.0	( 8.2 - 17.8)	140	10.1	( 5.6 - 14.6)	131
Hispanic/ Latino	14.8	( 10.8 - 18.8)	420	14.2	( 10.5 - 17.8)	181	14.8	( 9.1 - 20.4)	237
White	11.5	( 9.3 - 13.7)	1,259	11.2	( 7.9 - 14.6)	642	11.6	( 8.6 - 14.5)	615
All other races	18.7	( 9.6 - 27.8)	138	-	-	80	-	-	56
Multiple races	13.4	( 7.3 - 19.5)	126	-	-	67	-	-	57

Note: There were 28 students who did not provide usable data for QN26.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	13.2	( 11.3 - 15.0)	2,197	15.6	( 13.1 - 18.1)	1,094	10.3	( 8.2 - 12.3)	1,090
<b>Age</b>									
15 or younger	11.3	( 8.4 - 14.2)	812	13.7	( 9.2 - 18.3)	378	8.4	( 5.8 - 11.0)	431
16 or 17	14.2	( 11.9 - 16.6)	1,103	16.8	( 13.3 - 20.3)	545	11.7	( 8.6 - 14.8)	554
18 or older	13.4	( 8.8 - 17.9)	276	15.7	( 9.0 - 22.4)	170	10.2	( 3.8 - 16.6)	105
<b>Grade</b>									
9th	12.3	( 8.6 - 16.1)	624	13.9	( 9.1 - 18.6)	311	10.5	( 6.6 - 14.3)	309
10th	11.1	( 8.2 - 14.0)	575	14.9	( 10.8 - 19.0)	263	7.3	( 3.5 - 11.2)	312
11th	14.6	( 11.6 - 17.7)	535	15.7	( 11.8 - 19.6)	266	13.6	( 9.7 - 17.4)	268
12th	14.1	( 9.9 - 18.2)	436	17.8	( 12.3 - 23.3)	239	9.3	( 4.1 - 14.5)	194
<b>Race/Ethnicity</b>									
Black	14.3	( 10.4 - 18.3)	266	18.5	( 11.9 - 25.2)	135	10.0	( 4.2 - 15.9)	129
Hispanic/ Latino	17.8	( 12.7 - 23.0)	408	19.6	( 13.2 - 26.1)	175	15.9	( 8.5 - 23.3)	231
White	11.9	( 9.4 - 14.4)	1,257	14.3	( 11.0 - 17.6)	640	9.1	( 6.6 - 11.5)	615
All other races	21.0	( 10.0 - 31.9)	135	-	-	77	-	-	56
Multiple races	12.7	( 5.6 - 19.7)	121	-	-	63	-	-	56

Note: There were 59 students who did not provide usable data for QN29.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	18.1	( 15.6 - 20.5 )	2,117	17.8	( 14.7 - 20.8 )	1,044	18.2	( 15.4 - 21.0 )	1,063
<b>Age</b>									
15 or younger	13.2	( 10.3 - 16.2 )	793	12.2	( 8.1 - 16.4 )	366	14.1	( 10.8 - 17.4 )	426
16 or 17	19.5	( 16.4 - 22.6 )	1,061	18.2	( 15.0 - 21.5 )	518	20.8	( 16.5 - 25.2 )	540
18 or older	25.4	( 19.8 - 31.1 )	257	28.7	( 20.3 - 37.2 )	159	-	-	97
<b>Grade</b>									
9th	12.3	( 9.5 - 15.1 )	601	11.8	( 7.2 - 16.4 )	299	12.9	( 9.2 - 16.6 )	299
10th	16.1	( 11.9 - 20.3 )	569	16.2	( 11.3 - 21.2 )	256	16.0	( 10.1 - 21.8 )	313
11th	21.6	( 15.8 - 27.4 )	518	22.2	( 14.8 - 29.5 )	255	21.1	( 14.6 - 27.6 )	262
12th	23.4	( 18.4 - 28.4 )	404	22.1	( 14.9 - 29.4 )	221	24.4	( 18.3 - 30.4 )	182
<b>Race/Ethnicity</b>									
Black	11.2	( 6.4 - 16.0 )	250	12.0	( 4.9 - 19.1 )	126	10.5	( 4.0 - 17.1 )	122
Hispanic/ Latino	15.0	( 10.9 - 19.2 )	391	15.1	( 9.1 - 21.1 )	164	15.0	( 8.9 - 21.1 )	226
White	19.9	( 17.2 - 22.7 )	1,221	19.3	( 15.8 - 22.8 )	615	20.4	( 17.0 - 23.9 )	605
All other races	20.7	( 8.0 - 33.5 )	124	-	-	70	-	-	53
Multiple races	16.6	( 9.9 - 23.3 )	121	-	-	65	-	-	54

Note: There were 139 students who did not provide usable data for QN30.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QNFRSIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.5	( 5.9 - 9.2)	2,117	8.6	( 6.6 - 10.6)	1,044	6.3	( 4.4 - 8.1)	1,063
<b>Age</b>									
15 or younger	4.4	( 2.3 - 6.6)	793	5.1	( 2.4 - 7.8)	366	3.8	( 1.3 - 6.2)	426
16 or 17	8.3	( 6.4 - 10.2)	1,061	8.9	( 6.7 - 11.2)	518	7.6	( 5.0 - 10.2)	540
18 or older	12.7	( 7.8 - 17.5)	257	15.3	( 8.6 - 22.1)	159	-	-	97
<b>Grade</b>									
9th	3.2	( 1.7 - 4.7)	601	4.4	( 2.1 - 6.7)	299	1.9	( 0.0 - 4.1)	299
10th	6.4	( 3.9 - 8.8)	569	7.4	( 3.7 - 11.1)	256	5.3	( 2.4 - 8.3)	313
11th	11.2	( 6.8 - 15.6)	518	14.5	( 8.9 - 20.0)	255	8.0	( 3.7 - 12.2)	262
12th	9.9	( 6.9 - 13.0)	404	8.9	( 4.5 - 13.4)	221	10.5	( 5.9 - 15.1)	182
<b>Race/Ethnicity</b>									
Black	3.8	( 1.3 - 6.4)	250	4.1	( 0.0 - 8.1)	126	3.7	( 0.5 - 6.9)	122
Hispanic/ Latino	3.8	( 2.2 - 5.4)	391	7.7	( 3.9 - 11.4)	164	0.9	( 0.0 - 2.0)	226
White	8.9	( 7.0 - 10.8)	1,221	9.7	( 7.5 - 12.0)	615	7.9	( 5.5 - 10.3)	605
All other races	11.0	( 2.3 - 19.7)	124	-	-	70	-	-	53
Multiple races	4.8	( 0.9 - 8.7)	121	-	-	65	-	-	54

Note: There were 139 students who did not provide usable data for QNFRSIG.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN31: Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.0	( 6.3 - 15.6)	365	16.6	( 9.4 - 23.8)	177	4.6	( 1.5 - 7.7)	185
<b>Age</b>									
15 or younger	9.5	( 3.9 - 15.1)	100	-	-	44	-	-	55
16 or 17	9.1	( 3.6 - 14.5)	201	-	-	91	5.6	( 1.4 - 9.9)	110
18 or older	-	-	62	-	-	42	-	-	20
<b>Grade</b>									
9th	-	-	75	-	-	39	-	-	36
10th	-	-	85	-	-	38	-	-	47
11th	9.9	( 3.9 - 16.0)	106	-	-	51	-	-	55
12th	-	-	94	-	-	48	-	-	45
<b>Race/Ethnicity</b>									
Black	-	-	27	-	-	13	-	-	14
Hispanic/ Latino	-	-	58	-	-	26	-	-	32
White	10.5	( 5.8 - 15.3)	242	16.3	( 9.0 - 23.6)	117	4.2	( 0.8 - 7.5)	124
All other races	-	-	17	-	-	8	-	-	8
Multiple races	-	-	20	-	-	13	-	-	7

Note: There were 1891 students who were excluded from this analysis or who did not provide usable data for QN31.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN33: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.7	( 6.3 - 9.1)	2,183	8.5	( 6.5 - 10.5)	1,077	6.7	( 5.3 - 8.1)	1,094
<b>Age</b>									
15 or younger	5.8	( 3.9 - 7.7)	815	5.9	( 3.4 - 8.3)	379	5.7	( 3.5 - 8.0)	434
16 or 17	8.1	( 6.5 - 9.7)	1,095	8.1	( 6.2 - 10.0)	534	8.0	( 5.6 - 10.3)	557
18 or older	11.0	( 6.4 - 15.6)	267	15.9	( 8.2 - 23.6)	163	4.3	( 0.0 - 8.8)	103
<b>Grade</b>									
9th	4.9	( 3.5 - 6.2)	622	5.4	( 3.0 - 7.8)	310	4.3	( 2.2 - 6.4)	308
10th	7.1	( 4.5 - 9.6)	579	7.1	( 3.5 - 10.7)	261	7.0	( 3.8 - 10.3)	318
11th	9.9	( 6.2 - 13.6)	538	10.9	( 5.6 - 16.2)	268	8.8	( 5.2 - 12.5)	269
12th	9.1	( 5.0 - 13.1)	419	11.3	( 5.8 - 16.8)	226	6.4	( 2.7 - 10.1)	192
<b>Race/Ethnicity</b>									
Black	5.5	( 2.3 - 8.7)	264	6.5	( 1.9 - 11.0)	132	4.0	( 0.2 - 7.7)	129
Hispanic/ Latino	5.6	( 3.8 - 7.3)	402	7.5	( 4.3 - 10.7)	168	4.2	( 2.1 - 6.3)	232
White	8.5	( 6.7 - 10.3)	1,252	9.1	( 6.3 - 11.8)	634	7.8	( 5.7 - 9.8)	617
All other races	12.5	( 2.9 - 22.1)	128	-	-	71	-	-	56
Multiple races	5.3	( 1.7 - 8.8)	126	-	-	67	-	-	57

Note: There were 73 students who did not provide usable data for QN33.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN35: Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	52.2	( 47.6 - 56.8 )	352	50.7	( 44.4 - 57.0 )	165	54.1	( 46.7 - 61.5 )	185
<b>Age</b>									
15 or younger	-	-	95	-	-	40	-	-	55
16 or 17	53.0	( 45.4 - 60.5 )	196	-	-	86	56.6	( 47.6 - 65.6 )	110
18 or older	-	-	59	-	-	39	-	-	20
<b>Grade</b>									
9th	-	-	72	-	-	35	-	-	37
10th	-	-	80	-	-	34	-	-	46
11th	53.5	( 44.7 - 62.2 )	106	-	-	51	-	-	55
12th	-	-	90	-	-	44	-	-	45
<b>Race/Ethnicity</b>									
Black	-	-	29	-	-	16	-	-	13
Hispanic/ Latino	-	-	55	-	-	22	-	-	33
White	52.5	( 47.5 - 57.4 )	236	51.6	( 44.1 - 59.1 )	111	53.7	( 45.7 - 61.7 )	124
All other races	-	-	15	-	-	7	-	-	8
Multiple races	-	-	16	-	-	9	-	-	7

Note: There were 1904 students who were excluded from this analysis or who did not provide usable data for QN35.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN39: Percentage of students who had at least one drink of alcohol on one or more days during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	74.4	( 71.7 - 77.1)	1,988	71.6	( 68.1 - 75.1)	982	77.4	( 74.1 - 80.7)	995
<b>Age</b>									
15 or younger	64.9	( 61.2 - 68.5)	731	60.3	( 54.8 - 65.7)	337	69.1	( 64.6 - 73.5)	393
16 or 17	78.6	( 75.7 - 81.6)	1,007	75.8	( 71.5 - 80.1)	495	81.6	( 77.4 - 85.8)	508
18 or older	83.8	( 77.2 - 90.5)	244	82.6	( 75.3 - 89.9)	149	-	-	94
<b>Grade</b>									
9th	62.1	( 58.3 - 66.0)	560	60.4	( 54.0 - 66.8)	280	64.2	( 59.4 - 69.1)	276
10th	74.1	( 69.9 - 78.3)	524	68.6	( 61.5 - 75.7)	231	79.3	( 75.8 - 82.8)	293
11th	78.8	( 75.3 - 82.2)	487	76.4	( 71.2 - 81.6)	248	81.3	( 74.3 - 88.3)	238
12th	84.8	( 81.0 - 88.7)	393	82.8	( 76.9 - 88.7)	211	86.8	( 82.1 - 91.5)	181
<b>Race/Ethnicity</b>									
Black	72.2	( 67.9 - 76.5)	223	69.8	( 61.1 - 78.5)	107	75.6	( 67.5 - 83.6)	113
Hispanic/ Latino	74.0	( 68.2 - 79.9)	359	69.6	( 60.6 - 78.5)	151	77.6	( 70.3 - 84.8)	207
White	75.1	( 71.7 - 78.4)	1,162	72.2	( 68.0 - 76.3)	594	78.1	( 74.2 - 82.0)	567
All other races	67.7	( 57.6 - 77.8)	118	-	-	67	-	-	50
Multiple races	71.1	( 61.7 - 80.5)	116	-	-	59	-	-	55

Note: There were 268 students who did not provide usable data for QN39.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	21.3	( 18.6 - 24.0)	2,040	24.6	( 21.0 - 28.3)	1,016	17.6	( 15.3 - 20.0)	1,013
<b>Age</b>									
15 or younger	25.0	( 21.2 - 28.9)	750	28.1	( 23.4 - 32.8)	349	21.8	( 17.5 - 26.1)	399
16 or 17	18.7	( 15.8 - 21.6)	1,029	22.2	( 17.5 - 27.0)	508	15.1	( 12.4 - 17.8)	518
18 or older	20.9	( 13.7 - 28.0)	255	24.9	( 17.1 - 32.6)	158	-	-	96
<b>Grade</b>									
9th	25.3	( 21.7 - 28.9)	570	27.9	( 22.7 - 33.1)	286	22.5	( 17.7 - 27.3)	280
10th	21.3	( 17.3 - 25.3)	541	24.3	( 18.7 - 29.8)	243	18.3	( 13.1 - 23.6)	298
11th	19.3	( 16.0 - 22.6)	495	24.5	( 18.8 - 30.1)	251	13.9	( 10.5 - 17.3)	243
12th	17.6	( 12.0 - 23.1)	408	19.7	( 13.0 - 26.4)	221	14.5	( 8.7 - 20.3)	185
<b>Race/Ethnicity</b>									
Black	27.2	( 21.2 - 33.3)	232	30.4	( 19.5 - 41.3)	116	24.4	( 16.1 - 32.7)	114
Hispanic/ Latino	29.3	( 24.0 - 34.6)	369	33.1	( 27.0 - 39.3)	156	26.3	( 18.6 - 34.0)	212
White	18.5	( 15.7 - 21.3)	1,189	21.9	( 17.9 - 25.9)	611	14.5	( 11.7 - 17.3)	576
All other races	33.4	( 19.7 - 47.1)	121	-	-	69	-	-	51
Multiple races	26.3	( 18.4 - 34.3)	119	-	-	60	-	-	57

Note: There were 216 students who did not provide usable data for QN40.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.3	( 41.0 - 49.5 )	2,060	45.0	( 40.7 - 49.3 )	1,014	45.5	( 39.9 - 51.2 )	1,035
<b>Age</b>									
15 or younger	34.7	( 30.1 - 39.4 )	771	31.8	( 25.6 - 38.1 )	361	37.4	( 31.4 - 43.4 )	409
16 or 17	50.0	( 45.1 - 54.9 )	1,024	50.6	( 45.7 - 55.6 )	495	49.5	( 42.9 - 56.2 )	526
18 or older	56.0	( 47.2 - 64.7 )	258	57.0	( 50.3 - 63.7 )	157	55.0	( 40.3 - 69.7 )	100
<b>Grade</b>									
9th	35.0	( 30.1 - 39.9 )	589	34.0	( 27.5 - 40.6 )	298	36.2	( 29.2 - 43.1 )	287
10th	42.1	( 36.7 - 47.4 )	544	39.1	( 32.3 - 45.9 )	242	45.0	( 38.6 - 51.4 )	302
11th	47.6	( 40.9 - 54.3 )	506	50.8	( 45.9 - 55.7 )	250	44.5	( 33.9 - 55.2 )	255
12th	59.0	( 52.9 - 65.1 )	398	59.3	( 52.0 - 66.7 )	213	58.5	( 49.9 - 67.2 )	184
<b>Race/Ethnicity</b>									
Black	31.9	( 25.5 - 38.4 )	245	31.8	( 23.8 - 39.8 )	122	32.6	( 22.9 - 42.3 )	121
Hispanic/ Latino	38.8	( 32.3 - 45.3 )	376	39.5	( 32.0 - 46.9 )	159	38.3	( 28.9 - 47.7 )	216
White	49.0	( 44.9 - 53.2 )	1,194	48.2	( 43.3 - 53.2 )	602	49.8	( 44.5 - 55.1 )	591
All other races	36.8	( 24.5 - 49.2 )	121	-	-	68	-	-	52
Multiple races	40.0	( 29.5 - 50.5 )	114	-	-	60	-	-	52

Note: There were 196 students who did not provide usable data for QN41.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	27.8	( 24.1 - 31.4 )	2,143	28.7	( 24.9 - 32.5 )	1,058	26.6	( 21.9 - 31.3 )	1,071
<b>Age</b>									
15 or younger	18.2	( 15.0 - 21.4 )	800	17.7	( 13.3 - 22.1 )	372	18.3	( 13.5 - 23.1 )	425
16 or 17	30.5	( 26.0 - 35.0 )	1,068	31.2	( 26.1 - 36.3 )	521	29.8	( 24.7 - 34.9 )	543
18 or older	43.1	( 34.4 - 51.7 )	268	45.3	( 38.9 - 51.8 )	164	40.3	( 24.7 - 55.8 )	103
<b>Grade</b>									
9th	17.4	( 13.6 - 21.2 )	608	18.0	( 12.8 - 23.3 )	303	16.7	( 10.9 - 22.5 )	301
10th	21.7	( 17.6 - 25.8 )	567	21.8	( 15.9 - 27.6 )	258	21.5	( 16.3 - 26.8 )	309
11th	33.4	( 27.8 - 38.9 )	525	36.0	( 30.3 - 41.8 )	259	30.7	( 22.9 - 38.4 )	265
12th	40.6	( 34.7 - 46.6 )	415	40.8	( 33.0 - 48.6 )	224	39.8	( 32.8 - 46.9 )	189
<b>Race/Ethnicity</b>									
Black	18.2	( 13.2 - 23.3 )	257	19.9	( 13.8 - 26.1 )	128	16.1	( 9.5 - 22.8 )	126
Hispanic/ Latino	19.6	( 14.5 - 24.6 )	394	22.4	( 16.1 - 28.7 )	166	17.4	( 10.6 - 24.2 )	227
White	31.2	( 27.4 - 35.0 )	1,233	31.3	( 26.6 - 36.0 )	624	30.8	( 26.1 - 35.4 )	607
All other races	35.3	( 23.2 - 47.3 )	128	-	-	73	-	-	53
Multiple races	24.5	( 17.6 - 31.3 )	120	-	-	63	-	-	55

Note: There were 113 students who did not provide usable data for QN42.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN43: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.6	( 5.2 - 8.0)	2,168	7.3	( 5.4 - 9.2)	1,071	5.7	( 4.2 - 7.2)	1,085
<b>Age</b>									
15 or younger	5.6	( 3.9 - 7.2)	807	5.6	( 3.1 - 8.2)	377	5.4	( 3.4 - 7.4)	429
16 or 17	6.6	( 4.9 - 8.4)	1,086	7.0	( 4.2 - 9.8)	531	6.1	( 4.2 - 7.9)	551
18 or older	9.0	( 4.5 - 13.5)	268	12.1	( 5.6 - 18.7)	162	4.9	( 0.5 - 9.2)	105
<b>Grade</b>									
9th	5.6	( 3.7 - 7.5)	618	6.7	( 4.0 - 9.4)	311	4.4	( 2.5 - 6.3)	303
10th	4.9	( 2.8 - 7.0)	576	4.3	( 1.2 - 7.3)	261	5.6	( 2.2 - 9.1)	315
11th	6.3	( 4.0 - 8.7)	526	6.5	( 3.0 - 10.1)	259	6.2	( 3.8 - 8.5)	266
12th	9.1	( 5.5 - 12.7)	422	11.6	( 6.3 - 16.8)	227	6.2	( 3.6 - 8.8)	194
<b>Race/Ethnicity</b>									
Black	9.7	( 5.0 - 14.4)	261	9.6	( 4.9 - 14.4)	131	9.3	( 3.1 - 15.4)	127
Hispanic/ Latino	3.6	( 1.8 - 5.3)	399	5.3	( 1.7 - 8.8)	168	2.3	( 0.8 - 3.9)	230
White	6.5	( 5.0 - 8.0)	1,244	7.1	( 4.9 - 9.3)	630	5.7	( 4.2 - 7.2)	613
All other races	15.3	( 5.8 - 24.8)	131	-	-	74	-	-	56
Multiple races	4.0	( 0.2 - 7.8)	123	-	-	65	-	-	56

Note: There were 88 students who did not provide usable data for QN43.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN44: Percentage of students who used marijuana one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	39.8	( 36.5 - 43.1 )	2,151	42.2	( 38.4 - 46.0 )	1,058	37.2	( 32.4 - 42.0 )	1,080
<b>Age</b>									
15 or younger	28.4	( 24.4 - 32.5 )	799	30.3	( 25.4 - 35.2 )	366	26.5	( 21.4 - 31.6 )	431
16 or 17	44.8	( 40.3 - 49.2 )	1,078	46.0	( 40.8 - 51.1 )	526	43.5	( 37.1 - 50.0 )	548
18 or older	51.4	( 46.1 - 56.6 )	267	56.1	( 50.2 - 62.1 )	165	45.1	( 34.3 - 55.8 )	101
<b>Grade</b>									
9th	27.3	( 22.0 - 32.5 )	609	29.0	( 22.5 - 35.4 )	301	25.6	( 17.7 - 33.6 )	305
10th	33.7	( 29.2 - 38.1 )	568	36.9	( 29.0 - 44.8 )	254	30.5	( 24.0 - 37.1 )	314
11th	50.4	( 43.7 - 57.0 )	526	49.1	( 41.6 - 56.6 )	263	51.7	( 42.7 - 60.7 )	262
12th	50.0	( 44.1 - 55.8 )	419	56.1	( 48.5 - 63.7 )	225	43.3	( 36.0 - 50.7 )	192
<b>Race/Ethnicity</b>									
Black	44.8	( 38.0 - 51.7 )	249	52.4	( 43.1 - 61.6 )	125	37.2	( 25.6 - 48.8 )	121
Hispanic/ Latino	41.0	( 34.5 - 47.5 )	404	46.7	( 39.6 - 53.7 )	170	36.7	( 28.4 - 45.0 )	233
White	38.8	( 35.0 - 42.5 )	1,233	40.1	( 35.9 - 44.4 )	621	37.1	( 31.1 - 43.1 )	610
All other races	41.9	( 29.6 - 54.1 )	132	-	-	75	-	-	56
Multiple races	36.8	( 29.2 - 44.4 )	121	-	-	62	-	-	57

Note: There were 105 students who did not provide usable data for QN44.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN45: Percentage of students who tried marijuana for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	8.5	( 6.9 - 10.1)	2,182	11.7	( 9.7 - 13.6)	1,085	5.1	( 3.4 - 6.7)	1,084
<b>Age</b>									
15 or younger	8.3	( 5.6 - 11.0)	806	11.4	( 7.8 - 15.0)	372	5.2	( 2.6 - 7.8)	432
16 or 17	8.2	( 6.4 - 10.1)	1,096	10.5	( 8.2 - 12.8)	542	6.0	( 3.5 - 8.5)	550
18 or older	9.7	( 4.8 - 14.7)	273	16.0	( 8.1 - 23.8)	170	0.8	( 0.0 - 2.3)	102
<b>Grade</b>									
9th	8.6	( 5.3 - 11.9)	618	11.9	( 8.1 - 15.8)	307	5.2	( 1.2 - 9.3)	308
10th	6.3	( 4.4 - 8.1)	572	7.1	( 4.6 - 9.6)	259	5.5	( 2.8 - 8.1)	313
11th	9.0	( 5.7 - 12.4)	534	12.7	( 7.6 - 17.8)	269	5.2	( 2.9 - 7.4)	264
12th	9.2	( 5.1 - 13.4)	430	13.7	( 8.1 - 19.3)	236	3.6	( 0.4 - 6.9)	192
<b>Race/Ethnicity</b>									
Black	15.2	( 11.2 - 19.2)	261	20.3	( 12.3 - 28.4)	135	9.8	( 5.6 - 13.9)	123
Hispanic/ Latino	11.4	( 7.4 - 15.3)	411	16.3	( 11.4 - 21.2)	176	7.5	( 2.9 - 12.2)	234
White	6.5	( 5.0 - 8.1)	1,245	9.0	( 6.8 - 11.2)	630	3.6	( 2.2 - 4.9)	613
All other races	21.3	( 7.8 - 34.9)	132	-	-	76	-	-	55
Multiple races	6.9	( 3.3 - 10.5)	121	-	-	63	-	-	56

Note: There were 74 students who did not provide usable data for QN45.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN46: Percentage of students who used marijuana one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	23.1	( 20.4 - 25.8 )	2,143	25.9	( 22.0 - 29.9 )	1,054	20.0	( 16.3 - 23.6 )	1,076
<b>Age</b>									
15 or younger	15.5	( 12.1 - 18.8 )	803	16.5	( 11.3 - 21.7 )	372	14.2	( 10.1 - 18.2 )	429
16 or 17	26.7	( 22.8 - 30.7 )	1,073	30.4	( 25.3 - 35.5 )	523	23.0	( 17.2 - 28.9 )	546
18 or older	29.9	( 26.0 - 33.8 )	260	33.1	( 26.8 - 39.5 )	158	25.8	( 18.9 - 32.8 )	101
<b>Grade</b>									
9th	15.0	( 11.4 - 18.5 )	615	15.5	( 11.0 - 20.0 )	306	14.5	( 9.0 - 20.1 )	306
10th	20.8	( 16.2 - 25.4 )	566	24.7	( 17.6 - 31.8 )	257	16.8	( 10.5 - 23.1 )	309
11th	27.6	( 21.5 - 33.7 )	521	32.2	( 24.2 - 40.2 )	257	23.0	( 16.6 - 29.4 )	263
12th	30.1	( 23.9 - 36.2 )	413	32.7	( 24.1 - 41.3 )	220	26.7	( 20.5 - 33.0 )	191
<b>Race/Ethnicity</b>									
Black	23.6	( 17.0 - 30.3 )	248	27.4	( 20.4 - 34.4 )	125	19.4	( 9.4 - 29.5 )	120
Hispanic/ Latino	19.1	( 14.0 - 24.3 )	405	23.2	( 16.2 - 30.2 )	171	16.0	( 9.6 - 22.4 )	233
White	23.8	( 20.6 - 27.1 )	1,225	26.6	( 21.7 - 31.5 )	615	20.7	( 16.4 - 25.0 )	608
All other races	25.4	( 14.1 - 36.6 )	129	-	-	73	-	-	55
Multiple races	19.2	( 12.7 - 25.7 )	124	-	-	65	-	-	57

Note: There were 113 students who did not provide usable data for QN46.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN47: Percentage of students who used marijuana on school property one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	5.1	( 4.1 - 6.0)	2,184	6.8	( 5.3 - 8.3)	1,079	3.0	( 1.9 - 4.1)	1,093
<b>Age</b>									
15 or younger	4.0	( 2.6 - 5.5)	810	4.7	( 2.4 - 7.0)	375	3.4	( 1.8 - 5.1)	434
16 or 17	5.1	( 4.0 - 6.2)	1,096	6.7	( 5.1 - 8.3)	537	3.3	( 1.6 - 5.0)	555
18 or older	7.0	( 3.7 - 10.2)	271	11.9	( 7.0 - 16.7)	166	0.3	( 0.0 - 0.8)	104
<b>Grade</b>									
9th	3.9	( 2.4 - 5.3)	622	4.1	( 2.1 - 6.2)	310	3.6	( 1.6 - 5.6)	309
10th	4.2	( 2.3 - 6.1)	579	6.6	( 3.0 - 10.2)	263	1.8	( 0.3 - 3.4)	316
11th	5.3	( 2.7 - 8.0)	532	6.6	( 3.0 - 10.3)	263	4.1	( 1.1 - 7.1)	268
12th	5.9	( 2.8 - 9.1)	423	9.6	( 4.8 - 14.5)	228	1.8	( 0.0 - 3.9)	193
<b>Race/Ethnicity</b>									
Black	7.6	( 4.6 - 10.7)	259	8.0	( 3.3 - 12.7)	131	6.7	( 1.9 - 11.5)	125
Hispanic/ Latino	3.0	( 1.6 - 4.4)	407	5.3	( 2.2 - 8.4)	171	1.3	( 0.0 - 2.5)	235
White	4.8	( 3.4 - 6.2)	1,249	6.8	( 4.7 - 8.8)	631	2.6	( 1.4 - 3.8)	616
All other races	14.4	( 2.8 - 26.0)	132	-	-	76	-	-	56
Multiple races	2.7	( 0.0 - 6.1)	125	-	-	65	-	-	58

Note: There were 72 students who did not provide usable data for QN47.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN48: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.8	( 6.4 - 9.2)	2,176	10.2	( 8.4 - 11.9)	1,073	4.9	( 3.2 - 6.7)	1,088
<b>Age</b>									
15 or younger	5.5	( 3.9 - 7.2)	811	8.1	( 5.1 - 11.0)	372	2.9	( 1.5 - 4.4)	436
16 or 17	9.3	( 7.1 - 11.6)	1,091	11.5	( 8.6 - 14.3)	536	7.0	( 4.2 - 9.8)	550
18 or older	7.4	( 3.1 - 11.7)	267	10.8	( 4.6 - 16.9)	164	2.7	( 0.0 - 6.1)	102
<b>Grade</b>									
9th	4.1	( 2.6 - 5.6)	613	5.8	( 3.3 - 8.4)	301	2.0	( 0.7 - 3.4)	308
10th	7.5	( 5.1 - 9.8)	581	9.3	( 5.5 - 13.0)	265	5.6	( 2.6 - 8.7)	316
11th	9.5	( 6.8 - 12.2)	532	11.1	( 7.1 - 15.0)	265	7.9	( 3.9 - 12.0)	266
12th	9.7	( 5.3 - 14.2)	423	15.0	( 8.6 - 21.3)	229	3.9	( 0.9 - 7.0)	191
<b>Race/Ethnicity</b>									
Black	7.0	( 3.1 - 10.9)	257	9.5	( 3.4 - 15.5)	128	3.8	( 0.4 - 7.2)	126
Hispanic/ Latino	4.2	( 1.7 - 6.6)	408	6.1	( 2.7 - 9.5)	171	2.1	( 0.0 - 4.9)	235
White	8.4	( 6.7 - 10.1)	1,243	10.7	( 8.6 - 12.8)	631	5.7	( 3.5 - 7.9)	610
All other races	19.3	( 7.4 - 31.2)	131	-	-	73	-	-	56
Multiple races	4.2	( 0.4 - 8.1)	125	-	-	65	-	-	58

Note: There were 80 students who did not provide usable data for QN48.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.1	( 3.1 - 5.2)	2,194	6.0	( 4.3 - 7.7)	1,084	1.8	( 0.8 - 2.9)	1,096
<b>Age</b>									
15 or younger	2.7	( 1.5 - 3.9)	818	4.1	( 1.8 - 6.4)	377	1.1	( 0.1 - 2.1)	439
16 or 17	5.0	( 3.4 - 6.6)	1,100	7.1	( 4.8 - 9.3)	541	2.7	( 0.9 - 4.5)	554
18 or older	4.0	( 1.4 - 6.5)	269	6.7	( 2.8 - 10.7)	165	0.2	( 0.0 - 0.6)	103
<b>Grade</b>									
9th	1.9	( 0.6 - 3.1)	619	2.7	( 0.7 - 4.7)	304	0.7	( 0.0 - 1.6)	311
10th	3.5	( 1.8 - 5.1)	584	5.4	( 2.7 - 8.2)	268	1.5	( 0.0 - 3.2)	316
11th	5.8	( 3.5 - 8.1)	538	7.2	( 3.7 - 10.8)	267	4.4	( 1.8 - 7.0)	270
12th	4.8	( 2.0 - 7.6)	426	8.8	( 4.4 - 13.3)	231	0.1	( 0.0 - 0.3)	192
<b>Race/Ethnicity</b>									
Black	4.2	( 1.3 - 7.1)	266	5.2	( 1.0 - 9.4)	135	2.6	( 0.2 - 4.9)	128
Hispanic/ Latino	1.9	( 1.0 - 2.9)	407	2.7	( 0.5 - 5.0)	169	0.7	( 0.0 - 1.8)	236
White	4.3	( 3.0 - 5.6)	1,252	6.5	( 4.5 - 8.6)	635	1.8	( 0.6 - 3.1)	615
All other races	13.1	( 3.1 - 23.1)	131	-	-	74	-	-	56
Multiple races	3.2	( 0.0 - 6.4)	126	-	-	66	-	-	58

Note: There were 62 students who did not provide usable data for QN49.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN50: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.1	( 9.3 - 12.9 )	2,205	10.9	( 8.5 - 13.3 )	1,097	11.0	( 8.6 - 13.4 )	1,093
<b>Age</b>									
15 or younger	12.3	( 9.4 - 15.2 )	824	10.9	( 7.0 - 14.7 )	384	13.4	( 9.2 - 17.5 )	437
16 or 17	10.8	( 8.8 - 12.8 )	1,104	10.9	( 8.3 - 13.5 )	545	10.5	( 7.9 - 13.1 )	554
18 or older	8.6	( 4.7 - 12.5 )	270	11.0	( 4.2 - 17.8 )	167	5.3	( 0.8 - 9.8 )	102
<b>Grade</b>									
9th	11.3	( 8.6 - 14.1 )	628	9.7	( 5.9 - 13.5 )	314	13.2	( 8.8 - 17.7 )	309
10th	9.4	( 6.1 - 12.7 )	583	7.9	( 4.5 - 11.2 )	267	10.8	( 6.1 - 15.6 )	316
11th	12.4	( 9.9 - 14.9 )	535	11.0	( 6.8 - 15.2 )	266	13.8	( 9.7 - 17.9 )	268
12th	9.7	( 6.3 - 13.2 )	430	13.5	( 7.2 - 19.8 )	234	4.8	( 2.3 - 7.4 )	193
<b>Race/Ethnicity</b>									
Black	11.8	( 7.1 - 16.5 )	263	14.2	( 6.3 - 22.1 )	134	8.7	( 4.1 - 13.3 )	126
Hispanic/ Latino	7.8	( 5.0 - 10.6 )	416	9.6	( 5.2 - 14.0 )	179	6.4	( 3.2 - 9.7 )	235
White	11.4	( 9.5 - 13.3 )	1,255	10.2	( 7.6 - 12.9 )	637	12.4	( 9.9 - 14.8 )	616
All other races	19.6	( 7.8 - 31.5 )	136	-	-	77	-	-	57
Multiple races	11.6	( 6.6 - 16.6 )	123	-	-	65	-	-	56

Note: There were 51 students who did not provide usable data for QN50.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN51: Percentage of students who used heroin one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	4.3	( 3.2 - 5.5 )	2,192	6.9	( 5.3 - 8.5 )	1,089	1.3	( 0.5 - 2.1 )	1,087
<b>Age</b>									
15 or younger	3.8	( 2.1 - 5.5 )	817	6.1	( 3.3 - 8.9 )	379	1.2	( 0.2 - 2.3 )	434
16 or 17	4.2	( 3.1 - 5.3 )	1,101	6.4	( 4.9 - 8.0 )	546	1.6	( 0.5 - 2.8 )	550
18 or older	6.0	( 2.9 - 9.2 )	267	10.4	( 5.6 - 15.2 )	163	0.0	( 0.0 - 0.0 )	103
<b>Grade</b>									
9th	3.3	( 1.8 - 4.8 )	623	5.6	( 3.0 - 8.1 )	311	0.9	( 0.0 - 1.9 )	307
10th	2.3	( 0.9 - 3.6 )	580	3.4	( 1.0 - 5.9 )	266	1.1	( 0.0 - 2.2 )	314
11th	4.2	( 2.4 - 6.0 )	534	6.3	( 3.1 - 9.5 )	265	2.1	( 0.2 - 4.0 )	268
12th	6.8	( 3.8 - 9.9 )	425	11.9	( 7.5 - 16.3 )	231	0.5	( 0.0 - 1.5 )	191
<b>Race/Ethnicity</b>									
Black	6.2	( 2.3 - 10.2 )	259	9.7	( 3.1 - 16.3 )	133	1.8	( 0.0 - 3.9 )	123
Hispanic/ Latino	3.5	( 1.5 - 5.6 )	414	7.6	( 3.3 - 12.0 )	177	0.3	( 0.0 - 1.0 )	235
White	3.9	( 2.5 - 5.3 )	1,247	6.1	( 4.2 - 8.0 )	633	1.3	( 0.3 - 2.4 )	612
All other races	15.3	( 5.0 - 25.6 )	136	-	-	76	-	-	57
Multiple races	1.7	( 0.0 - 4.2 )	124	-	-	65	-	-	57

Note: There were 64 students who did not provide usable data for QN51.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN52: Percentage of students who used methamphetamines one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	5.9	( 4.7 - 7.1)	2,205	8.1	( 6.2 - 10.0)	1,096	3.3	( 2.2 - 4.4)	1,094
<b>Age</b>									
15 or younger	4.9	( 2.7 - 7.0)	822	6.2	( 3.0 - 9.4)	381	3.3	( 1.4 - 5.3)	438
16 or 17	6.4	( 4.7 - 8.1)	1,103	8.6	( 6.1 - 11.2)	545	4.0	( 2.2 - 5.7)	553
18 or older	6.2	( 2.9 - 9.6)	273	10.7	( 5.7 - 15.6)	169	0.0	( 0.0 - 0.0)	103
<b>Grade</b>									
9th	4.9	( 2.6 - 7.1)	628	5.9	( 3.0 - 8.9)	313	3.3	( 0.7 - 5.9)	310
10th	4.1	( 2.1 - 6.1)	582	5.7	( 1.9 - 9.5)	265	2.5	( 0.9 - 4.1)	317
11th	6.6	( 3.8 - 9.3)	535	7.8	( 4.3 - 11.2)	266	5.4	( 1.7 - 9.0)	268
12th	7.2	( 3.9 - 10.5)	432	12.5	( 7.3 - 17.6)	237	1.2	( 0.0 - 2.5)	192
<b>Race/Ethnicity</b>									
Black	7.2	( 2.7 - 11.8)	263	10.0	( 2.5 - 17.5)	134	3.6	( 0.2 - 7.1)	126
Hispanic/ Latino	4.9	( 2.0 - 7.9)	414	7.7	( 3.0 - 12.4)	176	2.2	( 0.0 - 4.9)	236
White	5.6	( 4.3 - 6.9)	1,254	7.6	( 5.5 - 9.7)	637	3.3	( 2.0 - 4.6)	615
All other races	20.8	( 8.0 - 33.5)	138	-	-	79	-	-	57
Multiple races	2.9	( 0.0 - 5.7)	124	-	-	65	-	-	57

Note: There were 51 students who did not provide usable data for QN52.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN53: Percentage of students who used ecstasy one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.4	( 4.9 - 7.8 )	2,204	8.6	( 6.4 - 10.8 )	1,094	3.5	( 2.3 - 4.8 )	1,094
<b>Age</b>									
15 or younger	5.5	( 3.5 - 7.5 )	824	7.7	( 4.1 - 11.3 )	382	2.9	( 1.3 - 4.5 )	438
16 or 17	5.9	( 4.2 - 7.6 )	1,103	7.5	( 5.3 - 9.8 )	545	4.0	( 1.8 - 6.1 )	553
18 or older	10.0	( 5.1 - 14.8 )	270	14.3	( 7.4 - 21.3 )	166	3.9	( 0.0 - 8.7 )	103
<b>Grade</b>									
9th	5.6	( 4.0 - 7.2 )	627	7.2	( 3.7 - 10.6 )	312	3.5	( 1.4 - 5.6 )	310
10th	4.3	( 2.3 - 6.2 )	583	5.8	( 2.6 - 9.0 )	266	2.7	( 0.9 - 4.5 )	317
11th	6.0	( 3.6 - 8.3 )	535	7.8	( 4.4 - 11.2 )	266	4.1	( 1.1 - 7.0 )	268
12th	8.8	( 4.6 - 12.9 )	430	13.1	( 6.5 - 19.6 )	235	3.3	( 0.6 - 6.0 )	192
<b>Race/Ethnicity</b>									
Black	6.8	( 3.0 - 10.5 )	261	8.6	( 2.8 - 14.5 )	132	4.2	( 1.0 - 7.3 )	126
Hispanic/ Latino	5.6	( 3.1 - 8.2 )	415	10.8	( 4.8 - 16.7 )	177	1.0	( 0.0 - 2.2 )	236
White	6.1	( 4.5 - 7.7 )	1,254	8.0	( 5.6 - 10.3 )	637	3.8	( 2.4 - 5.2 )	615
All other races	25.2	( 11.6 - 38.9 )	138	-	-	78	-	-	57
Multiple races	3.2	( 0.0 - 6.3 )	124	-	-	65	-	-	57

Note: There were 52 students who did not provide usable data for QN53.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN54: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.9	( 3.8 - 6.0)	2,206	7.7	( 5.8 - 9.5)	1,093	1.6	( 0.9 - 2.4)	1,098
<b>Age</b>									
15 or younger	4.5	( 2.8 - 6.2)	826	5.6	( 3.0 - 8.1)	383	2.8	( 1.3 - 4.2)	439
16 or 17	4.3	( 3.2 - 5.3)	1,102	7.7	( 5.8 - 9.7)	543	0.6	( 0.0 - 1.1)	555
18 or older	8.1	( 5.1 - 11.2)	271	12.3	( 7.6 - 17.0)	166	2.4	( 0.0 - 5.9)	104
<b>Grade</b>									
9th	3.3	( 2.0 - 4.5)	626	3.7	( 2.0 - 5.5)	310	2.3	( 0.3 - 4.4)	311
10th	4.0	( 2.1 - 5.9)	584	6.3	( 2.6 - 9.9)	267	1.7	( 0.3 - 3.0)	317
11th	4.3	( 2.2 - 6.4)	539	8.2	( 4.2 - 12.3)	268	0.4	( 0.0 - 1.1)	270
12th	7.5	( 4.9 - 10.1)	428	12.6	( 8.4 - 16.8)	233	1.3	( 0.0 - 3.1)	193
<b>Race/Ethnicity</b>									
Black	7.0	( 3.6 - 10.4)	268	9.9	( 4.1 - 15.7)	137	3.3	( 0.3 - 6.2)	128
Hispanic/ Latino	4.6	( 3.2 - 6.0)	415	7.8	( 4.1 - 11.5)	177	1.5	( 0.1 - 2.8)	236
White	4.3	( 3.1 - 5.5)	1,252	6.9	( 4.9 - 9.0)	634	1.2	( 0.4 - 2.0)	616
All other races	17.6	( 6.2 - 29.1)	135	-	-	76	-	-	57
Multiple races	3.9	( 0.0 - 8.0)	124	-	-	64	-	-	58

Note: There were 50 students who did not provide usable data for QN54.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN56: Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	31.5	( 29.7 - 33.2 )	2,195	33.9	( 31.1 - 36.7 )	1,089	28.8	( 26.0 - 31.6 )	1,091
<b>Age</b>									
15 or younger	30.4	( 26.2 - 34.6 )	821	30.9	( 25.0 - 36.8 )	381	29.9	( 24.8 - 34.9 )	437
16 or 17	33.2	( 30.3 - 36.0 )	1,098	35.8	( 31.3 - 40.3 )	542	30.4	( 26.5 - 34.3 )	551
18 or older	27.4	( 19.1 - 35.6 )	269	34.3	( 26.1 - 42.6 )	165	17.9	( 7.6 - 28.3 )	103
<b>Grade</b>									
9th	29.3	( 25.4 - 33.2 )	627	29.3	( 23.7 - 34.9 )	313	29.6	( 24.4 - 34.8 )	309
10th	32.1	( 29.0 - 35.2 )	578	32.8	( 28.2 - 37.4 )	264	31.5	( 26.1 - 36.8 )	314
11th	32.9	( 27.8 - 38.0 )	534	34.8	( 27.7 - 42.0 )	265	31.0	( 24.7 - 37.3 )	268
12th	31.1	( 22.7 - 39.4 )	428	39.6	( 31.2 - 47.9 )	232	21.6	( 13.2 - 30.0 )	193
<b>Race/Ethnicity</b>									
Black	31.5	( 26.1 - 36.9 )	265	35.6	( 28.1 - 43.1 )	134	27.1	( 16.5 - 37.7 )	128
Hispanic/ Latino	29.3	( 24.5 - 34.1 )	408	28.9	( 22.1 - 35.7 )	174	29.9	( 22.1 - 37.6 )	232
White	31.6	( 29.2 - 34.1 )	1,249	34.1	( 30.6 - 37.6 )	633	28.8	( 25.1 - 32.6 )	614
All other races	29.7	( 16.7 - 42.7 )	135	-	-	77	-	-	56
Multiple races	28.8	( 20.5 - 37.0 )	126	-	-	66	-	-	58

Note: There were 61 students who did not provide usable data for QN56.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN57: Percentage of students who ever had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	46.0	( 41.3 - 50.7 )	1,977	47.0	( 41.4 - 52.5 )	948	45.0	( 39.4 - 50.5 )	1,019
<b>Age</b>									
15 or younger	28.8	( 22.6 - 34.9 )	731	31.1	( 22.1 - 40.1 )	322	26.7	( 21.4 - 32.1 )	408
16 or 17	53.0	( 48.3 - 57.8 )	999	51.8	( 45.2 - 58.4 )	481	54.1	( 48.5 - 59.7 )	515
18 or older	65.2	( 56.8 - 73.6 )	241	65.3	( 56.1 - 74.6 )	144	-	-	96
<b>Grade</b>									
9th	27.8	( 20.3 - 35.3 )	557	30.4	( 21.3 - 39.6 )	265	24.9	( 17.3 - 32.4 )	288
10th	39.5	( 32.2 - 46.9 )	518	41.5	( 31.3 - 51.7 )	227	37.7	( 29.5 - 45.9 )	291
11th	54.5	( 48.6 - 60.4 )	492	54.3	( 46.0 - 62.7 )	238	54.6	( 47.1 - 62.2 )	254
12th	66.0	( 59.9 - 72.1 )	388	64.1	( 55.7 - 72.4 )	206	67.7	( 59.0 - 76.5 )	181
<b>Race/Ethnicity</b>									
Black	60.9	( 54.8 - 66.9 )	227	70.1	( 61.5 - 78.7 )	109	52.0	( 41.3 - 62.7 )	116
Hispanic/ Latino	55.5	( 48.6 - 62.3 )	368	62.1	( 52.4 - 71.7 )	152	50.6	( 43.4 - 57.9 )	216
White	41.5	( 36.0 - 46.9 )	1,145	40.4	( 34.7 - 46.0 )	561	42.5	( 34.8 - 50.2 )	583
All other races	46.4	( 35.1 - 57.6 )	121	-	-	68	-	-	52
Multiple races	48.3	( 36.7 - 59.9 )	110	-	-	58	-	-	50

Note: There were 279 students who did not provide usable data for QN57.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN58: Percentage of students who had sexual intercourse for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	5.5	( 4.1 - 6.8 )	1,985	9.2	( 6.9 - 11.5 )	956	1.8	( 1.1 - 2.5 )	1,019
<b>Age</b>									
15 or younger	5.6	( 3.5 - 7.7 )	737	10.0	( 5.7 - 14.3 )	326	1.8	( 0.5 - 3.1 )	410
16 or 17	4.3	( 2.9 - 5.7 )	995	7.6	( 5.0 - 10.1 )	479	1.3	( 0.4 - 2.1 )	513
18 or older	8.9	( 4.6 - 13.2 )	247	12.6	( 6.5 - 18.7 )	150	-	-	96
<b>Grade</b>									
9th	6.5	( 4.1 - 8.9 )	561	10.3	( 5.8 - 14.8 )	268	2.8	( 1.2 - 4.4 )	289
10th	5.0	( 2.6 - 7.4 )	517	9.0	( 4.1 - 13.8 )	226	1.2	( 0.0 - 2.5 )	291
11th	4.5	( 2.8 - 6.3 )	493	8.3	( 4.8 - 11.7 )	240	1.0	( 0.0 - 2.2 )	253
12th	4.8	( 2.6 - 7.1 )	392	7.5	( 3.6 - 11.5 )	210	1.7	( 0.2 - 3.1 )	181
<b>Race/Ethnicity</b>									
Black	12.4	( 8.0 - 16.8 )	229	22.0	( 14.5 - 29.5 )	111	3.0	( 0.0 - 6.4 )	116
Hispanic/ Latino	10.1	( 6.8 - 13.4 )	367	16.6	( 10.8 - 22.4 )	152	5.2	( 2.7 - 7.8 )	215
White	3.3	( 2.4 - 4.2 )	1,148	5.7	( 4.1 - 7.3 )	564	0.7	( 0.0 - 1.3 )	583
All other races	11.6	( 2.1 - 21.2 )	121	-	-	68	-	-	52
Multiple races	5.0	( 0.3 - 9.7 )	114	-	-	61	-	-	51

Note: There were 271 students who did not provide usable data for QN58.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN59: Percentage of students who had sexual intercourse with four or more people during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	14.2	( 11.5 - 16.9 )	1,993	16.6	( 13.0 - 20.3 )	961	11.6	( 8.8 - 14.5 )	1,021
<b>Age</b>									
15 or younger	7.7	( 3.4 - 12.0 )	738	11.7	( 4.1 - 19.3 )	328	4.1	( 1.9 - 6.3 )	408
16 or 17	14.4	( 11.6 - 17.3 )	1,007	14.6	( 10.5 - 18.7 )	485	14.3	( 11.1 - 17.6 )	518
18 or older	29.7	( 23.8 - 35.7 )	243	33.4	( 24.0 - 42.8 )	147	-	-	95
<b>Grade</b>									
9th	8.2	( 3.5 - 12.9 )	563	11.5	( 3.7 - 19.3 )	271	5.0	( 2.5 - 7.5 )	288
10th	8.8	( 5.5 - 12.1 )	520	10.6	( 6.2 - 15.0 )	228	7.1	( 3.6 - 10.6 )	292
11th	16.7	( 12.2 - 21.3 )	494	20.2	( 13.3 - 27.1 )	240	13.5	( 8.8 - 18.1 )	254
12th	23.8	( 19.1 - 28.6 )	394	24.6	( 17.5 - 31.6 )	210	22.8	( 15.3 - 30.2 )	182
<b>Race/Ethnicity</b>									
Black	26.2	( 21.2 - 31.3 )	227	38.2	( 32.3 - 44.2 )	110	14.7	( 8.3 - 21.2 )	115
Hispanic/ Latino	18.5	( 13.1 - 23.9 )	369	25.4	( 17.5 - 33.4 )	153	13.3	( 7.4 - 19.1 )	216
White	11.2	( 8.7 - 13.7 )	1,156	11.3	( 8.6 - 14.1 )	569	10.9	( 7.4 - 14.4 )	586
All other races	21.4	( 6.1 - 36.6 )	121	-	-	66	-	-	52
Multiple races	9.0	( 2.3 - 15.8 )	115	-	-	63	-	-	50

Note: There were 263 students who did not provide usable data for QN59.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QNROVWGT: Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)\*

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	14.7	( 12.8 - 16.5 )	2,107	16.3	( 13.6 - 19.1 )	1,077	12.9	( 10.8 - 15.1 )	1,030
<b>Age</b>									
15 or younger	15.5	( 12.9 - 18.1 )	782	17.9	( 14.1 - 21.7 )	371	13.2	( 11.0 - 15.4 )	411
16 or 17	14.3	( 11.6 - 17.0 )	1,057	15.7	( 11.8 - 19.6 )	539	12.8	( 9.5 - 16.1 )	518
18 or older	13.9	( 9.6 - 18.2 )	268	15.1	( 8.9 - 21.2 )	167	12.3	( 5.2 - 19.3 )	101
<b>Grade</b>									
9th	15.7	( 13.1 - 18.3 )	596	15.8	( 12.1 - 19.5 )	306	15.5	( 12.8 - 18.2 )	290
10th	15.7	( 12.1 - 19.4 )	558	19.0	( 13.5 - 24.6 )	261	12.3	( 8.5 - 16.1 )	297
11th	13.9	( 10.2 - 17.5 )	517	14.3	( 8.5 - 20.1 )	267	13.4	( 7.7 - 19.1 )	250
12th	12.9	( 9.2 - 16.5 )	418	15.8	( 11.4 - 20.2 )	231	9.7	( 4.2 - 15.2 )	187
<b>Race/Ethnicity</b>									
Black	16.6	( 12.3 - 20.9 )	259	16.3	( 11.1 - 21.5 )	134	16.9	( 10.2 - 23.6 )	125
Hispanic/ Latino	18.4	( 14.6 - 22.2 )	390	21.2	( 15.8 - 26.7 )	176	16.0	( 11.4 - 20.6 )	214
White	13.7	( 11.6 - 15.8 )	1,214	15.7	( 12.5 - 18.8 )	628	11.6	( 9.0 - 14.2 )	586
All other races	12.8	( 5.9 - 19.6 )	121	-	-	72	-	-	49
Multiple races	13.8	( 8.8 - 18.7 )	117	-	-	64	-	-	53

Note: There were 149 students who did not provide usable data for QNROVWGT.

N = Number of unweighted observations.

- = Fewer than 100 cases.

\*Based on reference data from the National Health and Nutrition Examination Survey I.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QNOVWGT: Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)\*

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.2	( 8.8 - 13.6)	2,107	13.9	( 11.1 - 16.6)	1,077	8.4	( 5.6 - 11.1)	1,030
<b>Age</b>									
15 or younger	12.0	( 9.0 - 14.9)	782	13.6	( 8.8 - 18.3)	371	10.4	( 6.5 - 14.3)	411
16 or 17	9.8	( 7.0 - 12.7)	1,057	12.8	( 9.8 - 15.8)	539	6.7	( 3.4 - 10.0)	518
18 or older	14.2	( 7.5 - 20.9)	268	17.8	( 8.9 - 26.8)	167	8.9	( 2.4 - 15.4)	101
<b>Grade</b>									
9th	12.9	( 9.1 - 16.6)	596	15.0	( 9.8 - 20.2)	306	10.5	( 5.5 - 15.6)	290
10th	9.1	( 6.6 - 11.6)	558	9.0	( 5.7 - 12.2)	261	9.2	( 5.4 - 13.0)	297
11th	11.6	( 7.6 - 15.7)	517	16.7	( 11.5 - 21.9)	267	6.2	( 1.6 - 10.7)	250
12th	10.8	( 7.2 - 14.4)	418	14.3	( 9.9 - 18.7)	231	7.1	( 2.9 - 11.3)	187
<b>Race/Ethnicity</b>									
Black	15.4	( 10.3 - 20.4)	259	15.1	( 9.8 - 20.5)	134	15.7	( 9.9 - 21.5)	125
Hispanic/ Latino	17.9	( 14.1 - 21.7)	390	19.7	( 12.4 - 27.0)	176	16.4	( 11.8 - 20.9)	214
White	9.2	( 7.0 - 11.3)	1,214	12.6	( 9.7 - 15.6)	628	5.4	( 3.2 - 7.6)	586
All other races	8.8	( 2.5 - 15.1)	121	-	-	72	-	-	49
Multiple races	13.2	( 6.0 - 20.4)	117	-	-	64	-	-	53

Note: There were 149 students who did not provide usable data for QNOVWGT.

N = Number of unweighted observations.

- = Fewer than 100 cases.

\*Based on reference data from the National Health and Nutrition Examination Survey I.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN64: Percentage of students who described themselves as slightly or very overweight

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	28.8	( 26.8 - 30.7)	2,202	23.8	( 21.5 - 26.1)	1,094	33.8	( 30.6 - 36.9)	1,094
<b>Age</b>									
15 or younger	27.6	( 25.0 - 30.2)	826	21.7	( 18.7 - 24.7)	385	33.3	( 28.9 - 37.7)	438
16 or 17	28.3	( 25.4 - 31.3)	1,098	23.7	( 20.4 - 27.0)	542	33.0	( 27.8 - 38.2)	552
18 or older	33.0	( 27.0 - 39.0)	271	29.2	( 21.3 - 37.0)	166	38.6	( 29.6 - 47.5)	104
<b>Grade</b>									
9th	27.0	( 23.8 - 30.2)	629	21.7	( 18.2 - 25.3)	314	32.9	( 27.4 - 38.3)	310
10th	29.7	( 26.9 - 32.6)	577	22.0	( 16.7 - 27.3)	263	37.5	( 34.0 - 40.9)	314
11th	28.6	( 24.5 - 32.7)	540	23.0	( 18.2 - 27.9)	269	34.3	( 28.3 - 40.3)	270
12th	29.6	( 25.8 - 33.5)	428	29.3	( 24.5 - 34.1)	233	29.8	( 24.3 - 35.2)	193
<b>Race/Ethnicity</b>									
Black	24.3	( 19.3 - 29.4)	268	13.9	( 8.2 - 19.7)	139	36.1	( 27.2 - 45.0)	126
Hispanic/ Latino	32.4	( 28.6 - 36.1)	415	29.8	( 23.5 - 36.2)	178	34.6	( 30.5 - 38.7)	235
White	29.0	( 26.5 - 31.6)	1,246	24.8	( 22.2 - 27.4)	629	33.4	( 29.1 - 37.8)	615
All other races	22.5	( 13.6 - 31.5)	136	-	-	78	-	-	57
Multiple races	34.9	( 27.7 - 42.2)	125	-	-	65	-	-	58

Note: There were 54 students who did not provide usable data for QN64.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN65: Percentage of students who were trying to lose weight

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	46.7	( 44.4 - 49.1 )	2,188	31.6	( 28.6 - 34.7 )	1,088	62.5	( 59.8 - 65.3 )	1,086
<b>Age</b>									
15 or younger	46.2	( 42.0 - 50.5 )	817	29.3	( 24.2 - 34.4 )	379	62.0	( 56.8 - 67.1 )	434
16 or 17	46.2	( 43.1 - 49.3 )	1,097	31.6	( 28.7 - 34.4 )	544	61.5	( 56.3 - 66.6 )	549
18 or older	50.3	( 42.1 - 58.5 )	268	37.0	( 27.9 - 46.0 )	164	69.2	( 59.8 - 78.7 )	103
<b>Grade</b>									
9th	46.6	( 41.0 - 52.2 )	624	31.5	( 26.8 - 36.3 )	312	62.9	( 55.3 - 70.5 )	307
10th	46.5	( 41.6 - 51.4 )	574	27.3	( 21.2 - 33.4 )	261	65.5	( 60.4 - 70.7 )	313
11th	47.5	( 42.7 - 52.3 )	536	34.9	( 30.1 - 39.7 )	269	60.4	( 53.3 - 67.4 )	266
12th	46.7	( 42.4 - 51.1 )	426	32.6	( 27.4 - 37.8 )	231	61.7	( 54.9 - 68.5 )	193
<b>Race/Ethnicity</b>									
Black	41.0	( 37.3 - 44.8 )	264	29.7	( 24.0 - 35.3 )	138	55.4	( 47.7 - 63.1 )	123
Hispanic/ Latino	53.5	( 49.0 - 58.1 )	409	39.7	( 33.2 - 46.1 )	175	64.2	( 56.3 - 72.1 )	232
White	46.8	( 43.7 - 49.9 )	1,243	30.6	( 26.9 - 34.4 )	627	63.8	( 59.2 - 68.3 )	614
All other races	37.7	( 28.1 - 47.3 )	135	-	-	76	-	-	57
Multiple races	45.0	( 36.0 - 54.0 )	126	-	-	67	-	-	57

Note: There were 68 students who did not provide usable data for QN65.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN66: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	60.8	( 58.7 - 62.8 )	2,152	51.3	( 48.6 - 53.9 )	1,054	70.4	( 67.3 - 73.6 )	1,084
<b>Age</b>									
15 or younger	65.8	( 62.5 - 69.2 )	811	56.4	( 50.8 - 62.0 )	372	74.4	( 70.9 - 77.9 )	435
16 or 17	58.2	( 55.2 - 61.1 )	1,073	48.7	( 44.5 - 52.9 )	522	67.8	( 63.2 - 72.4 )	547
18 or older	56.5	( 51.1 - 62.0 )	262	47.4	( 40.5 - 54.4 )	159	68.4	( 58.6 - 78.2 )	102
<b>Grade</b>									
9th	66.1	( 61.6 - 70.6 )	618	57.4	( 51.9 - 62.8 )	307	75.4	( 69.7 - 81.0 )	306
10th	60.7	( 56.3 - 65.2 )	567	49.1	( 44.0 - 54.2 )	252	71.9	( 66.8 - 77.0 )	315
11th	58.3	( 53.0 - 63.6 )	527	49.4	( 41.9 - 56.9 )	260	67.0	( 60.8 - 73.2 )	266
12th	57.3	( 52.9 - 61.7 )	413	48.2	( 41.7 - 54.7 )	221	66.9	( 59.3 - 74.4 )	190
<b>Race/Ethnicity</b>									
Black	57.4	( 51.4 - 63.3 )	263	51.2	( 45.0 - 57.5 )	135	64.8	( 55.5 - 74.1 )	125
Hispanic/ Latino	58.3	( 53.0 - 63.5 )	399	51.1	( 44.2 - 58.0 )	167	63.3	( 57.8 - 68.9 )	230
White	62.0	( 59.1 - 64.9 )	1,222	51.1	( 48.0 - 54.3 )	607	73.2	( 68.8 - 77.7 )	613
All other races	54.2	( 40.8 - 67.5 )	134	-	-	76	-	-	56
Multiple races	57.3	( 46.1 - 68.6 )	123	-	-	64	-	-	57

Note: There were 104 students who did not provide usable data for QN66.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN67: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	40.1	( 37.6 - 42.5 )	2,157	26.6	( 23.4 - 29.8 )	1,061	53.8	( 49.9 - 57.8 )	1,084
<b>Age</b>									
15 or younger	40.1	( 36.0 - 44.1 )	810	26.9	( 21.2 - 32.6 )	375	52.3	( 47.3 - 57.3 )	433
16 or 17	38.6	( 35.4 - 41.8 )	1,078	24.8	( 21.6 - 27.9 )	524	52.2	( 46.6 - 57.8 )	549
18 or older	46.3	( 41.0 - 51.6 )	264	31.9	( 24.7 - 39.2 )	161	66.2	( 58.5 - 73.9 )	102
<b>Grade</b>									
9th	40.7	( 35.3 - 46.2 )	617	27.9	( 21.7 - 34.1 )	305	54.4	( 46.5 - 62.2 )	307
10th	37.9	( 33.8 - 42.0 )	568	23.0	( 16.9 - 29.2 )	255	52.4	( 47.2 - 57.5 )	313
11th	37.8	( 32.1 - 43.5 )	528	24.1	( 19.2 - 29.0 )	263	51.6	( 44.1 - 59.1 )	265
12th	45.5	( 41.1 - 49.9 )	418	32.8	( 26.0 - 39.7 )	224	58.2	( 50.5 - 65.8 )	192
<b>Race/Ethnicity</b>									
Black	36.8	( 30.3 - 43.2 )	259	28.4	( 19.1 - 37.7 )	132	46.2	( 38.8 - 53.6 )	124
Hispanic/ Latino	36.7	( 31.4 - 42.0 )	399	27.1	( 21.5 - 32.8 )	169	44.3	( 35.2 - 53.4 )	229
White	41.7	( 38.7 - 44.7 )	1,233	26.2	( 22.5 - 29.9 )	617	57.7	( 52.7 - 62.7 )	615
All other races	32.0	( 23.6 - 40.4 )	132	-	-	74	-	-	56
Multiple races	37.8	( 30.3 - 45.4 )	123	-	-	64	-	-	57

Note: There were 99 students who did not provide usable data for QN67.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	12.1	( 10.3 - 13.9 )	2,158	8.2	( 6.3 - 10.2 )	1,061	15.9	( 13.1 - 18.7 )	1,084
<b>Age</b>									
15 or younger	13.0	( 9.9 - 16.0 )	812	9.3	( 5.1 - 13.5 )	377	16.4	( 13.1 - 19.8 )	433
16 or 17	11.3	( 8.6 - 14.1 )	1,077	6.7	( 4.2 - 9.2 )	525	15.8	( 12.1 - 19.5 )	548
18 or older	12.5	( 8.6 - 16.4 )	262	10.7	( 4.8 - 16.6 )	158	15.0	( 8.8 - 21.2 )	103
<b>Grade</b>									
9th	12.7	( 8.8 - 16.5 )	617	8.6	( 4.6 - 12.7 )	307	16.9	( 12.2 - 21.6 )	306
10th	12.5	( 9.0 - 16.1 )	571	8.1	( 4.2 - 11.9 )	259	17.0	( 11.1 - 22.8 )	312
11th	11.9	( 8.8 - 15.1 )	529	6.8	( 3.8 - 9.7 )	262	17.0	( 12.4 - 21.6 )	266
12th	10.7	( 6.8 - 14.7 )	413	8.4	( 3.2 - 13.6 )	218	12.6	( 6.8 - 18.5 )	193
<b>Race/Ethnicity</b>									
Black	19.6	( 14.8 - 24.3 )	261	17.4	( 10.3 - 24.4 )	134	21.8	( 14.3 - 29.2 )	124
Hispanic/ Latino	9.8	( 7.1 - 12.5 )	402	6.3	( 2.5 - 10.2 )	170	12.2	( 7.6 - 16.9 )	231
White	11.1	( 9.0 - 13.1 )	1,229	6.2	( 4.3 - 8.2 )	614	15.9	( 12.6 - 19.2 )	613
All other races	15.0	( 4.7 - 25.4 )	130	-	-	73	-	-	56
Multiple races	12.2	( 6.5 - 18.0 )	124	-	-	65	-	-	57

Note: There were 98 students who did not provide usable data for QN68.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	81.1	( 79.1 - 83.2 )	2,191	81.5	( 79.0 - 84.0 )	1,091	80.8	( 77.3 - 84.2 )	1,084
<b>Age</b>									
15 or younger	81.5	( 78.7 - 84.3 )	823	81.8	( 77.8 - 85.9 )	385	81.0	( 77.3 - 84.8 )	434
16 or 17	80.4	( 77.7 - 83.1 )	1,090	80.8	( 77.8 - 83.8 )	537	79.9	( 75.8 - 84.0 )	548
18 or older	83.5	( 79.7 - 87.2 )	271	83.1	( 77.9 - 88.2 )	168	83.9	( 74.8 - 92.9 )	102
<b>Grade</b>									
9th	79.3	( 75.8 - 82.8 )	623	79.6	( 73.8 - 85.4 )	312	78.8	( 74.8 - 82.9 )	306
10th	83.9	( 80.2 - 87.7 )	575	83.3	( 78.9 - 87.7 )	263	84.6	( 79.4 - 89.8 )	312
11th	80.9	( 77.3 - 84.5 )	533	81.3	( 75.6 - 87.0 )	266	80.5	( 76.3 - 84.6 )	266
12th	81.0	( 77.4 - 84.6 )	430	83.0	( 78.8 - 87.2 )	234	79.2	( 71.5 - 86.9 )	193
<b>Race/Ethnicity</b>									
Black	81.5	( 75.7 - 87.3 )	263	78.3	( 71.5 - 85.1 )	136	84.7	( 75.8 - 93.6 )	124
Hispanic/ Latino	84.0	( 79.1 - 88.8 )	407	84.6	( 77.4 - 91.7 )	175	83.4	( 76.5 - 90.2 )	230
White	80.7	( 78.8 - 82.6 )	1,246	81.9	( 79.2 - 84.6 )	632	79.6	( 76.1 - 83.1 )	612
All other races	77.4	( 68.5 - 86.3 )	137	-	-	77	-	-	57
Multiple races	83.3	( 77.4 - 89.2 )	126	-	-	66	-	-	58

Note: There were 65 students who did not provide usable data for QN71.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN72: Percentage of students who ate fruit one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	84.8	( 82.9 - 86.7 )	2,183	82.1	( 79.6 - 84.5 )	1,086	87.7	( 85.2 - 90.2 )	1,081
<b>Age</b>									
15 or younger	85.3	( 81.8 - 88.8 )	819	83.5	( 79.3 - 87.8 )	381	86.8	( 82.6 - 91.1 )	434
16 or 17	83.8	( 81.2 - 86.3 )	1,088	80.9	( 77.7 - 84.2 )	537	86.6	( 83.1 - 90.0 )	546
18 or older	87.7	( 83.4 - 92.0 )	269	82.2	( 75.7 - 88.8 )	167	95.5	( 92.4 - 98.7 )	101
<b>Grade</b>									
9th	84.0	( 79.7 - 88.4 )	619	80.4	( 74.1 - 86.7 )	309	87.8	( 83.1 - 92.5 )	305
10th	85.4	( 82.1 - 88.6 )	576	84.2	( 79.4 - 89.1 )	263	86.5	( 82.4 - 90.6 )	313
11th	82.5	( 78.4 - 86.6 )	532	79.7	( 74.8 - 84.7 )	265	85.3	( 80.2 - 90.4 )	266
12th	87.5	( 83.9 - 91.2 )	426	83.8	( 78.2 - 89.5 )	233	91.8	( 88.3 - 95.3 )	190
<b>Race/Ethnicity</b>									
Black	76.7	( 71.5 - 81.8 )	259	78.4	( 71.7 - 85.1 )	134	74.0	( 65.5 - 82.5 )	122
Hispanic/ Latino	81.9	( 77.3 - 86.4 )	407	75.7	( 69.4 - 82.0 )	174	86.5	( 80.9 - 92.1 )	231
White	87.2	( 84.9 - 89.4 )	1,245	84.1	( 81.0 - 87.2 )	632	90.5	( 87.8 - 93.2 )	611
All other races	83.6	( 76.7 - 90.5 )	137	-	-	77	-	-	57
Multiple races	81.0	( 75.2 - 86.8 )	123	-	-	64	-	-	57

Note: There were 73 students who did not provide usable data for QN72.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN73: Percentage of students who ate green salad one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	69.8	( 66.4 - 73.2 )	2,177	66.2	( 62.8 - 69.6 )	1,078	73.5	( 69.1 - 77.9 )	1,083
<b>Age</b>									
15 or younger	68.6	( 64.4 - 72.9 )	822	67.0	( 61.6 - 72.4 )	382	70.0	( 63.5 - 76.4 )	436
16 or 17	70.4	( 65.9 - 75.0 )	1,085	64.3	( 59.5 - 69.0 )	534	76.6	( 70.9 - 82.3 )	546
18 or older	71.0	( 63.5 - 78.4 )	263	70.4	( 62.6 - 78.2 )	161	71.5	( 62.1 - 80.8 )	101
<b>Grade</b>									
9th	67.1	( 61.4 - 72.8 )	623	64.6	( 58.0 - 71.2 )	312	69.6	( 60.4 - 78.8 )	306
10th	70.2	( 67.1 - 73.3 )	574	67.9	( 61.6 - 74.1 )	260	72.5	( 68.3 - 76.7 )	314
11th	67.0	( 62.0 - 72.0 )	528	60.4	( 53.8 - 67.1 )	262	73.6	( 67.5 - 79.6 )	265
12th	76.3	( 70.5 - 82.2 )	422	73.1	( 67.8 - 78.5 )	228	79.9	( 72.0 - 87.7 )	191
<b>Race/Ethnicity</b>									
Black	49.0	( 42.1 - 56.0 )	258	46.6	( 36.0 - 57.3 )	132	50.4	( 42.0 - 58.8 )	123
Hispanic/ Latino	59.3	( 53.9 - 64.6 )	405	57.9	( 48.8 - 66.9 )	173	60.0	( 53.8 - 66.3 )	230
White	75.8	( 73.3 - 78.2 )	1,240	71.4	( 68.2 - 74.6 )	626	80.5	( 77.1 - 83.9 )	612
All other races	67.9	( 58.9 - 77.0 )	137	-	-	77	-	-	57
Multiple races	74.2	( 66.4 - 81.9 )	125	-	-	65	-	-	58

Note: There were 79 students who did not provide usable data for QN73.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN74: Percentage of students who ate potatoes one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	66.2	( 63.5 - 68.9 )	2,186	68.0	( 64.8 - 71.2 )	1,085	64.2	( 60.3 - 68.2 )	1,085
<b>Age</b>									
15 or younger	67.0	( 63.4 - 70.7 )	821	69.8	( 64.3 - 75.4 )	381	64.4	( 59.6 - 69.3 )	436
16 or 17	64.5	( 61.1 - 67.9 )	1,090	65.1	( 60.8 - 69.4 )	538	63.8	( 58.2 - 69.4 )	547
18 or older	70.1	( 65.0 - 75.2 )	268	73.2	( 66.7 - 79.8 )	165	65.3	( 55.7 - 75.0 )	102
<b>Grade</b>									
9th	65.4	( 60.9 - 69.9 )	620	67.4	( 60.4 - 74.5 )	309	63.3	( 56.7 - 69.9 )	306
10th	67.6	( 63.2 - 72.0 )	577	69.5	( 63.4 - 75.6 )	263	65.7	( 59.8 - 71.6 )	314
11th	65.2	( 61.5 - 68.9 )	533	63.8	( 59.2 - 68.4 )	266	66.5	( 58.8 - 74.3 )	266
12th	66.6	( 61.6 - 71.5 )	426	71.6	( 66.4 - 76.8 )	231	61.6	( 55.2 - 68.1 )	192
<b>Race/Ethnicity</b>									
Black	49.6	( 45.6 - 53.7 )	261	48.7	( 41.1 - 56.3 )	135	49.5	( 39.7 - 59.2 )	123
Hispanic/ Latino	60.0	( 54.7 - 65.4 )	407	63.6	( 55.1 - 72.1 )	175	57.6	( 50.2 - 65.0 )	230
White	70.8	( 68.8 - 72.8 )	1,245	73.2	( 70.4 - 76.0 )	629	68.3	( 65.7 - 71.0 )	614
All other races	61.0	( 50.6 - 71.4 )	137	-	-	77	-	-	57
Multiple races	57.9	( 48.7 - 67.1 )	124	-	-	64	-	-	58

Note: There were 70 students who did not provide usable data for QN74.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN75: Percentage of students who ate carrots one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	47.7	( 43.4 - 52.0)	2,182	48.9	( 44.4 - 53.4)	1,083	46.5	( 41.7 - 51.4)	1,084
<b>Age</b>									
15 or younger	45.9	( 40.0 - 51.8)	818	50.4	( 43.3 - 57.5)	380	41.8	( 35.0 - 48.5)	435
16 or 17	48.4	( 43.5 - 53.3)	1,090	46.7	( 42.0 - 51.3)	538	50.0	( 43.7 - 56.2)	547
18 or older	50.0	( 44.8 - 55.2)	267	52.4	( 44.8 - 59.9)	164	47.1	( 41.7 - 52.5)	102
<b>Grade</b>									
9th	46.1	( 39.7 - 52.4)	619	50.0	( 42.6 - 57.4)	310	41.6	( 33.7 - 49.5)	305
10th	46.6	( 42.1 - 51.2)	575	47.6	( 43.1 - 52.1)	261	45.7	( 39.2 - 52.2)	314
11th	45.0	( 37.8 - 52.2)	533	42.9	( 35.1 - 50.7)	266	47.2	( 39.0 - 55.4)	266
12th	54.5	( 50.0 - 58.9)	425	56.0	( 50.7 - 61.3)	230	53.4	( 47.3 - 59.5)	192
<b>Race/Ethnicity</b>									
Black	34.2	( 27.5 - 40.9)	259	36.5	( 25.1 - 47.8)	134	30.8	( 23.3 - 38.3)	122
Hispanic/ Latino	29.6	( 24.1 - 35.0)	407	34.3	( 26.6 - 41.9)	176	25.9	( 19.5 - 32.2)	230
White	53.6	( 49.2 - 58.0)	1,243	53.8	( 48.8 - 58.8)	627	53.6	( 48.4 - 58.8)	614
All other races	58.5	( 50.4 - 66.7)	137	-	-	77	-	-	57
Multiple races	42.7	( 33.1 - 52.3)	124	-	-	64	-	-	58

Note: There were 74 students who did not provide usable data for QN75.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN76: Percentage of students who ate other vegetables one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	80.9	( 77.8 - 84.0)	2,166	78.3	( 75.1 - 81.4)	1,077	83.6	( 80.2 - 87.1)	1,073
<b>Age</b>									
15 or younger	80.0	( 76.6 - 83.4)	812	78.9	( 75.2 - 82.6)	378	80.9	( 76.1 - 85.7)	430
16 or 17	81.1	( 77.2 - 85.1)	1,080	77.6	( 73.3 - 81.9)	534	84.7	( 79.9 - 89.5)	541
18 or older	82.7	( 76.0 - 89.3)	267	78.9	( 69.8 - 88.0)	164	87.8	( 80.2 - 95.3)	102
<b>Grade</b>									
9th	79.7	( 75.1 - 84.3)	613	77.2	( 72.4 - 82.0)	308	82.4	( 76.3 - 88.4)	300
10th	80.8	( 76.7 - 84.8)	572	80.0	( 74.7 - 85.2)	262	81.6	( 74.4 - 88.7)	310
11th	79.3	( 74.7 - 83.9)	527	75.0	( 70.5 - 79.6)	261	83.6	( 77.5 - 89.6)	265
12th	84.9	( 79.7 - 90.0)	424	81.9	( 75.7 - 88.0)	230	88.3	( 82.4 - 94.2)	191
<b>Race/Ethnicity</b>									
Black	70.7	( 63.9 - 77.5)	255	67.2	( 55.9 - 78.4)	131	74.0	( 65.3 - 82.6)	121
Hispanic/ Latino	65.4	( 58.2 - 72.7)	404	69.1	( 61.8 - 76.3)	175	62.3	( 53.0 - 71.5)	227
White	85.9	( 84.5 - 87.2)	1,237	82.2	( 80.6 - 83.9)	627	89.8	( 87.6 - 92.0)	608
All other races	83.0	( 75.1 - 91.0)	134	-	-	74	-	-	57
Multiple races	80.9	( 70.9 - 91.0)	124	-	-	65	-	-	57

Note: There were 90 students who did not provide usable data for QN76.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QNFRVG: Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	21.8	( 20.0 - 23.6)	2,112	24.9	( 22.3 - 27.5)	1,041	18.7	( 16.4 - 20.9)	1,056
<b>Age</b>									
15 or younger	21.4	( 18.6 - 24.2)	791	24.2	( 19.2 - 29.2)	365	18.7	( 15.6 - 21.8)	423
16 or 17	20.8	( 18.5 - 23.2)	1,059	24.0	( 19.8 - 28.2)	520	17.7	( 15.1 - 20.3)	534
18 or older	26.8	( 20.0 - 33.5)	255	29.8	( 20.6 - 39.0)	155	-	-	99
<b>Grade</b>									
9th	22.3	( 17.9 - 26.6)	594	23.7	( 16.8 - 30.6)	295	20.7	( 15.8 - 25.7)	295
10th	21.5	( 17.2 - 25.8)	557	25.2	( 18.6 - 31.8)	254	17.9	( 13.1 - 22.6)	303
11th	20.6	( 17.7 - 23.4)	519	23.3	( 18.6 - 28.0)	254	17.8	( 13.5 - 22.1)	264
12th	22.4	( 18.0 - 26.8)	412	26.9	( 20.9 - 32.8)	222	18.1	( 12.9 - 23.3)	187
<b>Race/Ethnicity</b>									
Black	22.8	( 15.4 - 30.2)	247	24.4	( 14.8 - 34.0)	124	21.6	( 14.2 - 29.0)	120
Hispanic/ Latino	20.2	( 16.0 - 24.5)	388	24.9	( 18.0 - 31.9)	165	16.6	( 10.9 - 22.3)	222
White	21.7	( 19.6 - 23.7)	1,211	24.8	( 21.3 - 28.2)	611	18.5	( 16.1 - 20.9)	598
All other races	37.2	( 26.5 - 48.0)	134	-	-	74	-	-	57
Multiple races	19.2	( 11.3 - 27.0)	120	-	-	62	-	-	56

Note: There were 144 students who did not provide usable data for QNFRVG.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN78: Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	63.1	( 59.6 - 66.7 )	2,156	70.2	( 66.7 - 73.7 )	1,071	56.3	( 51.8 - 60.8 )	1,069
<b>Age</b>									
15 or younger	69.2	( 65.0 - 73.5 )	808	73.6	( 69.3 - 77.9 )	373	65.5	( 58.6 - 72.4 )	431
16 or 17	61.8	( 58.4 - 65.3 )	1,077	73.0	( 69.5 - 76.5 )	535	50.6	( 45.8 - 55.3 )	537
18 or older	52.3	( 43.3 - 61.3 )	264	53.8	( 44.5 - 63.0 )	162	50.7	( 39.4 - 62.1 )	101
<b>Grade</b>									
9th	69.8	( 64.3 - 75.4 )	609	73.0	( 67.6 - 78.4 )	303	67.0	( 58.4 - 75.6 )	301
10th	66.8	( 63.2 - 70.5 )	569	75.5	( 70.3 - 80.7 )	260	58.2	( 53.9 - 62.5 )	309
11th	61.1	( 56.1 - 66.1 )	527	72.6	( 66.8 - 78.4 )	263	49.5	( 41.6 - 57.3 )	263
12th	54.3	( 47.0 - 61.6 )	421	60.1	( 51.5 - 68.7 )	229	48.9	( 40.2 - 57.7 )	189
<b>Race/Ethnicity</b>									
Black	53.6	( 45.3 - 62.0 )	253	63.3	( 54.8 - 71.9 )	132	43.9	( 34.4 - 53.4 )	118
Hispanic/ Latino	52.1	( 46.1 - 58.1 )	402	64.0	( 56.9 - 71.2 )	174	42.9	( 34.6 - 51.3 )	226
White	67.2	( 63.7 - 70.7 )	1,231	73.1	( 69.4 - 76.9 )	621	61.3	( 56.8 - 65.7 )	608
All other races	61.6	( 52.9 - 70.3 )	135	-	-	76	-	-	56
Multiple races	66.2	( 58.7 - 73.8 )	123	-	-	63	-	-	58

Note: There were 100 students who did not provide usable data for QN78.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN79: Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	25.4	( 23.2 - 27.5 )	2,165	27.7	( 24.7 - 30.6 )	1,072	23.2	( 20.1 - 26.2 )	1,077
<b>Age</b>									
15 or younger	26.8	( 23.7 - 29.9 )	809	28.4	( 23.8 - 33.1 )	374	25.5	( 21.4 - 29.5 )	431
16 or 17	25.6	( 22.8 - 28.5 )	1,083	30.4	( 25.5 - 35.3 )	534	20.9	( 17.1 - 24.7 )	544
18 or older	20.7	( 15.3 - 26.0 )	266	17.2	( 9.7 - 24.7 )	163	25.6	( 19.2 - 31.9 )	102
<b>Grade</b>									
9th	26.5	( 22.2 - 30.8 )	612	28.9	( 23.9 - 33.8 )	305	24.2	( 17.6 - 30.7 )	302
10th	24.9	( 19.4 - 30.4 )	569	27.6	( 18.6 - 36.6 )	258	22.3	( 17.0 - 27.5 )	311
11th	27.7	( 24.1 - 31.3 )	528	31.8	( 25.5 - 38.0 )	262	23.6	( 18.2 - 29.0 )	265
12th	22.3	( 16.7 - 27.8 )	426	21.9	( 15.6 - 28.2 )	231	22.8	( 16.3 - 29.4 )	192
<b>Race/Ethnicity</b>									
Black	24.4	( 19.1 - 29.8 )	254	27.0	( 19.1 - 34.9 )	131	22.2	( 14.2 - 30.1 )	120
Hispanic/ Latino	18.0	( 15.0 - 21.1 )	401	22.0	( 14.9 - 29.2 )	170	15.1	( 11.7 - 18.5 )	229
White	27.0	( 24.2 - 29.8 )	1,239	28.7	( 24.6 - 32.7 )	624	25.3	( 20.9 - 29.8 )	613
All other races	25.3	( 14.9 - 35.8 )	135	-	-	77	-	-	55
Multiple races	27.0	( 18.8 - 35.1 )	124	-	-	65	-	-	57

Note: There were 91 students who did not provide usable data for QN79.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QNMINPA: Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days

	Percentage	Total		Percentage	Males		Percentage	Females	
		95% confidence interval	N		95% confidence interval	N		95% confidence interval	N
Total	32.3	( 29.0 - 35.7 )	2,136	26.2	( 23.2 - 29.2 )	1,059	38.2	( 34.0 - 42.5 )	1,061
<b>Age</b>									
15 or younger	26.7	( 22.4 - 30.9 )	797	22.5	( 18.7 - 26.3 )	367	30.1	( 23.3 - 37.0 )	426
16 or 17	33.2	( 30.2 - 36.2 )	1,070	23.8	( 20.9 - 26.8 )	531	42.6	( 38.5 - 46.6 )	534
18 or older	43.8	( 34.8 - 52.8 )	262	41.7	( 33.0 - 50.4 )	160	46.2	( 34.7 - 57.7 )	101
<b>Grade</b>									
9th	26.2	( 20.6 - 31.8 )	600	23.3	( 18.8 - 27.9 )	298	28.7	( 19.5 - 37.8 )	297
10th	28.4	( 24.4 - 32.5 )	562	20.5	( 14.1 - 26.8 )	256	36.3	( 32.1 - 40.5 )	306
11th	33.5	( 29.0 - 38.0 )	524	25.1	( 20.1 - 30.0 )	261	41.9	( 35.5 - 48.3 )	262
12th	42.0	( 34.6 - 49.5 )	420	36.1	( 28.1 - 44.1 )	228	47.5	( 38.4 - 56.6 )	189
<b>Race/Ethnicity</b>									
Black	41.0	( 32.4 - 49.5 )	248	32.7	( 24.1 - 41.2 )	129	48.9	( 38.8 - 59.0 )	116
Hispanic/ Latino	43.2	( 38.4 - 47.9 )	395	32.8	( 26.3 - 39.4 )	168	50.8	( 42.5 - 59.1 )	225
White	28.7	( 25.2 - 32.1 )	1,226	23.6	( 20.5 - 26.7 )	618	33.7	( 29.1 - 38.3 )	606
All other races	29.4	( 18.0 - 40.8 )	133	-	-	76	-	-	54
Multiple races	29.1	( 22.3 - 35.8 )	122	-	-	63	-	-	57

Note: There were 120 students who did not provide usable data for QNMINPA.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QNNOPA: Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.8	( 6.9 - 10.6)	2,136	7.1	( 5.2 - 9.0)	1,059	10.3	( 7.7 - 13.0)	1,061
<b>Age</b>									
15 or younger	6.3	( 4.4 - 8.1)	797	5.0	( 3.0 - 7.0)	367	7.5	( 4.6 - 10.4)	426
16 or 17	9.2	( 7.1 - 11.3)	1,070	6.6	( 4.2 - 9.0)	531	11.9	( 9.3 - 14.5)	534
18 or older	13.2	( 8.3 - 18.2)	262	12.8	( 6.4 - 19.1)	160	13.1	( 6.7 - 19.5)	101
<b>Grade</b>									
9th	6.6	( 3.9 - 9.3)	600	6.0	( 3.4 - 8.6)	298	7.2	( 2.8 - 11.6)	297
10th	8.7	( 6.4 - 11.0)	562	6.7	( 3.0 - 10.3)	256	10.7	( 7.1 - 14.3)	306
11th	8.9	( 6.2 - 11.6)	524	7.2	( 3.8 - 10.6)	261	10.6	( 7.2 - 13.9)	262
12th	11.3	( 6.8 - 15.9)	420	9.2	( 3.4 - 15.0)	228	13.2	( 8.2 - 18.2)	189
<b>Race/Ethnicity</b>									
Black	13.3	( 10.1 - 16.5)	248	10.9	( 5.4 - 16.3)	129	15.5	( 10.6 - 20.4)	116
Hispanic/ Latino	16.1	( 10.2 - 21.9)	395	9.2	( 4.0 - 14.4)	168	21.4	( 13.5 - 29.4)	225
White	6.6	( 5.1 - 8.1)	1,226	6.0	( 4.1 - 7.9)	618	7.1	( 4.8 - 9.4)	606
All other races	9.1	( 3.7 - 14.4)	133	-	-	76	-	-	54
Multiple races	7.2	( 1.9 - 12.5)	122	-	-	63	-	-	57

Note: There were 120 students who did not provide usable data for QNNOPA.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	33.5	( 30.1 - 37.0)	2,163	35.3	( 31.4 - 39.2)	1,076	31.6	( 27.5 - 35.6)	1,071
<b>Age</b>									
15 or younger	36.9	( 31.6 - 42.3)	811	37.9	( 31.3 - 44.5)	379	36.2	( 30.7 - 41.8)	428
16 or 17	32.4	( 27.5 - 37.3)	1,079	34.7	( 29.8 - 39.6)	533	30.0	( 23.9 - 36.0)	541
18 or older	28.1	( 22.2 - 33.9)	266	31.7	( 23.0 - 40.4)	163	23.3	( 14.4 - 32.1)	102
<b>Grade</b>									
9th	39.5	( 32.2 - 46.7)	615	39.9	( 32.5 - 47.4)	309	38.9	( 30.3 - 47.4)	301
10th	33.4	( 27.6 - 39.2)	567	35.8	( 29.3 - 42.4)	259	30.9	( 23.9 - 38.0)	308
11th	33.2	( 27.9 - 38.5)	528	35.8	( 28.9 - 42.6)	262	30.7	( 23.5 - 37.8)	265
12th	26.0	( 22.1 - 29.9)	424	27.3	( 21.5 - 33.2)	231	24.4	( 18.2 - 30.6)	190
<b>Race/Ethnicity</b>									
Black	59.1	( 54.2 - 64.1)	252	53.7	( 47.2 - 60.2)	130	65.9	( 56.0 - 75.8)	119
Hispanic/ Latino	42.6	( 36.6 - 48.6)	400	47.4	( 39.0 - 55.9)	171	39.2	( 32.1 - 46.3)	227
White	27.1	( 24.8 - 29.4)	1,239	29.8	( 26.3 - 33.3)	629	24.1	( 20.5 - 27.8)	608
All other races	36.8	( 25.8 - 47.7)	137	-	-	77	-	-	57
Multiple races	36.0	( 27.9 - 44.1)	123	-	-	64	-	-	57

Note: There were 93 students who did not provide usable data for QN81.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN82: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	69.9	( 64.6 - 75.3 )	1,941	72.4	( 67.0 - 77.8 )	964	67.5	( 60.4 - 74.6 )	966
<b>Age</b>									
15 or younger	84.2	( 79.7 - 88.7 )	725	86.4	( 82.1 - 90.7 )	331	82.1	( 75.8 - 88.4 )	392
16 or 17	66.7	( 60.1 - 73.2 )	983	70.1	( 63.2 - 77.0 )	495	62.9	( 54.8 - 71.0 )	485
18 or older	44.3	( 33.0 - 55.5 )	227	48.0	( 38.4 - 57.6 )	137	-	-	89
<b>Grade</b>									
9th	84.9	( 78.5 - 91.2 )	544	85.7	( 79.1 - 92.3 )	271	83.8	( 76.1 - 91.6 )	270
10th	78.7	( 70.2 - 87.2 )	503	81.7	( 75.4 - 88.1 )	234	75.7	( 61.5 - 89.9 )	269
11th	68.5	( 58.5 - 78.6 )	499	69.7	( 60.1 - 79.4 )	250	67.3	( 55.1 - 79.5 )	248
12th	43.6	( 30.1 - 57.1 )	370	47.7	( 35.2 - 60.2 )	197	39.9	( 22.2 - 57.6 )	172
<b>Race/Ethnicity</b>									
Black	63.1	( 55.2 - 70.9 )	229	66.2	( 55.9 - 76.5 )	118	59.5	( 46.6 - 72.3 )	108
Hispanic/ Latino	64.9	( 54.2 - 75.7 )	357	66.6	( 54.9 - 78.3 )	155	63.4	( 51.5 - 75.3 )	200
White	72.1	( 66.0 - 78.2 )	1,119	74.5	( 68.3 - 80.8 )	563	69.7	( 61.7 - 77.7 )	555
All other races	69.5	( 60.1 - 78.8 )	116	-	-	65	-	-	50
Multiple races	75.4	( 65.1 - 85.8 )	112	-	-	59	-	-	52

Note: There were 315 students who did not provide usable data for QN82.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 CT SCHOOL HEALTH SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	12.9	( 7.9 - 18.0)	1,941	12.8	( 8.5 - 17.2)	964	13.0	( 6.4 - 19.6)	966
<b>Age</b>									
15 or younger	16.5	( 7.3 - 25.7)	725	17.6	( 8.1 - 27.2)	331	15.6	( 6.1 - 25.2)	392
16 or 17	11.5	( 6.9 - 16.1)	983	11.1	( 6.3 - 15.9)	495	11.6	( 5.8 - 17.5)	485
18 or older	9.1	( 2.9 - 15.3)	227	8.0	( 1.3 - 14.8)	137	-	-	89
<b>Grade</b>									
9th	17.2	( 6.3 - 28.1)	544	18.0	( 6.7 - 29.3)	271	16.1	( 5.4 - 26.8)	270
10th	17.6	( 9.5 - 25.6)	503	18.6	( 9.9 - 27.3)	234	16.5	( 6.1 - 26.8)	269
11th	8.4	( 3.9 - 12.9)	499	6.8	( 2.8 - 10.9)	250	10.0	( 3.5 - 16.5)	248
12th	7.6	( 2.1 - 13.1)	370	6.9	( 2.2 - 11.7)	197	8.3	( 0.0 - 17.3)	172
<b>Race/Ethnicity</b>									
Black	26.1	( 16.8 - 35.3)	229	25.5	( 16.0 - 35.0)	118	26.4	( 14.4 - 38.5)	108
Hispanic/ Latino	21.8	( 12.9 - 30.8)	357	22.1	( 13.7 - 30.4)	155	21.9	( 9.7 - 34.0)	200
White	8.7	( 5.3 - 12.2)	1,119	8.9	( 5.3 - 12.6)	563	8.6	( 3.8 - 13.3)	555
All other races	16.3	( 4.7 - 27.8)	116	-	-	65	-	-	50
Multiple races	17.0	( 8.0 - 26.1)	112	-	-	59	-	-	52

Note: There were 315 students who did not provide usable data for QNDLYPE.

N = Number of unweighted observations.

- = Fewer than 100 cases.

















































2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN105: Percentage of students who spend one or more hours after school without an adult present on a school day

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	71.3	( 68.5 - 74.0)	2,076	69.5	( 65.4 - 73.7)	1,043	73.2	( 70.4 - 76.0)	1,017
<b>Age</b>									
15 or younger	71.8	( 68.1 - 75.5)	761	69.7	( 64.7 - 74.6)	357	73.8	( 68.2 - 79.5)	400
16 or 17	71.7	( 68.3 - 75.1)	1,047	70.7	( 65.2 - 76.2)	524	72.9	( 69.1 - 76.7)	518
18 or older	68.5	( 62.1 - 74.9)	262	65.6	( 57.4 - 73.7)	162	-	-	99
<b>Grade</b>									
9th	69.5	( 64.8 - 74.3)	584	67.7	( 62.3 - 73.1)	291	71.7	( 64.3 - 79.1)	288
10th	69.7	( 65.2 - 74.3)	543	68.4	( 62.9 - 73.8)	255	71.2	( 65.8 - 76.6)	288
11th	75.1	( 70.7 - 79.4)	511	74.2	( 66.5 - 81.9)	256	76.0	( 71.0 - 81.0)	254
12th	70.9	( 65.9 - 76.0)	409	68.2	( 60.5 - 75.8)	226	74.6	( 68.8 - 80.5)	180
<b>Race/Ethnicity</b>									
Black	65.1	( 58.5 - 71.7)	244	59.8	( 50.0 - 69.5)	129	71.3	( 61.3 - 81.3)	112
Hispanic/ Latino	61.2	( 55.5 - 66.9)	389	61.5	( 56.3 - 66.7)	170	60.8	( 52.3 - 69.2)	217
White	74.6	( 71.4 - 77.8)	1,184	73.0	( 68.2 - 77.8)	602	76.5	( 72.4 - 80.6)	580
All other races	68.4	( 60.4 - 76.4)	129	-	-	76	-	-	50
Multiple races	66.6	( 54.6 - 78.5)	119	-	-	62	-	-	55

Note: There were 180 students who did not provide usable data for QN105.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN106: Percentage of students whose parents or other adults in the students' family have talked with the students about what they expect the students to do or not to do when it comes to sex

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	64.7	( 62.7 - 66.7 )	2,048	60.7	( 58.0 - 63.5 )	1,022	68.8	( 66.0 - 71.7 )	1,012
<b>Age</b>									
15 or younger	61.5	( 58.1 - 65.0 )	752	57.2	( 52.0 - 62.4 )	350	65.9	( 61.1 - 70.6 )	399
16 or 17	66.6	( 64.1 - 69.0 )	1,030	62.6	( 59.4 - 65.7 )	512	70.7	( 66.1 - 75.3 )	514
18 or older	65.4	( 58.5 - 72.3 )	259	62.1	( 52.4 - 71.8 )	159	-	-	99
<b>Grade</b>									
9th	58.5	( 53.8 - 63.2 )	577	56.0	( 50.2 - 61.8 )	287	61.2	( 55.4 - 67.0 )	285
10th	69.2	( 64.4 - 73.9 )	536	65.2	( 58.7 - 71.6 )	251	73.2	( 65.4 - 81.0 )	285
11th	66.8	( 63.0 - 70.6 )	503	63.3	( 58.9 - 67.8 )	248	70.2	( 64.0 - 76.4 )	254
12th	65.4	( 60.7 - 70.1 )	405	58.6	( 49.9 - 67.3 )	222	72.6	( 64.6 - 80.6 )	181
<b>Race/Ethnicity</b>									
Black	69.8	( 64.4 - 75.2 )	238	67.2	( 60.3 - 74.0 )	125	73.8	( 66.9 - 80.8 )	110
Hispanic/ Latino	70.9	( 66.2 - 75.5 )	386	62.3	( 53.8 - 70.8 )	168	78.2	( 72.7 - 83.6 )	216
White	62.7	( 60.6 - 64.9 )	1,174	59.4	( 56.7 - 62.2 )	591	66.2	( 62.9 - 69.4 )	581
All other races	44.3	( 35.0 - 53.7 )	122	-	-	72	-	-	49
Multiple races	66.1	( 59.1 - 73.2 )	117	-	-	62	-	-	53

Note: There were 208 students who did not provide usable data for QN106.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN107: Percentage of students who, about once or more during the past 12 months, have had a conversation with their parents or other adults in the students' family about sexuality or ways to prevent HIV infection, other sexually transmitted diseases (STDs) or pregnancy

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	48.7	( 46.1 - 51.4 )	2,044	42.3	( 39.3 - 45.2 )	1,017	55.2	( 51.5 - 58.9 )	1,012
<b>Age</b>									
15 or younger	53.1	( 48.2 - 58.1 )	749	48.9	( 41.7 - 56.1 )	344	56.9	( 51.7 - 62.1 )	401
16 or 17	46.8	( 43.4 - 50.2 )	1,032	40.1	( 35.8 - 44.5 )	516	53.5	( 48.1 - 58.9 )	512
18 or older	44.5	( 37.7 - 51.4 )	256	35.6	( 27.3 - 43.9 )	156	-	-	99
<b>Grade</b>									
9th	50.4	( 44.5 - 56.2 )	573	45.6	( 38.6 - 52.6 )	281	55.1	( 49.1 - 61.1 )	287
10th	53.1	( 48.5 - 57.7 )	534	47.1	( 41.7 - 52.5 )	251	59.2	( 51.6 - 66.8 )	283
11th	45.2	( 41.0 - 49.5 )	501	37.6	( 30.7 - 44.4 )	247	52.7	( 46.9 - 58.4 )	253
12th	45.9	( 41.5 - 50.4 )	407	37.9	( 33.1 - 42.6 )	223	54.2	( 47.4 - 61.1 )	182
<b>Race/Ethnicity</b>									
Black	55.1	( 49.8 - 60.3 )	235	47.8	( 41.3 - 54.2 )	122	63.0	( 53.7 - 72.2 )	110
Hispanic/ Latino	52.6	( 47.4 - 57.8 )	384	41.9	( 34.6 - 49.3 )	167	61.3	( 55.5 - 67.2 )	215
White	47.2	( 43.8 - 50.6 )	1,174	41.4	( 37.8 - 44.9 )	591	53.2	( 48.4 - 58.0 )	581
All other races	39.6	( 31.0 - 48.3 )	124	-	-	72	-	-	50
Multiple races	42.1	( 32.9 - 51.2 )	117	-	-	62	-	-	53

Note: There were 212 students who did not provide usable data for QN107.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN108: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	74.4	( 71.8 - 77.0 )	2,078	71.7	( 68.8 - 74.6 )	1,047	77.4	( 74.0 - 80.8 )	1,017
<b>Age</b>									
15 or younger	74.9	( 69.9 - 79.9 )	762	72.9	( 67.3 - 78.5 )	355	76.9	( 71.0 - 82.8 )	404
16 or 17	74.6	( 71.9 - 77.2 )	1,046	70.3	( 66.4 - 74.2 )	527	79.0	( 75.4 - 82.7 )	514
18 or older	73.1	( 67.5 - 78.7 )	264	73.7	( 65.6 - 81.8 )	164	-	-	99
<b>Grade</b>									
9th	74.4	( 68.9 - 80.0 )	588	73.3	( 67.5 - 79.2 )	292	75.4	( 67.6 - 83.2 )	291
10th	75.5	( 71.6 - 79.5 )	542	71.0	( 66.4 - 75.5 )	257	80.3	( 74.9 - 85.6 )	285
11th	75.2	( 70.9 - 79.5 )	508	71.2	( 65.7 - 76.7 )	253	79.2	( 73.3 - 85.1 )	254
12th	73.3	( 68.6 - 78.1 )	412	72.3	( 65.9 - 78.6 )	229	75.4	( 68.1 - 82.6 )	180
<b>Race/Ethnicity</b>									
Black	65.5	( 57.8 - 73.3 )	247	59.6	( 52.3 - 66.9 )	131	71.6	( 56.4 - 86.8 )	113
Hispanic/ Latino	69.4	( 64.9 - 73.9 )	389	68.7	( 62.4 - 75.0 )	171	69.7	( 63.6 - 75.8 )	216
White	77.3	( 74.5 - 80.1 )	1,186	74.9	( 71.5 - 78.4 )	603	80.1	( 76.5 - 83.6 )	581
All other races	59.8	( 49.1 - 70.5 )	125	-	-	74	-	-	49
Multiple races	76.5	( 69.9 - 83.1 )	121	-	-	64	-	-	55

Note: There were 178 students who did not provide usable data for QN108.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN109: Percentage of students whose parents or other adults in their family always or most of the time know where the students are when the students are away from home

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	71.6	( 68.8 - 74.4 )	2,066	64.3	( 60.0 - 68.6 )	1,039	79.5	( 77.7 - 81.3 )	1,012
<b>Age</b>									
15 or younger	76.8	( 74.2 - 79.4 )	764	71.9	( 68.0 - 75.9 )	359	81.8	( 77.2 - 86.5 )	401
16 or 17	71.1	( 67.2 - 75.0 )	1,035	63.2	( 57.1 - 69.4 )	516	79.3	( 76.3 - 82.2 )	514
18 or older	60.5	( 53.6 - 67.3 )	261	51.8	( 41.6 - 62.0 )	163	-	-	97
<b>Grade</b>									
9th	76.5	( 73.3 - 79.8 )	585	71.4	( 67.7 - 75.2 )	293	82.2	( 75.7 - 88.7 )	287
10th	73.7	( 69.8 - 77.6 )	536	68.0	( 61.5 - 74.5 )	250	79.4	( 74.6 - 84.1 )	286
11th	73.0	( 69.5 - 76.6 )	505	67.6	( 62.1 - 73.1 )	251	78.4	( 74.1 - 82.7 )	253
12th	63.1	( 56.0 - 70.3 )	411	50.2	( 41.0 - 59.4 )	229	77.8	( 70.7 - 84.9 )	179
<b>Race/Ethnicity</b>									
Black	58.6	( 52.4 - 64.8 )	240	43.1	( 38.0 - 48.3 )	127	76.5	( 69.6 - 83.4 )	110
Hispanic/ Latino	68.5	( 61.9 - 75.1 )	385	59.6	( 52.5 - 66.7 )	168	76.1	( 67.8 - 84.3 )	215
White	74.8	( 71.5 - 78.1 )	1,188	69.4	( 64.4 - 74.4 )	604	80.8	( 78.2 - 83.5 )	582
All other races	53.4	( 40.8 - 66.0 )	125	-	-	73	-	-	49
Multiple races	76.6	( 69.5 - 83.7 )	120	-	-	64	-	-	54

Note: There were 190 students who did not provide usable data for QN109.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN110: Percentage of students who took part in organized after school, evening, or weekend activities (such as school clubs, sports, community center groups, music/art/dance lessons, drama, church, or other supervised activities) on one or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	58.5	( 55.0 - 61.9 )	2,049	56.2	( 52.2 - 60.2 )	1,032	60.9	( 57.0 - 64.8 )	1,002
<b>Age</b>									
15 or younger	61.4	( 56.2 - 66.6 )	755	59.3	( 52.1 - 66.5 )	352	63.0	( 57.7 - 68.3 )	399
16 or 17	59.2	( 55.1 - 63.2 )	1,026	57.2	( 52.0 - 62.5 )	515	61.3	( 55.9 - 66.7 )	506
18 or older	48.9	( 41.8 - 56.0 )	262	46.8	( 40.8 - 52.8 )	164	-	-	97
<b>Grade</b>									
9th	59.3	( 52.8 - 65.8 )	577	57.0	( 49.5 - 64.5 )	287	61.9	( 53.8 - 70.0 )	285
10th	62.9	( 55.6 - 70.2 )	529	63.0	( 53.5 - 72.5 )	248	62.7	( 55.4 - 70.0 )	281
11th	59.5	( 53.9 - 65.1 )	504	55.3	( 47.0 - 63.6 )	253	63.9	( 55.7 - 72.2 )	250
12th	52.6	( 44.3 - 60.9 )	411	50.2	( 41.5 - 59.0 )	228	55.0	( 44.5 - 65.6 )	180
<b>Race/Ethnicity</b>									
Black	56.8	( 48.7 - 65.0 )	242	59.7	( 47.8 - 71.6 )	129	54.2	( 46.3 - 62.1 )	110
Hispanic/ Latino	44.5	( 39.5 - 49.5 )	385	50.6	( 41.2 - 60.0 )	167	39.4	( 33.0 - 45.8 )	216
White	61.7	( 57.3 - 66.1 )	1,165	56.6	( 51.6 - 61.6 )	594	67.1	( 62.6 - 71.6 )	569
All other races	50.0	( 40.1 - 59.8 )	127	-	-	74	-	-	50
Multiple races	67.8	( 57.1 - 78.5 )	120	-	-	64	-	-	54

Note: There were 207 students who did not provide usable data for QN110.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN111: Percentage of students who work at a paying job outside their home one or more hours during an average week during the school year

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.7	( 43.1 - 48.3 )	2,054	46.0	( 42.4 - 49.6 )	1,033	45.2	( 41.6 - 48.8 )	1,007
<b>Age</b>									
15 or younger	29.3	( 24.8 - 33.8 )	751	30.1	( 24.5 - 35.7 )	349	28.1	( 22.7 - 33.5 )	399
16 or 17	50.0	( 45.4 - 54.6 )	1,037	47.7	( 42.2 - 53.2 )	520	52.2	( 47.1 - 57.3 )	512
18 or older	72.6	( 67.9 - 77.3 )	260	73.6	( 65.9 - 81.4 )	163	-	-	96
<b>Grade</b>									
9th	31.7	( 27.7 - 35.8 )	581	33.0	( 26.1 - 39.8 )	289	29.8	( 24.7 - 34.9 )	287
10th	32.0	( 27.6 - 36.5 )	529	31.6	( 25.8 - 37.3 )	246	32.5	( 26.4 - 38.6 )	283
11th	53.2	( 47.9 - 58.5 )	508	51.7	( 45.3 - 58.1 )	254	54.7	( 48.0 - 61.4 )	253
12th	69.1	( 65.7 - 72.6 )	409	69.9	( 63.9 - 75.9 )	229	68.6	( 61.8 - 75.4 )	177
<b>Race/Ethnicity</b>									
Black	32.7	( 26.6 - 38.8 )	245	34.4	( 23.8 - 45.1 )	130	28.8	( 21.8 - 35.8 )	112
Hispanic/ Latino	40.2	( 36.0 - 44.3 )	384	38.4	( 30.3 - 46.4 )	168	41.2	( 34.3 - 48.1 )	214
White	49.1	( 46.6 - 51.7 )	1,172	49.4	( 45.8 - 53.0 )	595	48.9	( 44.3 - 53.4 )	575
All other races	53.4	( 43.9 - 62.8 )	126	-	-	74	-	-	50
Multiple races	44.9	( 37.7 - 52.0 )	117	-	-	62	-	-	53

Note: There were 202 students who did not provide usable data for QN111.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey  
Summary Table - Weighted Data**

QN112: Percentage of students who spent one or more hours during the past 30 days helping other people without getting paid (such as helping out a hospital, daycare center, food pantry, youth program, community service agency, or doing other things) to make their community a better place for people to live

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	44.2	( 41.1 - 47.4 )	2,061	41.2	( 37.4 - 44.9 )	1,037	47.1	( 43.5 - 50.8 )	1,010
<b>Age</b>									
15 or younger	47.4	( 42.8 - 51.9 )	758	42.9	( 36.9 - 48.9 )	353	51.4	( 46.4 - 56.5 )	401
16 or 17	41.9	( 37.9 - 46.0 )	1,038	39.6	( 35.4 - 43.9 )	521	44.1	( 39.1 - 49.0 )	512
18 or older	43.9	( 36.9 - 51.0 )	259	42.2	( 34.3 - 50.1 )	162	-	-	97
<b>Grade</b>									
9th	46.9	( 42.0 - 51.8 )	582	40.7	( 34.7 - 46.8 )	289	52.9	( 45.9 - 59.9 )	288
10th	41.0	( 36.0 - 46.0 )	532	38.2	( 30.1 - 46.2 )	251	44.0	( 38.8 - 49.1 )	281
11th	43.3	( 37.3 - 49.2 )	509	39.7	( 33.7 - 45.6 )	254	46.9	( 39.5 - 54.3 )	254
12th	45.2	( 40.1 - 50.3 )	410	46.4	( 38.6 - 54.2 )	227	44.4	( 36.1 - 52.6 )	180
<b>Race/Ethnicity</b>									
Black	41.3	( 35.1 - 47.6 )	241	39.4	( 32.9 - 45.9 )	128	42.5	( 29.7 - 55.3 )	111
Hispanic/ Latino	41.1	( 35.9 - 46.3 )	388	41.2	( 33.0 - 49.3 )	170	40.6	( 34.6 - 46.6 )	216
White	45.3	( 41.4 - 49.3 )	1,175	41.3	( 37.0 - 45.6 )	597	49.7	( 44.8 - 54.7 )	576
All other races	42.7	( 34.2 - 51.2 )	127	-	-	74	-	-	50
Multiple races	45.4	( 34.0 - 56.9 )	120	-	-	64	-	-	54

Note: There were 195 students who did not provide usable data for QN112.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey  
Summary Table - Weighted Data**

QN113: Percentage of students who think they definitely will complete a post high school program such as a vocational training program, military service, community college, or 4-year college

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	55.6	( 51.7 - 59.5 )	2,047	45.7	( 41.0 - 50.4 )	1,033	66.1	( 61.7 - 70.5 )	1,001
<b>Age</b>									
15 or younger	50.0	( 44.9 - 55.1 )	751	38.1	( 30.4 - 45.8 )	353	61.3	( 56.3 - 66.4 )	395
16 or 17	58.1	( 53.0 - 63.2 )	1,032	49.0	( 42.8 - 55.1 )	518	67.6	( 61.9 - 73.2 )	510
18 or older	61.0	( 55.2 - 66.7 )	258	51.5	( 42.9 - 60.1 )	161	-	-	96
<b>Grade</b>									
9th	50.0	( 44.0 - 56.0 )	578	38.9	( 30.8 - 46.9 )	289	61.8	( 55.1 - 68.4 )	284
10th	52.7	( 45.1 - 60.3 )	529	44.6	( 34.2 - 55.0 )	249	60.8	( 53.3 - 68.4 )	280
11th	56.3	( 50.8 - 61.8 )	505	46.3	( 39.9 - 52.6 )	253	66.6	( 58.6 - 74.6 )	251
12th	65.5	( 58.5 - 72.5 )	408	54.9	( 47.0 - 62.8 )	226	77.5	( 70.7 - 84.3 )	179
<b>Race/Ethnicity</b>									
Black	43.0	( 35.5 - 50.4 )	239	32.4	( 21.4 - 43.4 )	126	55.0	( 47.4 - 62.5 )	111
Hispanic/ Latino	44.3	( 37.8 - 50.8 )	385	33.0	( 24.8 - 41.1 )	170	53.7	( 45.7 - 61.8 )	213
White	60.0	( 56.2 - 63.8 )	1,170	50.0	( 45.6 - 54.4 )	596	70.8	( 65.6 - 76.0 )	572
All other races	49.5	( 38.5 - 60.5 )	125	-	-	73	-	-	50
Multiple races	57.2	( 46.4 - 68.0 )	118	-	-	64	-	-	52

Note: There were 209 students who did not provide usable data for QN113.

N = Number of unweighted observations.

- = Fewer than 100 cases.



2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey  
Summary Table - Weighted Data

QN114: Percentage of students who most of the time live with two parents (natural or adopted)

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	58.2	( 53.2 - 63.1 )	2,058	57.6	( 52.7 - 62.6 )	1,037	58.8	( 53.0 - 64.5 )	1,007
<b>Age</b>									
15 or younger	59.6	( 53.4 - 65.7 )	754	60.4	( 54.4 - 66.5 )	354	59.0	( 51.2 - 66.9 )	397
16 or 17	59.7	( 54.8 - 64.7 )	1,038	58.1	( 52.3 - 64.0 )	520	61.5	( 55.8 - 67.1 )	513
18 or older	48.6	( 39.7 - 57.5 )	260	50.5	( 40.0 - 61.0 )	162	-	-	97
<b>Grade</b>									
9th	60.6	( 53.3 - 68.0 )	579	59.6	( 52.8 - 66.4 )	289	62.3	( 52.8 - 71.8 )	285
10th	55.5	( 48.9 - 62.0 )	532	60.7	( 53.8 - 67.7 )	251	50.0	( 42.0 - 58.1 )	281
11th	59.5	( 52.1 - 67.0 )	509	53.9	( 44.5 - 63.4 )	255	65.2	( 58.0 - 72.4 )	253
12th	57.4	( 50.1 - 64.7 )	409	57.0	( 48.9 - 65.2 )	226	57.5	( 47.4 - 67.7 )	181
<b>Race/Ethnicity</b>									
Black	32.3	( 25.7 - 38.9 )	240	34.7	( 25.4 - 44.1 )	127	29.4	( 20.9 - 37.9 )	110
Hispanic/ Latino	43.8	( 34.7 - 52.9 )	382	41.9	( 31.6 - 52.2 )	166	45.6	( 34.8 - 56.3 )	214
White	65.5	( 62.2 - 68.7 )	1,177	64.1	( 60.2 - 68.0 )	600	66.9	( 63.0 - 70.7 )	576
All other races	62.9	( 50.2 - 75.5 )	127	-	-	75	-	-	49
Multiple races	48.6	( 38.1 - 59.1 )	122	-	-	65	-	-	55

Note: There were 198 students who did not provide usable data for QN114.

N = Number of unweighted observations.

- = Fewer than 100 cases.