



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH

FACILITY LICENSING & INVESTIGATIONS SECTION

Request for Change in Director of a Licensed Clinical Laboratory

Per the Connecticut General Statutes § 19a-30 (d) _____,
(Name of the Licensee)

the licensee granted Connecticut Clinical Laboratory License No. _____, hereby informs the
(License No.)

Department of Public Health of a change in the administration of the laboratory.

_____ is/has succeeded
(Name of New Director)

_____ as the
(Name of Former Director)

Laboratory Director for the entity that holds the aforementioned license. This change will be/was made effective on _____, _____ 20_____.
(Month) (Day) (Year)

Qualifications of the New Director

For **High Complexity** Testing, the proposed new director (check only one):

Is a licensed physician, certified in Anatomic Pathology by the American Board of Pathology or the American Osteopathic Board of Pathology.

Connecticut Physician License Number:

Copy of Anatomic Pathology Certification from ABP/AOBP included with this submission? *(required)*

Is a licensed physician, certified in Clinical Pathology.

Connecticut Physician License Number:

Copy of Clinical Pathology Certification included with this submission? *(required)*

Is a licensed physician with one (1) year of specialized laboratory training or two (2) years of directing/supervisory experience in high complexity testing

Connecticut Physician License Number:

Copies of certifications, training records, CMS-209 forms demonstrating proposed director served as testing personnel in a supervisory capacity attached? *(required)*

Holds a Ph.D. and is board certified by:

Copy of doctoral degree attached *(required)*

Copy of board certification attached? *(required)*

I, the undersigned, certify that the owner of the above-mentioned laboratory has employed me to fill the position of Laboratory Director, and that I in good faith submit to the Department that I am qualified to direct the laboratory testing of the laboratory per the Regulations of Connecticut State Agencies §19a-36-D33. I understand that I must also qualify to fill this position in accordance with the provisions of the Clinical Laboratory Improvement Amendments of 1988 (CLIA) and that documentation of my qualifications to serve as Laboratory Director are included with this request. I understand that the licensee and myself are jointly and severally responsible for the operation of the laboratory in compliance with R.C.S.A § 19a-36-D20 through 19a-36-D38, including, but not limited to, the work of subordinates, the proper management of patient specimens and records, proper performance of all tests, and continual application of quality control procedures to this work in accordance with recommendations and directives of the Department. Furthermore, I attest that the information provided within this request is true and accurate and that I understand making a false written statement that I do not believe to be true to a public servant in the performance of such public servant's official function(s) is a Class A Misdemeanor in the State of Connecticut per C.G.S. § 53a-157(b).

(Printed Name of New Director)

(Printed Name of Owner/Responsible Officer of the Licensee)

(Signature of the New Director)

(Signature of the Owner/Responsible Officer of the Licensee)