

# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT	C	14,316	L	GW
Local Address (where applicable)		Service Connections	Residential	Commercial	Industrial
					4,046

Towns Served: BERLIN, CROMWELL

### Monitoring Requirements

Water System Facility: DISTRIBUTION SYSTEM (WSF ID: 00600)

Chlorine Residual (1012)		10 routine (RT) per month	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
Select from Inventory of Active Sampling Points	7/1/25 - 7/31/25		Complete
	8/1/25 - 8/31/25		Complete
	9/1/25 - 9/30/25		Complete
	10/1/25 - 10/31/25		Complete
	11/1/25 - 11/30/25		Complete
Asbestos (1094)		1 routine (RT) per nine years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
Select from Inventory of Active Sampling Points	1/1/23 - 12/31/31		
Total Coliform (3100)		10 routine (RT) per month	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
Select from Inventory of Active Sampling Points	7/1/25 - 7/31/25		Complete
	8/1/25 - 8/31/25		Complete
	9/1/25 - 9/30/25		Complete
	10/1/25 - 10/31/25		Complete
	11/1/25 - 11/30/25		Complete
	12/1/25 - 12/31/25		
	1/1/26 - 1/31/26		
	2/1/26 - 2/28/26		
	3/1/26 - 3/31/26		
	4/1/26 - 4/30/26		
	5/1/26 - 5/31/26		
	6/1/26 - 6/30/26		
Disinfectant Byproducts - TTHM & HAA5 (DBP)		4 routine (RT) per quarter	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
9 BIRCH CT (CFDW05)	4/1/25 - 6/30/25	4/1-4/30	Complete
	7/1/25 - 9/30/25	7/1-7/31	Complete
	10/1/25 - 12/31/25	10/1-10/31	Complete
	1/1/26 - 3/31/26	1/1-1/31	
	4/1/26 - 6/30/26	4/1-4/30	
4 SEBETHE DRIVE (CFDW11)	4/1/25 - 6/30/25	4/1-4/30	Complete
	7/1/25 - 9/30/25	7/1-7/31	Complete
	10/1/25 - 12/31/25	10/1-10/31	Complete
	1/1/26 - 3/31/26	1/1-1/31	
	4/1/26 - 6/30/26	4/1-4/30	
133 SEBETHE DRIVE (CFDW12)	4/1/25 - 6/30/25	4/1-4/30	Complete
	7/1/25 - 9/30/25	7/1-7/31	Complete
	10/1/25 - 12/31/25	10/1-10/31	Complete
	1/1/26 - 3/31/26	1/1-1/31	

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	

Towns Served: BERLIN, CROMWELL

### Monitoring Requirements

Water System Facility: DISTRIBUTION SYSTEM (WSF ID: 00600)

Disinfectant Byproducts - TTHM & HAA5 (DBP)		4 routine (RT) per quarter	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
	4/1/26 - 6/30/26	4/1-4/30	
49 NOOKS HILL ROAD (CFDW82)	4/1/25 - 6/30/25	4/1-4/30	Complete
	7/1/25 - 9/30/25	7/1-7/31	Complete
	10/1/25 - 12/31/25	10/1-10/31	Complete
	1/1/26 - 3/31/26	1/1-1/31	
	4/1/26 - 6/30/26	4/1-4/30	

Lead And Copper (PBCU)		30 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
Select from Inventory of Active Sampling Points	1/1/24 - 12/31/26	6/1-9/30	
	1/1/27 - 12/31/29	6/1-9/30	

Physical Parameters (PPS)		10 routine (RT) per month	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
Select from Inventory of Active Sampling Points	7/1/25 - 7/31/25		Complete
	8/1/25 - 8/31/25		Complete
	9/1/25 - 9/30/25		Complete
	10/1/25 - 10/31/25		Complete
	11/1/25 - 11/30/25		Complete
	12/1/25 - 12/31/25		
	1/1/26 - 1/31/26		
	2/1/26 - 2/28/26		
	3/1/26 - 3/31/26		
	4/1/26 - 4/30/26		
	5/1/26 - 5/31/26		
	6/1/26 - 6/30/26		

Water System Facility: ENTRY POINT (WSF ID: 00700)

Net Gross Alpha (4000)		1 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		

Uranium (4006)		1 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		

Combined Radium-226/228 (4010)		1 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	

Towns Served: BERLIN, CROMWELL

### Monitoring Requirements

Water System Facility: ENTRY POINT (WSF ID: 00700)

Gross Beta Particle Activity (4100)		1 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		
Man-Made Beta Particle & Photon Emitters (4101)		1 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		
Tritium (4102)		1 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		
Strontium-90 (4174)		1 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		
Inorganic Chemicals (IOCS)		1 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		
Nitrate And Nitrite (NOX)		1 routine (RT) per year	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/24 - 12/31/24		Complete
	1/1/25 - 12/31/25		Complete
	1/1/26 - 12/31/26		
Pesticides, Herbicides and Polychlorinated Biphenyls (PCBs) (SOCS)		2 routine (RT) per three years	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	1/1/23 - 12/31/25		Complete
	1/1/26 - 12/31/28		
Organic Chemicals (VOCS)		1 routine (RT) per quarter	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
ENTRY POINT (3)	4/1/25 - 6/30/25		Complete
	7/1/25 - 9/30/25		Complete
	10/1/25 - 12/31/25		
	1/1/26 - 3/31/26		
	4/1/26 - 6/30/26		
Water System Facility: GARDINER WELL 1 (WSF ID: 1044)			
E. Coli (3014)		1 routine (RT) per month	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
GARDINER WELL 1 (2)	7/1/25 - 7/31/25		Complete

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	

Towns Served: BERLIN, CROMWELL

### Monitoring Requirements

Water System Facility: **GARDINER WELL 1 (WSF ID: 1044)**

E. Coli (3014)		1 routine (RT) per month	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
	8/1/25 - 8/31/25		Complete
	9/1/25 - 9/30/25		Complete
	10/1/25 - 10/31/25		Complete
	11/1/25 - 11/30/25		Complete
	12/1/25 - 12/31/25		
	1/1/26 - 1/31/26		
	2/1/26 - 2/28/26		
	3/1/26 - 3/31/26		
	4/1/26 - 4/30/26		
	5/1/26 - 5/31/26		
	6/1/26 - 6/30/26		

Water System Facility: **GARDINER WELL 2 (WSF ID: 1146)**

E. Coli (3014)		1 routine (RT) per month	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
GARDINER WELL 2 (2)	7/1/25 - 7/31/25		Complete
	8/1/25 - 8/31/25		Complete
	9/1/25 - 9/30/25		Complete
	10/1/25 - 10/31/25		Complete
	11/1/25 - 11/30/25		Complete
	12/1/25 - 12/31/25		
	1/1/26 - 1/31/26		
	2/1/26 - 2/28/26		
	3/1/26 - 3/31/26		
	4/1/26 - 4/30/26		
	5/1/26 - 5/31/26		
	6/1/26 - 6/30/26		

Water System Facility: **GARDINER WELL 3 (WSF ID: 1910)**

E. Coli (3014)		1 routine (RT) per month	
<i>Sampling Point (Sampling Point ID)</i>	<i>Monitoring Period</i>	<i>Collection Period</i>	<i>Compliance Status</i>
GARDINER WELL 3 (2)	7/1/25 - 7/31/25		Complete
	8/1/25 - 8/31/25		Complete
	9/1/25 - 9/30/25		Complete
	10/1/25 - 10/31/25		Complete
	11/1/25 - 11/30/25		Complete
	12/1/25 - 12/31/25		
	1/1/26 - 1/31/26		
	2/1/26 - 2/28/26		

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	

Towns Served: BERLIN, CROMWELL

### Monitoring Requirements

Water System Facility: **GARDINER WELL 3 (WSF ID: 1910)**

E. Coli (3014)		1 routine (RT) per month	
Sampling Point (Sampling Point ID)	Monitoring Period	Collection Period	Compliance Status
	3/1/26 - 3/31/26		
	4/1/26 - 4/30/26		
	5/1/26 - 5/31/26		
	6/1/26 - 6/30/26		

Water System Facility: **GARDINER WELL 4 (WSF ID: 1911)**

E. Coli (3014)		1 routine (RT) per month	
Sampling Point (Sampling Point ID)	Monitoring Period	Collection Period	Compliance Status
GARDINER WELL #4 (2)	7/1/25 - 7/31/25		Complete
	8/1/25 - 8/31/25		Complete
	9/1/25 - 9/30/25		Complete
	10/1/25 - 10/31/25		Complete
	11/1/25 - 11/30/25		Complete
	12/1/25 - 12/31/25		
	1/1/26 - 1/31/26		
	2/1/26 - 2/28/26		
	3/1/26 - 3/31/26		
	4/1/26 - 4/30/26		
	5/1/26 - 5/31/26		
	6/1/26 - 6/30/26		

### Monthly Water System Facility (WSF) Level Monitoring Requirements

Water System Facility: **ENTRY POINT (WSFID: 00700)**

Analyte	Monitoring Requirement (Summary Type)	Operating Limit	Samples Req/Month
Chlorine	Entry Point Chlorine Residual Monitoring (CHLR)	Minimum: 0.2 MG/L	Daily
Start Date: 4/1/2003	Compliance History:	Operating Limit	Monitoring
	Monitoring Period	Compliance Status:	Compliance Status:
	7/1/2025 - 7/31/2025		
	8/1/2025 - 8/31/2025		
	9/1/2025 - 9/30/2025		
	10/1/2025 - 10/31/2025		
	11/1/2025 - 11/30/2025		
Analyte	Monitoring Requirement (Summary Type)	Operating Limit	Samples Req/Month
Fluoride	<spaces> ( )	Minimum: 0.55 MG/L	Daily
Start Date: 5/1/2023	Compliance History:	Operating Limit	Monitoring
	Monitoring Period	Compliance Status:	Compliance Status:
	7/1/2025 - 7/31/2025		
	8/1/2025 - 8/31/2025		
	9/1/2025 - 9/30/2025		

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Connecticut Department of Public Health Drinking Water Section

Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name	Classification	Population	Owner Type	Primary Source		
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT	C	14,316	L	GW		
Local Address (where applicable)		Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
						4,046	
Towns Served: BERLIN, CROMWELL							
Water System Facility: ENTRY POINT (WSFID: 00700)							
Analyte	Monitoring Requirement (Summary Type)		Operating Limit		Samples Req/Month		
Fluoride	<spaces> ( )		Minimum: 0.55 MG/L		Daily		
Start Date: 5/1/2023			Compliance History:	Operating Limit	Monitoring		
			Monitoring Period	Compliance Status:	Compliance Status:		
		10/1/2025 - 10/31/2025					
		11/1/2025 - 11/30/2025					
Analyte	Monitoring Requirement (Summary Type)		Operating Limit		Samples Req/Month		
Fluoride	Entry Point Fluoride Monitoring (FLRD)		Maximum: 0.85 MG/L		Daily		
Start Date: 5/1/2023			Compliance History:	Operating Limit	Monitoring		
			Monitoring Period	Compliance Status:	Compliance Status:		
		7/1/2025 - 7/31/2025					
		8/1/2025 - 8/31/2025					
		9/1/2025 - 9/30/2025					
		10/1/2025 - 10/31/2025					
		11/1/2025 - 11/30/2025					
Analyte	Monitoring Requirement (Summary Type)		Operating Limit		Samples Req/Month		
Phosphate (as PO4)	Entry Point Phosphate Monitoring (PHOS)		Maximum: 3 MG/L		2		
Start Date: 4/1/2003			Compliance History:	Operating Limit	Monitoring		
			Monitoring Period	Compliance Status:	Compliance Status:		
		7/1/2025 - 7/31/2025					
		8/1/2025 - 8/31/2025					
		9/1/2025 - 9/30/2025					
		10/1/2025 - 10/31/2025					
		11/1/2025 - 11/30/2025					
Other Compliance Schedules							
Compliance Schedule Activity			Due Date		Achieved Date		
CERTIFY LEAD SL NOTIFICATION			7/1/2025		11/15/2024		
MAIL/HAND DELIVER NOTICE TO CONSUMERS			12/31/2025				
CROSS CONNECTION SURVEY REPORT			3/1/2026				
CERTIFY LEAD SL NOTIFICATION			7/1/2026				
Public Notification Requirements							
Violation/Situation		Compliance Period	Notice Tier	Public Notification		PN Certification	
				Required	Performed	Due to DPH	Received
Disinfectant Byproducts - TTHM & HAA5 M&R Violation		1/1/25 - 3/31/25	3	10/1/2026		10/11/2026	
Water System Facility and Sampling Point Inventory							
Water System	Water System Facility	Sampling Point ID	Sampling Point Description	Total Coliform	Lead and Copper	Stage	
Facility ID				Status	Rule	Rule Tier	Asbestos WQP 2 DBPR
00600	DISTRIBUTION SYSTEM	4	DISTRIBUTION SYSTEM	A	Y		
		CFDW01	308 MAIN STREET	A	Y		

NOTE: This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

Schedule Generation Date: 12/12/2025

Page 6

# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	

Towns Served: BERLIN, CROMWELL

### Water System Facility and Sampling Point Inventory

Water System Facility ID	Water System Facility	Sampling Point ID	Sampling Point Description	Status	Total Coliform Rule	Lead and Copper Rule Tier	Asbestos	Stage WQP 2 DBPR
		CFDW02	385 MAIN STREET	A	Y			
		CFDW03	72 WEST STREET	A	Y			
		CFDW04	61 NOOKS HILL ROAD	I	Y			Y
		CFDW05	9 BIRCH CT	A	Y			Y
		CFDW06	52 MISSIONARY ROAD	A	Y			
		CFDW07	15 COURT STREET	A	Y			
		CFDW08	179 SHUNPIKE RD	A	Y			
		CFDW09	1 DONALD HARRIS DR	A	Y			
		CFDW10	701 MAIN STREET	A	Y			
		CFDW100	29 BELLAIRE MANOR	A			1	
		CFDW101	31 BELLAIRE MANOR	A			1	
		CFDW102	32 BELLAIRE MANOR	A			1	
		CFDW103	33 BELLAIRE MANOR	A			1	
		CFDW104	34 BELLAIRE MANOR	A			1	
		CFDW105	42 BELLAIRE MANOR	A			1	
		CFDW106	44 BELLAIRE MANOR	A			1	
		CFDW107	52 BELLAIRE MANOR	A			1	
		CFDW108	54 BELLAIRE MANOR	A			1	
		CFDW109	56 BELLAIRE MANOR	A			1	
		CFDW11	4 SEBETHE DRIVE	A	Y			Y
		CFDW110	66 TIMBER HILL RD.	A	Y			
		CFDW111	419 MAIN STREET	A	Y			
		CFDW112	5 WEST STREET	A	Y			
		CFDW113	50 COUNTY LINE DRIVE	A	Y			
		CFDW114	100 COUNTY LINE DR	A	Y			
		CFDW115	40 COMMERCE DRIVE	A	Y			
		CFDW116	5 WEST STREET	A	Y			
		CFDW117	41 WEST STREET	A	Y			
		CFDW118	51 SHUNPIKE ROAD	A	Y			
		CFDW119	1 SANFORD LANE	A	Y			
		CFDW12	133 SEBETHE DRIVE	A				Y
		CFDW120	41 BROOKVIEW RD	A	Y			
		CFDW121	156 BERLIN RD	A	Y			
		CFDW13	8 SHADOW LANE	A			1	
		CFDW14	1 COSKER LANE	A			1	
		CFDW15	10 MCDONALD AVE	A			1	
		CFDW16	96 SHADOW LANE	A			1	
		CFDW17	13 HARRISON DRIVE	A			1	
		CFDW18	15 HARRISON DRIVE	A			1	

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.



# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	

Towns Served: BERLIN, CROMWELL

### Water System Facility and Sampling Point Inventory

<i>Water System</i>	<i>Water System Facility</i>	<i>Sampling Point ID</i>	<i>Sampling Point Description</i>	<i>Status</i>	<i>Total Coliform Rule</i>	<i>Lead and Copper Rule Tier</i>	<i>Asbestos</i>	<i>Stage WQP 2 DBPR</i>
		CFDW19	7 WEXFORD LANE	A	Y	1		
		CFDW20	8 GOODRICH AVENUE	A		1		
		CFDW21	8 SACHEM DRIVE	A		1		
		CFDW22	10 SACHEM DRIVE	A		1		
		CFDW23	5 PATRICIA LANE	A		1		
		CFDW24	7 HOLLY HILL	A	Y	1		
		CFDW25	26 EDGEWOOD STREET	A		1		
		CFDW26	3 CROSS STREET	A		1		
		CFDW27	7 PALMER CIRCLE	A		1		
		CFDW28	3 WEXFORD LANE	A		1		
		CFDW29	24 EVERGREEN	A		1		
		CFDW30	4 HARRISON DRIVE	A		1		
		CFDW31	7 CANNATA DRIVE	A		1		
		CFDW32	5 CANNATA DRIVE	A		1		
		CFDW33	6 SACHEM DRIVE	A		1		
		CFDW34	39 COURT STREET	A		1		
		CFDW35	64 B EVERGREEN	A		1		
		CFDW36	110 NOOKS HILL RD	A		1		
		CFDW37	6 POINDVIEW DRIVE	A		1		
		CFDW38	9 HIGH RIDGE	A		1		
		CFDW39	60 HILL SIDE	A		1		
		CFDW40	7 MCDONALD AVE	A		1		
		CFDW41	1A HOLLY HILL	A		1		
		CFDW42	136 NOOKS HILL ROAD	A		1		
		CFDW43	12 RANNEY ROAD	A	Y	1		
		CFDW44	6 PALMER CIRCLE	A	Y	1		Y
		CFDW45	103 COLES ROAD	A	Y			
		CFDW46	1 WEST STREET	A	Y			
		CFDW47	6 PROGRESS DRIVE	A		1		
		CFDW48	15 SCOTT LANE	A		1		
		CFDW49	18 SCOTT LANE	A		1		
		CFDW50	6 MARSAL LANE	A		1		
		CFDW51	1 SEQUOIA DRIVE	A		1		
		CFDW52	2 BLACKHAWK DRIVE	A		1		
		CFDW53	81 WILLOWBROOK ROAD	A		1		
		CFDW54	90 SHADOW LANE	A		1		
		CFDW55	92 SHADOW LANE	A		1		
		CFDW56	96 SHADOW LANE	A		1		
		CFDW57	1 PONDVIEW RD	A		1		

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.



# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	

Towns Served: BERLIN, CROMWELL

### Water System Facility and Sampling Point Inventory

Water System Facility ID	Water System Facility	Sampling Point ID	Sampling Point Description	Status	Total Coliform Rule	Lead and Copper Rule Tier	Asbestos	Stage WQP 2 DBPR
		CFDW58	3 PONDVIEW DRIVE	A		1		
		CFDW59	6 PONDVIEW DRIVE	A		1		
		CFDW60	7 PONDVIEW DRIVE	A		1		
		CFDW61	11 PONDVIEW DRIVE	A		1		
		CFDW62	17 PONDVIEW DRIVE	A		1		
		CFDW63	15 HARRISON DRIVE	A		1		
		CFDW64	17 HARRISON DRIVE	A		1		
		CFDW65	10 CANNATA DRIVE	A		1		
		CFDW66	1 CROSS ST	A		1		
		CFDW67	3 CROSS ST	A		1		
		CFDW68	4 CROSS ST	A		1		
		CFDW69	5 CROSS ST	A		1		
		CFDW70	6 CROSS ST	A		1		
		CFDW71	1 WINDWOOD	A		1		
		CFDW72	5 WINDWOOD	A		1		
		CFDW73	20 HIGHRIDGE	A		1		
		CFDW74	22 HIGHRIDGE	A		1		
		CFDW75	24 HIGHRIDGE	A		1		
		CFDW76	3 PATRICIA LANE	A		1		
		CFDW77	5 PATRICIA LANE	A		1		
		CFDW78	7 PATRICIA LANE	A		1		
		CFDW79	4 PATRICIA LANE	A		1		
		CFDW80	9 PATRICIA LANE	A		1		
		CFDW81	82 COURT STREET	A	Y			
		CFDW82	49 NOOKS HILL ROAD	A	Y			Y
		CFDW83	10 EVERGREEN ROAD	A	Y	1		
		CFDW84	6 KNIGHTS LANE	A	Y	1		
		CFDW85	8 PALMER CIRCLE	A	Y	1		
		CFDW86	9 PALMER CIRCLE	A	Y	1		
		CFDW90	4 ELM ROAD	A		1		
		CFDW91	379 MAIN STREET	A		1		
		CFDW92	391 MAIN STREET	A		1		
		CFDW93	3 BELLAIRE MANOR	A		1		
		CFDW94	5 BELLAIRE MANOR	A		1		
		CFDW95	10 BELLAIRE MANOR	A		1		
		CFDW96	19 BELLAIRE MANOR	A		1		
		CFDW97	21 BELLAIRE MANOR	A		1		
		CFDW98	25 BELLAIRE MANOR	A		1		
		CFDW99	27 BELLAIRE MANOR	A		1		

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	
Towns Served: BERLIN, CROMWELL								

### Water System Facility and Sampling Point Inventory

Water System Facility ID	Water System Facility	Sampling Point ID	Sampling Point Description	Status	Total Coliform Rule	Lead and Copper Rule Tier	Asbestos	Stage WQP 2 DBPR
		DOWNSTREAM	WITHIN 5 SERVICE CON	A				
		UPSTREAM	WITHIN 5 SERVICE CON	A				
00700	ENTRY POINT	3	ENTRY POINT	A				
1044	GARDINER WELL 1	2	GARDINER WELL 1	A				
1146	GARDINER WELL 2	2	GARDINER WELL 2	A				
1910	GARDINER WELL 3	2	GARDINER WELL 3	A				
1911	GARDINER WELL 4	2	GARDINER WELL #4	A				
36256	TREATMENT PLANT - GARDINER WELLFIELD							
54464	SHUNPIKE RESERVOIR							
54466	SANFORD LANE PUMP STATION							
61831	EVERGREEN ADULT PUMP STATION							
61832	SOVEREIGN RIDGE PUMP STATION							
62365	COUNTRY SQUIRE AKA LONDON PS							

### Certified Operator Information

**Water System Facility: DISTRIBUTION SYSTEM (WSF ID: 00600)**

**Facility Classification:** CLASS 2 DISTRIBUTION SYSTEM

Operator Name	Operator Type	Certification(s)	Certification Expiration
PALMIERI, JOSEPH A.	CHIEF OPERATOR	WATER TREATMENT PLANT OPERATOR - CLASS I	9/30/2028
		DISTRIBUTION SYSTEM OPERATOR - CLASS III	9/30/2028
CRESCIMANNO, DONALD	ASSIGNED OPERATOR	DISTRIBUTION SYSTEM OPERATOR - CLASS III	3/31/2028
		WATER TREATMENT PLANT OPERATOR - CLASS I	12/31/2027
ROBERTS, ERIC J	ASSIGNED OPERATOR	DISTRIBUTION SYSTEM OPERATOR - CLASS III	3/31/2028
		WATER TREATMENT PLANT OPERATOR - CLASS I	9/30/2028

**Water System Facility: TREATMENT PLANT - GARDINER WELLFIELD (WSF ID: 36256)**

**Facility Classification:** CLASS 1 TREATMENT PLANT

Operator Name	Operator Type	Certification(s)	Certification Expiration
PALMIERI, JOSEPH A.	CHIEF OPERATOR	WATER TREATMENT PLANT OPERATOR - CLASS I	9/30/2028
		DISTRIBUTION SYSTEM OPERATOR - CLASS III	9/30/2028
CRESCIMANNO, DONALD	ASSIGNED OPERATOR	DISTRIBUTION SYSTEM OPERATOR - CLASS III	3/31/2028
		WATER TREATMENT PLANT OPERATOR - CLASS I	12/31/2027
ROBERTS, ERIC J	ASSIGNED OPERATOR	DISTRIBUTION SYSTEM OPERATOR - CLASS III	3/31/2028
		WATER TREATMENT PLANT OPERATOR - CLASS I	9/30/2028
FIDDLER JR, MICHAEL J	ASSIGNED OPERATOR	WATER TREATMENT PLANT OPERATOR - CLASS I	12/31/2026

**NOTE:** This information has been provided to help owners and operators of public water systems maintain compliance with drinking water quality monitoring requirements. Any inaccuracies contained herein will not relieve the owner or operator of the requirement to maintain compliance with the applicable regulations.

# Connecticut Department of Public Health Drinking Water Section

## Water Quality Monitoring and Compliance Schedule

PWS ID	PWS Name			Classification	Population	Owner Type	Primary Source	
CT0330011	CROMWELL FIRE DISTRICT WATER DEPARTMENT			C	14,316	L	GW	
Local Address (where applicable)			Service Connections	Residential	Commercial	Industrial	Combined	Agricultural
							4,046	

Towns Served: BERLIN, CROMWELL

### Contact Information

Name				Organization			Job Title		
Mr. Joseph A. Palmieri				Cromwell Fire District			Water Operations Mgr		
Mailing Address Line One			Mailing Address Line Two			City		State	Zip Code
1 West Street						Cromwell		CT	06416
Business Phone	Extension	Fax	Mobile Phone	Emergency Phone	Email Address				
860-635-4420	1000	860-632-0413	860-982-9153		jpalmieri@cromwellfd.com				

Contact Role(s): **Administrative Contact, Legal Contact**

Name				Organization			Job Title		
Mr. Roger T. Hart				Cromwell Fire District - Water			Executive Director		
Mailing Address Line One			Mailing Address Line Two			City		State	Zip Code
1 West Street						Cromwell		CT	06416
Business Phone		Extension	Fax		Mobile Phone	Emergency Phone	Email Address		
860-635-4420		4000	860-632-0413			860-214-0574	rhart@cromwellfd.com		

Contact Role(s): **Legal Contact, Owner**

#### Please note the following:

1. The residual disinfectant concentration must be measured at the same location and time as each total coliform sample.
2. If a Collection Period is specified, all water quality samples must be collected during the specified period.
3. Depending on results, additional monitoring may be required (i.e. repeat or confirmation samples). This schedule is subject to change, and any related correspondence sent by the DWS on or after the generation date of this schedule will have precedence over what is contained in this schedule.

***If you have any questions, please contact the Drinking Water Section at (860) 509-7333.***

***<http://www.ct.gov/dph/publicdrinkingwater>***

**End of schedule**