



**CT DEPARTMENT OF PUBLIC HEALTH  
ENVIRONMENTAL HEALTH AND DRINKING WATER  
SECTION ENVIRONMENTAL LABORATORY  
CERTIFICATION PROGRAM**



**A LIST OF APPROVED  
NON-COMMERCIAL ENVIRONMENTAL LABORATORIES  
UPDATED  
11/30/2023**

For Specific Confirmation of Any Individual Listing,  
Please Contact The Program  
Telephone: (860) 509-7389  
Website Address:  
[www.ct.gov/dph/environmentallabs](http://www.ct.gov/dph/environmentallabs)

\*Laboratories that perform testing on environmental samples such as drinking water (well water), recreational waters, wastewater, soil and solid waste are required by Connecticut General Statutes and the Regulations of the Connecticut State Agencies to be approved for this purpose. The following listing gives relevant information on approved laboratories including their specific fields of testing.

**City: Bloomfield**

**CT**

**Laboratory Name:** Metropolitan District Water Analysis Lab

**PH-NUM :** PH-0424

**Laboratory Director:** Robert Rostkowski

BLOOMFIELD FILTER PLANT

Reservoir #6

Bloomfield, CT 06002

Telephone number: (860) 278-7850 Ext :X 3901

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC DEMANDS	INORGANIC DISINFECTION BY-PRODUCTS
INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS
METALS	MICROBIOLOGY/BACTERIA
ORGANIC DISINFECTION BY-PRODUCTS	VOLATILE ORGANICS

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS	INORGANIC DISINFECTION BY-PRODUCTS
INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS
METALS	MICROBIOLOGY/BACTERIA

**City: Brooklyn**

**NY**

**Laboratory Name:** Interstate Environmental Commission

**PH-NUM :** PH-0320

**Laboratory Director:** Evelyn Powers

c/o BioBAT

140 58th Street, Building A, 2nd Floor

Brooklyn, NY 11220

Telephone number: (646) 222-9617 Ext :

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS	INORGANIC MINERALS PARAMETERS
INORGANIC NUTRIENT PARAMETERS	INORGANIC PHYSICAL PARAMETERS
INORGANIC SOLIDS	MICROBIOLOGY/BACTERIA

---

**City: Cheshire CT**

---

**Laboratory Name:** Town of Cheshire WPCD **PH-NUM :** PH-0712  
**Laboratory Director:** John Cronin  
1325 Cheshire Street  
  
Cheshire, CT 06410  
Telephone number: (203) 272-9105 Ext :

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC NUTRIENT PARAMETERS

---

**City: Clinton CT**

---

**Laboratory Name:** CTWC - MacKenzie WTP Laboratory **PH-NUM :** PH-0576  
**Laboratory Director:** David D'Onofrio  
12 Kelseytown Bridge Road  
  
Clinton, CT 06413  
Telephone number: (800) 428-3985 Ext :X 6074

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS  
INORGANIC NUTRIENT PARAMETERS | INORGANIC PHYSICAL PARAMETERS

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS | INORGANIC PHYSICAL PARAMETERS

---

**City: Cromwell CT**

---

**Laboratory Name:** Mattabassett District **PH-NUM :** PH-0591  
**Laboratory Director:** Kathleen Pelloquin  
245 Main Street  
  
Cromwell, CT 06416  
Telephone number: (860) 635-5550 Ext :X 238

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS | INORGANIC NUTRIENT PARAMETERS

---

METALS

City: Danbury

CT

Laboratory Name: Danbury Water Laboratory

PH-NUM : PH-0403

Laboratory Director: David J. Scalzo

Margerie WTP

6 Peck Road

Danbury, CT 06811

Telephone number: (203) 796-1536 Ext :X 253

Matrix: DRINKING WATER (SDWA)

Analyte Group

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

MICROBIOLOGY/BACTERIA

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

INORGANIC MINERALS PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

Matrix: RECREATIONAL WATER

Analyte Group

MICROBIOLOGY/BACTERIA

City: Groton

CT

Laboratory Name: Environmental Chem & Special Projects Lab

PH-NUM : PH-0785

Laboratory Director: Julie DuPont-Woody Ph.D.

Electric Boat Div.

75 Eastern Point Road, D341

Groton, CT 06340

Telephone number: (860) 433-3533 Ext :

Matrix: DRINKING WATER (SDWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC PHYSICAL PARAMETERS

Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)

Analyte Group

DISINFECTANT RESIDUALS

INORGANIC DEMANDS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS	INORGANIC PHYSICAL PARAMETERS
INORGANIC SOLIDS	METALS
SOLVENTS	VOLATILE ORGANICS

**Matrix: SOLID WASTE/SOIL (RCRA)**

**Analyte Group**

METALS	POLYCHLORINATED BIPHENYLS
--------	---------------------------

**City: Groton CT**

**Laboratory Name:** Groton Utilities Water Treatment Plant Lab **PH-NUM :** PH-0409

**Laboratory Director:** Stephen Dietrich  
1268 POQUONNOCK ROAD

Groton, CT 06340

Telephone number: (860) 446-4080 Ext :

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC DEMANDS	INORGANIC DISINFECTION BY-PRODUCTS
INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS
METALS	MICROBIOLOGY/BACTERIA

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS
METALS	MICROBIOLOGY/BACTERIA

**City: Hartford CT**

**Laboratory Name:** Metropolitan District Hartford Laboratory **PH-NUM :** PH-0425

**Laboratory Director:** Robert Rostkowski  
240 Brainard Road

Hartford, CT 06103

Telephone number: (860) 278-7850 Ext :X 3517

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	INORGANIC SOLIDS

MICROBIOLOGY/BACTERIA

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS

INORGANIC MINERALS PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

MICROBIOLOGY/BACTERIA

**City: Howard**

**PA**

**Laboratory Name:** Niagara Bottling, LLC

**PH-NUM :** PH-0822

**Laboratory Director:** Jill Risley

217 AquaPenn Drive

Howard, PA 16841

Telephone number: (814) 357-6084 Ext :

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

MICROBIOLOGY/BACTERIA

**City: Lebanon**

**CT**

**Laboratory Name:** Deep River Water Purification Lab

**PH-NUM :** PH-0449

**Laboratory Director:** Stacie Stadnicki

RESERVOIR RD.

Lebanon, CT 06249

Telephone number: (860) 823-4169 Ext :

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

DISINFECTANT RESIDUALS

INORGANIC MINERALS PARAMETERS

INORGANIC PHYSICAL PARAMETERS

---

**City: Manchester**

**CT**

---

**Laboratory Name:** Manchester Water Laboratory

**PH-NUM :** PH-0460

**Laboratory Director:** Brenda Williams

125 SPRING STREET

Manchester, CT 06040

Telephone number: (860) 647-3209 Ext :

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC NUTRIENT PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

MICROBIOLOGY/BACTERIA
-----------------------

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS
-------------------

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC NUTRIENT PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

INORGANIC SOLIDS
------------------

MICROBIOLOGY/BACTERIA
-----------------------

---

**City: Meriden**

**CT**

---

**Laboratory Name:** City of Meriden WPC Laboratory

**PH-NUM :** PH-0128

**Laboratory Director:** Carmen L. Krzesik

226 Evansville Avenue

Meriden, CT 06451

Telephone number: (203) 630-4261 Ext :

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS
-------------------

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC NUTRIENT PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

INORGANIC SOLIDS
------------------

MICROBIOLOGY/BACTERIA
-----------------------

---

**City: Monroe CT**

---

**Laboratory Name:** Aquarion Water Company Water Quality Lab **PH-NUM :** PH-0400  
**Laboratory Director:** Patricia Esposito  
200 Monroe Turnpike  
  
Monroe, CT 06468  
Telephone number: (203) 445-7362 Ext :

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

DISINFECTANT RESIDUALS	INORGANIC PHYSICAL PARAMETERS
MICROBIOLOGY/BACTERIA	

---

---

**City: Montville CT**

---

**Laboratory Name:** Stony Brook Water Purification Laboratory **PH-NUM :** PH-0196  
**Laboratory Director:** Stacie Stadnicki  
2 CHERRY LANE  
  
Montville, CT 06370  
Telephone number: (860) 848-9434 Ext :

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS
INORGANIC PHYSICAL PARAMETERS

---

---

**City: Mystic CT**

---

**Laboratory Name:** Mystic Aquarium Environmental Quality Lab **PH-NUM :** PH-0177  
**Laboratory Director:** Allison Tuttle, DVM  
55 Coogan Blvd  
  
Mystic, CT 06355  
Telephone number: (860) 572-5955 Ext :X 106

---

**Matrix: NON-POTABLE WATER (Excluding NPDES Wastewater)**

**Analyte Group**

INORGANIC NUTRIENT PARAMETERS
-------------------------------

---



---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	MICROBIOLOGY/BACTERIA

---

**City: Naugatuck CT**

---

**Laboratory Name:** CTWC - W.C. Stewart WTP Laboratory **PH-NUM :** PH-0781  
**Laboratory Director:** David D'Onofrio  
119 Horton Hill Road  
Naugatuck, CT 06770  
Telephone number: (800) 286-5700 Ext :X 6074

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS
INORGANIC PHYSICAL PARAMETERS

---

**City: New Canaan CT**

---

**Laboratory Name:** Norwalk Water Laboratory-First District **PH-NUM :** PH-0415  
**Laboratory Director:** Kori Bria  
270 VALLEY ROAD  
New Canaan, CT 06840  
Telephone number: (203) 229-7273 Ext :

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS	
INORGANIC NUTRIENT PARAMETERS	INORGANIC PHYSICAL PARAMETERS
MICROBIOLOGY/BACTERIA	

---

**City: Norwalk**

**CT**

---

**Laboratory Name:** King Industries

**PH-NUM :** PH-0561

**Laboratory Director:** Harry Condos

SCIENCE ROAD

Norwalk, CT 06852

Telephone number: (203) 866-5551 Ext :

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS
-------------------

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

METALS
--------

VOLATILE ORGANICS
-------------------

---

**City: Norwich**

**CT**

---

**Laboratory Name:** Norwich Public Utilities Laboratory

**PH-NUM :** PH-0453

**Laboratory Director:** Stacie Stadnicki

43 FALLS AVENUE

Norwich, CT 06360

Telephone number: (860) 823-4169 Ext :

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

DISINFECTANT RESIDUALS
------------------------

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

INORGANIC SOLIDS
------------------

MICROBIOLOGY/BACTERIA
-----------------------

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

DISINFECTANT RESIDUALS
------------------------

INORGANIC DEMANDS
-------------------

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

INORGANIC SOLIDS
------------------

MICROBIOLOGY/BACTERIA
-----------------------

---

**City: Stamford**

**CT**

---

**Laboratory Name:** Stamford WPCA

**PH-NUM :** PH-0711

**Laboratory Director:** Matthew Holko  
111 Harbor View Avenue

Stamford, CT 06902

Telephone number: (203) 977-4592 Ext :

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC NUTRIENT PARAMETERS

---

**City: Storrs**

**CT**

---

**Laboratory Name:** UCONN Cntr. Envir. Sciences & Engineering

**PH-NUM :** PH-0778

**Laboratory Director:** Christopher Perkins  
Bldg. #4 Annex. Rm 133  
3107 Horsebarn Hill Rd., U-4210  
Storrs, CT 062694210

Telephone number: (860) 486-2668 Ext :

---

**Matrix: ANIMAL TISSUES**

**Analyte Group**

METALS

ORGANICS

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

PERFLUORINATED ALKYL COMPOUNDS

---

**Matrix: NON-POTABLE WATER (Excluding NPDES Wastewater)**

**Analyte Group**

INORGANIC NUTRIENT PARAMETERS

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS

INORGANIC MINERALS PARAMETERS

INORGANIC NUTRIENT PARAMETERS

INORGANIC PHYSICAL PARAMETERS

INORGANIC SOLIDS

METALS

---

---

**City: Vernon**

**CT**

---

**Laboratory Name:** CTWC - Rockville WTP Laboratory

**PH-NUM :** PH-0780

**Laboratory Director:** David D'Onofrio

Connecticut Water Company

10 Snipsic Street

Vernon, CT 06066

Telephone number: (860) 664-6112 Ext :

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC NUTRIENT PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

MICROBIOLOGY/BACTERIA
-----------------------

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

---

---

**City: Wallingford**

**CT**

---

**Laboratory Name:** Wallingford Water and Wastewater Lab.

**PH-NUM :** PH-0485

**Laboratory Director:** Kim M. Maloney

Water and Wastewater Laboratory

155 John Street

Wallingford, CT 06492

Telephone number: (203) 949-2677 Ext :

---

**Matrix: DRINKING WATER (SDWA)**

**Analyte Group**

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC NUTRIENT PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

MICROBIOLOGY/BACTERIA
-----------------------

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

INORGANIC DEMANDS
-------------------

INORGANIC MINERALS PARAMETERS
-------------------------------

INORGANIC NUTRIENT PARAMETERS
-------------------------------

INORGANIC PHYSICAL PARAMETERS
-------------------------------

INORGANIC SOLIDS
------------------

METALS
--------

---

---

**City: Waterford CT**

---

**Laboratory Name:** Millstone Power Station Environmental Lab **PH-NUM :** PH-0290

**Laboratory Director:** John Swenarton  
Dominion Nuclear CT, Inc.  
314 Rope Ferry Road  
Waterford, CT 06385  
Telephone number: (800) 269-9994 Ext :X 4255

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

DISINFECTANT RESIDUALS	INORGANIC PHYSICAL PARAMETERS
------------------------	-------------------------------

---

---

**City: Waterford CT**

---

**Laboratory Name:** Millstone Power Station Unit 2 Chem Lab **PH-NUM :** PH-0294

**Laboratory Director:** Kevin C. Villani  
Rope Ferry Road  
  
Waterford, CT 06385  
Telephone number: (860) 447-1791 Ext :X 4255

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

DISINFECTANT RESIDUALS	INORGANIC MISCELLANEOUS PARAMETERS
INORGANIC NUTRIENT PARAMETERS	INORGANIC PHYSICAL PARAMETERS

---

---

**City: Waterford CT**

---

**Laboratory Name:** Millstone Power Station Unit 3 Chem Lab **PH-NUM :** PH-0292

**Laboratory Director:** Lewis E. Crone  
Dominion Nuclear CT, Inc.  
Rope Ferry Rd.  
Waterford, CT 06385  
Telephone number: (860) 447-1791 Ext :X 4255

---

**Matrix: NON-POTABLE WATER/ WASTEWATER (CWA)**

**Analyte Group**

DISINFECTANT RESIDUALS	INORGANIC NUTRIENT PARAMETERS
INORGANIC PHYSICAL PARAMETERS	

---

**THIS IS THE LAST PAGE OF THE REPORT**