

Electronic Decrementing for HL7 Clinic

This is the Electronic Decrementing process for clinics that have their EHR electronically sending data directly to CT WiZ through HL7 messages









Things You Should

This function enables users of HL7 practices to see if vaccines that were administered in their EHR can be matched to the CT WiZ inventory on hand.


How often a practice uses Electronic Decrementing is up to the clinic. Keep in mind that the longer you wait, the more matching/corrections will need to be made. However Electronic Decrementing must be done before Reconciliations.

If you are part of a large clinic it is good practice to clean up your Electronic Decrementing weekly or even on a daily basis.





It's Your Best Shot! Connecticut Immunization Information System
Home
Patients
Immunizations
Inventory
Vaccines
On-Hand
Electronic Decrementing
Reconciliation
Vaccine Orders
Vaccine Returns
Vaccine Shipments
Clinic Tools
Reports
HL7 Management
Version 18.7.20190228 Copyright © 2001-2019 Envision Technology Partners Inc. Third Party Notices



To begin, make sure you are in the correct clinic, especially if you belong to multiple clinics.

Click Inventory, Vaccines, and then Electronic Decrementing.






Electronic Decrementing 19							
Electronic Decrementing Search							
Immunization From * Immunization Throug 01/15/2019	h * Inventory Location * Vaccine Group Minimum Match Confidence 90% 1032 FREEZER 1 * Search						
Search Results - 75 entries (400 Doses) Showing 1 to 75 of 75 entries Auto-check Match checkbox if confidence is confidence is							
Incoming Inventory Transaction	Matched Inventory On-Hand	♦ Match Confidence ♦ Doses ▼ ■ Match?					
HEP A, PED/ADOL, 2D : SKB : 279H2 : 01/31/2021 : ?	UNABLE TO FIND ANY MATCHES WITH 90% CONFIDENCE	69					
PCV13: WAL: W81743: 09/30/2020: ?	94% - PCV13: PFR: W81743: 09/30/2020: BLENDED PUBLIC CVP (37 REMAINING DOSES) *	94% 56					
PCV13: WAL: W80810: 09/30/2020: ?	94% - PCV13 : PFR : W80810 : 09/30/2020 : BLENDED PUBLIC CVP (58 REMAINING DOSES) ▼	94% 52					
HIB (PRP-T) : PMC : UI957AA : 06/30/2020 : ?	91% - HIB (PRP-T): PMC: UI957AAA: 03/31/2020: BLENDED PUBLIC CVP (4 REMAINING DOSES) *	91% 18					
HPV9: MSD: R020200: 05/31/2021: ?	98% - HPV9 : MSD : R020200 : 05/31/2021 : BLENDED PUBLIC CVP (14 REMAINING DOSES) ▼	98% 18					
DTAP-HEPB-IPV : SKB : 2HC47 : 12/31/2020 : ?	UNABLE TO FIND ANY MATCHES WITH 90% CONFIDENCE	13					
HEP A. PED/ADOL. 2D : SKB : E53PX :	000/ UED A DEDIADOL OD 000 E500V 050040004 DLENDED DUDUO 01/D 00 DEMANUNO D0050) -	98%					

- 1. Enter the dates in the Immunization From and Through fields you want to check for Electronic Decrementing. After your first Electronic Decrementing, the Immunization From field automatically prefills with your last ending date. Click Search after your Immunization dates are entered.
- 2. You can slide the **Minimum Match Confidence** bar percentage to narrow or increase your results. This will assist you if you have a large list of vaccines to match.
- 3. CT WiZ will automatically check the Match? checkbox for any vaccines that match with a 95% confidence or higher.
- 4. CT WiZ will not let you match any vaccines with less than a 70% match confidence.







CT WiZ does have the option to exclude your private inventory and private Immunizations. It is recommended that you do not check these boxes.

If you select these, the potential inventory matches will not include privately funded inventory and may cause Reconciliation issues.



Electronic Decrementing Matching



Electronic Decrementing Search						
Immunization From * Immunization Through 01/17/2019	Inventory Location * Vaccine Group Minimum Match Confidence 90% 1032 FREEZER 1 Search	After you select all your matches, click Accept Checked to complete. A pop up window will appear asking you if you are sure you want to match. Once you click Ok then another pop-up will appear letting				
Search Results - 78 entries (421 Doses)		you know the matches were a success.				
Showing 1 to 78 of 78 entries		Auto-check Match checkbox if confidence is >=95% Accept Checked				
Incoming Inventory Transaction	Matched Inventory On-Hand					
HEP A, PED/ADOL, 2D : SKB : 279H2 : 01/31/2021 : ?	UNABLE TO FIND ANY MATCHES WITH 90% CONFIDENCE	69				
PCV13: WAL: W81743: 09/30/2020: ?	94% - PCV13: PFR: W81743: 09/30/2020: BLENDED PUBLIC CVP (37 REMAINING DOSES) *	94% 59				
PCV13 : WAL : W80810 : 09/30/2020 : ?	94% - PCV13 : PFR : W81743 : 09/30/2020 : BLENDED PUBLIC CVP (37 REMAINING DOSES) 94% - PCV13 : PFR : W80810 : 09/30/2020 : BLENDED PUBLIC CVP (58 REMAINING DOSES) ▼	94% 52				
This is the data that came in through the HL7 message.	CT WiZ automatically picks the best match to the vaccine. However, by clicking the down arrow next to the vaccine, you can see other possible matches from your inventory on hand.	Once you select the correct vaccine, click the Match? checkbox.				





		Search	
Search Results - 78 entries (421 Doses)			
Showing 1 to 78 of 78 entries			Auto-check Match checkbox if confidence is >=95% ▼ Accept Checked
Incoming Inventory Transaction	Matched Inventory On-Hand		♦ Match Confidence ▲ Doses ♦ □ Match?
TST, UF: PMC: C5563AB: 03/31/2021: ?	UNABLE TO FIND ANY MATCHES WITH 45% CONFIDENCE		5
RSV-MAB: MED: JT0047: ??/??/????: ?	UNABLE TO FIND ANY MATCHES WITH 45% CONFIDENCE		2
HPV9: MSD: DD: ??/??/????:?	UNABLE TO FIND ANY MATCHES WITH 45% CONFIDENCE		1
HPV9: MSD: DDD: ??/??/????:?	UNABLE TO FIND ANY MATCHES WITH 45% CONFIDENCE		1
MCV4 (MENACTRA) : PMC : DD : ??/??/???? : ?	UNABLE TO FIND ANY MATCHES WITH 45% CONFIDENCE		1
TDAP, ADSORBED : PMC : C5556AA : 12/31/2020 : ?	UNABLE TO FIND ANY MATCHES WITH 45% CONFIDENCE		1
TST, UF : PMC : C55663AB : 03/31/2021 : ?	UNABLE TO FIND ANY MATCHES WITH 45% CONFIDENCE		1
TST_UF : PMC : C5569AA : 04/30/2021 : ?	UNABLE TO FIND ANY MATCHES WITH 45% CONFIDENCE		1

You can filter your search results by **Match Confidence**. Click on the down arrow next to **Match Confidence** to view this.

Many different vaccines/test come through HL7 messages. By filtering the Match Confidence, you can exclude things that do not pertain to the CVP program. You will **not** be required to match vaccines/test that aren't covered by the vaccine program.







For the CVP vaccines that come through without any matches, click on the number of doses given with the unmatched vaccine. A new window will appear.



This will pull up the unmatched immunizations.

- 1. Click on the + under **Date**.
- 2. Click on Immunization.

This will bring you to the child's record where you will be able to see all the information on the vaccine given. If you find there was a mistake when reviewing this, correct the information in your EHR. Resend an HL7 message to correct the immunization and update the Electronic Decrementing.



Electronic Decrementing: Reviewing your Corrections



You can review all corrections made when conducting your Reconciliation. You can do this in two different ways. The first way is to click on the **Action** dropdown for the vaccine that was corrected and then **Transactions**.


Vaccine Inventory	Reconcil	liation ② 🕦							Cancel	Links →	Update
Inventory Location: 10	32 REFRIC	GERATOR 1									
Description: * APRIL 2019				Authorized By: GIERLA1, KIMBERLY ()		▼ ἡ	Status: *				
Count Date: * 04/17/2019		Count Time: * 12:34 PM	0	Last Count Date/Time:			Last Order Date: MM/DD/YYYY				i
Inventory by Doses											
Description				Summary	Aggregate Administered	Physical Count	Inventory Difference	Acceptable Inv. Difference	Action		
11. Hep A, ped/adol, 2D (Havrix	(0.5 mL x 10 syr	r)) SKB • 58160-0825-52 • 3KT7B •	12/10/2020	Σ			-30		Action 🔻		?
12. Hep A, ped/adol, 2D (Havrix	x (0.5 mL x 10 syr	r)) SKB • 58160-0825-52 • X34MF •	12/10/2020	Σ			-2		Action -		?
13. Hep A, ped/adol, 2D (Havrix	x (0.5 mL x 10 syr	r)) SKB • 58160-0825-52 • E53PX •	05/14/2021	Σ			-30		Action ▼		?
14. Hep B, adult (Engerix B (1 n	nL x 10 vials)) SK	KB • 58160-0821-11 • 3G535 • 01/24	/2021	Σ			-10		Action -		?
15. Hep B, adult (Engerix B (1 n	nL x 10 vials)) SK	KB • 58160-0821-11 • 2NK52 • 02/20	/2021	Σ			-10	Create Inventor	/ Adjustment		?
		/D - CO.400 0004 44 000000 0444		_			**				_



Electronic Decrementing: Reviewing your Corrections



A pop up will appear with all the transactions for this vaccine. You can see the -1 created by HL7. This was the matched and corrected dose from the Electronic Decrementing.



OK

comment, it shows that the vaccine was updated.



Electronic Decrementing: Reviewing your Corrections



The second way to check your correction is by hovering your cursor over the " Σ " icon in the Summary column next to the vaccine. You will see the number of corrected doses under **Inventory Administered**.

