

## Connecticut Vaccine Program (CVP) Eligibility Criteria as of July 1, 2021

| Vaccine                                 | Age Group                       | Status of Children<br>VFC and State Supplied Vaccine |  |   |                     | CPT<br>Code(s)         |
|---|---------------------------------|--|--|---|---------------------|------------------------|
|   |                                 | VFC<br>Eligible <sup>1</sup>                         | Non-VFC<br>Eligible<br>Privately<br>Insured <sup>2</sup> | Non-VFC<br>Eligible<br>Under-<br>Insured <sup>2</sup> | S-CHIP <sup>2</sup> |                        |
| Hepatitis B                             | Newborns in hospital            | YES  | YES  | YES   | YES                 | 90744                  |
|   | Children 0-18 years             | YES  | YES  | YES   | YES                 |                        |
| Varicella (Doses 1 & 2)                 | 12 months-18 years <sup>3</sup> | YES  | YES  | YES   | YES                 | 90716                  |
| Td                                      | 7-18 years <sup>4</sup>         | YES  | YES  | YES   | YES                 | 90714                  |
| MMR                                     | 12 months-18 years              | YES  | YES  | YES   | YES                 | 90707                  |
|   | College (any age)               | YES  | YES  | YES   | YES                 |                        |
| MMRV (Doses 1 & 2)                      | 12 months-12 years              | YES  | YES  | YES   | YES                 | 90710                  |
| DTaP                                    | 2 months – 6 years              | YES  | YES  | YES   | YES                 | 90700                  |
| Hib                                     | 2-59 months                     | YES  | YES  | YES   | YES                 | 90647, 90648           |
| IPV                                     | 2 months-18 years               | YES  | YES  | YES   | YES                 | 90713                  |
| DTaP/IPV                                | 4-6 years                       | YES  | YES  | YES   | YES                 | 90696                  |
| DTaP/IPV/Hep B                          | 2-83 months                     | YES  | YES  | YES   | YES                 | 90723                  |
| DTaP/IPV/Hib                            | 2-59 months                     | YES  | YES  | YES   | YES                 | 90698                  |
| DTaP/IPV/Hib/Hep B                      | 2-59 months                     | YES  | YES  | YES   | YES                 | 90697                  |
| Meningococcal Conjugate<br>High Risk:   | 2 months-10 years               | YES  | YES  | YES   | YES                 | 90619,<br>90734        |
|   | Routine Doses 1 & 2:            |  |  |   |                     |                        |
|   | 11-18 years                     | YES  | YES  | YES   | YES                 |                        |
| Tdap                                    | 7-18 years <sup>5</sup>         | YES  | YES  | YES   | YES                 | 90715                  |
| Pneumococcal Conjugate<br>(PCV13)       | 2 months-18 years               | YES  | YES  | YES   | YES                 | 90670                  |
| Pneumococcal<br>Polysaccharide (PPSV23) | 2-18 years                      | YES  | YES  | YES   | YES                 | 90732                  |
| Influenza                               | 6 months-18 years               | YES  | YES  | YES   | YES                 | 90672, 90674,<br>90686 |
| Hepatitis A                             | 12 months -18 years             | YES  | YES  | YES   | YES                 | 90633                  |
| Rotavirus                               | 6 weeks-8 months                | YES  | YES  | YES   | YES                 | 90680, 90681           |
| HPV (males & females)                   | 9-10 & 13-18 years              | YES  | NO   | YES   | YES                 | 90651                  |
|   | 11-12 years                     | YES  | YES  | YES   | YES                 |                        |
| Meningococcal Serogroup B<br>High Risk: | 10-18 years                     | YES  | YES  | YES   | YES                 | 90620, 90621           |
|   | Routine Doses 1 & 2:            |  |  |   |                     |                        |
|   | 16-18 years                     | YES  | YES  | YES   | YES                 |                        |

- VFC eligibility is defined as follows: (a) Medicaid enrolled; (b) NO health insurance; (c) American Indian or Alaskan native; or (d) underinsured seen at an FQHC.
- Non-VFC children refers to patients who have private insurance that covers the cost of immunizations, patients that are under-insured for some or all vaccines seen by a private provider; and S-CHIP children- those children enrolled in HUSKY B.
- Susceptible children who do not have a clinical history of chicken pox.
- Td vaccine can be given to children 7-18 years of age to complete their primary series, or to those children 7-18 years of age who are in need of a Tetanus containing vaccine and cannot receive Tdap.
- Tdap vaccine should be administered routinely to children at the 11-12 year old preventive health care visit, and to children 7-10 & 13-18 years old who have not been fully vaccinated against pertussis and for whom no contraindication to pertussis containing vaccine exists

As of July 1, 2020 the only childhood vaccine not universally available from the CVP is HPV for privately insured patients 9-10 & 13-18 years of age. Providers can purchase this vaccine privately and submit billing requests to the appropriate insurer in accordance with normal billing procedures.