From: noreply-dphimmunizations@ct.gov <noreply@everbridge.net>

Sent: Monday, October 4, 2021 9:46 AM

Subject: COVID-19 Vaccine Program (CoVP) Provider Bulletin, Week of October 4



Dear Connecticut COVID-19 Vaccine Providers,

This communication is being sent to all key contacts at provider organizations administering COVID-19 vaccine— please read this message in its entirety. Please feel free to share it with others in your organization who may benefit from the update. Note that all of our communications are archived on our web site.

UPDATES

<u>Upcoming Food and Drug Administration (FDA) Vaccines and Related Biological</u> <u>Products Advisory Committee (VRBPAC) Meetings Scheduled</u>

- October 14-15: VRBPAC will meet to discuss the Emergency Use Authorization (EUA) of the Moderna COVID-19 vaccine for the administration of a booster dose, following completion of the primary series, to individuals 18 years of age and older. On October 15, 2021, the committee will meet to discuss the Janssen J&J COVID-19 vaccine for the administration of a booster dose, to individuals 18 years of age and older. Meeting information and the link to the live streamed meeting is available here.
- October 26: The FDA anticipates receiving a request from Pfizer to amend its emergency use authorization to allow the use of its COVID-19 vaccine in children 5 through 11 years of age. In anticipation of the request, the FDA is moving forward with scheduling an advisory committee meeting on Oct. 26 to inform the agency's decision-making. Meeting information is not yet posted, but the press release is available here.

<u>Please find updates to Centers for Disease Control and Prevention (CDC's) COVID-19</u> <u>website below:</u>

- Pfizer-BioNTech COVID-19 Vaccine Standing Orders for Administering Vaccine to Persons
 12 Years of Age and Older Updated for booster dose 9/28
- v-safe COVID-19 Vaccine Pregnancy Registry
- Information about the Pfizer-BioNTech COVID-19 Vaccine
- Ensuring the Safety of COVID-19 Vaccines in the United States

Reminder: Invitation to Bid (ITB) is open

The State of Connecticut is seeking COVID-19 providers who can provide the following services:

- Administering COVID-19 vaccines to individuals who are homebound,
- Operating mobile clinics, including clinics for residents of congregate settings, and/or
- Operating fixed, community-based vaccination sites. (These sites will only be deployed in limited circumstances, where access gaps within the existing vaccine network are observed.)

Providers who are able to provide one or multiple of these services are encouraged to respond to the ITB (Solicitation #: 21PSX0116). For full details, refer to announcement email (Subject: COVID-19 Vaccination Invitation-to-Bid) or visit the CTsource Bid Board to apply. Questions? Email arlene.watson-paulin@ct.gov.

Recent COVID-19 and vaccine related publications

• Safety Monitoring of an Additional Dose of COVID-19 Vaccine — United States, August 12— September 19, 2021

CDC HAN 453: COVID-19 Vaccination for Pregnant People to Prevent Serious Illness, Deaths, and Adverse Pregnancy Outcomes from COVID-19 was shared with CoVP providers on 9/30 and is available here. Please read this important communication from the CDC and encourage COVID-19 vaccination for your pregnant patients.

Attention! CT WiZ will be down on Monday evening

On Monday 10/4/2021 CT WiZ will be down between 8:00 pm and 9:00 pm for a new release. Please plan your entry and electronic querying accordingly.

<u>REMINDERS</u>

We are keeping information on many important reminders from past communications in the space below. To prevent this section from becoming too lengthy, what remains is selected carefully. All past communications are available here.

Booster dose recommendations

COVID-19 Vaccine Providers in Connecticut may begin administration of Pfizer booster doses in line with the FDA emergency use authorization and CDC recommendations.

CDC recommends:

- People 65 years and older and residents in long-term care settings should receive a booster shot of Pfizer-BioNTech's COVID-19 vaccine at least 6 months after their Pfizer-BioNTech primary series,
- People aged 50–64 years with <u>underlying medical conditions</u> should receive a booster shot of Pfizer-BioNTech's COVID-19 vaccine at least 6 months after their Pfizer-BioNTech primary series.
- People aged 18–49 years with <u>underlying medical conditions</u> may receive a booster shot of Pfizer-BioNTech's COVID-19 vaccine at least 6 months after their Pfizer-BioNTech primary series, based on their individual benefits and risks, and
- People aged 18-64 years who are at increased risk for COVID-19 exposure and transmission because of occupational or institutional setting may receive a booster shot of Pfizer-BioNTech's COVID-19 vaccine at least 6 months after their Pfizer-BioNTech primary series, based on their individual benefits and risks.

Note that persons who received Moderna or J&J vaccines for their primary doses are not included in the CDC recommendation currently. We expect to receive several continued updates to booster dose guidelines over the next weeks. These will include further clarification of today's recommendations; and likely include recommendations related to the Moderna and the J&J vaccines as well as potential expansion of the recommended population groups.

We encourage providers to begin outreach to those who are 65+ and at least 6 months from the second dose of the primary series of Pfizer as well as those who are under 65 and meet the CDC recommendations to encourage them to receive booster doses.

Below is a list of informational activities related to booster recommendations, as well as resource pages:

- COCA Call: What Clinicians Need to Know About the Latest CDC Recommendations for <u>Pfizer-BioNTech COVID-19 Booster Vaccination</u> (already aired, video recording will be available soon).
- CDC page: Pfizer-BioNTech COVID-19 Vaccine Booster Shot Updated 9/30
- Interim Clinical Considerations for Use of COVID-19 Vaccines Currently Approved or Authorized in the United States Updated 9/27

Guidance regarding eligibility verification for booster doses of COVID-19 vaccines

As has always been the case during the COVID-19 vaccine roll out, the State of Connecticut wants to ensure that vaccine access is simple and straightforward for vaccine recipients. Providers should continue to ensure that COVID vaccines are readily available for individuals who seek them and that administration of a COVID-19 vaccine is medically appropriate and conducted in line with the ACIP guidelines.

Ensuring patients receive a COVID vaccine at the appropriate interval:

Connecticut DPH recommends that providers have a procedure for ensuring that individuals receive their booster no sooner than the minimum recommended interval. This can be accomplished in one of several ways, in order of preference:

- Verify the vaccine information, including the brand and date(s) a patient received their previous COVID-19 vaccine doses using CT WiZ; or
- Review the Centers for Disease Control and Prevention (CDC) Vaccination Card, VAMS
 Certificate, CT WiZ Certificate, or other documentation of the recipient's vaccination record;
 or
- If neither of the above are possible, ask the patient for the vaccine brand(s) and dates of previous COVID-19 doses received during the scheduling process (and including logic in scheduling systems to ensure appropriate interval).

Ensuring recommended individuals receive a COVID booster:

Connecticut DPH recognizes that the categories of individuals for whom boosters may be confusing or not immediately clear to all patients. Connecticut DPH continues to support patient self-identification and attestation as a sufficient basis for confirming that an individual is within one of the categories for whom boosters are recommended.

Additional considerations:

DPH reminds providers that there is no residency requirement to receive COVID-19 vaccines and that identification (ID) is likewise not required. Although ID may be requested from the patient for purposes of billing, no individual should be turned away due to lack of ID and providers should endeavor to create a welcoming environment for people to seek COVID-19 vaccines.

Vaccine Ordering

Providers who wish to order additional Pfizer vaccine at this time so they have adequate stocks for booster dose administration over the next days are encouraged to do so.

We encourage providers to please order only according to your anticipated COVID-19 vaccine needs for the next 10 days; vaccine supply is adequate. Given that it is difficult to estimate need, it is preferable that you place smaller doses more frequently rather than larger orders less frequently.

Please verify your listings are correct on ct.gov/covidvaccine. If you need to add new clinic locations, remove a clinic location, or modify the products you offer, please email Caroline.Hou@ct.gov.

Vaccine Expiration

Continue to store expired Moderna doses at appropriate temperatures pending stability studies. Connecticut DPH has just been informed, via a directive from the federal government, that providers should quarantine doses of Moderna vaccine after their date of expiration, rather than disposing of them immediately. This is because there may soon be an extension of Moderna expiration dates.

This means that:

- Providers should continue to store all vaccines until the date of expiration.
- When the expiration date of Moderna doses is reached, providers should:
 - o Identify, separate and mark expired doses as "do not use".
 - Continue to store the expired vaccine at the appropriate temperature ranges pending results from a stability study which could extend the shelf life of the Moderna COVID-19 vaccine.
- We understand that some expired doses may already have been removed from refrigeration—<u>please report those as wastage</u> – but do not remove additional expired doses from refrigeration moving forward.

Some providers have J&J doses that have recently or are soon to expire. CDC has indicated that the expiration for these doses will not be extended again. Providers should dispose of expired vaccine appropriately and report the wastage in the DPH ticketing system.

Vaccine Lot Management and Expiration

In order to minimize the number of unused expired doses and manage expired doses correctly, we encourage providers to:

- Monitor expiration dates weekly, rotate stock as needed, and follow a "first in, first out" strategy to manage inventory.
- If nearing expiration, check posted manufacturer information for the most up to date expiration/extension information for vaccine lots.
- Based on the latest expiration information and unless instructed to do otherwise, REMOVE expired vaccine from the storage unit. Do not give staff opportunity to administer expired vaccine.
 - o If expired vaccine is inadvertently is administered, it is considered a vaccine administration error and requires remediation including a VAERS report, contacting the recipient to inform them of the error, and may or may not require revaccination based on the manufacturers' guidance. Guidance on vaccine administration errors can be found in Appendix A of the Interim Clinical Considerations for Use of COVID-19 Vaccines Currently Authorized in the United States.
- Vaccine disposal: dispose of the vaccine vial (with any remaining vaccine) and packaging as medical waste. Do NOT return vaccine in the thermal shipping container.
- Check your vaccine stock for lots expiring using the <u>CDC's Vaccine Lot Number and</u> Expiration Date webpage.
- Request access to a new COVID-19 Vaccine Lot Number report via CDC's Vaccine Code Set Management Service (VCSMS). This report includes COVID-19 vaccine lot numbers and expiration dates provided to CDC by the vaccine manufacturers. This report is updated daily and can be used to support vaccine administration, inventory management, and

jurisdiction IISs. Complete the registration form on <u>CDC's Vaccine Lot Number and</u> Expiration Date webpage to request access to the report.

When reporting expired doses to the <u>Helpdesk</u>, please select the "Report Vaccine Wastage" ticket option, then select "Other" as the wastage reason and type "Expiration" in the text box when prompted. Please make sure that inventory is updated in Vaccine Finder, VAMS, or CT WiZ as appropriate.

Influenza Corner

The Advisory Committee on Immunization Practices *Prevention and Control of Seasonal Influenza with Vaccines: Recommendations of the Advisory Committee on Immunization Practices, United States, 2021–22 Influenza Season is available here.*

If a patient is eligible, both the flu and COVID-19 vaccines can be administered at the same visit, as recommended by CDC and its Advisory Committee on Immunizations Practices (ACIP).

In addition to flu vaccine, the COVID-19 vaccine can be given with other vaccines as well. Even though both vaccines can be given at the same visit, providers should follow the recommended schedule for either vaccine: If your patients haven't gotten the currently recommended doses of COVID-19 vaccine, they should get a COVID-19 vaccine as soon as possible, and ideally they should get a flu vaccine by the end of October.

Giving all vaccines for which a person is eligible at the same visit is considered a <u>best practice</u> as it increases the probability people will be up to date on recommended vaccines. It also is an important part of immunization practice, especially if a health care provider is uncertain that a patient will return for additional doses of vaccine.

Coadministration of COVID-19 and Influenza vaccines

You may administer COVID-19 and influenza vaccines without regard to timing (both live, attenuated and non-live influenza vaccines). This includes administration of COVID-19 and influenza vaccines on the same day, as well as coadministration at any time interval. (CDC Interim Clinical Considerations: Coadministration of COVID-19 and Influenza vaccines)

With influenza season approaching, there may be compelling logistical advantages to offering patients COVID-19 and influenza vaccines on the same day, and you may encourage patients to receive these on the same day. There are no safety concerns for coadministration.

Best practices for <u>administering more than one vaccine</u>, including COVID-19 vaccines and influenza vaccines, include:

 When preparing more than one vaccine, label each with the name and dosage (amount) of vaccine, lot number, the initials of the preparer, and the exact beyond-use time, if applicable.

- Always inject vaccines into different injection sites.
 - Separate injection sites by 1 inch or more, if possible so that any local reactions can be differentiated.
 - Each muscle (deltoid, vastus lateralis) has multiple injection sites (<u>Vaccine</u> Administration Route and Site).
- If administered at the same time, COVID-19 vaccines and vaccines that might be more likely
 to cause a local injection site reaction (for example, <u>high-dose and adjuvanted inactivated influenza vaccines</u>) should be administered in different limbs, if possible (<u>Prevention and Control of Seasonal Influenza with Vaccines: Recommendations of the Advisory Committee on Immunization Practices (ACIP)—United States, 2021-22).
 </u>
- Inject vaccines rapidly without aspiration since aspiration is not recommended before administering a vaccine (<u>Vaccine Administration Route and Site</u>).
- There are many existing resources on administration and co-administration of vaccines relevant for healthcare providers, including:
 - o Pink Book: Vaccine Administration | CDC
 - You Call The Shots: Vaccinating Adolescents (cdc.gov)
 - Vaccine Administration Training Module (cdc.gov)
 - o Intramuscular (IM) Injection: Sites YouTube
 - CDC also is developing a job aid and video for health care professionals on coadministration of vaccines.

The following are reminders about important influenza-related events coming up. Put these dates on your calendar to keep up with flu over the course of the 2021-2022 influenza season.

- September 9 (recording now available): <u>Webinar September 9, 2021 2021-2022 Influenza</u>
 <u>Vaccination Recommendations and Guidance on Coadministration with COVID-19</u>
 Vaccines
- October 7: National Foundation for Infectious Disease press conference launch
- October 7: 2021-2022 Recommendations for Influenza Prevention and Treatment in Children: An Update for Pediatric Providers
- October 12: Ad Council campaign launch
- October 15: Weekly FluView Reports for 2021-2022 begin

Ensure Best Practice by Checking CT WiZ Before Vaccinating

Prior to administering any vaccine, including the COVID-19 vaccine, it is important that a recipient's prior vaccine history be referenced in the Immunization Information System (CT WiZ); best clinical practice is to verify that the recommended interval has elapsed since a previous dose of vaccine and that the preferred brand of vaccine be administered.

- If your clinic established bi-directional data exchange, you can query CT WiZ for the patient immunization record electronically from your EHR.
- Every CoVP enrolled clinic can <u>look up the patient immunization record</u> in the <u>CT WiZ user interface</u>. Those who signed the CoVP Provider Agreement and the primary and back-up vaccine coordinator already have CT WiZ access.

- If your staff need access to CT WiZ, <u>request a username</u> and select the 'Clinic Access' role. Access to CT WiZ is defined in <u>EXECUTIVE ORDER NO. 13C</u>.
- If you need support, please submit a <u>Helpdesk ticket</u>.

Report vaccine temperature excursions and vaccines wasted to the Helpdesk by following the prompts and submitting a ticket.

- Immediately report all temperature excursions in storage units containing COVID-19 vaccines. Staff will be notified in real time of the excursion and will assist you. Please store vaccines in the storage unit in a paper bag marked "do not use" until a determination about the viability of the vaccine has been made, in consultation with the manufacturer and the Immunization Program.
- Also report to the Helpdesk all COVID-19 vaccines deemed wasted or expired. This includes
 Pfizer vials from which a sixth dose cannot be extracted.

COVID-19 Vaccine and Pregnancy

The increased circulation of the highly contagious <u>Delta variant</u>, the <u>low vaccine uptake among pregnant people</u>, and the increased risk of severe illness and pregnancy complications related to COVID-19 infection among pregnant people make vaccination for this population more urgent than ever.

The CDC webpage <u>COVID-19 Vaccines While Pregnant or Breastfeeding</u> contains some key messages for you to share with your patients.

Post Notice to Patients About Reporting to CT WiZ at CoVP Clinics

All clinics enrolled in the CoVP must post the <u>Notice to Patients About Reporting to CT WiZ</u>, to let vaccine recipients know their records are being reported to CT WiZ. If you are reporting through VAMS, this data is transmitted to CT WiZ.

Replacement CDC COVID Vaccination Cards

- Recommendation: Post your procedure for recipients to request replacement cards, in a
 location visible to recipients at your clinic as well as on your website. If your clinic needs
 additional CDC COVID-19 Vaccination Cards, contact DPH.lmmunizations@ct.gov and we
 will email you a pdf of the card for your clinic to print (note: these should not be posted on
 your website). Large type print cards are also available via pdf.
- Reminder: You should issue CDC COVID-19 Vaccination Cards to your vaccine recipients. DPH cannot issue a CDC card to recipients. DPH can provide the immunization record from CT WiZ. DPH's procedure is on our COVID-19 Vaccine and DPH Immunization webpages

at: I lost my vaccine card, how do I get another one? (ct.gov) and Request an Official Immunization Record.

Upcoming Clinic Trainings and Office Hours

- CoVP Update -- next meeting October 6
 Provides CoVP Vaccinating Providers updates on the CoVP Program and Q&A with DPH staff. Every other Wednesday 9:00am-10:00am; Join: CoVP Office Hours
- The CoVP Enrollment Office Hours Provides information about the CoVP enrollment process in CT WiZ and Q&A with DPH staff. Mondays & Thursdays 12:00pm-12:30pm; Join: CoVP CT WiZ Enrollment Office Hours
- Vaccine Storage and Handling Assessment For clinics who completed CoVP enrollment and received an invite to attend. Tuesdays 10:00am-11:00am & Thursdays 1:00pm-2:00pm; By invitation Only
- VAMS & CT WiZ Live Helpdesk Office Hours Clinics can ask questions about VAMS and CT WiZ functionality to DPH staff. Tuesdays 9:00am 10:00am; Join: <u>VAMS Live Helpdesk</u> <u>Office Hours</u>

Visit: VAMS Training and CT WiZ Training for enhancement release notes and training.

Thank you for all of your ongoing work and support of our COVID-19 vaccine roll-out in Connecticut.

CT DPH Immunization Program Main P: (860) 509-7929 | Fax: (860) 706-5429 | Email: dph.immunizations@ct.gov Website: CT Immunization Program | COVID-19 Vaccine Program

If you would like to unsubscribe from these communications, please send an email to Dph.immunizations@ct.gov with the subject line "Unsubscribe from COVID-19 Program communications".