

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.3	0.74	3	2.5	1.45	0	0.0	0.00
5-9	1	0.5	0.48	0	0.0	0.00	1	1.0	0.99
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
20-24	5	2.0	0.89	5	3.9	1.75	0	0.0	0.00
25-29	30	10.5	1.91	18	12.6	2.96	12	8.4	2.42
30-34	72	24.2	2.86	61	41.3	5.28	11	7.4	2.22
35-39	72	27.0	3.18	57	43.3	5.73	15	11.1	2.87
40-44	36	14.6	2.43	31	25.8	4.63	5	4.0	1.77
45-49	20	10.0	2.24	17	17.4	4.22	3	2.9	1.69
50-54	20	12.8	2.86	18	23.7	5.59	2	2.5	1.76
55-59	8	5.5	1.94	8	11.4	4.03	0	0.0	0.00
60-64	7	4.7	1.78	5	7.1	3.19	2	2.6	1.81
65-69	5	3.6	1.60	4	6.4	3.20	1	1.3	1.30
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	280			227			53		
Connecticut									
. Crude rate		8.5	-		14.2	-		3.1	-
. AAMR (1940 Std. mil.)		7.9	0.48		13.0	0.87		3.0	0.41
. AAMR (1970 Std. mil.)		6.6	0.41		11.0	0.75		2.5	0.35
. AAMR (2000 Std. mil.)		8.2	0.50		13.6	0.92		2.9	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.8	-		17.8	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	1.3	0.67	0	0.0	0.00	4	2.7	1.34
35-39	5	1.9	0.84	4	3.0	1.52	1	0.7	0.74
40-44	11	4.5	1.34	4	3.3	1.66	7	5.5	2.09
45-49	16	8.0	2.00	12	12.3	3.54	4	3.9	1.96
50-54	30	19.2	3.51	15	19.8	5.11	15	18.7	4.83
55-59	37	25.4	4.18	17	24.2	5.88	20	26.5	5.93
60-64	70	47.2	5.64	45	64.2	9.57	25	32.0	6.40
65-69	116	83.2	7.72	67	107.3	13.10	49	63.6	9.09
70-74	125	107.5	9.61	68	138.5	16.79	57	84.8	11.24
75-79	144	164.2	13.68	73	214.4	25.10	71	132.3	15.70
80-84	131	236.8	20.69	59	318.3	41.44	72	195.7	23.07
85+	165	354.7	27.61	56	466.9	62.39	109	315.7	30.24
Total deaths	854			420			434		
Connecticut									
. Crude rate		26.0	-		26.3	-		25.6	-
. AAMR (1940 Std. mil.)		13.7	0.52		17.1	0.87		11.2	0.64
. AAMR (1970 Std. mil.)		19.4	0.68		24.6	1.20		15.9	0.81
. AAMR (2000 Std. mil.)		25.9	0.89		33.1	1.69		21.5	1.04
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.8	-		17.1	-		11.4	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.7	0.48	1	0.7	0.68	1	0.7	0.67
35-39	4	1.5	0.75	1	0.8	0.76	3	2.2	1.28
40-44	12	4.9	1.40	6	5.0	2.04	6	4.7	1.94
45-49	56	28.0	3.74	37	37.9	6.22	19	18.6	4.27
50-54	94	60.2	6.21	53	69.9	9.60	41	51.1	7.98
55-59	152	104.4	8.47	85	121.2	13.15	67	88.8	10.85
60-64	235	158.5	10.34	149	212.6	17.41	86	110.0	11.86
65-69	306	219.4	12.54	175	280.1	21.18	131	170.1	14.86
70-74	329	282.9	15.60	209	425.6	29.44	120	178.6	16.31
75-79	280	319.2	19.07	176	516.9	38.97	104	193.7	19.00
80-84	173	312.7	23.78	110	593.4	56.58	63	171.3	21.58
85+	95	204.2	20.95	53	441.9	60.70	42	121.6	18.77
Total deaths	1,738			1,055			683		
Connecticut									
. Crude rate		52.8	-		66.2	-		40.3	-
. AAMR (1940 Std. mil.)		33.8	0.87		46.7	1.49		24.3	1.03
. AAMR (1970 Std. mil.)		43.4	1.06		62.2	1.92		30.5	1.21
. AAMR (2000 Std. mil.)		51.4	1.25		76.3	2.42		35.4	1.38
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.9	-		58.3	-		25.6	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	3	1.0	0.60	-	-	-	3	2.1	1.21
30-34	5	1.7	0.75	-	-	-	5	3.3	1.50
35-39	16	6.0	1.50	-	-	-	16	11.9	2.97
40-44	32	13.0	2.29	-	-	-	32	25.3	4.47
45-49	36	18.0	3.00	-	-	-	36	35.2	5.87
50-54	25	16.0	3.20	-	-	-	25	31.2	6.23
55-59	46	31.6	4.66	-	-	-	46	61.0	8.99
60-64	76	51.3	5.88	-	-	-	76	97.2	11.15
65-69	75	53.8	6.21	-	-	-	75	97.4	11.25
70-74	79	67.9	7.64	-	-	-	79	117.6	13.23
75-79	79	90.1	10.13	-	-	-	79	147.2	16.56
80-84	52	94.0	13.03	-	-	-	52	141.4	19.60
85+	80	172.0	19.23	-	-	-	80	231.7	25.90
Total deaths	604			-			604		
Connecticut									
. Crude rate		-	-		-	-		35.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		21.4	0.98
. AAMR (1970 Std. mil.)		-	-		-	-		26.0	1.11
. AAMR (2000 Std. mil.)		-	-		-	-		31.8	1.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.3	0.35	-	-	-	1	0.7	0.70
30-34	3	1.0	0.58	-	-	-	3	2.0	1.16
35-39	3	1.1	0.65	-	-	-	3	2.2	1.28
40-44	5	2.0	0.91	-	-	-	5	4.0	1.77
45-49	5	2.5	1.12	-	-	-	5	4.9	2.19
50-54	2	1.3	0.91	-	-	-	2	2.5	1.76
55-59	1	0.7	0.69	-	-	-	1	1.3	1.33
60-64	3	2.0	1.17	-	-	-	3	3.8	2.22
65-69	4	2.9	1.43	-	-	-	4	5.2	2.60
70-74	4	3.4	1.72	-	-	-	4	6.0	2.98
75-79	5	5.7	2.55	-	-	-	5	9.3	4.17
80-84	3	5.4	3.13	-	-	-	3	8.2	4.71
85+	4	8.6	4.30	-	-	-	4	11.6	5.79
Total deaths	43			-			43		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.7	0.29
. AAMR (1970 Std. mil.)		-	-		-	-		1.9	0.29
. AAMR (2000 Std. mil.)		-	-		-	-		2.4	0.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.4	0.41	-	-	-	1	0.8	0.79
45-49	1	0.5	0.50	-	-	-	1	1.0	0.98
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	2	1.4	0.97	-	-	-	2	2.7	1.87
60-64	7	4.7	1.78	-	-	-	7	9.0	3.38
65-69	6	4.3	1.76	-	-	-	6	7.8	3.18
70-74	6	5.2	2.11	-	-	-	6	8.9	3.65
75-79	8	9.1	3.22	-	-	-	8	14.9	5.27
80-84	6	10.8	4.43	-	-	-	6	16.3	6.66
85+	5	10.7	4.81	-	-	-	5	14.5	6.48
Total deaths	42			-			42		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.22
. AAMR (1970 Std. mil.)		-	-		-	-		1.7	0.27
. AAMR (2000 Std. mil.)		-	-		-	-		2.1	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.3	0.35	-	-	-	1	0.7	0.70
30-34	2	0.7	0.48	-	-	-	2	1.3	0.95
35-39	1	0.4	0.38	-	-	-	1	0.7	0.74
40-44	5	2.0	0.91	-	-	-	5	4.0	1.77
45-49	3	1.5	0.87	-	-	-	3	2.9	1.69
50-54	12	7.7	2.22	-	-	-	12	15.0	4.32
55-59	9	6.2	2.06	-	-	-	9	11.9	3.98
60-64	21	14.2	3.09	-	-	-	21	26.9	5.86
65-69	34	24.4	4.18	-	-	-	34	44.1	7.57
70-74	29	24.9	4.63	-	-	-	29	43.2	8.02
75-79	27	30.8	5.92	-	-	-	27	50.3	9.68
80-84	10	18.1	5.72	-	-	-	10	27.2	8.60
85+	16	34.4	8.60	-	-	-	16	46.3	11.58
Total deaths	170			-			170		
Connecticut									
. Crude rate		-	-		-	-		10.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.0	0.51
. AAMR (1970 Std. mil.)		-	-		-	-		7.4	0.59
. AAMR (2000 Std. mil.)		-	-		-	-		8.7	0.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	3	1.9	1.11	3	4.0	2.28	-	-	-
55-59	7	4.8	1.82	7	10.0	3.77	-	-	-
60-64	30	20.2	3.69	30	42.8	7.81	-	-	-
65-69	50	35.8	5.07	50	80.0	11.32	-	-	-
70-74	83	71.4	7.83	83	169.0	18.55	-	-	-
75-79	92	104.9	10.93	92	270.2	28.17	-	-	-
80-84	95	171.7	17.62	95	512.5	52.58	-	-	-
85+	70	150.5	17.98	70	583.6	69.76	-	-	-
Total deaths	430			430			-		
Connecticut									
. Crude rate		-	-		27.0	-		-	-
. AAMR (1940 Std. mil.)		-	-		15.5	0.77		-	-
. AAMR (1970 Std. mil.)		-	-		25.0	1.21		-	-
. AAMR (2000 Std. mil.)		-	-		36.0	1.81		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.7	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available











## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.7	0.49	1	0.7	0.70	1	0.7	0.70
30-34	4	1.3	0.67	3	2.0	1.17	1	0.7	0.67
35-39	11	4.1	1.24	6	4.6	1.86	5	3.7	1.66
40-44	22	8.9	1.90	13	10.8	3.00	9	7.1	2.37
45-49	38	19.0	3.08	17	17.4	4.22	21	20.6	4.48
50-54	44	28.2	4.25	23	30.3	6.32	21	26.2	5.71
55-59	86	59.1	6.37	41	58.5	9.13	45	59.6	8.89
60-64	175	118.0	8.92	97	138.4	14.05	78	99.8	11.30
65-69	289	207.2	12.19	150	240.1	19.61	139	180.5	15.31
70-74	378	325.1	16.72	183	372.7	27.55	195	290.3	20.79
75-79	436	497.0	23.80	203	596.3	41.85	233	434.1	28.44
80-84	367	663.4	34.63	134	722.9	62.45	233	633.4	41.49
85+	458	984.5	46.00	127	1058.9	93.96	331	958.6	52.69
Total deaths	2,310			998			1,312		
Connecticut									
. Crude rate		70.2	-		62.6	-		77.4	-
. AAMR (1940 Std. mil.)		35.3	0.82		39.7	1.31		32.0	1.04
. AAMR (1970 Std. mil.)		51.4	1.09		58.0	1.84		46.9	1.37
. AAMR (2000 Std. mil.)		69.7	1.46		78.3	2.59		64.2	1.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: CT rate is not significantly different



















## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.43	1	0.8	0.84	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.3	0.35	0	0.0	0.00	1	0.7	0.70
30-34	3	1.0	0.58	2	1.4	0.96	1	0.7	0.67
35-39	4	1.5	0.75	4	3.0	1.52	0	0.0	0.00
40-44	15	6.1	1.57	8	6.6	2.35	7	5.5	2.09
45-49	23	11.5	2.40	12	12.3	3.54	11	10.8	3.25
50-54	32	20.5	3.62	14	18.5	4.93	18	22.4	5.29
55-59	61	41.9	5.37	36	51.3	8.56	25	33.1	6.63
60-64	113	76.2	7.17	72	102.7	12.10	41	52.4	8.19
65-69	172	123.3	9.40	82	131.3	14.50	90	116.9	12.32
70-74	247	212.4	13.52	105	213.8	20.87	142	211.4	17.74
75-79	264	300.9	18.52	102	299.6	29.66	162	301.8	23.71
80-84	283	511.6	30.41	100	539.5	53.95	183	497.5	36.77
85+	434	932.9	44.78	95	792.1	81.26	339	981.8	53.32
Total deaths	1,653			633			1,020		
Connecticut									
. Crude rate		50.3	-		39.7	-		60.2	-
. AAMR (1940 Std. mil.)		23.8	0.66		25.3	1.05		22.3	0.84
. AAMR (1970 Std. mil.)		35.9	0.91		37.2	1.48		34.4	1.14
. AAMR (2000 Std. mil.)		50.5	1.25		50.7	2.11		49.3	1.56
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	1.0	0.71	0	0.0	0.00	2	2.0	1.38
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	1.4	0.97	2	2.9	2.02	0	0.0	0.00
60-64	3	2.0	1.17	2	2.9	2.02	1	1.3	1.28
65-69	6	4.3	1.76	3	4.8	2.77	3	3.9	2.25
70-74	21	18.1	3.94	14	28.5	7.62	7	10.4	3.94
75-79	20	22.8	5.10	13	38.2	10.59	7	13.0	4.93
80-84	29	52.4	9.73	11	59.3	17.89	18	48.9	11.53
85+	98	210.7	21.28	22	183.4	39.11	76	220.1	25.25
Total deaths	181			67			114		
Connecticut									
. Crude rate		5.5	-		4.2	-		6.7	-
. AAMR (1940 Std. mil.)		1.8	0.16		2.2	0.28		1.5	0.18
. AAMR (1970 Std. mil.)		3.4	0.26		3.9	0.48		3.0	0.30
. AAMR (2000 Std. mil.)		5.8	0.43		6.3	0.80		5.3	0.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.8	-		3.3	-		2.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.3	0.35	0	0.0	0.00	1	0.7	0.70
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	4	2.6	1.28	3	4.0	2.28	1	1.2	1.25
55-59	8	5.5	1.94	4	5.7	2.85	4	5.3	2.65
60-64	8	5.4	1.91	6	8.6	3.49	2	2.6	1.81
65-69	27	19.4	3.73	22	35.2	7.51	5	6.5	2.90
70-74	30	25.8	4.71	20	40.7	9.11	10	14.9	4.71
75-79	31	35.3	6.35	19	55.8	12.80	12	22.4	6.45
80-84	30	54.2	9.90	19	102.5	23.52	11	29.9	9.02
85+	33	70.9	12.35	13	108.4	30.06	20	57.9	12.95
Total deaths	172			106			66		
Connecticut									
. Crude rate		5.2	-		6.7	-		3.9	-
. AAMR (1940 Std. mil.)		2.6	0.22		4.1	0.42		1.5	0.23
. AAMR (1970 Std. mil.)		3.8	0.30		6.2	0.60		2.3	0.30
. AAMR (2000 Std. mil.)		5.2	0.40		8.4	0.85		3.2	0.40
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.7	-		5.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available











## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	8	2.7	0.95	5	3.4	1.51	3	2.0	1.16
35-39	15	5.6	1.45	11	8.3	2.52	4	3.0	1.48
40-44	21	8.5	1.86	13	10.8	3.00	8	6.3	2.24
45-49	18	9.0	2.12	14	14.3	3.83	4	3.9	1.96
50-54	31	19.9	3.57	22	29.0	6.18	9	11.2	3.74
55-59	31	21.3	3.83	22	31.4	6.69	9	11.9	3.98
60-64	32	21.6	3.82	23	32.8	6.84	9	11.5	3.84
65-69	47	33.7	4.92	30	48.0	8.77	17	22.1	5.35
70-74	43	37.0	5.64	22	44.8	9.55	21	31.3	6.82
75-79	32	36.5	6.45	18	52.9	12.46	14	26.1	6.97
80-84	18	32.5	7.67	6	32.4	13.21	12	32.6	9.42
85+	10	21.5	6.80	6	50.0	20.42	4	11.6	5.79
Total deaths	306			192			114		
Connecticut									
. Crude rate		9.3	-		12.0	-		6.7	-
. AAMR (1940 Std. mil.)		6.9	0.42		9.8	0.73		4.4	0.45
. AAMR (1970 Std. mil.)		7.9	0.46		11.2	0.82		5.1	0.50
. AAMR (2000 Std. mil.)		9.3	0.54		13.3	0.98		6.1	0.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.6	-		12.1	-		5.3	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.9	0.61	2	1.7	1.18	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.52	0	0.0	0.00	1	1.1	1.05
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.40	1	0.8	0.78	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	1.3	0.67	3	2.0	1.17	1	0.7	0.67
35-39	5	1.9	0.84	2	1.5	1.07	3	2.2	1.28
40-44	2	0.8	0.57	1	0.8	0.83	1	0.8	0.79
45-49	6	3.0	1.23	4	4.1	2.05	2	2.0	1.38
50-54	2	1.3	0.91	2	2.6	1.86	0	0.0	0.00
55-59	10	6.9	2.17	7	10.0	3.77	3	4.0	2.30
60-64	32	21.6	3.82	19	27.1	6.22	13	16.6	4.61
65-69	27	19.4	3.73	7	11.2	4.24	20	26.0	5.81
70-74	28	24.1	4.55	14	28.5	7.62	14	20.8	5.57
75-79	39	44.5	7.12	22	64.6	13.78	17	31.7	7.68
80-84	43	77.7	11.85	18	97.1	22.89	25	68.0	13.59
85+	96	206.4	21.06	46	383.5	56.55	50	144.8	20.48
Total deaths	298			148			150		
Connecticut									
. Crude rate		9.1	-		9.3	-		8.8	-
. AAMR (1940 Std. mil.)		4.3	0.29		5.6	0.49		3.6	0.35
. AAMR (1970 Std. mil.)		6.4	0.38		8.8	0.73		5.2	0.46
. AAMR (2000 Std. mil.)		9.1	0.53		13.2	1.14		7.2	0.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.4	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	27	11.6	2.23	17	14.2	3.45	10	8.8	2.78
5-9	7	3.4	1.27	5	4.7	2.10	2	2.0	1.40
10-14	11	5.7	1.71	8	8.1	2.86	3	3.2	1.83
15-19	60	28.4	3.67	50	46.1	6.52	10	9.7	3.08
20-24	102	40.6	4.02	74	58.0	6.74	28	22.6	4.27
25-29	87	30.4	3.26	74	51.6	6.00	13	9.1	2.52
30-34	67	22.5	2.75	57	38.6	5.11	10	6.7	2.12
35-39	49	18.4	2.63	40	30.4	4.80	9	6.7	2.22
40-44	48	19.4	2.81	42	34.9	5.39	6	4.7	1.94
45-49	29	14.5	2.69	18	18.4	4.34	11	10.8	3.25
50-54	25	16.0	3.20	21	27.7	6.04	4	5.0	2.49
55-59	36	24.7	4.12	26	37.1	7.27	10	13.3	4.19
60-64	31	20.9	3.75	20	28.5	6.38	11	14.1	4.24
65-69	37	26.5	4.36	19	30.4	6.98	18	23.4	5.51
70-74	57	49.0	6.49	31	63.1	11.34	26	38.7	7.59
75-79	62	70.7	8.98	27	79.3	15.26	35	65.2	11.02
80-84	66	119.3	14.69	26	140.3	27.51	40	108.7	17.19
85+	123	264.4	23.84	41	341.8	53.39	82	237.5	26.23
Total deaths	924			596			328		
Connecticut									
. Crude rate		28.1	-		37.4	-		19.4	-
. AAMR (1940 Std. mil.)		22.5	0.82		33.7	1.44		11.6	0.79
. AAMR (1970 Std. mil.)		24.0	0.83		34.8	1.47		13.8	0.84
. AAMR (2000 Std. mil.)		27.5	0.92		39.4	1.70		16.9	0.94
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		32.6	-		47.7	-		17.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.7	0.86	3	2.5	1.45	1	0.9	0.88
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.52	1	1.0	1.01	0	0.0	0.00
15-19	2	0.9	0.67	2	1.8	1.30	0	0.0	0.00
20-24	1	0.4	0.40	1	0.8	0.78	0	0.0	0.00
25-29	1	0.3	0.35	1	0.7	0.70	0	0.0	0.00
30-34	1	0.3	0.34	1	0.7	0.68	0	0.0	0.00
35-39	1	0.4	0.38	1	0.8	0.76	0	0.0	0.00
40-44	3	1.2	0.70	3	2.5	1.44	0	0.0	0.00
45-49	2	1.0	0.71	2	2.0	1.45	0	0.0	0.00
50-54	1	0.6	0.64	1	1.3	1.32	0	0.0	0.00
55-59	4	2.7	1.37	2	2.9	2.02	2	2.7	1.87
60-64	8	5.4	1.91	3	4.3	2.47	5	6.4	2.86
65-69	9	6.5	2.15	6	9.6	3.92	3	3.9	2.25
70-74	14	12.0	3.22	8	16.3	5.76	6	8.9	3.65
75-79	23	26.2	5.47	7	20.6	7.77	16	29.8	7.45
80-84	30	54.2	9.90	13	70.1	19.45	17	46.2	11.21
85+	78	167.7	18.98	18	150.1	35.37	60	173.8	22.43
Total deaths	183			73			110		
Connecticut									
. Crude rate		5.6	-		4.6	-		6.5	-
. AAMR (1940 Std. mil.)		2.4	0.21		3.0	0.38		1.8	0.22
. AAMR (1970 Std. mil.)		3.8	0.29		4.4	0.52		3.2	0.33
. AAMR (2000 Std. mil.)		5.8	0.43		6.3	0.78		5.2	0.50
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.8	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.7	0.86	1	0.8	0.84	3	2.6	1.52
5-9	1	0.5	0.48	1	0.9	0.94	0	0.0	0.00
10-14	3	1.6	0.89	3	3.0	1.75	0	0.0	0.00
15-19	3	1.4	0.82	3	2.8	1.60	0	0.0	0.00
20-24	3	1.2	0.69	3	2.4	1.36	0	0.0	0.00
25-29	4	1.4	0.70	4	2.8	1.40	0	0.0	0.00
30-34	5	1.7	0.75	4	2.7	1.35	1	0.7	0.67
35-39	3	1.1	0.65	3	2.3	1.31	0	0.0	0.00
40-44	4	1.6	0.81	4	3.3	1.66	0	0.0	0.00
45-49	1	0.5	0.50	1	1.0	1.02	0	0.0	0.00
50-54	3	1.9	1.11	3	4.0	2.28	0	0.0	0.00
55-59	4	2.7	1.37	4	5.7	2.85	0	0.0	0.00
60-64	2	1.3	0.95	2	2.9	2.02	0	0.0	0.00
65-69	1	0.7	0.72	1	1.6	1.60	0	0.0	0.00
70-74	3	2.6	1.49	3	6.1	3.53	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	1.8	1.81	1	5.4	5.39	0	0.0	0.00
85+	2	4.3	3.04	1	8.3	8.34	1	2.9	2.90
Total deaths	47			42			5		
Connecticut									
. Crude rate		1.4	-		2.6	-		0.3	-
. AAMR (1940 Std. mil.)		1.4	0.21		2.6	0.41		-	-
. AAMR (1970 Std. mil.)		1.4	0.21		2.6	0.42		-	-
. AAMR (2000 Std. mil.)		1.4	0.21		2.7	0.43		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		3.1	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	33	14.1	2.46	23	19.2	4.01	10	8.8	2.78
5-9	8	3.9	1.36	6	5.6	2.30	2	2.0	1.40
10-14	16	8.3	2.07	12	12.2	3.51	4	4.2	2.11
15-19	108	51.2	4.92	90	83.0	8.75	18	17.5	4.13
20-24	169	67.2	5.17	135	105.8	9.10	34	27.5	4.71
25-29	153	53.4	4.32	124	86.5	7.77	29	20.3	3.77
30-34	124	41.7	3.75	97	65.6	6.66	27	18.1	3.48
35-39	92	34.5	3.60	71	53.9	6.40	21	15.6	3.40
40-44	83	33.6	3.69	71	59.0	7.00	12	9.5	2.74
45-49	56	28.0	3.74	38	38.9	6.31	18	17.6	4.15
50-54	45	28.8	4.30	38	50.1	8.13	7	8.7	3.30
55-59	54	37.1	5.05	38	54.2	8.79	16	21.2	5.30
60-64	48	32.4	4.67	33	47.1	8.19	15	19.2	4.95
65-69	61	43.7	5.60	38	60.8	9.87	23	29.9	6.23
70-74	77	66.2	7.55	45	91.6	13.66	32	47.6	8.42
75-79	73	83.2	9.74	36	105.7	17.62	37	68.9	11.33
80-84	78	141.0	15.96	35	188.8	31.92	43	116.9	17.83
85+	133	285.9	24.79	48	400.2	57.76	85	246.2	26.70
Total deaths	1,411			978			433		
Connecticut									
. Crude rate		42.9	-		61.4	-		25.5	-
. AAMR (1940 Std. mil.)		36.7	1.06		56.7	1.88		17.3	0.98
. AAMR (1970 Std. mil.)		37.4	1.04		56.9	1.88		19.1	1.00
. AAMR (2000 Std. mil.)		41.7	1.12		62.9	2.10		22.7	1.11
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		55.1	-		84.3	-		26.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	3.9	1.29	7	5.9	2.21	2	1.8	1.24
5-9	4	1.9	0.96	2	1.9	1.33	2	2.0	1.40
10-14	5	2.6	1.16	2	2.0	1.43	3	3.2	1.83
15-19	45	21.3	3.18	36	33.2	5.53	9	8.8	2.92
20-24	78	31.0	3.51	56	43.9	5.86	22	17.8	3.79
25-29	65	22.7	2.82	55	38.4	5.17	10	7.0	2.21
30-34	38	12.8	2.07	32	21.6	3.83	6	4.0	1.64
35-39	26	9.8	1.91	19	14.4	3.31	7	5.2	1.96
40-44	17	6.9	1.67	13	10.8	3.00	4	3.2	1.58
45-49	15	7.5	1.94	9	9.2	3.07	6	5.9	2.40
50-54	12	7.7	2.22	11	14.5	4.37	1	1.2	1.25
55-59	17	11.7	2.83	10	14.3	4.51	7	9.3	3.51
60-64	7	4.7	1.78	5	7.1	3.19	2	2.6	1.81
65-69	11	7.9	2.38	5	8.0	3.58	6	7.8	3.18
70-74	15	12.9	3.33	5	10.2	4.55	10	14.9	4.71
75-79	17	19.4	4.70	9	26.4	8.81	8	14.9	5.27
80-84	14	25.3	6.76	5	27.0	12.06	9	24.5	8.16
85+	6	12.9	5.27	3	25.0	14.44	3	8.7	5.02
Total deaths	401			284			117		
Connecticut									
. Crude rate		12.2	-		17.8	-		6.9	-
. AAMR (1940 Std. mil.)		12.0	0.62		17.7	1.07		6.3	0.63
. AAMR (1970 Std. mil.)		11.4	0.60		16.6	1.02		6.4	0.63
. AAMR (2000 Std. mil.)		11.5	0.58		16.8	1.02		6.5	0.61
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.2	-		25.8	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.43	1	0.8	0.84	0	0.0	0.00
5-9	1	0.5	0.48	1	0.9	0.94	0	0.0	0.00
10-14	5	2.6	1.16	4	4.1	2.03	1	1.1	1.05
15-19	37	17.5	2.88	33	30.4	5.30	4	3.9	1.95
20-24	47	18.7	2.73	45	35.3	5.26	2	1.6	1.14
25-29	37	12.9	2.12	30	20.9	3.82	7	4.9	1.85
30-34	29	9.8	1.81	21	14.2	3.10	8	5.4	1.89
35-39	24	9.0	1.84	19	14.4	3.31	5	3.7	1.66
40-44	17	6.9	1.67	14	11.6	3.11	3	2.4	1.37
45-49	12	6.0	1.73	11	11.3	3.39	1	1.0	0.98
50-54	7	4.5	1.69	7	9.2	3.49	0	0.0	0.00
55-59	6	4.1	1.68	5	7.1	3.19	1	1.3	1.33
60-64	7	4.7	1.78	7	10.0	3.77	0	0.0	0.00
65-69	8	5.7	2.03	6	9.6	3.92	2	2.6	1.84
70-74	8	6.9	2.43	7	14.3	5.39	1	1.5	1.49
75-79	2	2.3	1.61	2	5.9	4.15	0	0.0	0.00
80-84	8	14.5	5.11	7	37.8	14.27	1	2.7	2.72
85+	3	6.4	3.72	3	25.0	14.44	0	0.0	0.00
Total deaths	259			223			36		
Connecticut									
. Crude rate		7.9	-		14.0	-		2.1	-
. AAMR (1940 Std. mil.)		8.0	0.51		14.0	0.96		2.1	0.36
. AAMR (1970 Std. mil.)		7.4	0.48		13.3	0.92		1.9	0.33
. AAMR (2000 Std. mil.)		7.5	0.47		13.6	0.93		2.0	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.5	-		25.3	-		4.4	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.43	1	0.8	0.84	0	0.0	0.00
5-9	1	0.5	0.48	1	0.9	0.94	0	0.0	0.00
10-14	3	1.6	0.89	2	2.0	1.43	1	1.1	1.05
15-19	22	10.4	2.22	21	19.4	4.23	1	1.0	0.97
20-24	32	12.7	2.25	30	23.5	4.29	2	1.6	1.14
25-29	24	8.4	1.71	19	13.3	3.04	5	3.5	1.56
30-34	12	4.0	1.17	8	5.4	1.91	4	2.7	1.34
35-39	7	2.6	0.99	5	3.8	1.70	2	1.5	1.05
40-44	6	2.4	0.99	4	3.3	1.66	2	1.6	1.12
45-49	3	1.5	0.87	3	3.1	1.77	0	0.0	0.00
50-54	1	0.6	0.64	1	1.3	1.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.7	0.72	1	1.6	1.60	0	0.0	0.00
70-74	2	1.7	1.22	1	2.0	2.04	1	1.5	1.49
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	3.6	2.56	1	5.4	5.39	1	2.7	2.72
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	117			98			19		
Connecticut									
. Crude rate		3.6	-		6.1	-		1.1	-
. AAMR (1940 Std. mil.)		3.9	0.37		6.6	0.68		1.1	0.26
. AAMR (1970 Std. mil.)		3.6	0.34		6.1	0.64		1.0	0.23
. AAMR (2000 Std. mil.)		3.3	0.31		5.6	0.57		1.0	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.7	-		11.4	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.47	1	0.9	0.92	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	6	2.1	0.86	4	2.8	1.40	2	1.4	0.99
30-34	15	5.0	1.30	12	8.1	2.34	3	2.0	1.16
35-39	11	4.1	1.24	9	6.8	2.28	2	1.5	1.05
40-44	2	0.8	0.57	2	1.7	1.18	0	0.0	0.00
45-49	5	2.5	1.12	2	2.0	1.45	3	2.9	1.69
50-54	1	0.6	0.64	0	0.0	0.00	1	1.2	1.25
55-59	1	0.7	0.69	0	0.0	0.00	1	1.3	1.33
60-64	2	1.3	0.95	2	2.9	2.02	0	0.0	0.00
65-69	3	2.2	1.24	2	3.2	2.26	1	1.3	1.30
70-74	5	4.3	1.92	2	4.1	2.88	3	4.5	2.58
75-79	1	1.1	1.14	1	2.9	2.94	0	0.0	0.00
80-84	2	3.6	2.56	0	0.0	0.00	2	5.4	3.84
85+	4	8.6	4.30	3	25.0	14.44	1	2.9	2.90
Total deaths	59			40			19		
Connecticut									
. Crude rate		1.8	-		2.5	-		1.1	-
. AAMR (1940 Std. mil.)		1.4	0.20		2.1	0.33		0.9	0.21
. AAMR (1970 Std. mil.)		1.3	0.18		1.9	0.31		0.8	0.20
. AAMR (2000 Std. mil.)		1.7	0.22		2.5	0.41		1.0	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		4.5	-		2.6	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower