

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	836	177.1	6.12	481	198.7	9.06	355	154.3	8.19
5-9	59	13.8	1.79	35	15.9	2.69	24	11.5	2.34
10-14	67	16.8	2.05	47	23.1	3.36	20	10.2	2.29
15-19	252	64.0	4.03	195	96.2	6.89	57	29.8	3.95
20-24	419	88.4	4.32	328	136.3	7.53	91	39.0	4.09
25-29	496	92.0	4.13	344	127.5	6.88	152	56.4	4.58
30-34	784	132.1	4.72	568	192.2	8.07	216	72.4	4.93
35-39	964	174.9	5.63	659	241.7	9.42	305	109.5	6.27
40-44	1,099	219.7	6.63	752	308.0	11.23	347	135.5	7.27
45-49	1,289	307.7	8.57	857	418.5	14.29	432	201.8	9.71
50-54	1,481	461.3	11.99	895	573.4	19.17	586	355.2	14.67
55-59	2,147	764.6	16.50	1,329	981.0	26.91	818	562.9	19.68
60-64	3,518	1228.6	20.71	2,139	1574.0	34.03	1,379	916.6	24.68
65-69	5,208	1917.0	26.56	3,060	2514.2	45.45	2,148	1432.3	30.91
70-74	6,945	2922.7	35.07	3,874	3836.8	61.64	3,071	2247.3	40.55
75-79	7,993	4358.0	48.75	4,165	5760.6	89.26	3,828	3445.4	55.69
80-84	8,252	7131.2	78.50	3,729	9434.8	154.50	4,523	5936.2	88.27
85+	14,377	14680.6	122.44	4,521	17966.1	267.20	9,856	13544.4	136.43
Total deaths	56,186			27,978			28,208		
Connecticut									
. Crude rate		855.8	-		879.1	-		834.0	-
. AAMR (1940 Std. mil.)		443.1	2.17		580.0	3.70		334.6	2.51
. AAMR (1970 Std. mil.)		616.2	2.70		800.2	4.83		482.8	3.12
. AAMR (2000 Std. mil.)		839.3	3.56		1084.5	6.76		674.9	4.06
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		513.2	-		669.5	-		386.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	2.3	0.70	8	3.3	1.17	3	1.3	0.75
5-9	9	2.1	0.70	3	1.4	0.79	6	2.9	1.17
10-14	12	3.0	0.87	9	4.4	1.47	3	1.5	0.89
15-19	11	2.8	0.84	7	3.5	1.31	4	2.1	1.05
20-24	33	7.0	1.21	22	9.1	1.95	11	4.7	1.42
25-29	36	6.7	1.11	19	7.0	1.62	17	6.3	1.53
30-34	79	13.3	1.50	44	14.9	2.24	35	11.7	1.98
35-39	164	29.8	2.32	72	26.4	3.11	92	33.0	3.44
40-44	277	55.4	3.33	134	54.9	4.74	143	55.8	4.67
45-49	435	103.9	4.98	217	106.0	7.19	218	101.8	6.90
50-54	595	185.3	7.60	286	183.2	10.84	309	187.3	10.66
55-59	895	318.7	10.65	477	352.1	16.12	418	287.6	14.07
60-64	1,394	486.8	13.04	761	560.0	20.30	633	420.8	16.72
65-69	2,040	750.9	16.63	1,127	926.0	27.58	913	608.8	20.15
70-74	2,339	984.3	20.35	1,265	1252.9	35.23	1,074	785.9	23.98
75-79	2,264	1234.4	25.94	1,172	1621.0	47.35	1,092	982.8	29.74
80-84	1,797	1552.9	36.63	907	2294.8	76.20	890	1168.1	39.15
85+	1,736	1772.7	42.55	699	2777.8	105.07	1,037	1425.1	44.25
Total deaths	14,127			7,229			6,898		
Connecticut									
. Crude rate		215.2	-		227.1	-		203.9	-
. AAMR (1940 Std. mil.)		126.2	1.18		152.4	1.89		108.1	1.51
. AAMR (1970 Std. mil.)		166.4	1.44		207.7	2.46		139.8	1.78
. AAMR (2000 Std. mil.)		208.5	1.77		266.9	3.25		174.0	2.13
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.4	-		164.9	-		112.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.2	0.21	1	0.4	0.42	0	0.0	0.00
25-29	2	0.4	0.26	2	0.7	0.52	0	0.0	0.00
30-34	4	0.7	0.34	1	0.3	0.34	3	1.0	0.58
35-39	12	2.2	0.63	5	1.8	0.82	7	2.5	0.95
40-44	22	4.4	0.94	12	4.9	1.42	10	3.9	1.23
45-49	31	7.4	1.33	19	9.3	2.13	12	5.6	1.62
50-54	47	14.6	2.14	25	16.0	3.20	22	13.3	2.84
55-59	81	28.8	3.21	49	36.2	5.17	32	22.0	3.89
60-64	124	43.3	3.89	67	49.3	6.02	57	37.9	5.02
65-69	197	72.5	5.17	111	91.2	8.66	86	57.3	6.18
70-74	279	117.4	7.03	150	148.6	12.13	129	94.4	8.31
75-79	295	160.8	9.36	158	218.5	17.39	137	123.3	10.53
80-84	250	216.0	13.66	116	293.5	27.25	134	175.9	15.19
85+	287	293.1	17.30	95	377.5	38.73	192	263.9	19.04
Total deaths	1,632			811			821		
Connecticut									
. Crude rate		24.9	-		25.5	-		24.3	-
. AAMR (1940 Std. mil.)		13.0	0.36		16.2	0.60		10.6	0.44
. AAMR (1970 Std. mil.)		18.2	0.46		23.1	0.82		14.9	0.55
. AAMR (2000 Std. mil.)		24.1	0.60		30.8	1.12		19.9	0.70
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.4	-		16.4	-		11.3	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

















## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	2	0.4	0.26	-	-	-	2	0.7	0.52
30-34	2	0.3	0.24	-	-	-	2	0.7	0.47
35-39	6	1.1	0.44	-	-	-	6	2.2	0.88
40-44	8	1.6	0.57	-	-	-	8	3.1	1.10
45-49	9	2.1	0.72	-	-	-	9	4.2	1.40
50-54	17	5.3	1.28	-	-	-	17	10.3	2.50
55-59	3	1.1	0.62	-	-	-	3	2.1	1.19
60-64	5	1.7	0.78	-	-	-	5	3.3	1.49
65-69	8	2.9	1.04	-	-	-	8	5.3	1.89
70-74	7	2.9	1.11	-	-	-	7	5.1	1.94
75-79	9	4.9	1.64	-	-	-	9	8.1	2.70
80-84	7	6.0	2.29	-	-	-	7	9.2	3.47
85+	8	8.2	2.89	-	-	-	8	11.0	3.89
Total deaths	91			-			91		
Connecticut									
. Crude rate		-	-		-	-		2.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		2.0	0.23
. AAMR (1970 Std. mil.)		-	-		-	-		2.1	0.23
. AAMR (2000 Std. mil.)		-	-		-	-		2.6	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	2	0.6	0.44	-	-	-	2	1.2	0.86
55-59	7	2.5	0.94	-	-	-	7	4.8	1.82
60-64	7	2.4	0.92	-	-	-	7	4.7	1.76
65-69	18	6.6	1.56	-	-	-	18	12.0	2.83
70-74	16	6.7	1.68	-	-	-	16	11.7	2.93
75-79	8	4.4	1.54	-	-	-	8	7.2	2.55
80-84	11	9.5	2.87	-	-	-	11	14.4	4.35
85+	14	14.3	3.82	-	-	-	14	19.2	5.14
Total deaths	83			-			83		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	0.16
. AAMR (1970 Std. mil.)		-	-		-	-		1.7	0.19
. AAMR (2000 Std. mil.)		-	-		-	-		2.0	0.22
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.2	0.21	-	-	-	1	0.4	0.43
25-29	1	0.2	0.19	-	-	-	1	0.4	0.37
30-34	2	0.3	0.24	-	-	-	2	0.7	0.47
35-39	2	0.4	0.26	-	-	-	2	0.7	0.51
40-44	8	1.6	0.57	-	-	-	8	3.1	1.10
45-49	16	3.8	0.95	-	-	-	16	7.5	1.87
50-54	16	5.0	1.25	-	-	-	16	9.7	2.42
55-59	26	9.3	1.82	-	-	-	26	17.9	3.51
60-64	42	14.7	2.26	-	-	-	42	27.9	4.31
65-69	51	18.8	2.63	-	-	-	51	34.0	4.76
70-74	56	23.6	3.15	-	-	-	56	41.0	5.48
75-79	53	28.9	3.97	-	-	-	53	47.7	6.55
80-84	48	41.5	5.99	-	-	-	48	63.0	9.09
85+	41	41.9	6.54	-	-	-	41	56.3	8.80
Total deaths	363			-			363		
Connecticut									
. Crude rate		-	-		-	-		10.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.0	0.36
. AAMR (1970 Std. mil.)		-	-		-	-		7.7	0.42
. AAMR (2000 Std. mil.)		-	-		-	-		9.3	0.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available













## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.2	0.23	0	0.0	0.00	1	0.5	0.48
10-14	1	0.3	0.25	1	0.5	0.49	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	0.4	0.30	1	0.4	0.42	1	0.4	0.43
25-29	5	0.9	0.41	3	1.1	0.64	2	0.7	0.52
30-34	23	3.9	0.81	12	4.1	1.17	11	3.7	1.11
35-39	30	5.4	0.99	18	6.6	1.56	12	4.3	1.24
40-44	48	9.6	1.39	32	13.1	2.32	16	6.2	1.56
45-49	57	13.6	1.80	40	19.5	3.09	17	7.9	1.93
50-54	100	31.1	3.11	58	37.2	4.88	42	25.5	3.93
55-59	166	59.1	4.59	91	67.2	7.04	75	51.6	5.96
60-64	335	117.0	6.39	187	137.6	10.06	148	98.4	8.09
65-69	551	202.8	8.64	294	241.6	14.09	257	171.4	10.69
70-74	737	310.2	11.42	374	370.4	19.15	363	265.6	13.94
75-79	855	466.2	15.94	413	571.2	28.11	442	397.8	18.92
80-84	725	626.5	23.27	298	754.0	43.68	427	560.4	27.12
85+	992	1012.9	32.16	265	1053.1	64.69	727	999.1	37.05
Total deaths	4,628			2,087			2,541		
Connecticut									
. Crude rate		70.5	-		65.6	-		75.1	-
. AAMR (1940 Std. mil.)		34.6	0.57		41.1	0.95		29.6	0.71
. AAMR (1970 Std. mil.)		50.3	0.76		59.2	1.30		43.8	0.92
. AAMR (2000 Std. mil.)		68.2	1.01		79.6	1.81		60.3	1.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: CT rate is not significantly different









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	93	19.7	2.04	50	20.7	2.92	43	18.7	2.85
5-9	13	3.0	0.84	5	2.3	1.02	8	3.8	1.35
10-14	18	4.5	1.06	12	5.9	1.70	6	3.1	1.25
15-19	25	6.4	1.27	15	7.4	1.91	10	5.2	1.66
20-24	37	7.8	1.28	16	6.6	1.66	21	9.0	1.96
25-29	72	13.4	1.57	51	18.9	2.65	21	7.8	1.70
30-34	196	33.0	2.36	134	45.4	3.92	62	20.8	2.64
35-39	257	46.6	2.91	172	63.1	4.81	85	30.5	3.31
40-44	361	72.2	3.80	261	106.9	6.62	100	39.0	3.90
45-49	518	123.7	5.43	394	192.4	9.69	124	57.9	5.20
50-54	687	214.0	8.16	459	294.1	13.73	228	138.2	9.15
55-59	1,036	369.0	11.46	702	518.2	19.56	334	229.8	12.58
60-64	1,848	645.4	15.01	1,201	883.8	25.50	647	430.1	16.91
65-69	2,822	1038.8	19.55	1,734	1424.7	34.21	1,088	725.5	22.00
70-74	3,994	1680.8	26.60	2,295	2273.0	47.45	1,699	1243.3	30.16
75-79	4,772	2601.8	37.66	2,544	3518.6	69.76	2,228	2005.3	42.48
80-84	5,278	4561.1	62.78	2,358	5966.0	122.86	2,920	3832.4	70.92
85+	9,764	9970.2	100.90	2,957	11750.9	216.10	6,807	9354.4	113.38
Total deaths	31,791			15,360			16,431		
Connecticut									
. Crude rate		484.2	-		482.6	-		485.8	-
. AAMR (1940 Std. mil.)		221.2	1.44		296.5	2.54		163.7	1.62
. AAMR (1970 Std. mil.)		333.0	1.93		438.5	3.56		258.4	2.17
. AAMR (2000 Std. mil.)		476.3	2.68		617.7	5.19		383.0	3.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available





















## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.2	0.21	1	0.4	0.41	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	0.5	0.36	1	0.5	0.49	1	0.5	0.52
20-24	1	0.2	0.21	0	0.0	0.00	1	0.4	0.43
25-29	5	0.9	0.41	2	0.7	0.52	3	1.1	0.64
30-34	3	0.5	0.29	2	0.7	0.48	1	0.3	0.34
35-39	3	0.5	0.31	1	0.4	0.37	2	0.7	0.51
40-44	10	2.0	0.63	5	2.0	0.92	5	2.0	0.87
45-49	9	2.1	0.72	5	2.4	1.09	4	1.9	0.93
50-54	17	5.3	1.28	7	4.5	1.70	10	6.1	1.92
55-59	47	16.7	2.44	26	19.2	3.76	21	14.5	3.15
60-64	113	39.5	3.71	64	47.1	5.89	49	32.6	4.65
65-69	263	96.8	5.97	147	120.8	9.96	116	77.4	7.18
70-74	365	153.6	8.04	194	192.1	13.79	171	125.1	9.57
75-79	432	235.5	11.33	228	315.3	20.88	204	183.6	12.86
80-84	377	325.8	16.78	209	528.8	36.58	168	220.5	17.01
85+	492	502.4	22.65	219	870.3	58.81	273	375.2	22.71
Total deaths	2,140			1,111			1,029		
Connecticut									
. Crude rate		32.6	-		34.9	-		30.4	-
. AAMR (1940 Std. mil.)		14.7	0.36		19.6	0.62		11.7	0.43
. AAMR (1970 Std. mil.)		22.5	0.50		31.3	0.94		17.6	0.58
. AAMR (2000 Std. mil.)		31.4	0.68		45.3	1.41		24.2	0.76
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.1	-		27.0	-		15.4	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	8	1.5	0.52	5	1.9	0.83	3	1.1	0.64
30-34	13	2.2	0.61	8	2.7	0.96	5	1.7	0.75
35-39	37	6.7	1.10	22	8.1	1.72	15	5.4	1.39
40-44	48	9.6	1.39	37	15.2	2.49	11	4.3	1.30
45-49	44	10.5	1.58	34	16.6	2.85	10	4.7	1.48
50-54	49	15.3	2.18	39	25.0	4.00	10	6.1	1.92
55-59	58	20.7	2.71	41	30.3	4.73	17	11.7	2.84
60-64	69	24.1	2.90	43	31.6	4.83	26	17.3	3.39
65-69	76	28.0	3.21	39	32.0	5.13	37	24.7	4.06
70-74	75	31.6	3.64	45	44.6	6.64	30	22.0	4.01
75-79	58	31.6	4.15	34	47.0	8.06	24	21.6	4.41
80-84	40	34.6	5.47	19	48.1	11.03	21	27.6	6.01
85+	13	13.3	3.68	5	19.9	8.89	8	11.0	3.89
Total deaths	588			371			217		
Connecticut									
. Crude rate		9.0	-		11.7	-		6.4	-
. AAMR (1940 Std. mil.)		6.7	0.29		9.5	0.51		4.2	0.31
. AAMR (1970 Std. mil.)		7.5	0.32		10.7	0.56		4.9	0.34
. AAMR (2000 Std. mil.)		8.9	0.37		12.6	0.66		5.7	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.2	-		11.7	-		5.1	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	2.3	0.70	8	3.3	1.17	3	1.3	0.75
5-9	8	1.9	0.66	6	2.7	1.11	2	1.0	0.68
10-14	10	2.5	0.79	7	3.4	1.30	3	1.5	0.89
15-19	81	20.6	2.29	57	28.1	3.73	24	12.6	2.57
20-24	120	25.3	2.31	103	42.8	4.22	17	7.3	1.77
25-29	77	14.3	1.63	53	19.6	2.70	24	8.9	1.82
30-34	62	10.4	1.33	44	14.9	2.24	18	6.0	1.42
35-39	39	7.1	1.13	29	10.6	1.98	10	3.6	1.14
40-44	32	6.4	1.13	21	8.6	1.88	11	4.3	1.30
45-49	25	6.0	1.19	15	7.3	1.89	10	4.7	1.48
50-54	20	6.2	1.39	15	9.6	2.48	5	3.0	1.36
55-59	26	9.3	1.82	18	13.3	3.13	8	5.5	1.95
60-64	23	8.0	1.67	15	11.0	2.85	8	5.3	1.88
65-69	26	9.6	1.88	15	12.3	3.18	11	7.3	2.21
70-74	28	11.8	2.23	13	12.9	3.57	15	11.0	2.83
75-79	30	16.4	2.99	11	15.2	4.59	19	17.1	3.92
80-84	23	19.9	4.14	10	25.3	8.00	13	17.1	4.73
85+	17	17.4	4.21	10	39.7	12.57	7	9.6	3.64
Total deaths	658			450			208		
Connecticut									
. Crude rate		10.0	-		14.1	-		6.1	-
. AAMR (1940 Std. mil.)		9.9	0.41		14.4	0.70		5.5	0.43
. AAMR (1970 Std. mil.)		9.7	0.40		13.9	0.68		5.6	0.42
. AAMR (2000 Std. mil.)		9.8	0.38		14.0	0.67		5.8	0.41
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		17.0	-		24.2	-		10.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is lower  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.4	0.30	1	0.4	0.41	1	0.4	0.43
5-9	4	0.9	0.47	4	1.8	0.91	0	0.0	0.00
10-14	3	0.8	0.43	3	1.5	0.85	0	0.0	0.00
15-19	8	2.0	0.72	7	3.5	1.31	1	0.5	0.52
20-24	6	1.3	0.52	6	2.5	1.02	0	0.0	0.00
25-29	8	1.5	0.52	7	2.6	0.98	1	0.4	0.37
30-34	9	1.5	0.51	9	3.0	1.02	0	0.0	0.00
35-39	5	0.9	0.41	4	1.5	0.73	1	0.4	0.36
40-44	9	1.8	0.60	9	3.7	1.23	0	0.0	0.00
45-49	3	0.7	0.41	3	1.5	0.85	0	0.0	0.00
50-54	4	1.2	0.62	3	1.9	1.11	1	0.6	0.61
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	3	1.0	0.60	2	1.5	1.04	1	0.7	0.66
65-69	4	1.5	0.74	3	2.5	1.42	1	0.7	0.67
70-74	7	2.9	1.11	5	5.0	2.21	2	1.5	1.03
75-79	2	1.1	0.77	2	2.8	1.96	0	0.0	0.00
80-84	2	1.7	1.22	0	0.0	0.00	2	2.6	1.86
85+	4	4.1	2.04	2	7.9	5.62	2	2.7	1.94
Total deaths	83			70			13		
Connecticut									
. Crude rate		1.3	-		2.2	-		0.4	-
. AAMR (1940 Std. mil.)		1.2	0.14		2.1	0.26		-	-
. AAMR (1970 Std. mil.)		1.2	0.14		2.1	0.26		-	-
. AAMR (2000 Std. mil.)		1.2	0.14		2.2	0.27		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.9	-		0.5	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different











## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	2.3	0.70	8	3.3	1.17	3	1.3	0.75
5-9	8	1.9	0.66	6	2.7	1.11	2	1.0	0.68
10-14	10	2.5	0.79	7	3.4	1.30	3	1.5	0.89
15-19	79	20.1	2.26	55	27.1	3.66	24	12.6	2.57
20-24	117	24.7	2.28	100	41.6	4.16	17	7.3	1.77
25-29	77	14.3	1.63	53	19.6	2.70	24	8.9	1.82
30-34	62	10.4	1.33	44	14.9	2.24	18	6.0	1.42
35-39	39	7.1	1.13	29	10.6	1.98	10	3.6	1.14
40-44	32	6.4	1.13	21	8.6	1.88	11	4.3	1.30
45-49	24	5.7	1.17	14	6.8	1.83	10	4.7	1.48
50-54	19	5.9	1.36	15	9.6	2.48	4	2.4	1.21
55-59	24	8.5	1.74	16	11.8	2.95	8	5.5	1.95
60-64	22	7.7	1.64	14	10.3	2.75	8	5.3	1.88
65-69	24	8.8	1.80	13	10.7	2.96	11	7.3	2.21
70-74	28	11.8	2.23	13	12.9	3.57	15	11.0	2.83
75-79	29	15.8	2.94	11	15.2	4.59	18	16.2	3.82
80-84	23	19.9	4.14	10	25.3	8.00	13	17.1	4.73
85+	16	16.3	4.08	9	35.8	11.92	7	9.6	3.64
Total deaths	644			438			206		
Connecticut									
. Crude rate		9.8	-		13.8	-		6.1	-
. AAMR (1940 Std. mil.)		9.7	0.41		14.0	0.69		5.5	0.42
. AAMR (1970 Std. mil.)		9.5	0.39		13.5	0.67		5.5	0.42
. AAMR (2000 Std. mil.)		9.5	0.38		13.5	0.66		5.8	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.7	-		23.6	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3, E922.8-.9, E955.0-.4, E965.0-.4, E970, E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.2	0.21	0	0.0	0.00	1	0.4	0.43
5-9	2	0.5	0.33	1	0.5	0.46	1	0.5	0.48
10-14	6	1.5	0.61	5	2.5	1.10	1	0.5	0.51
15-19	74	18.8	2.19	73	36.0	4.22	1	0.5	0.52
20-24	108	22.8	2.19	98	40.7	4.11	10	4.3	1.36
25-29	85	15.8	1.71	76	28.2	3.23	9	3.3	1.11
30-34	60	10.1	1.30	54	18.3	2.49	6	2.0	0.82
35-39	45	8.2	1.22	32	11.7	2.08	13	4.7	1.29
40-44	38	7.6	1.23	33	13.5	2.35	5	2.0	0.87
45-49	28	6.7	1.26	25	12.2	2.44	3	1.4	0.81
50-54	15	4.7	1.21	11	7.0	2.13	4	2.4	1.21
55-59	18	6.4	1.51	17	12.5	3.04	1	0.7	0.69
60-64	15	5.2	1.35	14	10.3	2.75	1	0.7	0.66
65-69	18	6.6	1.56	17	14.0	3.39	1	0.7	0.67
70-74	17	7.2	1.74	16	15.8	3.96	1	0.7	0.73
75-79	14	7.6	2.04	13	18.0	4.99	1	0.9	0.90
80-84	9	7.8	2.59	9	22.8	7.59	0	0.0	0.00
85+	6	6.1	2.50	5	19.9	8.89	1	1.4	1.37
Total deaths	559			499			60		
Connecticut									
. Crude rate		8.5	-		15.7	-		1.8	-
. AAMR (1940 Std. mil.)		8.8	0.39		16.0	0.74		1.8	0.24
. AAMR (1970 Std. mil.)		8.2	0.36		15.1	0.70		1.6	0.21
. AAMR (2000 Std. mil.)		8.2	0.35		15.2	0.69		1.7	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.1	-		26.4	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.2	0.21	1	0.4	0.41	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.5	0.35	2	1.0	0.69	0	0.0	0.00
15-19	11	2.8	0.84	6	3.0	1.21	5	2.6	1.17
20-24	30	6.3	1.16	25	10.4	2.08	5	2.1	0.96
25-29	42	7.8	1.20	33	12.2	2.13	9	3.3	1.11
30-34	75	12.6	1.46	59	20.0	2.60	16	5.4	1.34
35-39	84	15.2	1.66	68	24.9	3.03	16	5.7	1.44
40-44	67	13.4	1.64	50	20.5	2.90	17	6.6	1.61
45-49	41	9.8	1.53	36	17.6	2.93	5	2.3	1.04
50-54	18	5.6	1.32	11	7.0	2.13	7	4.2	1.60
55-59	16	5.7	1.42	9	6.6	2.21	7	4.8	1.82
60-64	12	4.2	1.21	7	5.2	1.95	5	3.3	1.49
65-69	9	3.3	1.10	8	6.6	2.32	1	0.7	0.67
70-74	8	3.4	1.19	3	3.0	1.72	5	3.7	1.64
75-79	8	4.4	1.54	1	1.4	1.38	7	6.3	2.38
80-84	6	5.2	2.12	3	7.6	4.38	3	3.9	2.27
85+	9	9.2	3.06	6	23.8	9.73	3	4.1	2.38
Total deaths	439			328			111		
Connecticut									
. Crude rate		6.7	-		10.3	-		3.3	-
. AAMR (1940 Std. mil.)		6.1	0.30		9.4	0.53		2.9	0.29
. AAMR (1970 Std. mil.)		5.5	0.27		8.3	0.47		2.7	0.27
. AAMR (2000 Std. mil.)		6.5	0.31		10.0	0.56		3.2	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.6	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available



