

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63





















## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.4	0.40	1	0.8	0.82	0	0.0	0.00
45-49	4	1.8	0.90	4	3.7	1.84	0	0.0	0.00
50-54	10	5.6	1.77	7	8.1	3.05	3	3.3	1.89
55-59	7	5.0	1.89	6	8.9	3.62	1	1.4	1.38
60-64	6	4.6	1.88	4	6.5	3.23	2	2.9	2.08
65-69	23	17.4	3.64	15	25.2	6.50	8	11.1	3.91
70-74	35	29.2	4.93	21	40.8	8.89	14	20.4	5.46
75-79	27	28.0	5.40	11	28.6	8.61	16	27.7	6.93
80-84	16	25.6	6.40	9	41.1	13.69	7	17.2	6.51
85+	25	47.0	9.41	10	71.5	22.60	15	38.3	9.89
Total deaths	154			88			66		
Connecticut									
. Crude rate		4.7	-		5.5	-		3.9	-
. AAMR (1940 Std. mil.)		2.5	0.23		3.6	0.41		1.6	0.23
. AAMR (1970 Std. mil.)		3.4	0.29		4.9	0.53		2.3	0.30
. AAMR (2000 Std. mil.)		4.4	0.36		6.3	0.69		3.1	0.38
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.0	-		2.6	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.4	0.42	1	0.8	0.83	0	0.0	0.00
30-34	1	0.3	0.35	0	0.0	0.00	1	0.7	0.69
35-39	5	1.7	0.78	2	1.4	0.99	3	2.1	1.20
40-44	3	1.2	0.69	2	1.6	1.15	1	0.8	0.78
45-49	4	1.8	0.90	2	1.8	1.30	2	1.8	1.25
50-54	7	3.9	1.48	4	4.6	2.31	3	3.3	1.89
55-59	9	6.4	2.14	6	8.9	3.62	3	4.1	2.40
60-64	13	10.0	2.77	11	17.8	5.35	2	2.9	2.08
65-69	9	6.8	2.27	6	10.1	4.11	3	4.1	2.39
70-74	10	8.3	2.63	6	11.6	4.75	4	5.8	2.92
75-79	11	11.4	3.45	7	18.2	6.87	4	6.9	3.46
80-84	12	19.2	5.54	5	22.8	10.20	7	17.2	6.51
85+	5	9.4	4.21	2	14.3	10.11	3	7.7	4.42
Total deaths	90			54			36		
Connecticut									
. Crude rate		2.8	-		3.4	-		2.1	-
. AAMR (1940 Std. mil.)		1.9	0.21		2.6	0.37		1.3	0.24
. AAMR (1970 Std. mil.)		2.2	0.24		3.1	0.43		1.5	0.26
. AAMR (2000 Std. mil.)		2.7	0.28		3.7	0.51		1.9	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.5	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	4	1.4	0.69	-	-	-	4	2.8	1.38
35-39	18	6.3	1.48	-	-	-	18	12.4	2.93
40-44	22	8.8	1.87	-	-	-	22	17.1	3.66
45-49	31	13.9	2.50	-	-	-	31	27.3	4.90
50-54	47	26.4	3.85	-	-	-	47	51.3	7.49
55-59	46	32.9	4.85	-	-	-	46	63.6	9.38
60-64	54	41.5	5.65	-	-	-	54	79.4	10.80
65-69	81	61.4	6.82	-	-	-	81	112.0	12.44
70-74	90	75.0	7.90	-	-	-	90	131.4	13.85
75-79	82	85.2	9.41	-	-	-	82	142.0	15.68
80-84	50	80.0	11.31	-	-	-	50	123.1	17.41
85+	73	137.4	16.08	-	-	-	73	186.5	21.83
Total deaths	598			-			598		
Connecticut									
. Crude rate		-	-		-	-		35.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	0.98
. AAMR (1970 Std. mil.)		-	-		-	-		25.6	1.11
. AAMR (2000 Std. mil.)		-	-		-	-		30.9	1.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	0.7	0.49	-	-	-	2	1.4	0.98
35-39	3	1.0	0.60	-	-	-	3	2.1	1.20
40-44	4	1.6	0.80	-	-	-	4	3.1	1.56
45-49	8	3.6	1.27	-	-	-	8	7.0	2.49
50-54	4	2.2	1.12	-	-	-	4	4.4	2.18
55-59	7	5.0	1.89	-	-	-	7	9.7	3.66
60-64	3	2.3	1.33	-	-	-	3	4.4	2.55
65-69	4	3.0	1.52	-	-	-	4	5.5	2.77
70-74	2	1.7	1.18	-	-	-	2	2.9	2.06
75-79	3	3.1	1.80	-	-	-	3	5.2	3.00
80-84	3	4.8	2.77	-	-	-	3	7.4	4.26
85+	1	1.9	1.88	-	-	-	1	2.6	2.55
Total deaths	44			-			44		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		2.1	0.33
. AAMR (1970 Std. mil.)		-	-		-	-		2.2	0.34
. AAMR (2000 Std. mil.)		-	-		-	-		2.5	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	2	1.1	0.79	-	-	-	2	2.2	1.54
55-59	1	0.7	0.71	-	-	-	1	1.4	1.38
60-64	4	3.1	1.54	-	-	-	4	5.9	2.94
65-69	6	4.5	1.86	-	-	-	6	8.3	3.39
70-74	10	8.3	2.63	-	-	-	10	14.6	4.62
75-79	13	13.5	3.75	-	-	-	13	22.5	6.24
80-84	6	9.6	3.92	-	-	-	6	14.8	6.03
85+	4	7.5	3.76	-	-	-	4	10.2	5.11
Total deaths	46			-			46		
Connecticut									
. Crude rate		-	-		-	-		2.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.22
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.28
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.5	0.48	-	-	-	1	1.0	0.98
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	0.3	0.35	-	-	-	1	0.7	0.69
40-44	2	0.8	0.56	-	-	-	2	1.6	1.10
45-49	11	4.9	1.49	-	-	-	11	9.7	2.92
50-54	15	8.4	2.17	-	-	-	15	16.4	4.23
55-59	8	5.7	2.02	-	-	-	8	11.1	3.91
60-64	19	14.6	3.35	-	-	-	19	27.9	6.41
65-69	14	10.6	2.84	-	-	-	14	19.4	5.17
70-74	32	26.7	4.71	-	-	-	32	46.7	8.26
75-79	24	24.9	5.09	-	-	-	24	41.6	8.48
80-84	27	43.2	8.31	-	-	-	27	66.5	12.79
85+	23	43.3	9.03	-	-	-	23	58.8	12.25
Total deaths	177			-			177		
Connecticut									
. Crude rate		-	-		-	-		10.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.7	0.50
. AAMR (1970 Std. mil.)		-	-		-	-		7.3	0.58
. AAMR (2000 Std. mil.)		-	-		-	-		9.0	0.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	1	0.3	0.35	1	0.7	0.70	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	1	0.4	0.45	1	0.9	0.92	-	-	-
50-54	3	1.7	0.97	3	3.5	2.00	-	-	-
55-59	5	3.6	1.60	5	7.4	3.31	-	-	-
60-64	13	10.0	2.77	13	21.0	5.82	-	-	-
65-69	47	35.6	5.20	47	78.9	11.51	-	-	-
70-74	74	61.7	7.17	74	143.6	16.69	-	-	-
75-79	101	104.9	10.44	101	262.2	26.09	-	-	-
80-84	87	139.1	14.92	87	397.0	42.56	-	-	-
85+	91	171.3	17.95	91	650.4	68.18	-	-	-
Total deaths	423			423			-		
Connecticut									
. Crude rate		-	-		26.7	-		-	-
. AAMR (1940 Std. mil.)		-	-		13.6	0.70		-	-
. AAMR (1970 Std. mil.)		-	-		22.3	1.09		-	-
. AAMR (2000 Std. mil.)		-	-		33.0	1.65		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.0	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



































## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.3	0.35	1	0.7	0.70	0	0.0	0.00
35-39	1	0.3	0.35	0	0.0	0.00	1	0.7	0.69
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	0.4	0.45	1	0.9	0.92	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	0.8	0.77	0	0.0	0.00	1	1.5	1.47
65-69	8	6.1	2.14	5	8.4	3.75	3	4.1	2.39
70-74	11	9.2	2.76	5	9.7	4.34	6	8.8	3.58
75-79	21	21.8	4.76	11	28.6	8.61	10	17.3	5.48
80-84	37	59.2	9.73	15	68.4	17.67	22	54.2	11.55
85+	121	227.7	20.70	24	171.5	35.02	97	247.8	25.16
Total deaths	202			62			140		
Connecticut									
. Crude rate		6.2	-		3.9	-		8.3	-
. AAMR (1940 Std. mil.)		1.7	0.14		1.7	0.23		1.6	0.17
. AAMR (1970 Std. mil.)		3.3	0.24		3.2	0.41		3.3	0.29
. AAMR (2000 Std. mil.)		5.8	0.41		5.4	0.70		5.8	0.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.5	0.48	1	0.9	0.95	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.3	0.35	1	0.7	0.70	0	0.0	0.00
40-44	1	0.4	0.40	0	0.0	0.00	1	0.8	0.78
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	1.1	0.79	2	2.3	1.63	0	0.0	0.00
55-59	4	2.9	1.43	3	4.4	2.56	1	1.4	1.38
60-64	6	4.6	1.88	3	4.8	2.80	3	4.4	2.55
65-69	32	24.3	4.29	22	36.9	7.87	10	13.8	4.37
70-74	32	26.7	4.71	22	42.7	9.10	10	14.6	4.62
75-79	29	30.1	5.59	17	44.1	10.71	12	20.8	6.00
80-84	36	57.6	9.60	18	82.1	19.36	18	44.3	10.45
85+	35	65.9	11.13	16	114.4	28.59	19	48.5	11.13
Total deaths	179			105			74		
Connecticut									
. Crude rate		5.5	-		6.6	-		4.4	-
. AAMR (1940 Std. mil.)		2.5	0.21		3.8	0.40		1.6	0.22
. AAMR (1970 Std. mil.)		3.7	0.29		5.7	0.56		2.4	0.30
. AAMR (2000 Std. mil.)		5.0	0.38		7.7	0.77		3.3	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.3	-		5.3	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.48	1	0.9	0.94	0	0.0	0.00
15-19	1	0.5	0.52	1	1.0	1.00	0	0.0	0.00
20-24	2	1.0	0.68	2	1.9	1.34	0	0.0	0.00
25-29	1	0.4	0.42	1	0.8	0.83	0	0.0	0.00
30-34	3	1.0	0.60	1	0.7	0.70	2	1.4	0.98
35-39	6	2.1	0.85	1	0.7	0.70	5	3.5	1.55
40-44	3	1.2	0.69	2	1.6	1.15	1	0.8	0.78
45-49	4	1.8	0.90	2	1.8	1.30	2	1.8	1.25
50-54	2	1.1	0.79	1	1.2	1.15	1	1.1	1.09
55-59	1	0.7	0.71	0	0.0	0.00	1	1.4	1.38
60-64	4	3.1	1.54	0	0.0	0.00	4	5.9	2.94
65-69	2	1.5	1.07	2	3.4	2.37	0	0.0	0.00
70-74	7	5.8	2.20	2	3.9	2.74	5	7.3	3.26
75-79	1	1.0	1.04	0	0.0	0.00	1	1.7	1.73
80-84	3	4.8	2.77	2	9.1	6.45	1	2.5	2.46
85+	6	11.3	4.61	1	7.1	7.15	5	12.8	5.71
Total deaths	47			19			28		
Connecticut									
. Crude rate		1.4	-		1.2	-		1.7	-
. AAMR (1940 Std. mil.)		1.1	0.17		1.1	0.26		1.1	0.23
. AAMR (1970 Std. mil.)		1.1	0.18		1.1	0.27		1.1	0.23
. AAMR (2000 Std. mil.)		1.4	0.20		1.3	0.30		1.5	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.4	0.42	0	0.0	0.00	1	0.8	0.83
30-34	3	1.0	0.60	1	0.7	0.70	2	1.4	0.98
35-39	13	4.5	1.26	6	4.2	1.72	7	4.8	1.83
40-44	28	11.2	2.11	17	13.9	3.36	11	8.6	2.59
45-49	28	12.6	2.38	23	21.1	4.41	5	4.4	1.97
50-54	39	21.9	3.50	30	34.6	6.32	9	9.8	3.28
55-59	24	17.2	3.50	15	22.2	5.73	9	12.4	4.15
60-64	26	20.0	3.92	19	30.7	7.03	7	10.3	3.89
65-69	40	30.3	4.79	28	47.0	8.88	12	16.6	4.79
70-74	50	41.7	5.89	27	52.4	10.08	23	33.6	7.00
75-79	28	29.1	5.50	12	31.2	8.99	16	27.7	6.93
80-84	14	22.4	5.98	8	36.5	12.91	6	14.8	6.03
85+	9	16.9	5.65	3	21.4	12.38	6	15.3	6.26
Total deaths	303			189			114		
Connecticut									
. Crude rate		9.3	-		11.9	-		6.8	-
. AAMR (1940 Std. mil.)		6.9	0.42		9.6	0.72		4.4	0.45
. AAMR (1970 Std. mil.)		7.7	0.45		10.8	0.79		5.0	0.49
. AAMR (2000 Std. mil.)		9.1	0.52		12.6	0.92		6.1	0.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.8	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.9	0.61	2	1.7	1.19	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.0	0.60	3	2.1	1.20	0	0.0	0.00
35-39	6	2.1	0.85	2	1.4	0.99	4	2.8	1.38
40-44	4	1.6	0.80	2	1.6	1.15	2	1.6	1.10
45-49	3	1.3	0.78	2	1.8	1.30	1	0.9	0.88
50-54	9	5.0	1.68	6	6.9	2.82	3	3.3	1.89
55-59	8	5.7	2.02	5	7.4	3.31	3	4.1	2.40
60-64	19	14.6	3.35	11	17.8	5.35	8	11.8	4.16
65-69	21	15.9	3.47	13	21.8	6.05	8	11.1	3.91
70-74	34	28.3	4.86	16	31.0	7.76	18	26.3	6.19
75-79	53	55.1	7.56	28	72.7	13.74	25	43.3	8.66
80-84	50	80.0	11.31	24	109.5	22.35	26	64.0	12.55
85+	102	192.0	19.01	47	335.9	49.00	55	140.5	18.94
Total deaths	314			161			153		
Connecticut									
. Crude rate		9.6	-		10.1	-		9.1	-
. AAMR (1940 Std. mil.)		4.2	0.28		5.6	0.48		3.2	0.33
. AAMR (1970 Std. mil.)		6.3	0.37		8.7	0.69		4.8	0.42
. AAMR (2000 Std. mil.)		9.0	0.51		13.0	1.06		7.0	0.57
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.3	-		5.2	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	19	8.2	1.88	11	9.3	2.79	8	7.1	2.51
5-9	8	3.5	1.24	7	6.0	2.27	1	0.9	0.90
10-14	20	9.6	2.14	13	12.2	3.38	7	6.8	2.58
15-19	55	28.5	3.84	36	36.1	6.02	19	20.3	4.67
20-24	66	31.8	3.91	51	48.2	6.75	15	14.7	3.80
25-29	76	31.6	3.63	63	52.4	6.60	13	10.8	3.00
30-34	80	27.7	3.10	63	43.8	5.52	17	11.7	2.84
35-39	83	28.9	3.17	63	44.3	5.58	20	13.8	3.09
40-44	79	31.5	3.54	68	55.5	6.73	11	8.6	2.59
45-49	54	24.3	3.31	42	38.6	5.96	12	10.6	3.05
50-54	28	15.7	2.97	19	21.9	5.03	9	9.8	3.28
55-59	31	22.2	3.98	23	34.0	7.09	8	11.1	3.91
60-64	26	20.0	3.92	17	27.4	6.65	9	13.2	4.41
65-69	41	31.1	4.85	24	40.3	8.22	17	23.5	5.70
70-74	60	50.0	6.45	33	64.0	11.15	27	39.4	7.59
75-79	69	71.7	8.63	31	80.5	14.46	38	65.8	10.67
80-84	74	118.3	13.76	38	173.4	28.13	36	88.6	14.77
85+	135	254.1	21.87	52	371.7	51.54	83	212.0	23.27
Total deaths	1,004			654			350		
Connecticut									
. Crude rate		30.7	-		41.2	-		20.8	-
. AAMR (1940 Std. mil.)		24.5	0.87		36.2	1.50		13.3	0.89
. AAMR (1970 Std. mil.)		25.6	0.86		37.2	1.51		15.1	0.92
. AAMR (2000 Std. mil.)		29.8	0.95		43.7	1.75		18.0	0.98
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		43.9	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.52	1	1.0	1.00	0	0.0	0.00
20-24	2	1.0	0.68	2	1.9	1.34	0	0.0	0.00
25-29	4	1.7	0.83	2	1.7	1.18	2	1.7	1.18
30-34	1	0.3	0.35	1	0.7	0.70	0	0.0	0.00
35-39	5	1.7	0.78	4	2.8	1.40	1	0.7	0.69
40-44	4	1.6	0.80	4	3.3	1.63	0	0.0	0.00
45-49	6	2.7	1.10	4	3.7	1.84	2	1.8	1.25
50-54	6	3.4	1.37	4	4.6	2.31	2	2.2	1.54
55-59	5	3.6	1.60	4	5.9	2.96	1	1.4	1.38
60-64	5	3.8	1.72	4	6.5	3.23	1	1.5	1.47
65-69	6	4.5	1.86	4	6.7	3.36	2	2.8	1.96
70-74	16	13.3	3.33	8	15.5	5.49	8	11.7	4.13
75-79	18	18.7	4.41	5	13.0	5.81	13	22.5	6.24
80-84	30	48.0	8.76	16	73.0	18.25	14	34.5	9.21
85+	78	146.8	16.62	23	164.4	34.28	55	140.5	18.94
Total deaths	187			86			101		
Connecticut									
. Crude rate		5.7	-		5.4	-		6.0	-
. AAMR (1940 Std. mil.)		2.5	0.23		3.4	0.40		1.7	0.23
. AAMR (1970 Std. mil.)		3.6	0.28		4.7	0.51		2.8	0.30
. AAMR (2000 Std. mil.)		5.4	0.40		6.9	0.76		4.4	0.44
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.7	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.9	0.61	2	1.7	1.19	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.48	0	0.0	0.00	1	1.0	0.98
15-19	5	2.6	1.16	3	3.0	1.74	2	2.1	1.51
20-24	2	1.0	0.68	1	0.9	0.95	1	1.0	0.98
25-29	4	1.7	0.83	4	3.3	1.66	0	0.0	0.00
30-34	8	2.8	0.98	7	4.9	1.84	1	0.7	0.69
35-39	4	1.4	0.70	4	2.8	1.40	0	0.0	0.00
40-44	3	1.2	0.69	2	1.6	1.15	1	0.8	0.78
45-49	1	0.4	0.45	1	0.9	0.92	0	0.0	0.00
50-54	1	0.6	0.56	1	1.2	1.15	0	0.0	0.00
55-59	2	1.4	1.01	2	3.0	2.09	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.8	0.76	1	1.7	1.68	0	0.0	0.00
70-74	1	0.8	0.83	0	0.0	0.00	1	1.5	1.46
75-79	2	2.1	1.47	2	5.2	3.67	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	3.8	2.66	2	14.3	10.11	0	0.0	0.00
Total deaths	39			32			7		
Connecticut									
. Crude rate		1.2	-		2.0	-		0.4	-
. AAMR (1940 Std. mil.)		1.2	0.20		1.9	0.35		-	-
. AAMR (1970 Std. mil.)		1.1	0.19		1.8	0.33		-	-
. AAMR (2000 Std. mil.)		1.2	0.19		2.0	0.37		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	26	11.2	2.20	13	11.0	3.04	13	11.5	3.20
5-9	9	4.0	1.32	7	6.0	2.27	2	1.8	1.28
10-14	25	12.0	2.39	17	15.9	3.86	8	7.8	2.76
15-19	114	59.1	5.53	86	86.3	9.31	28	30.0	5.66
20-24	140	67.4	5.70	117	110.6	10.23	23	22.6	4.71
25-29	147	61.2	5.05	122	101.5	9.19	25	20.8	4.17
30-34	147	50.9	4.20	112	77.9	7.36	35	24.1	4.08
35-39	131	45.6	3.99	99	69.5	6.99	32	22.1	3.91
40-44	117	46.6	4.31	98	80.0	8.08	19	14.8	3.40
45-49	89	40.0	4.24	64	58.8	7.35	25	22.0	4.40
50-54	48	26.9	3.89	34	39.2	6.72	14	15.3	4.09
55-59	53	37.9	5.20	40	59.1	9.35	13	18.0	4.99
60-64	50	38.5	5.44	34	54.9	9.41	16	23.5	5.88
65-69	59	44.7	5.82	35	58.7	9.93	24	33.2	6.77
70-74	74	61.7	7.17	41	79.6	12.43	33	48.2	8.39
75-79	83	86.2	9.46	42	109.1	16.83	41	71.0	11.09
80-84	89	142.3	15.09	48	219.0	31.61	41	100.9	15.77
85+	146	274.8	22.74	63	450.3	56.73	83	212.0	23.27
Total deaths	1,547			1,072			475		
Connecticut									
. Crude rate		47.3	-		67.6	-		28.2	-
. AAMR (1940 Std. mil.)		41.4	1.16		63.1	2.03		20.5	1.12
. AAMR (1970 Std. mil.)		41.5	1.12		62.7	1.99		21.9	1.12
. AAMR (2000 Std. mil.)		46.3	1.18		70.3	2.19		25.2	1.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.0	-		80.9	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.3	0.75	2	1.7	1.19	1	0.9	0.89
5-9	2	0.9	0.62	2	1.7	1.21	0	0.0	0.00
10-14	13	6.2	1.72	8	7.5	2.65	5	4.9	2.18
15-19	36	18.6	3.11	22	22.1	4.71	14	15.0	4.00
20-24	50	24.1	3.40	40	37.8	5.98	10	9.8	3.10
25-29	33	13.7	2.39	27	22.5	4.32	6	5.0	2.04
30-34	26	9.0	1.77	18	12.5	2.95	8	5.5	1.95
35-39	22	7.7	1.63	17	11.9	2.90	5	3.5	1.55
40-44	14	5.6	1.49	11	9.0	2.71	3	2.3	1.35
45-49	16	7.2	1.80	12	11.0	3.18	4	3.5	1.76
50-54	12	6.7	1.94	8	9.2	3.26	4	4.4	2.18
55-59	14	10.0	2.67	11	16.3	4.90	3	4.1	2.40
60-64	10	7.7	2.43	6	9.7	3.95	4	5.9	2.94
65-69	13	9.9	2.73	9	15.1	5.03	4	5.5	2.77
70-74	17	14.2	3.44	9	17.5	5.82	8	11.7	4.13
75-79	14	14.5	3.89	4	10.4	5.19	10	17.3	5.48
80-84	12	19.2	5.54	8	36.5	12.91	4	9.8	4.92
85+	11	20.7	6.24	7	50.0	18.91	4	10.2	5.11
Total deaths	318			221			97		
Connecticut									
. Crude rate		9.7	-		13.9	-		5.8	-
. AAMR (1940 Std. mil.)		9.8	0.59		14.2	1.00		5.6	0.63
. AAMR (1970 Std. mil.)		9.7	0.57		13.9	0.97		5.7	0.63
. AAMR (2000 Std. mil.)		9.7	0.55		14.3	0.97		5.7	0.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.8	-		22.0	-		9.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.43	0	0.0	0.00	1	0.9	0.89
5-9	1	0.4	0.44	0	0.0	0.00	1	0.9	0.90
10-14	3	1.4	0.83	3	2.8	1.62	0	0.0	0.00
15-19	47	24.3	3.55	43	43.2	6.58	4	4.3	2.14
20-24	60	28.9	3.73	55	52.0	7.01	5	4.9	2.19
25-29	42	17.5	2.70	37	30.8	5.06	5	4.2	1.86
30-34	33	11.4	1.99	25	17.4	3.48	8	5.5	1.95
35-39	12	4.2	1.21	10	7.0	2.22	2	1.4	0.98
40-44	23	9.2	1.91	21	17.1	3.74	2	1.6	1.10
45-49	19	8.5	1.96	15	13.8	3.56	4	3.5	1.76
50-54	6	3.4	1.37	5	5.8	2.58	1	1.1	1.09
55-59	13	9.3	2.58	12	17.7	5.12	1	1.4	1.38
60-64	4	3.1	1.54	4	6.5	3.23	0	0.0	0.00
65-69	7	5.3	2.01	6	10.1	4.11	1	1.4	1.38
70-74	6	5.0	2.04	5	9.7	4.34	1	1.5	1.46
75-79	6	6.2	2.54	6	15.6	6.36	0	0.0	0.00
80-84	4	6.4	3.20	3	13.7	7.90	1	2.5	2.46
85+	6	11.3	4.61	6	42.9	17.51	0	0.0	0.00
Total deaths	293			256			37		
Connecticut									
. Crude rate		9.0	-		16.1	-		2.2	-
. AAMR (1940 Std. mil.)		9.9	0.61		17.5	1.14		2.4	0.41
. AAMR (1970 Std. mil.)		9.3	0.57		16.6	1.08		2.2	0.38
. AAMR (2000 Std. mil.)		9.1	0.53		16.4	1.04		2.2	0.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.9	-		26.1	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.43	0	0.0	0.00	1	0.9	0.89
5-9	1	0.4	0.44	0	0.0	0.00	1	0.9	0.90
10-14	1	0.5	0.48	1	0.9	0.94	0	0.0	0.00
15-19	31	16.1	2.88	28	28.1	5.31	3	3.2	1.85
20-24	40	19.3	3.05	37	35.0	5.75	3	2.9	1.70
25-29	24	10.0	2.04	21	17.5	3.81	3	2.5	1.44
30-34	17	5.9	1.43	12	8.3	2.41	5	3.4	1.54
35-39	8	2.8	0.99	6	4.2	1.72	2	1.4	0.98
40-44	7	2.8	1.05	7	5.7	2.16	0	0.0	0.00
45-49	5	2.2	1.01	5	4.6	2.06	0	0.0	0.00
50-54	3	1.7	0.97	2	2.3	1.63	1	1.1	1.09
55-59	2	1.4	1.01	2	3.0	2.09	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.8	0.76	0	0.0	0.00	1	1.4	1.38
70-74	2	1.7	1.18	1	1.9	1.94	1	1.5	1.46
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	143			122			21		
Connecticut									
. Crude rate		4.4	-		7.7	-		1.2	-
. AAMR (1940 Std. mil.)		5.4	0.46		9.2	0.85		1.4	0.32
. AAMR (1970 Std. mil.)		4.9	0.43		8.3	0.78		1.3	0.30
. AAMR (2000 Std. mil.)		4.5	0.38		7.6	0.70		1.2	0.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		12.4	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.52	1	1.0	1.00	0	0.0	0.00
20-24	7	3.4	1.27	4	3.8	1.89	3	2.9	1.70
25-29	31	12.9	2.32	25	20.8	4.16	6	5.0	2.04
30-34	38	13.2	2.13	28	19.5	3.68	10	6.9	2.18
35-39	56	19.5	2.61	39	27.4	4.39	17	11.7	2.85
40-44	48	19.1	2.76	40	32.6	5.16	8	6.2	2.20
45-49	18	8.1	1.91	13	12.0	3.31	5	4.4	1.97
50-54	8	4.5	1.59	6	6.9	2.82	2	2.2	1.54
55-59	4	2.9	1.43	2	3.0	2.09	2	2.8	1.96
60-64	1	0.8	0.77	1	1.6	1.61	0	0.0	0.00
65-69	1	0.8	0.76	0	0.0	0.00	1	1.4	1.38
70-74	3	2.5	1.44	2	3.9	2.74	1	1.5	1.46
75-79	1	1.0	1.04	1	2.6	2.60	0	0.0	0.00
80-84	4	6.4	3.20	1	4.6	4.56	3	7.4	4.26
85+	1	1.9	1.88	0	0.0	0.00	1	2.6	2.55
Total deaths	222			163			59		
Connecticut									
. Crude rate		6.8	-		10.3	-		3.5	-
. AAMR (1940 Std. mil.)		6.2	0.42		9.3	0.74		3.1	0.42
. AAMR (1970 Std. mil.)		5.2	0.36		7.8	0.62		2.7	0.36
. AAMR (2000 Std. mil.)		6.5	0.44		9.7	0.77		3.3	0.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.0	-		3.0	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher